Akademia Górniczo-Hutnicza
im. Stanisława Staszica w Krakowie

AGH University of Krakow

Auto Quantum Machine Learning for Multisource Classification

Tomasz Rybotycki[1,2,3] Sebastian Dziura[1] Piotr Gawron[1,2]

[1]Center of Excellence in Artificial Intelligence
AGH University, al. Mickiewicza 30, 30-059 Cracow, Poland

[2]Nicolaus Copernicus Astronomical Center
Polish Academy of Sciences, ul.Bartycka 18, 00-716 Warsaw, Poland

[3]Systems Research Institute
Polish Academy of Sciences, ul. Newelska 6, 01-447 Warsaw, Poland

Part I

Introduction

www.agh.edu.pl

Part II

Introduction

www.agh.edu.pl

Part III

Introduction

www.agh.edu.pl

Information

⟸ The current value of
⟸ the left margin size
⟸ is 43.80011pt

The current value of ⟹
the right margin size ⟹
is 43.80011pt⟹

You can change them with the 'margins' parameter —
`\usetheme[margins=...]{AGH}`

Part IV

Examples

www.agh.edu.pl

Outline

1 Basic elements

www.agh.edu.pl

Outline

1. Basic elements
2. Mathematics

www.agh.edu.pl

Outline

1. Basic elements
2. Mathematics
3. Computer Science

www.agh.edu.pl

Itemize

- Item 1
- Item 2
- Item 3

www.agh.edu.pl

Itemize

- Item 1
- Item 2
- Item 3

Uncovering one by one

- Item 1

www.agh.edu.pl

Itemize

- Item 1
- Item 2
- Item 3

Uncovering one by one

- Item 1
- Item 2

www.agh.edu.pl

Itemize

- Item 1
- Item 2
- Item 3

Uncovering one by one

- Item 1
- Item 2
- Item 3

www.agh.edu.pl

Enumerate

1. Item 1
2. Item 2
3. Item 3

www.agh.edu.pl

Enumerate

1. Item 1
2. Item 2
3. Item 3

Uncovering elements in turn with simultaneous highlighting

1. Item 1

www.agh.edu.pl

Enumerate

1. Item 1
2. Item 2
3. Item 3

Uncovering elements in turn with simultaneous highlighting

1. Item 1
2. Item 2

www.agh.edu.pl

Enumerate

1. Item 1
2. Item 2
3. Item 3

Uncovering elements in turn with simultaneous highlighting

1. Item 1
2. Item 2
3. Item 3

www.agh.edu.pl

Basic blocks

Definition

A set consists of elements.

Example

The set $\{1, 2, 3, 5\}$ has four elements.

Wrong Theorem

$1 = 2$.

www.agh.edu.pl

Math environments

Theorems

Theorem (Pythagorean)

$a^2 + b^2 = c^2$

...

Proofs

Proof.

... □

Definition

...

www.agh.edu.pl

Dynamic mathematical formula

$$\binom{n}{k} =$$

www.agh.edu.pl

Dynamic mathematical formula

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}$$

www.agh.edu.pl

Using the 'listings' environment

```
/* The first  program in C++ */
```

Using the 'listings' environment

```
/* The first  program in C++ */
#include <iostream>
```

Using the 'listings' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
```

www.agh.edu.pl

Using the 'listings' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{

}
```

Using the 'listings' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout
}
```

Using the 'listings' environment

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout << "Hello World!"
}
```

Using the 'listings' environment

```
/* The first program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout << "Hello World!" << endl;
}
```

Using the 'minted' environment

```
/* The first  program in C++ */
```

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
```

www.agh.edu.pl

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
```

www.agh.edu.pl

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{

}
```

www.agh.edu.pl

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout
}
```

www.agh.edu.pl

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout  << "Hello World!"
}
```

Using the 'minted' environment

```
/* The first  program in C++ */
#include <iostream>
using namespace std;
void main()
{
  cout  << "Hello World!" << endl;
}
```

Part V

Appendix

www.agh.edu.pl

Information

The current version of the template is available at
https://github.com/polaksta/beamer-AGH

www.agh.edu.pl

Bibliography I

Wikibooks
LaTeX/Source Code Listings
https://en.wikibooks.org/wiki/LaTeX/Source_Code_Listings

Till Tantau, Joseph Wright, Vedran Miletić
The beamer class
http://mirror.ctan.org/macros/latex/contrib/beamer/doc/beameruserguide.pdf

Leslie Lamport
LATEX: a document preparation system : user's guide and reference manual
Addison-Wesley Pub. Co., 1994

Bibliography II

Author
Title of the article
Editor, year
Notes

- Author
  Title of the article
  Editor, year
  Notes

[6] Author
Title of the article
Editor, year
Notes

www.agh.edu.pl

Bibliography III

[Polak98] Author
Title of the article
Editor, year
Notes

www.agh.edu.pl