

users
id serial
public_id UUID
email varchar(100) NN
password_hash varchar(255) NN
role varchar(20) NN
first_name varchar(50) NN
last_name varchar(50) NN
phone varchar(20) NN
created_at timestamp NN
courier_profiles
user_id integer
is_available boolean NN
current_location geography(Point,432
last_ping_at timestamp
avg_rating decimal(3,2) NN
vendor_profiles
user_id integer
company_name varchar(100) NN
location geography(Point,4326)
avg_rating decimal(3,2) NN
orders
id serial
client_id integer NN
vendor_id integer NN
courier_id integer
status varchar(30) NN
delivery_location geography(Point,4326)
total_price decimal(10,2) NN
created_at timestamp NN
products
id serial
vendor_id integer NN
name varchar(100) NN
price decimal(10,2) NN
is_active boolean NN
ratings
id serial
order_id integer NN
client_id integer NN
target_user_id integer NN
target_role varchar(20) NN
score integer NN
created_at timestamp NN
payments
id serial
order_id integer NN
amount decimal(10,2) NN
status varchar(20) NN
external_tx_id varchar(100
updated_at timestamp NN
order_items
id serial
order_id integer NN
product_id integer NN
quantity integer NN
unit_price decimal(10,2) NN
1
0..*
0..1