1.4 Superposition Principle

Consider a linear system with transfer function $G(s) = \frac{4}{s+2}$. Let u denote the input and y denote the output. The response of G(s) with u(t) = 2 for $t \ge 0$, u(t) = 0 for t < 0, and zero initial conditions is $y(t) = 4(1 - e^{-2t})$.

- (a) What is the response y_A from zero initial conditions if $u_A(t) = -1$ for $t \ge 0$? Provide your answer as an explicit function of y(t).
- (b) Analyze the response $y_B(t)$ from zero initial conditions for a piecewise input:

$$u_B(t) = \begin{cases} 2 & 0 \le t < 10, \\ 4 & t \ge 10. \end{cases}$$

Express $y_B(t)$ as a mathematical expression in terms of y(t), using the principle of superposition and time-invariance.

Solution:

(a) Note that $u_A = -\frac{1}{2}u$. By the principle of superposition (scaling), the response due to u_A is

$$y_A = -\frac{1}{2}y = -2(1 - e^{-2t}).$$

(b) Note that $u_B(t) = u(t) + u(t-10)$ where u(t-10) is the original input shifted by 10 sec. By time-invariance, the response due to u(t-10) is given by y(t-10). By the principle of superposition (addition), the response due to u_B is given by $y_B(t) = y(t) + y(t-10)$. This plot is shown below.




Figure 1: The system response $y_B(t)$ over time.

GPT Answer:

Given the linear time-invariant system $G(s) = \frac{4}{s+2}$ and its response to a unit step input of u(t) = 2, we have $y(t) = 4(1 - e^{-2t})$.

For part (a), the response y_A for an input $u_A(t) = -1$ can be derived using the property of linearity. The original response was for u(t) = 2, hence the response for $u_A(t) = -1$ is simply the original response scaled by $\frac{-1}{2}$, since $u_A(t) = -\frac{1}{2} \cdot 2$.

Therefore, the response $y_A(t)$ is given by:

$$y_A(t) = \frac{-1}{2} \cdot 4(1 - e^{-2t}) = -2(1 - e^{-2t})$$

For part (b), considering $u_B(t)$ which changes from 2 to 4 at t=10, we can express $y_B(t)$ using the superposition principle and taking into account time-invariance.

- For $0 \le t < 10$, the input is 2, and the response is $y(t) = 4(1 - e^{-2t})$. - For $t \ge 10$, the input increases by an additional 2, making it equivalent to applying a step of magnitude 2 at t = 10. This can be thought of as an additional input starting at t = 10, whose response can be shifted in time to start at 10. This yields an additional response of $4(1 - e^{-2(t-10)})$.

Combining both, for $t \ge 10$, the response is the sum of the ongoing response up to t = 10 plus the response due to the new input starting at t = 10. Therefore,

$$y_B(t) = \begin{cases} 4(1 - e^{-2t}) & 0 \le t < 10, \\ 4(1 - e^{-2t}) + 4(1 - e^{-2(t-10)}) & t \ge 10. \end{cases}$$

Confidence level: 95%

Correct

Claude Answer:

(a) Since the system is linear, we can use scaling to determine the response to $u_A(t) = -1$, $t \ge 0$. The response will be:

$$y_A(t) = -\frac{1}{2} \cdot y(t) = -2(1 - e^{-2t}), \quad t \ge 0$$

(b) Using the principle of superposition and time-invariance, we can express $y_B(t)$ as:

$$y_B(t) = \begin{cases} y(t), & 0 \le t < 10, \\ y(t) + y(t - 10), & t \ge 10. \end{cases}$$

Substituting the expression for y(t):

$$y_B(t) = \begin{cases} 4(1 - e^{-2t}), & 0 \le t < 10, \\ 4(1 - e^{-2t}) + 4(1 - e^{-2(t-10)}), & t \ge 10. \end{cases}$$

Confidence Score: 95/100

Correct