package com.brtpawn.continuePawn.house.controller;

```
import com. brtpawn. continuePawn. house. service. HouseContinuePawnService;
import com. brtpawn. controller. base. BaseController;
import com. brtpawn. controller. wxjk. BrtWxJk;
import com. brtpawn. controller. wxjk. BrtWxService;
import com.brtpawn.crm.CrmService;
import com. brtpawn. entity. system. User;
import com. brtpawn. service. brtpawn. accmgr. YwManagerService;
import com. brtpawn. service. brtpawn. common. Util;
import com. brtpawn. service. brtpawn. system. house. HouseTicketManagementService;
import com. brtpawn. util. Const;
import com.brtpawn.util.PageData;
import com.brtpawn.util.Tools;
import org.apache.shiro.SecurityUtils;
import org. apache. shiro. session. Session;
import org. apache. shiro. subject. Subject;
import org. springframework. stereotype. Controller;
import org. springframework. web. bind. annotation. RequestMapping;
import org. springframework. web. bind. annotation. ResponseBody;
import org. springframework. web. servlet. ModelAndView;
import javax. annotation. Resource;
import javax.servlet.http.HttpServletRequest;
import java.util.List;
/**
 * 财务审计--控制类
@Controller
@RequestMapping(value = "/houseContinuePawnController")
public\ class\ House Continue Pawn Controller\ extends\ Base Controller\ \{
     @Resource(name = "houseContinuePawnService")
     private HouseContinuePawnService houseContinuePawnService;
     @Resource(name = "houseTicketManagementService")
     private HouseTicketManagementService houseTicketManagementService;
     @Resource(name = "ywManagerService")
     private YwManagerService ywManagerService;
     @Resource(name = "crmService")
     private CrmService crmService;
     @Resource(name = "brtWxJk")
     private BrtWxJk brtWxJk;
     @Resource(name ="brtWxService")
     private BrtWxService brtWxService;
     * 当票管理列表,点击 "续当" 按钮,获取相关数据,弹出收款通知书页面
      * @param request
      * @return
```

```
* @throws Exception
*/
@RequestMapping(value = "/continuePawn")
public ModelAndView continuePawn(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = new PageData();
    PageData ticketInfo = new PageData();
    // 获取界面参数
    pd = this.getPageData();
    // 获取票据信息
    ticketInfo = houseContinuePawnService.getTicketInfo(pd);
    // 收款通知单页面
    mv. setViewName("brtpawn/continuePawn/house/receiveNotification");
    // 获取区域后缀
    String areaCode = new Util().getAreaCode();
    String areaCodeSuffix;
    if ("02".equals(areaCode)) areaCodeSuffix = "_tianjin";
    else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
    else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
    else if ("05".equals(areaCode)) areaCodeSuffix = "_shanghai";
    else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
    else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
    else areaCodeSuffix = "";
    mv.addObject("areaCodeSuffix", areaCodeSuffix);
    mv. addObject("ticketInfo", ticketInfo);
    return mv;
}
@RequestMapping(value = "/continuePawn fmp")
public ModelAndView continuePawn_fmp(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = new PageData();
    PageData ticketInfo = new PageData();
    // 获取界面参数
    pd = this.getPageData();
    // 获取票据信息
    ticketInfo = houseContinuePawnService.getTicketInfo(pd);
    // 收款通知单页面
    mv. setViewName("brtpawn/continuePawn/house/receiveNotification_fmp");
    // 获取区域后缀
    String areaCode = new Util().getAreaCode();
    String areaCodeSuffix;
    if ("02".equals(areaCode)) areaCodeSuffix = "_tianjin";
    else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
    else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
    else if ("05".equals(areaCode)) areaCodeSuffix = "_shanghai";
    else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
    else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
    else areaCodeSuffix = "";
```

```
mv.addObject("areaCodeSuffix", areaCodeSuffix);
              mv. addObject("ticketInfo", ticketInfo);
              return mv;
/**
  * 计算实付金额
  * @param request
  * @return
  * @throws Exception
@RequestMapping(value = "/calDelay")
@ResponseBody
public PageData calDelay(HttpServletRequest request) throws Exception {
              PageData pd = new PageData();
              pd = this.getPageData();
              PageData resultData = houseContinuePawnService.cal(pd);
              return resultData;
/**
  * 暂存收款通知单信息
  * @throws Exception
  */
@RequestMapping(value = "/saveSktzd")
@ResponseBody
public PageData saveSktzd(HttpServletRequest request) throws Exception {
              ModelAndView mv = this.getModelAndView();
              PageData pd = this.getPageData();
              PageData sktzd = houseContinuePawnService.saveRecNoti(pd);
              return sktzd;
/**
  * 提交财务
  * @param request
  * @return
  * @throws Exception
  */
@RequestMapping(value = "/submitToFinance")
public\ \texttt{ModelAndView}\ submit\texttt{ToFinance}\ (\texttt{HttpServletRequest}\ request)\ throws\ \texttt{Exception}\ \{\texttt{ModelAndView}\ submit\texttt{ToFinance}\ (\texttt{ModelAndView}\ submit\texttt{ToFinance}\ (\texttt{ModelAndView}\ submit\texttt{ToFinance}\ submit\texttt{ModelAndView}\ submit\texttt{Mode
              ModelAndView mv = this.getModelAndView();
              PageData pd = this.getPageData();
              houseContinuePawnService.submitToFinance(this.getLoginUserName(), pd);
              mv.setViewName("save_result");
              return mv;
/**
  * 出纳复核界面
```

```
* @param request
* @return
 * @throws Exception
@RequestMapping(value = "/financeCheck")
public ModelAndView financeCheck(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    PageData ticketInfo = houseContinuePawnService.getTicketInfo(pd);
    ticketInfo.put("loginUser", this.getLoginName());
    ticketInfo.put("CN", Tools.getUserId());
    mv. addObject("ticketInfo", ticketInfo);
    pd.put("firereport", Const.MY_FIREREPORTPATH);
    mv.addObject("pd10", pd);
    // 获取区域后缀
    String areaCode = new Util().getAreaCode();
    String areaCodeSuffix;
    if ("02".equals(areaCode)) areaCodeSuffix = "_tianjin";
    else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
    else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
    else if ("05".equals(areaCode)) areaCodeSuffix = "_shanghai";
    else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
    else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
    else areaCodeSuffix = "";
    mv. addObject("areaCodeSuffix", areaCodeSuffix);
    mv. setViewName("brtpawn/continuePawn/house/financeCheck");
    return mv;
/**
* 出纳复核通过
*/
@RequestMapping(value = "/agree")
public ModelAndView agree(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    \label{lem:pageData} PageData\ returnInfo=houseContinuePawnService.\ agree (this.\ getLoginUserName (),\ pd);
    //判断是否是外阜 如果是外阜 则不执行下面操作
    String xmbh = returnInfo.getString("XMBH");
    pd. put ("xmbh", xmbh);
    String areaCode = ywManagerService.getAreaCodeByXmbh(pd);
    if ("01". equals (areaCode)) {
         crmService.crm_XudangFanli(returnInfo);
    String xdlx=returnInfo.getString("XDLX");
    if ("02". equals (xdlx)) {
         returnInfo.put("PJBH", returnInfo.getString("SDPJBH"));
         //判断是否是外阜 如果是外阜 则不执行下面操作
         if("01".equals(areaCode)) {
              crmService.CRM Shudangfanli(returnInfo);
```

```
}
    if ("03". equals (pd. getString ("XDFS"))) {
         String pawnStatus = "04";
         String pawnNo = pd.getString("LRDPH");
         String originalPawnNo = pd. getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus, pawnNo, originalPawnNo);
         List<PageData> weixinStatus = brtWxService.getWeixinStatus(pd);//查询状态为0的票是否存在
         PageData changeStatus = new PageData();
         changeStatus.put("ID", weixinStatus.get(0).getString("ID"));
         changeStatus.put("XGR", this.getLoginUserName());
         brtWxService.updateStatus(changeStatus);
         System. out. println (ret+"======== \n\n\n\n\n');
    List<PageData> weixinStatus = brtWxService.getWeixinStatus(pd);//查询状态为 0 的票是否存在
    if (weixinStatus. size()>0) {
         String pawnStatus = "04";
         String pawnNo = pd.getString("LRDPH");
         String originalPawnNo = pd.getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus,pawnNo,originalPawnNo);
         //System. out. println(ret+"======\n\n\n\n\n\n\n');
         PageData changeStatus = new PageData();
         changeStatus.put("ID", weixinStatus.get(0).getString("ID"));
         changeStatus.put("XGR", this.getLoginUserName());
         brtWxService.updateStatus(changeStatus);
    mv. setViewName("save_result");
    return mv;
/**
* 出纳回退
* @param request
* @return
* @throws Exception
*/
@RequestMapping(value = "/reject")
public ModelAndView reject(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    houseContinuePawnService.reject(this.getLoginUserName(), pd);
    List<PageData> weixinStatus = brtWxService.getWeixinStatus(pd);//查询状态为 0 的票是否存在
    if (weixinStatus. size()>0) {
         String pawnStatus = "96";
         String pawnNo ="";
         String originalPawnNo = pd. getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus,pawnNo,originalPawnNo);
    mv.setViewName("save_result");
    return mv;
```

```
/**
* 判断当票号是否重复
* @param request
* @return
* @throws Exception
@RequestMapping(value = "/judgeDph")
@ResponseBody
public String judgeDph(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    pd = this.getPageData();
    String s = houseContinuePawnService.judgeDph(pd);
    return s;
/**
* 获取当前登录用户用户名
* @return
*/
public String getLoginUserName() {
    Subject currentUser = SecurityUtils.getSubject();
    Session session = currentUser.getSession();
    User user = (User) session.getAttribute(Const.SESSION_USER);
    String userName = user.getUSERNAME();
    return userName;
/**
* 获取当前登录用户中文名
public String getLoginName() {
    Subject currentUser = SecurityUtils.getSubject();
    Session session = currentUser.getSession();
    User user = (User) session.getAttribute(Const.SESSION_USER);
    String name = user.getNAME();
    return name;
/**
*保存当票打印状态
* @param request
* @return
* @throws Exception
@RequestMapping(value = "/saveSdSFDY")
@ResponseBody
```

```
public void saveSdSFDY(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    pd = this.getPageData();
   houseContinuePawnService.saveSdSFDY(pd);
/**
*保存当票打印状态
* @param request
* @return
* @throws Exception
*/
@RequestMapping(value = "/saveXdSFDY")
@ResponseBody
public void saveXdSFDY(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    pd = this.getPageData();
   houseContinuePawnService.saveXdSFDY(pd);
/***
*续当终止
* @param request
* @return
* @throws Exception
@RequestMapping(value = "/stopContinue")
public String stopContinue(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    String s="0";
    pd = this.getPageData();
   houseContinuePawnService.stopContinue(pd);
    s="1";
    return s;
/***
*续当取消逾期减免
* @param request
* @return
* @throws Exception
*/
@RequestMapping(value = "/cancelReduce")
@ResponseBody
public String cancelReduce(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    String s="0";
    pd = this.getPageData();
```

```
houseContinuePawnService.cancelReduce(pd);
         s="1":
         return s;
     @RequestMapping(value="/getHandleIdentity")
     @ResponseBody
     public PageData getDealDisabled(HttpServletRequest request) throws Exception{
         PageData returnInfo=new PageData();
         PageData pd = new PageData();
         pd = this.getPageData();
         returnInfo=houseTicketManagementService.getHandleIdentity(pd);
    return returnInfo;
}
package com. brtpawn. controller. brtpawn. civilPawn;
import com. brtpawn. continuePawn. house. service. HouseContinuePawnService;
import com.brtpawn.controller.base.BaseController;
import com.brtpawn.controller.wxjk.BrtWxService;
import com. brtpawn. crm. CrmService;
import com. brtpawn. service. brtpawn. accmgr. YwManagerService;
import com. brtpawn. service. brtpawn. common. Util;
import com. brtpawn. service. brtpawn. cvivilPawn. CivilContinuePawnService;
import com. brtpawn.util.Const;
import com.brtpawn.util.PageData;
import com. brtpawn. util. Tools;
import org. springframework. stereotype. Controller;
import org. springframework. web. bind. annotation. RequestMapping;
import org. springframework. web. bind. annotation. ResponseBody;
import org.springframework.web.servlet.ModelAndView;
import javax.annotation.Resource;
import javax.servlet.http.HttpServletRequest;
import java.util.List;
@Controller
@RequestMapping(value="/civilContinue")
public class CivilContinuePawnController extends BaseController {
     @Resource(name = "civilContinuePawnService")
     private CivilContinuePawnService civilContinuePawnService;
     @Resource(name = "houseContinuePawnService")
     private HouseContinuePawnService houseContinuePawnService;
     @Resource(name = "ywManagerService")
     private YwManagerService ywManagerService;
```

```
@Resource(name = "crmService")
private CrmService crmService;
@Resource(name ="brtWxService")
private BrtWxService brtWxService;
/**
* @param request
* @return
* @throws Exception
*/
    @RequestMapping(value = "/continuePawn")
    public ModelAndView continuePawn(HttpServletRequest request) throws Exception {
         ModelAndView mv = this.getModelAndView();
         PageData pd = new PageData();
         PageData ticketInfo = new PageData();
         // 获取界面参数
         pd = this.getPageData();
         // 获取票据信息
         ticketInfo = civilContinuePawnService.getCivilTicketInfo(pd);
         // 获取区域后缀
         String areaCode = new Util().getAreaCode();
         String areaCodeSuffix;
         if ("02".equals(areaCode)) areaCodeSuffix = "_tianjin";
         else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
         else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
         else if ("05".equals(areaCode)) areaCodeSuffix = " shanghai";
         else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
         else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
         else areaCodeSuffix = "";
         mv.addObject("areaCodeSuffix", areaCodeSuffix);
         // 收款通知单页面
         mv. setViewName("brtpawn/continuePawn/civilian/civilReceiveNotification");
         // 票据信息
         mv. addObject("ticketInfo", ticketInfo);
         mv.addObject("pd", pd);
         return mv;
    //续当减免页面回显信息
    @RequestMapping(value = "/continuePawn_mp")
    public ModelAndView continuePawn_mp(HttpServletRequest request) throws Exception {
         ModelAndView mv = this.getModelAndView();
         PageData pd = new PageData();
         PageData ticketInfo = new PageData();
         // 获取界面参数
         pd = this.getPageData();
         // 获取票据信息
         ticketInfo = civilContinuePawnService.getCivilTicketInfo(pd);
         // 获取区域后缀
         String areaCode = new Util().getAreaCode();
```

```
String areaCodeSuffix;
    if ("02".equals(areaCode)) areaCodeSuffix = " tianjin";
    else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
    else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
    else if ("05".equals(areaCode)) areaCodeSuffix = "_shanghai";
    else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
    else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
    else areaCodeSuffix = "";
    mv.addObject("areaCodeSuffix", areaCodeSuffix);
    // 收款通知单页面
    mv. setViewName("brtpawn/continuePawn/civilian/civilReceiveNotification_mp");
    // 票据信息
    mv.addObject("ticketInfo", ticketInfo);
    mv.addObject("pd", pd);
    return mv;
}
/***
 *续当终止 by zy -01-10
 * @param request
 * @return
 * @throws Exception
 */
@RequestMapping(value = "/stopContinue")
@ResponseBody
public String stopContinue(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    String s="0";
    pd = this.getPageData();
    civilContinuePawnService.stopContinue(pd);
    s="1";
    return s;
/**
 * 计算实付金额
 * @param request
 * @return
 * @throws Exception
@RequestMapping(value = "/civilCalDelay")
@ResponseBody
public PageData calDelay(HttpServletRequest request) throws Exception {
    PageData pd = new PageData();
    pd = this.getPageData();
    PageData resultData = civilContinuePawnService.civilCal(pd);
    return resultData;
}
```

```
/**
 * 暂存收款通知单信息
 * @throws Exception
@RequestMapping(value = "/saveCivilSktzd")
@ResponseBody
public PageData saveSktzd(HttpServletRequest request) throws Exception {
    PageData pd = this.getPageData();
    PageData sktzd = civilContinuePawnService.saveCivilRecNoti(pd);
    return sktzd;
/**
* 提交财务
 * @param request
 * @return
 * @throws Exception
*/
@RequestMapping(value = "/submitToTeller")
public ModelAndView submitToFinance(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    civilContinuePawnService.submitToTeller(Tools.getUsername(), pd);
    mv.setViewName("save_result");
    return mv;
* 提交审批人员进行审批
* @param request
 * @return
* @throws Exception
@RequestMapping(value = "/submitToApprover")
@ResponseBody
public String submitToApprover(HttpServletRequest request) throws Exception {
    PageData pd = this.getPageData();
    String flag=civilContinuePawnService.submitToApprover(Tools.getUsername(), pd);
    return flag;
/**
* 出纳复核界面
```

```
* @param request
* @return
* @throws Exception
@RequestMapping(value = "/TellerCheck")
public ModelAndView financeCheck(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    PageData ticketInfo = civilContinuePawnService.getCivilTicketInfo(pd);
    ticketInfo.put("loginUser", Tools.getUsername());
    ticketInfo.put("CN", Tools.getUserId());
    mv.addObject("ticketInfo", ticketInfo);
    pd.put("firereport", Const.MY_FIREREPORTPATH);
    mv. addObject("pd10", pd);
    // 获取区域后缀
    String areaCode = new Util().getAreaCode();
    String areaCodeSuffix;
    if ("02".equals(areaCode)) areaCodeSuffix = "_tianjin";
    else if ("03".equals(areaCode)) areaCodeSuffix = "_hangzhou";
    else if ("04".equals(areaCode)) areaCodeSuffix = "_hainan";
    else if ("05".equals(areaCode)) areaCodeSuffix = "_shanghai";
    else if ("06".equals(areaCode)) areaCodeSuffix = "_ningbo";
    else if ("07".equals(areaCode)) areaCodeSuffix = "_shenzhen";
    else areaCodeSuffix = "";
    mv.addObject("areaCodeSuffix", areaCodeSuffix);
    mv. setViewName ("brtpawn/continuePawn/civilian/civilFinanceCheck");
    return mv;
/**
* 出纳复核通过
@RequestMapping(value = "/civilAgree")
public ModelAndView agree (HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    \label{lem:pageData} PageData\ returnInfo=civilContinuePawnService.\ civilAgree\ (Tools.\ getUsername\ (),\ pd)\ ;
    crmService.crm_XudangFanli(returnInfo);
    String xdlx=returnInfo.getString("XDLX");
    //判断是否是外阜 如果是外阜 则不执行下面操作
    String xmbh = returnInfo.getString("XMBH");
    pd. put ("xmbh", xmbh);
    String areaCode = ywManagerService.getAreaCodeByXmbh(pd);
    if("02".equals(xdlx)) {
         returnInfo.put("PJBH", returnInfo.getString("SDPJBH"));
         //判断是否是外阜 如果是外阜 则不执行下面操作
         if("01".equals(areaCode)) {
             crmService. CRM_Shudangfanli(returnInfo);
    }
    if ("03". equals (pd. getString ("XDFS"))) {
```

```
String pawnStatus = "04";
         String pawnNo = pd. getString("LRDPH");
         String originalPawnNo = pd. getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus,pawnNo,originalPawnNo);
         List<PageData> weixinStatus = brtWxService.getWeixinStatus(pd);
         PageData changeStatus = new PageData();
         changeStatus.put("ID", weixinStatus.get(0).getString("ID"));
         brtWxService.updateStatus(changeStatus);
         List < PageData > weixinStatus = brt WxService.getWeixinStatus(pd);
    if (weixinStatus.size()>0) {
         String pawnStatus = "04";
         String pawnNo = pd.getString("LRDPH");
         String originalPawnNo = pd.getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus, pawnNo, originalPawnNo);
         //System.out.println(ret+"======\n\n\n\n\n\n\n');
         PageData changeStatus = new PageData();
         changeStatus.put("ID", weixinStatus.get(0).getString("ID"));
         brtWxService.updateStatus(changeStatus);
    mv. setViewName("save_result");
    return mv;
/**
 * 出纳回退
 * @param request
 * @return
 * @throws Exception
@RequestMapping(value = "/civilReject")
public ModelAndView reject(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    civilContinuePawnService.civilReject(Tools.getUsername(), pd);
    List<PageData> weixinStatus = brtWxService.getWeixinStatus(pd);//查询状态为0的票是否存在
    if (weixinStatus. size()>0) {
         String pawnStatus = "96";
         String pawnNo ="";
         String originalPawnNo = pd. getString("YDPH");
         String ret = HouseContinuePawnService.sendSms(pawnStatus, pawnNo, originalPawnNo);
    mv.setViewName("save_result");
    return mv;
}
/**
 * 进入审批人员审批页面
 * @param request
```

```
* @return
 * @throws Exception
 */
@RequestMapping(value="/civilApprove")
public ModelAndView civilApprove(HttpServletRequest request) throws Exception {
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    PageData ticketInfo = civilContinuePawnService.getCivilApproveInfo(pd);
    ticketInfo.put("loginUser", Tools.getUsername());
    mv.addObject("ticketInfo", ticketInfo);
    mv. setViewName("brtpawn/continuePawn/civilian/civilContinueApprove");
    return mv;
/**
 * 审批人员审批(若取走当物)
* @param requst
 * @return
 * @throws Exception
 */
@RequestMapping(value="/approveSumbit")
public ModelAndView approveSumbit (HttpServletRequest requst) throws Exception
{
    ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    civilContinuePawnService.approveSumbit(Tools.getUsername(), pd);
    mv.setViewName("save_result");
    return mv;
/**
* 库管进入出库页面(若取走当物)
* @param requst
* @return
 * @throws Exception
@RequestMapping(value="/storageCheck")
ModelAndView mv = this.getModelAndView();
    PageData pd = this.getPageData();
    PageData ticketInfo =civilContinuePawnService.storageCheck(pd);
    mv.addObject("ticketInfo", ticketInfo);
    mv. setViewName("brtpawn/continuePawn/civilian/civilStorageCheck");
    return mv;
}
/**
* 库管出库意见提交(取走当物,库管进行出库提交)
 * @param requst
```

* @return

```
* @throws Exception
          */
         @RequestMapping(value="/storageAgree")
         public ModelAndView storageSumbit(HttpServletRequest requst)throws Exception
              ModelAndView mv = this.getModelAndView();
              PageData pd = this.getPageData();
              civilContinuePawnService.storageAgree(pd);
              mv.setViewName("save_result");
              return mv;
         /**
          * 库管出库意见提交(取走当物,库管进行出库提交)
          * @param requst
          * @return
          * @throws Exception
         @RequestMapping(value="/storageReject")
         public ModelAndView storageReject(HttpServletRequest requst)throws Exception
         {
              ModelAndView mv = this.getModelAndView();
              PageData pd = this.getPageData();
              civilContinuePawnService.storageReject(pd);
              mv. setViewName("save result");
              return mv;
         @RequestMapping(value = "/checkMpmx")
         @ResponseBody
         public String checkMpmx(HttpServletRequest request) throws Exception {
              PageData pd = this.getPageData();
              String result = "0";
              List < PageData > checkMpmx = civilContinuePawnService.checkMpmx (pd);
              if (checkMpmx. size() > 0) {
                   result = "1";
              return result;
         }
}
<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
\mbox{\ensuremath{\mbox{\%0}}} taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"%>
<%@ taglib prefix="fmt" uri="http://java.sun.com/jsp/jstl/fmt"%>
<%
    String path = request.getContextPath();
    String basePath = request.getScheme() + "://"
              + request.getServerName() + ":" + request.getServerPort()
              + path + "/";
```

```
%>
<html lang="en">
<head>
<base href="<%=basePath%>">
<!-- jsp 文件头和头部 -->
<%@ include file="../../system/admin/top.jsp"%>
<script type="text/javascript" src="static/js/my.js/receiveContinue.js"></script>
</head>
<body>
    <form class="form-horizontal registerform" method="post" id="infoForm" name="infoForm">
         <div class="container-fluid" id="main-container">
             <div id="page-content" class="clearfix">
                  <div class="page-header">
                       <h1>收款通知单(续当)</h1>
                  </div>
                  <input id="ROOTID" name="ROOTID" type="text" class="hidden" value="${ticketInfo.ROOTID}" />
                  <input type="text" ID="PJBH" name="PJBH" value='${ticketInfo.PJBH}' class="hidden" />
<input
                       id="workItemId" name="workItemId" value="${ticketInfo.workItemId}" class="hidden" />
<input
                       id="XDSKTZDID" name="XDSKTZDID" value="${ticketInfo.XDSKTZDID}" class="hidden" />
<input</pre>
                       id="firereport" type="hidden" value="${ticketInfo.firereport}"> <input type="text"
                       class="hidden" id="SD_STZHFY" name="SD_STZHFY" value="${ticketInfo.SD_STZHFY}">
<input</pre>
                       type="text" class="hidden" id="SDRQ" name="SDRQ" value="${ticketInfo.SDRQ}"> <input
                       type="text" class="hidden" id="ZHFYSYFLYE_NEW" name="ZHFYSYFLYE_NEW"
                       value="${ticketInfo.ZHFYSYFLYE_NEW}"> <input id="SDSKTZDID" name="SDSKTZDID"</pre>
                       class="hidden" value="${ticketInfo.SDSKTZDID}" /> <input type="text" class="hidden"
                       id="YJXDJE" name="YJXDJE" value="${ticketInfo.YJXDJE}"> <input type="text"
                       class="hidden" id="QCPGJG" name="QCPGJG" value="${ticketInfo.QCPGJG}"> <input
                       type="text" class="hidden" id="YWPZ" name="YWPZ" value="${ticketInfo.YWPZ}"> <input
                       type="text" id="SPZT" name="SPZT" class="hidden" value="${ticketInfo.SPZT}"> <input
                       type="text" id="ZSKLY" name="ZSKLY" class="hidden" value="${ticketInfo.ZSKLY}">
                  <div class="row-fluid">
                       <div class="span12">
                           <div class="tabbable">
                                class="active"><a data-toggle="tab" href="#ywxx">业务信息</a>
                                     <c:choose>
                                         <c:when test="${not empty ticketInfo.hisCheckInfo}">
                                              <a data-toggle="tab" href="#fhxx">历史复核信息</a>
                                         \langle c:when \rangle
                                     </c:choose>
                                <div class="tab-content" id="myTabContent">
                                     <div id="ywxx" class="tab-pane fade in active">
                                         <div class="form-group">
                                              <span class="text-right"</pre>
```

```
style="float:right;font-size:14px;color:#009FCC;margin-right:30px">金额:单位(元)</span>
                                   </div>
                                   <fieldset id="jbxxFieldSet">
                                       <le><legend style="font-size:18px;color:inherit"> 当 票 信 息
</legend>
                                       \langle tr \rangle
                                               <td style="width:20%"
                                                                     class="text-right"><label
class="control-label">放款来源: </label>
                                               <td
                                                        style="width:25%"
                                                                             id="ywmd"><label
class="control-label">${ticketInfo.YWFKLY}</label>
                                               <td
                                                                            style="width:10%"
class="text-right"colspan="3">
                                           \langle tr \rangle
                                                    style="width:20%"
                                                                     class="text-right"><label
                                               <td
class="control-label">业务门店: </label>
                                               <td
                                                        style="width:25%"
                                                                             id="ywmd"><label
class="control-label">${ticketInfo.YWMD}</label>
                                               \langle /td \rangle
                                                                     class="text-right"><label
                                               <td style="width:20%"
class="control-label">业务经办: </label>
                                               <td
                                                        style="width:25%"
                                                                             id="ywjb"><label
class="control-label">${ticketInfo.JBR}</label>
                                               \langle tr \rangle
                                               <label class="control-label">
当户名称: </label>
                                                                             id = "DHMC" > < label
                                               <td
class="control-label">${ticketInfo.DHMC}</label>
                                               <label class="control-label">
证件信息: </label>
                                               <td
                                                                             id="ZJXX"><label
class="control-label">${ticketInfo.ZJXX}</label>
                                               <!-- <a href="">[ 当户详细 ]</a> -->
                                           \langle tr \rangle
                                               <label class="control-label">
合同编号: </label>
                                                                             id="HTID"><label
                                               <td
class="control-label">\$\{ticketInfo.HTID}</label>
```

```
<label class="control-label">
合同金额: </label>
                                                                              id="HTJE"><label
                                                <td
class="control-label"><fmt:formatNumber type="number"
                                                            pattern="#, ##0.00"
value="${ticketInfo.HTJE}" /> </label>
                                                \langle tr \rangle
                                                <label class="control-label">
原当票号: </label>
                                                <td
                                                                              id="YDPH"><label
class="control-label">${ticketInfo.DPH}</label>
                                                <label class="control-label">
原典当金额: </label>
                                                                             id="YDDJE"><label
                                                <td
class="control-label"><fmt:formatNumber type="number"
                                                            pattern="#, ##0.00"
value="${ticketInfo.YDDJE}" /> </label>
                                                \langle tr \rangle
                                                        <td
                                                                       class="text-right"><label
class="contr\ol-label">审批期限: </label>
                                                        <td
                                                                              id="SPQX"><label
class="control-label">${ticketInfo.SPQX} (天)</label>
                                                                       class="text-right"><label
                                                        <td
class="control-label">审批到期日: </label>
                                                        <td
                                                                             id="SPDQR"><label
class="control-label">${ticketInfo.SPDQR}</label>
                                                        <!-- <a href="#">[ 审批详细 ]</a>
-->
                                                    <c:choose>
                                                              test="${ticketInfo.YWPZ
                                                <c:when
                                                                                           eq
1||ticketInfo.YWPZ eq ''||ticketInfo.YWPZ eq null}">
                                                    \langle tr \rangle
                                                                      class="text-right"><label
                                                        <td
class="control-label">审核期限: </label>
                                                                              id="SPQX"><label
                                                        <td
class="control-label">${ticketInfo.SHQX} (天)</label>
                                                        <td
                                                                       class="text-right"><label
class="control-label">审核到期日: </label>
                                                        <td
                                                                             id="SPDQR"><label
class="control-label">${ticketInfo.SHDQR}</label>
                                                        \langle td \rangle \langle /td \rangle
```

```
</c:when>
                                       </c:choose>
                                        <c:choose>
                                           <c:when test="${ticketInfo.YWPZ eq 2}">
                                                               class="text-right"><label
                                                  <td
class="control-label">评估价格: </label>
                                                  <label
class="control-label"><fmt:formatNumber type="number"</pre>
                                                             pattern="#, ##0.00"
value="${ticketInfo.QCPGJG}" /> </label>
                                                  <td
                                                               class="text-right"><label
class="control-label">评估有效期止: </label>
                                                                     id="PGYXQ"><label
                                                  <tdd
</c:when>
                                       </c:choose>
                                       <label class="control-label">
上期到期日: </label>
                                           <label
class="control-label">\$\{ticketInfo.SQDQR\}</label>
                                           <label class="control-label">
开始日期: </label>
                                           <td
                                                                     id="xdqxq"><label
class="control-label">${ticketInfo.KSRQ}</label>
                                           \langle tr \rangle
                                           <label class="control-label">
标准利率: </label>
                                           <td
                                                                       id="YLL"><label
class="control-label"><fmt:formatNumber type="percent"
                                                      maxFractionDigits='4'
value="${ticketInfo.YLL_NEW}" /> </label>
                                           <label class="control-label">
标准费率: </label>
                                                                       id="YFL"><label
                                           <td
class="control-label"><fmt:formatNumber type="percent"</pre>
                                                      maxFractionDigits='4'
value="${ticketInfo.YFL_NEW}" /> </label>
                                           <label class="control-label">
息差: </label>
                                           <label class="control-label"><c:if
```

```
test="$ {ticketInfo.XC_NEW
null&&ticketInfo.XC NEW ne ''}">
                                                                <fmt:formatNumber
                                                                                     type="percent"
maxFractionDigits='4' value="${ticketInfo.XC_NEW}" />
                                                            </c:if> <c:if test="${ticketInfo.XC_NEW eq</pre>
null||ticketInfo.XC NEW eq ''}">
                                                                    0%</c:if> </label>
                                                   <label class="control-label">
返点: </label>
                                                   <label class="control-label"><c:if
                                                                test="${ticketInfo.QDFFFL_NEW
                                                                                                ne
null&&ticketInfo.QDFFFL_NEW ne ''}">
                                                                <fmt:formatNumber
                                                                                     type="percent"
maxFractionDigits='4'
                                                                    value="${ticketInfo.QDFFFL NEW}"
/>
                                                            </c:if>
                                                                                             <c:if
test="${ticketInfo.QDFFFL_NEW eq null||ticketInfo.QDFFFL_NEW eq ''}">0%</c:if>
                                                   \langle /label \rangle \langle /td \rangle
                                                   <c:choose>
                                                   <c:when test="${ticketInfo.YWPZ eq 1}">
                                                       >
                                                            <td
                                                                           class="text-right"><label
class="control-label">上期月利率: </label>
                                                            <td
                                                                                    id="YLL"><label
class="control-label"><fmt:formatNumber
                                                                        type="percent"
maxFractionDigits='4' value="${ticketInfo.YLL}" /> </label>
                                                                           class="text-right"><label
                                                            <td
class="control-label">在当金额: </label>
                                                            <label
class="control-label"><fmt:formatNumber type="number"
                                                                        pattern="#, ##0.00"
value="${ticketInfo.ZDJE}" /> </label>
                                                            \langle /tr \rangle
                                                   </c:when>
                                                   <c:otherwise>
                                                       <td
                                                                           class="text-right"><label
class="control-label">在当金额: </label>
                                                       <label
class="control-label"><fmt:formatNumber type="number"</pre>
                                                                    pattern="#, ##0.00"
value="${ticketInfo.ZDJE}" /> </label>
```

```
</c:otherwise>
                                          </c:choose>
                                      </fieldset>
                                  <c:choose>
                                      <c:when test="${ticketInfo.hydje ne null&&ticketInfo.hydje ne</pre>
','}">
                                          <fieldset id="hyxxFieldSet">
                                              <legend style="font-size:18px;color:inherit">会员信
息</legend>
                                              >
                                                     <td
                                                                          style="width:20%"
class="text-right"><label class="control-label">会员卡名称: </label>
                                                     <label
class="control-label">${ticketInfo.memgrade}</label>
                                                     <td
                                                                          style="width:20%"
class="text-right"><label class="control-label">本次最高可使用返利比例: </label>
                                                      id="BCZGKSYBL"
                                                      <td
style="width:25%"><label class="control-label"><fmt:formatNumber
                                                                 type="percent"
maxFractionDigits='4' value="${ticketInfo.zgksybl}" /> </label>
                                                      class="text-right"><label
                                                     <td
class="control-label">会员最高减免逾期天数: 〈/label〉
                                                      <label
class="control-label">${ticketInfo.hyqyts} (天)</label>
                                                                          style="width:20%"
class="text-right"><label class="control-label">会员返利余额: </label>
                                                      <c:if test="${ticketInfo.YWPZ eq 1}">
                                                         <td
                                                                               id="HYFLYE"
style="width:25%"><label class="control-label"><fmt:formatNumber
                                                                     type="number"
pattern="#, ##0.00" value="${ticketInfo.kyfc}" /> </label>
                                                         <input class="hidden" name="XD_HYFLYE"</pre>
id="XD_HYFLYE" value="${ticketInfo.kyfc}">
                                                     </c:if>
                                                      <c:if test="${ticketInfo.YWPZ eq 2}">
                                                         <td
                                                                               id="HYFLYE"
style="width:25%"><label class="control-label"><fmt:formatNumber
```

```
type="number"
pattern="#, ##0.00" value="${ticketInfo.kyqc}" /> </label>
                                                          <input class="hidden" name="XD_HYFLYE"</pre>
id="XD_HYFLYE" value="${ticketInfo.kyqc}">
                                                      </c:if>
                                                      </fieldset>
                                      </c:when>
                                   </c:choose>
                                   <fieldset id="zskxxFieldSet">
                                      <legend style="font-size:18px;color:inherit"> 暂 收 款 信 息
</legend>
                                      \langle tr \rangle
                                              <td style="width:20%"
                                                                    class="text-right"><label
class="control-label">暂收款领用金额: </label>
                                              <td
                                                      id="hydje"
                                                                     style="width:25%"><label
class="control-label"><fmt:formatNumber
                                                          type="number"
                                                                          pattern="#, ##0.00"
value="${ticketInfo.JYJE}" /> </label>
                                                   style="width:20%"
                                                                    class="text-right"><label
class="control-label">暂收款到账日期: </label>
                                              \langle /td \rangle
                                              <td
                                                     id="BCZGKSYBL"
                                                                     style="width:25%"><label
class="control-label">${ticketInfo.DQR}</label>
                                              </fieldset>
                                   <fieldset id="yqjmxxFieldSet">
                                      <le>legend style="font-size:18px;color:inherit"> 逾期减免信息
</legend>
                                      >
                                              <td
                                                      style="width:20%"
                                                                          class="text-right"
id='YQJM FS'><label class="control-label">减免方式: </label>
                                              <td style="width:25%"
                                                                    id='YQJM_FS_VALUE'><1abe1
class="control-label"
    id="JMFS_LABEL">${ticketInfo.jmfs_mc}</label>
                                              <label
class="control-label"
                                                  class="text-right">减免天数: </label>
                                              \langle /td \rangle
```

```
<td
                                                                style="width:25%"><label
class="control-label">${ticketInfo.jmts}</label>
                                           <label class="control-label">
续当减免金额: </label>
                                           <td
                                                                class="text-left"><label
class="control-label"><fmt:formatNumber
                                                      type="number"
                                                                    pattern="#, ##0.00"
value="${ticketInfo.xd_jmje}" /> </label>
                                           <label class="control-label">
赎当减免金额: </label>
                                           <label class="control-label">
<fmt:formatNumber</pre>
                                                      type="number"
                                                                    pattern="#, ##0.00"
value="${ticketInfo.sd_jmje}" /> </label>
                                          </fieldset>
                                <fieldset id="xdlxxxFieldSet">
                                   <legend style="font-size:18px;color:inherit"> 续 当 类 型
</legend>
                                   <label</pre>
class="control-label">续当类型: </label>
                                           <select class="form-control"</pre>
id="XDLX" name="XDLX"
                                              style="width:70%;"
onchange="selectContinuePawnType('hc');">
                                                  <option value="">--请选择--</option>
                                                  <c:forEach items="${ticketInfo.typeList}"</pre>
var="var">
                                                      <option</pre>
value="${var.XDLXDM}">${var.XDLXMC}</option>
                                                  </c:forEach>
                                           </select>
                                           <label
class="control-label">在当金额: </label>
                                           style="width:25%"
                                           <td
                                                                      id="ywjb"><label
class="control-label"><fmt:formatNumber
                                                      type="number"
                                                                    pattern="#, ##0.00"
value="${ticketInfo.ZDJE}" /> </label>
```

```
<label class="control-label">
本次还款金额: </label>
                                             <input class="form-control" id="SHOW_HKJE"
type="text" readonly
                                                 style="width:70%;"
                                                                         placeholder=0.00
onblur="inputHkje('hc');" onfocus="getRealJe(this)"
                                                 value="<fmt:formatNumber
                                                                            type="number"
pattern="#, ##0.00" value="${ticketInfo.HKJE}" /> " />
                                                 <input class="hidden" name="HKJE" id="HKJE"</pre>
value="${ticketInfo.HKJE}">
                                             <label class="control-label">
本次续当金额: </label>
                                             <input class="form-control"
                                                                          id="SHOW XDJE"
type="text" readonly
                                                 style="width:70%;"
                                                                          placeholder=0.00
onblur="inputXdje('hc');" onfocus="getRealJe(this)"
                                                 value="<fmt:formatNumber
                                                                             type="number"
pattern="#, ##0.00" value="${ticketInfo.XDJE}" /> " />
                                                 <input class="hidden" name="XDJE" id="XDJE"</pre>
value="${ticketInfo.XDJE}">
                                             </fieldset>
                                  <c:choose>
                                      <c:when test="${not empty ticketInfo.dkfList}">
                                          <fieldset id="dkxxFieldSet">
                                             <legend style="font-size:18px;color:inherit">续当代
扣信息</legend>
                                             table-condensed">
                                                 \langle tr \rangle
                                                     代收费
用
                                                     0.00
                                                              class="td-right
                                                     <td
                                                                                 hidden"
width="20%"><input type="hidden" id="DSHJ"
                                                         name="DSHJ"
value="${ticketInfo.DSHJ}" />
                                                 \langle tr \rangle
                                                     <table class="table table-bordered"
table-hover table-condensed"
                                                             style="width:100%; text-align:
center" id="dkxxtable">
```

```
\langle tr \rangle
                                                                         <td
style="width:20%; text-align: center">代收费用名称
                                                                         <td
style="width:20%; text-align: center">是否代收
                                                                         \langle td
style="width:30%; text-align: center">金额基数
                                                                         <td
style="width:15%; text-align: center">代收比例
                                                                         <td
style="width:15%; text-align: center">代收金额
                                                                         <c:forEach
items="${ticketInfo.dkfList}" var="dsfy" varStatus="status">
                                                                         \langle tr \rangle
                                                                              <td
class="text-center">${dsfy.DMMC}
                                                                              <td
class="text-center"><label class="checkbox-inline"> <input
                                                                                      <c:if
test="${dsfy.XYBZ=='Y'}">checked</c:if> name="XYBZ"
    onchange="chooseJEY(this,'XD')" type="checkbox" class="${dsfy.DSXM}_YN"
                                                                                      value="Y"
/><span class="lb1">&nbsp;是</span> </label><label class="checkbox-inline">
                                                                                      <input</pre>
                                                                                      <c:if
test="${dsfy.XYBZ=='N' | | dsfy.XYBZ=='' | | dsfy.XYBZ==null}">checked</c:if>
                                                                                      name="XYBZ"
type="checkbox" onchange="chooseJEN(this,'XD')"
    class="${dsfy.DSXM}_YN" value="N" /><span class="lbl">&nbsp;否</span> </label>
                                                                              <td
class="text-center"><label class="checkbox-inline"> <input</pre>
                                                                                      <c:if
test="${dsfy.JELX=='01' | | dsfy.JELX=='' | | dsfy.JELX==null}">checked</c:if>
                                                                                      name="JEL"
type="checkbox" value="01"
                                                                                      <c:if
test="${dsfy.XYBZ=='N'||dsfy.XYBZ==''||dsfy.XYBZ==null||(dsfy.YSDSXMJE!=''&&dsfy.YSDSXMJE!=null&&dsfy.XYBZ=
='Y')}">disabled</c:if>
    onchange="chooseJEY(this,'XD')" class="${dsfy.DSXM}_JE" /><span class="lbl">合同金额</span>
                                                                              </label><label
class="checkbox-inline"> <input</pre>
```

<c:if

```
test="${dsfy.JELX=='02'}">checked</c:if> name="JEL" type="checkbox"
                                                                                          value="02"
test="${dsfy.XYBZ=='N'||dsfy.XYBZ==''.||dsfy.XYBZ==null||(dsfy.YSDSXMJE!=''&&dsfy.YSDSXMJE!=null&&dsfy.XYBZ=
='Y')}">disabled</c:if>
    onchange="chooseJEY(this,'XD')" class="${dsfy.DSXM}_JE" /><span class="lb1">&nbsp;续当金额</span>
                                                                                 \langle \text{label} \rangle \langle \text{td} \rangle
                                                                                 <td class="text-center"
id="${dsfy.DSXM}_BL"><fmt:formatNumber type="percent"</pre>
    maxFractionDigits='4' value="${dsfy.DSXMBL}" />
                                                                                 <td class="text-center"
id="${dsfy.DSXM}_JE"><fmt:formatNumber type="number"</pre>
    pattern="#, ##0.00" value="$ {dsfy.DSXMJE}" />
                                                                                 <td
class="hidden"><input type="text" name="DSXMBL" value="${dsfy.DSXMBL}"
                                                                                      class="hidden"
/>
                                                                                 <td
class="hidden"><input type="text" value="${dsfy.DSXMJE}" name="DSXMJE" />
                                                                                 <td
class="hidden"><input type="text" value="${dsfy.YSDSXMJE}"
                                                                                      name="YSDSXMJE"
class="hidden" />
                                                                                 <td class="text-center"
hidden"><input type="text" name="DSXM"
    value="${dsfy.DSXM}" class="hidden" />
                                                                                 <td
class="hidden"><input type="text" value="${dsfy.JELX}" name="JELX"
                                                                                      class="hidden" />
                                                                                 </c:forEach>
                                                                    \langle tr \rangle
                                                               备注:(有代收费用时
请填写)
                                                               <textarea style="width:</pre>
800px; height: 80px; border-radius: 10px; resize: none; "
                                                                        name="DSBZ"
id="DSBZ">${ticketInfo.DSBZ}</textarea>
```

```
</fieldset>
                                       </c:when>
                                   </c:choose>
                                   <fieldset id="xdxxFieldSet">
                                       <legend style="font-size:18px;color:inherit"> 续 当 信 息
</legend>
                                       \langle tr \rangle
                                                       style="width:20%"
                                                                           class="text-right"
                                               <td
id='YQJM_FS'><label class="control-label">典当期限: </label>
                                               <input class="form-control"</pre>
id="XDTS" name="XDTS" type="text"
                                                   style="width:70%;" placeholder="单位: 天"
onblur="inputXdts('hc');"
                                                   value="${ticketInfo.XDTS}" />
                                               <label</pre>
class="control-label"
                                                   class="text-right">到期日期: </label>
                                               <td
                                                      id="xdqxz1"><input
                                                                          class="form-control"
id="DQRQ" readonly style="width:70%;"
                                                   name="DQRQ"
                                                                                 type="text"
value="${ticketInfo.XDQXZ}" />
                                               >
                                               <label class="control-label">
当户应付上期利息: </label>
                                                     id="DHYFSQLX"><input
                                                                          class="form-control"
id="XD SHOW SQLX" type="text"
                                                   readonly style="width:70%;" placeholder=0.00
                                                   value="<fmt:formatNumber
                                                                                type="number"
pattern="#,##0.00" value="$\{ticketInfo.XD_SQLX\}" />" />
                                                   <input
                                                             class="hidden"
                                                                               name="XD_SQLX"
id="XD_SQLX" value="${ticketInfo.XD_SQLX}">
                                               <label class="control-label">
综合费用: </label>
                                                         id=""><input
                                                                          class="form-control"
                                               <td
id="XD_SHOW_ZHFY" type="text" readonly
                                                   style="width:70%;" placeholder=0.00
                                                   value="<fmt:formatNumber
                                                                                type="number"
pattern="#,##0.00" value="${ticketInfo.XD_ZHFY}"/>" />
                                                   <input</pre>
                                                             class="hidden"
                                                                               name="XD_ZHFY"
id="XD_ZHFY" value="${ticketInfo.XD_ZHFY}">
```

```
>
                                                   <label class="control-label">
暂收款使用金额: </label>
                                                             id=""><input
                                                                                class="form-control"
id="XD_SHOW_ZSK" readonly type="text"
                                                        style="width:70%;"
onblur="inputZSK(this, 'XD');" onfocus="getRealJe(this)"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.XD ZSK}" /> ">
                                                        <input class="hidden" name="XD_ZSK" id="XD_ZSK"</pre>
value="${ticketInfo.XD_ZSK}">
                                                   <label class="control-label">
今日收款金额: </label>
                                                   <input class="form-control" id="XD_SHOW_JRSK"
type="text" style="width:70%;"
                                                       onblur="inputXdJrsk('hc');"
onfocus="getRealJe(this)" placeholder=0.00
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#,##0.00" value="${ticketInfo.XD_JRSK}" /> " />
                                                        <input</pre>
                                                                   class="hidden"
                                                                                     name="XD_JRSK"
id="XD_JRSK" value="${ticketInfo.XD_JRSK}">
                                                   \langle /td \rangle
                                               <label class="control-label">
本次最高可使用返利金额: </label>
                                                   <td
                                                              id=""><input
                                                                                class="form-control"
id="XD_SHOW_BCZGKSYFLJE" readonly type="text"
                                                        style="width:70%;"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.XD_BCZGKSYFLJE}"/>">
                                                                               name="XD BCZGKSYFLIE"
                                                        <input class="hidden"</pre>
id="XD BCZGKSYFLJE"
                                                        value="${ticketInfo.XD_BCZGKSYFLJE}">
                                                   <label class="control-label">
本次使用返利金额: </label>
                                                                                class="form-control"
                                                   <input
id="XD_SHOW_BCSYFLJE" type="text"
                                                        onblur="inputXdBcsyflje();" style="width:70%;"
placeholder=0.00
                                                        onfocus="getRealJe(this)"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.XD_BCSYFLJE}" /> " readonly="readonly"/>
                                                        <input
                                                                 class="hidden"
                                                                                  name="XD_BCSYFLJE"
id="XD_BCSYFLJE"
                                                        value="${ticketInfo.XD_BCSYFLJE}">
```

```
<label class="control-label">
逾期天数: </label>
                                                        id=""><input
                                                                          style="width:70%;"
                                              <td
class="form-control" id="XD_YQTS"
                                                  name="XD_YQTS"
                                                                                type="text"
value='${ticketInfo.XD_YQTS}' readonly />
                                              <label class="control-label">
应收罚息: </label>
                                              id = "" > < input
                                              <td
                                                                          style="width:70%;"
class="form-control" id="XD_SHOW_YSFX"
                                                  type="text"
                                                  value="<fmt:formatNumber
                                                                              type="number"
pattern="\#,\#\#0.00"\ value="\$\{ticketInfo.XD_YSFX\}"/>"
                                                  readonly /> <input class="hidden" name="XD_YSFX"</pre>
id="XD_YSFX"
                                                  value="${ticketInfo.XD_YSFX}">
                                              >
                                              <label class="control-label">
实收金额: 〈/label〉
                                              \langle /td \rangle
                                              <td
                                                        id=""><input
                                                                          style="width:70%;"
class="form-control" id="XD_SHOW_SSJE"
                                                  type="text"
                                                  value="<fmt:formatNumber
                                                                              type="number"
pattern="#, ##0.00" value="${ticketInfo.XD_SSJE}"/>"
                                                  readonly /> <input class="hidden" name="XD SSJE"
id="XD SSJE"
                                                  value="${ticketInfo.XD SSJE}">
                                              </fieldset>
                                   <c:choose>
                                      <c:when test="${not empty ticketInfo.dkfSdList}">
                                          <fieldset id="dkxxSdFieldSet" class="hidden">
                                              <legend style="font-size:18px;color:inherit">赎当代
扣信息</legend>
                                              table-condensed">
                                                  \langle tr \rangle
                                                      代收费
用
```

0.00

```
class="td-right
                                                                                   hidden"
width="20%"><input type="hidden" id="SD_DSHJ"
                                                          name="SD_DSHJ"
value="${ticketInfo.SD_DSHJ}" />
                                                  \langle tr \rangle
                                                      table-hover table-condensed"
                                                              style="width:100%; text-align:
center" id="dkxxtable">
                                                              <td
style="width:20%; text-align: center">代收费用名称
                                                                  <td
style="width:20%; text-align: center">是否代收
                                                                  <td
style="width:30%; text-align: center">金额基数
                                                                  <td
style="width:15%; text-align: center">代收比例
                                                                  <td
style="width:15%; text-align: center">代收金额
                                                                  <c:forEach
items="${ticketInfo.dkfSdList}" var="dsfy" varStatus="status">
                                                                  <td
class="text-center">\$\{dsfy.DMMC\}
                                                                      <td
class="text-center"><label class="checkbox-inline"> <input</pre>
                                                                              <c:if
test="${dsfy.XYBZ=='Y'}">checked</c:if> name="SD_XYBZ"
   onchange="chooseJEY(this,'SD','')" type="checkbox" class="${dsfy.DSXM}_YN1"
                                                                              value="Y"
/><span class="lbl">&nbsp;是</span> </label><label class="checkbox-inline">
                                                                              <input</pre>
                                                                              <c:if
test="${dsfy.XYBZ=='N'||dsfy.XYBZ==''||dsfy.XYBZ==null}">checked</c:if>
   name="SD_XYBZ" type="checkbox" onchange="chooseJEN(this,'SD')"
   class="${dsfy.DSXM}_YN1" value="N" /><span class="1b1">&nbsp;否</span> </label>
```

```
<td
class="text-center"><label class="checkbox-inline"> <input</pre>
                                                                                      <c:if
test="${dsfy. JELX=='01' | | dsfy. JELX=='' | | dsfy. JELX==null}">checked</c:if>
                                                                                      name="SD_JEL"
type="checkbox" value="01"
='Y')}">disabled</c:if>
    onchange="chooseJEY(this,'SD','ht')" class="${dsfy.DSXM}_JE1" /><span
                                                                                      class="lb1">
合同金额</span> </label><label class="checkbox-inline"> <input
                                                                                      <c:if
test="${dsfy.JELX=='02'}">checked</c:if> name="SD_JEL" type="checkbox"
                                                                                      value="02"
                                                                                      <c:if
test="${dsfy.XYBZ=='N'||dsfy.XYBZ==''||dsfy.XYBZ==null||(dsfy.YSDSXMJE!=''&&dsfy.YSDSXMJE!=null&&dsfy.XYBZ=
='Y')}">disabled</c:if>
    onchange="chooseJEY(this,'SD','sd')" class="${dsfy.DSXM}_JE1"/><span
    class="lbl"> 赎当金额</span> </label>
                                                                              <td class="text-center"
id="${dsfy.DSXM}_BL"><fmt:formatNumber type="percent"</pre>
    maxFractionDigits='4' value="${dsfy.DSXMBL}" />
                                                                              <td class="text-center"
id="${dsfy.DSXM}_JE">${dsfy.DSXMJE}
                                                                              <td
class="hidden"><input type="text" name="SD_DSXMBL" value="${dsfy.DSXMBL}"</pre>
                                                                                  class="hidden"
/>
                                                                              <td
class="hidden"><input type="text" value="${dsfy.DSXMJE}" name="SD_DSXMJE" />
                                                                              <td
class="hidden"><input type="text" value="${dsfy.YSDSXMJE}"</pre>
                                                                                  name="SD YSDSXMJE"
class="hidden" />
                                                                              <td class="text-center"
hidden"><input type="text" name="SD_DSXM"
    value="${dsfy.DSXM}" class="hidden" />
                                                                              <td
class="hidden"><input type="text" value="${dsfy.JELX}" name="SD_JELX"
                                                                                  class="hidden" />
```

```
</c:forEach>
                                                          >
                                                      备注:(有代收费用时
请填写)
                                                      <textarea style="width:</pre>
800px; height: 80px; border-radius: 10px; resize: none; "
                                                              name="SD DSBZ"
id="SD_DSBZ">${ticketInfo.SD_DSBZ}</textarea>
                                                  </fieldset>
                                      </c:when>
                                   </c:choose>
                                   <fieldset id="sdxxFieldSet" class="hidden">
                                      <legend style="font-size:18px;color:inherit"> 赎 当 信 息
</legend>
                                      \langle \mathrm{tr} \rangle
                                                      style="width:20%"
                                                                          class="text-right"
                                              <td
id='YQJM_FS'><label class="control-label">应交利息: </label>
                                              <input class="form-control"</pre>
id="SD_SHOW_SQLX" type="text"
                                                  style="width:70%;"
                                                  value="<fmt:formatNumber
                                                                              type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_SQLX}" />"
                                                  readonly /> <input class="hidden" name="SD_SQLX"
id="SD SQLX"
                                                  value="${ticketInfo.SD SQLX}">
                                              <label</pre>
class="control-label"
                                                  class="text-right">应退综合服务费: </label>
                                              class="form-control"
                                              <td
                                                       id=""><input
id="SD_SHOW_YTZHFY" readonly
                                                  style="width:70%;" type="text"
                                                  value="<fmt:formatNumber
                                                                              type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YTZHFY}" />" />
                                                  <input
                                                           class="hidden"
                                                                           name="SD_YTZHFY"
id="SD_YTZHFY" value="${ticketInfo.SD_YTZHFY}">
                                              class="text-right"><label
                                              <td
                                                  style="width:20%"
class="control-label">预收利息: </label>
```

```
<input class="form-control"</pre>
id="SD_SHOW_YSLX" type="text"
                                                        style="width:70%;"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YSLX}" />"
                                                        readonly /> <input class="hidden" name="SD YSLX"
id="SD_YSLX"
                                                        value="${ticketInfo.SD YSLX}">
                                                    <label
class="control-label"
                                                        class="text-right">应退利息 : </label>
                                                    id=""><input
                                                                                 class="form-control"
                                                    <td
id="SD_SHOW_YTLX" readonly
                                                        style="width:70%;" type="text"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YTLX}" />" />
                                                                   class="hidden"
                                                                                      name="SD_YTLX"
                                                        <input
id="SD_YTLX" value="${ticketInfo.SD_YTLX}">
                                                    <\!/td\!>
                                                    \langle td \rangle \langle /td \rangle
                                                \langle tr \rangle
                                                    <label class="control-label">
暂收款使用金额: </label>
                                                    <td
                                                              id=""><input
                                                                                 class="form-control"
id="SD_SHOW_ZSK" type="text"
                                                        style="width:70%;"
onblur="inputZSK(this,'SD');" onfocus="getRealJe(this)"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_ZSK}" />">
                                                        <input class="hidden" name="SD_ZSK" id="SD_ZSK"</pre>
value="${ticketInfo.SD_ZSK}">
                                                    <label class="control-label">
今日收款金额: 〈/label〉
                                                    <input class="form-control" id="SD_SHOW_JRSK"
type="text" style="width:70%;"
                                                        placeholder=0.00 onblur="inputSdJrsk('hc');"
onfocus="getRealJe(this)"
                                                        value="<fmt:formatNumber
                                                                                       type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_JRSK}" />" />
                                                        <input
                                                                   class="hidden"
                                                                                      name="SD_JRSK"
id="SD_JRSK" value="${ticketInfo.SD_JRSK}">
```

 $\langle /td \rangle$

```
>
                                                  <label class="control-label">
本次最高可使用返利金额: </label>
                                                  <td
                                                            id=""><input
                                                                              class="form-control"
id="SD_SHOW_BCZGKSYFLJE" readonly type="text"
                                                      style="width:70%;"
                                                      value="<fmt:formatNumber
                                                                                    type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_BCZGKSYFL}" />" />
                                                      <input class="hidden"</pre>
                                                                             name="SD BCZGKSYFLJE"
id="SD BCZGKSYFLJE"
                                                      value="${ticketInfo.SD_BCZGKSYFL}">
                                                  <label class="control-label">
本次使用返利金额: 〈/label〉
                                                  <input
                                                                              class="form-control"
id="SD_SHOW_BCSYFLJE" type="text"
                                                      style="width:70%;" onblur="inputSdBcsyflje();"
placeholder='0.00'
                                                      onfocus="getRealJe(this)"
                                                      value="<fmt:formatNumber
                                                                                    type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_BCSYFLJE}" />" readonly="readonly"/>
                                                               class="hidden"
                                                                                name="SD_BCSYFLJE"
                                                      <input
id="SD_BCSYFLJE"
                                                      value="${ticketInfo.SD_BCSYFLJE}">
                                                  \langle /td \rangle
                                              \langle tr \rangle
                                                  <label class="control-label">
逾期天数: </label>
                                                  <td
                                                             id=""><input
                                                                                style="width:70%;"
class="form-control" id="SD_YQTS"
                                                      name="SD YQTS"
                                                                                      type="text"
value='${ticketInfo.SD_YQTS}' readonly />
                                                  <label class="control-label">
应收罚息: </label>
                                                  <td
                                                             id=""><input
                                                                                style="width:70%;"
class="form-control" id="SD_SHOW_YSFX"
                                                      type="text"
                                                      value="<fmt:formatNumber
                                                                                    type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YSFX}" />"
                                                      readonly /> <input class="hidden" name="SD_YSFX"
id="SD_YSFX"
                                                      value="${ticketInfo.SD_YSFX}">
```

```
<label class="control-label">
实付金额: </label>
                                                    <td
                                                                id=""><input
                                                                                   style="width:70%;"
class="form-control" id="SD_SHOW_SSJE"
                                                         type="text"
                                                         value="<fmt:formatNumber
                                                                                        type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_SSJE}" />"
                                                        readonly /> <input class="hidden" name="SD SSJE"
id="SD SSJE"
                                                        value="${ticketInfo.SD_SSJE}">
                                                    </fieldset>
                                       <fieldset id="qtxxFieldSet">
                                           <legend style="font-size:18px;color:inherit">其他</legend>
                                           \langle table\ class="table\ table-hover\ table-condensed" \rangle
                                                \langle tr \rangle
                                                    <td style="width:20%"
                                                                             class="text-right"><label
class="control-label">付款人: </label>
                                                    <select class="form-control"</pre>
id="FKR" name="FKR"
                                                         style="width:70%;"
onchange="selectPayer();">maxFractionDigits='4' value="${dsfy.DSXMBL}" />
                                                                               <td class="text-center"
id= "$ {dsfy.DSXM} _JE">$ {dsfy.DSXMJE} 
                                                                               <td
class="hidden"><input type="text" name="SD_DSXMBL" value="${dsfy.DSXMBL}"</pre>
                                                                                   class="hidden"
/>
                                                                               <td
class="hidden">\input type="text" value="${dsfy.DSXMJE}" name="SD_DSXMJE" />
                                                                               <td
class="hidden"><input type="text" value="${dsfy.YSDSXMJE}"</pre>
                                                                                   name="SD_YSDSXMJE"
class="hidden" />
                                                                               <td class="text-center"
hidden"><input type="text" name="SD_DSXM"
    value="${dsfy.DSXM}" class="hidden" />
```

```
<td
class="hidden"><input type="text" value="${dsfy.JELX}" name="SD JELX"
                                                                           class="hidden" />
                                                                       </c:forEach>
                                                           >
                                                       备注:(有代收费用时
请填写)
                                                       <textarea style="width:</pre>
800px; height: 80px; border-radius: 10px; resize: none; "
                                                               name="SD_DSBZ"
id="SD_DSBZ">${ticketInfo.SD_DSBZ}</textarea>
                                                   </fieldset>
                                       </c:when>
                                   </c:choose>
                                   <fieldset id="sdxxFieldSet" class="hidden">
                                       <le><legend style="font-size:18px;color:inherit"> 赎 当 信 息
</legend>
                                       \langle tr \rangle
                                               <td
                                                       style="width:20%"
                                                                           class="text-right"
id='YQJM_FS'><label class="control-label">应交利息: </label>
                                               <input class="form-control"</pre>
id="SD_SHOW_SQLX" type="text"
                                                   style="width:70%;"
                                                   value="<fmt:formatNumber
                                                                               type="number"
pattern="#, ##0.00" value="${ticketInfo.SD SQLX}" />"
                                                   readonly /> <input class="hidden" name="SD_SQLX"</pre>
id="SD_SQLX"
                                                   value="${ticketInfo.SD_SQLX}">
                                               <label
class="control-label"
                                                   class="text-right">应退综合服务费: </label>
                                               id=""><input
                                                                         class="form-control"
                                               <td
id="SD_SHOW_YTZHFY" readonly
                                                   style="width:70%;" type="text"
                                                   value="<fmt:formatNumber
                                                                                type="number"
pattern="#, ##0.00" value="{\text{ticketInfo.SD_YTZHFY}}" />" />
                                                            class="hidden"
                                                                             name="SD_YTZHFY"
                                                   <input</pre>
id="SD_YTZHFY" value="${ticketInfo.SD_YTZHFY}">
```

```
class="text-right"><label
                                                   <td
                                                        style="width:20%"
class="control-label">预收利息: </label>
                                                   <input class="form-control"</pre>
id="SD_SHOW_YSLX" type="text"
                                                       style="width:70%;"
                                                       value="<fmt:formatNumber
                                                                                     type="number"
pattern="#, ##0.00" value="${ticketInfo.SD YSLX}" />"
                                                       readonly /> <input class="hidden" name="SD YSLX"
id="SD_YSLX"
                                                       value="${ticketInfo.SD_YSLX}">
                                                   <label</pre>
class="control-label"
                                                       class="text-right">应退利息 : </label>
                                                   class="form-control"
                                                   <td
                                                             id=""><input
id="SD_SHOW_YTLX" readonly
                                                       style="width:70%;" type="text"
                                                       value="<fmt:formatNumber
                                                                                     type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YTLX}" />" />
                                                       <input</pre>
                                                                  class="hidden"
                                                                                    name="SD_YTLX"
id="SD_YTLX" value="${ticketInfo.SD_YTLX}">
                                                   \langle tr \rangle
                                                   <label class="control-label">
暂收款使用金额: </label>
                                                   <td
                                                             id=""><input
                                                                               class="form-control"
id="SD SHOW ZSK" type="text"
                                                       style="width:70%;"
onblur="inputZSK(this, 'SD');" onfocus="getRealJe(this)"
                                                       value="<fmt:formatNumber
                                                                                     type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_ZSK}" />">
                                                       <input class="hidden" name="SD_ZSK" id="SD_ZSK"</pre>
value="${ticketInfo.SD_ZSK}">
                                                   <label class="control-label">
今日收款金额: </label>
                                                   <input class="form-control" id="SD_SHOW_JRSK"
type="text" style="width:70%;"
                                                       placeholder=0.00 onblur="inputSdJrsk('hc');"
onfocus="getRealJe(this)"
                                                       value="<fmt:formatNumber
                                                                                     type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_JRSK}" />" />
```

>

```
name="SD_JRSK"
                                                       <input
                                                                  class="hidden"
id="SD JRSK" value="${ticketInfo.SD JRSK}">
                                                   >
                                                   <label class="control-label">
本次最高可使用返利金额: 〈/label〉
                                                   <td
                                                             id=""><input
                                                                               class="form-control"
id="SD_SHOW_BCZGKSYFLJE" readonly type="text"
                                                       style="width:70%;"
                                                       value="<fmt:formatNumber
                                                                                      type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_BCZGKSYFL}" />" />
                                                                              name="SD_BCZGKSYFLJE"
                                                       <input class="hidden"</pre>
id="SD_BCZGKSYFLJE"
                                                       value="${ticketInfo.SD BCZGKSYFL}">
                                                   <label class="control-label">
本次使用返利金额: </label>
                                                   class="form-control"
                                                   <input
id="SD_SHOW_BCSYFLJE" type="text"
                                                       style="width:70%;" onblur="inputSdBcsyflje();"
placeholder='0.00'
                                                       onfocus="getRealJe(this)"
                                                       value="<fmt:formatNumber
                                                                                      type="number"
pattern="#, ##0.00" value="${ticketInfo.SD BCSYFLJE}" />" readonly="readonly"/>
                                                                                 name="SD_BCSYFLJE"
                                                                class="hidden"
id="SD_BCSYFLJE"
                                                       value="${ticketInfo.SD_BCSYFLJE}">
                                                   \langle tr \rangle
                                                   <label class="control-label">
逾期天数: </label>
                                                   <td
                                                              id=""><input
                                                                                 style="width:70%;"
class="form-control" id="SD_YQTS"
                                                                                       type="text"
                                                       name="SD_YQTS"
value='${ticketInfo.SD_YQTS}' readonly />
                                                   <label class="control-label">
应收罚息: </label>
                                                   <td
                                                              id=""><input
                                                                                 style="width:70%;"
class="form-control" id="SD_SHOW_YSFX"
                                                       type="text"
                                                       value="<fmt:formatNumber
                                                                                      type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_YSFX}" />"
                                                       readonly /> <input class="hidden" name="SD_YSFX"
id="SD_YSFX"
                                                       value="${ticketInfo.SD YSFX}">
```

```
\langle tr \rangle
                                             <label class="control-label">
实付金额: 〈/label〉
                                             <td
                                                      id=""><input
                                                                       style="width:70%;"
class="form-control" id="SD SHOW SSJE"
                                                type="text"
                                                value="<fmt:formatNumber
                                                                           type="number"
pattern="#, ##0.00" value="${ticketInfo.SD_SSJE}" />"
                                                readonly /> <input class="hidden" name="SD_SSJE"
id="SD_SSJE"
                                                value="${ticketInfo.SD_SSJE}">
                                             </fieldset>
                                 <fieldset id="qtxxFieldSet">
                                     <legend style="font-size:18px;color:inherit">其他</legend>
                                     \langle tr \rangle
                                             <label
class="control-label">付款人: </label>
                                             <select class="form-control"
id="FKR" name="FKR"
                                                style="width:70%;" onchange="selectPayer();">
                                                    <option value="">--请选择--</option>
                                                    <c:forEach
items="${ticketInfo.payerTypeList}" var="var">
                                                        <option</pre>
value="\$\{var.\,FKRLXDM\}">\$\{var.\,FKRLXMC}</option>
                                                    </c:forEach>
                                             </select>
                                             <label
class="control-label hidden"
                                                id="qtfkrxm_label"> 其他付款人姓名:
\langle /label \rangle \langle /td \rangle
                                             <input class="form-control hidden"</pre>
style="width:70%;" type="text"
                                                ID="QTFKRXM"
                                                                          name="QTFKRXM"
value='${ticketInfo.QTFKRXM}' />
```

```
<label class="control-label">
其他付款人证件类型: </label>
                                              <select class="form-control"</pre>
id="QTFKRZJLX" name="QTFKRZJLX"
                                                  style="width:70%;">
                                                      <option value="">--请选择--</option>
                                                      <c:forEach items="${ticketInfo.zjlxList}"</pre>
var="var">
                                                          <option</pre>
value="${var.ZJLXDM}">${var.ZJLXMC}</option>
                                                      </c:forEach>
                                              </select>
                                              <label class="control-label">
其他付款人证件号码: </label>
                                              <input class="form-control"</pre>
style="width:70%;" type="text"
                                                  id="QTFKRZJHM"
                                                                           name="QTFKRZJHM"
value='${ticketInfo.QTFKRZHHM}'
                                                  onblur="checkIdCard(this.value)" />
                                              \langle tr \rangle
                                              <label class="control-label">
续当方式: </label>
                                              <select
                                                            class="form-control"
                                                                                 id="XDFS"
name="XDFS" style="width:70%;"
                                                  onchange="selectContinueType()">
                                                      <option value="">--请选择--</option>
                                                      <c:forEach
items="${ticketInfo.methodList}" var="var">
                                                          <option</pre>
value="${var.XDFSDM}">${var.XDFSMC}</option>
                                                      </c:forEach>
                                              </select>
                                              <label
class="control-label">异地门店: </label>
                                              <td
                                                     class='hidden'
                                                                     id='ydmdSelect'><select</pre>
class="form-control" id="YDXDMDBH"
                                                  name="YDXDMDBH" style="width:70%;">
                                                      <option value="">--请选择--</option>
                                                      <c:forEach items="${ticketInfo.storeList}"</pre>
var="var">
```

```
<option</pre>
value="${var.JGID}">${var.JGMC}</option>
                                                                 </c:forEach>
                                                        </select>
                                                        \langle /td \rangle
                                                        <label class="control-label">
申请意见: </label>
                                                        <textarea style="width: 100%;height:
80px;border-radius:10px;resize:none; "rows="5" placeholder=""id="SQYJ"
    name="SQYJ">${ticketInfo.SQYJ}</textarea>
                                                   <div class="form-actions center">
                                                   <button class="btn btn-primary" type="button" id="save"</pre>
onclick="saveSktzd();">
                                                        <i class="icon-save"></i>保存
                                                   </button>
                                                   <button</pre>
                                                               class="btn
                                                                             btn-primary"
                                                                                              type="button"
id="submitForm"
                                                        onclick="submitToFinance();">
                                                        <i class="icon-ok"></i>提交财务
                                                   </button>
                                                   <c:if
test="${ticketInfo.workItemId!=null&&ticketInfo.workItemId!=''}">
                                                        <button class="btn btn-primary"</pre>
                                                                                             type="button"
id="cancelContinue"
                                                             onclick="stopContinue();">
                                                             <i class="icon-ok"></i>
</i>
</a>

%</a>
</a>

### A class = "icon-ok" > </a>

                                                        </button>
                                                   </c:if>
                                                   <button class="btn btn-primary" type="button" id="reduce"</pre>
onclick="yqjmSq();" disabled>
                                                        <i class="icon-list"></i>罚息减免
                                                   </button>
                                                   <button class="btn btn-primary hidden" type="button"</pre>
id="cancelReduce"
    onclick="cancelReduce1('${ticketInfo.XDSKTZDID}','${ticketInfo.PJBH}','XD')">
                                                        <i class="icon-list"></i>取消罚息减免
                                                   </button>
                                                   <button
                                                              class="btn
                                                                           btn-primary"
                                                                                              type="button"
id="preview" onclick="xdp_preview()">
                                                        <i class="icon-list"></i>票据预览
                                                   </button>
                                                   <button class="btn btn-primary hidden" type="button"</pre>
id="sd preview"
```

```
onclick="sdp_preview()">
                                          <i class="icon-list"></i>赎当票预览
                                      </button>
                                   </div>
                               </fieldset>
                            </div>
                            <div id="fhxx" class="tab-pane fade">
                               <table id="liht table"
                                   class="table table-striped
                                                          table-bordered
                                                                        table-hover
table-condensed">
                                   <thead>
                                      序号
                                          复核人
                                          复核结果
                                          复核时间
                                          复核备注
                                      </thead>
                                   <c:choose>
                                          <c:when test="${not empty ticketInfo.hisCheckInfo}">
                                             <c:forEach items="${ticketInfo.hisCheckInfo}"</pre>
var="sp" varStatus="vs">
                                                 \langle \mathrm{tr} \rangle
                                                    <td
                                                                     class='center'
style="width:30px;">${vs.index+1}
                                                    <td
class="text-center">${sp.NAME}
                                                    <td
class="text-center">$ {sp. FHJG} 
                                                    <td
class="text-center">${sp.FHRQ}
                                                    <td
class="text-center">${sp.FHBZ}
                                                 </c:forEach>
                                          </c:when>
                                          <c:otherwise>
                                             没有相关
数据
                                             </c:otherwise>
                                      </c:choose>
                                   </div>
                        \langle /div \rangle
                     </div>
```

```
</div>
                                      </div>
                         </div>
            </div>
</form>
<script src="${ticketInfo.firereport}WebReport/ReportServer?op=emb&resource=finereport.js"></script>
<script type="text/javascript">
var zdje='${ticketInfo.ZDJE}';
var jyje='${ticketInfo.JYJE}';
var ht='${ticketInfo.HTJE}';
var flye='${ticketInfo.kyfc}';
            // 页面初始化完成时
            window.onload = function() {
                                      $(":checkbox").live("click", function() {
                                 var classname = $(this).attr('class');
                                 $("." + classname).prop("checked", false);
                                 $(this).prop("checked", true);
                     });
                   if($("#DSHJ").val()!=''&&$("#DSHJ").val()!=null){
                          $("#dkfyhj"). text(fmoney($("#DSHJ").val(),2));
                          if($("#SD_DSHJ").val()!=''&&$("#SD_DSHJ").val()!=null){
                                      $("#sd dkfyhj").text(fmoney($("#SD DSHJ").val(),2));
                                                                                                                                                          </c:otherwise>
                                                                                                                                </c:choose>
                                                                                                                   </div>
                                                                             </div>
                                                                </div>
                                                   </div>
                                      </div>
                         </div>
            </div>
</form>
\label{lem:cont} $$ \ src= \
<script type="text/javascript">
var zdje='${ticketInfo.ZDJE}';
var jyje='${ticketInfo.JYJE}';
var ht='${ticketInfo.HTJE}';
var flye='${ticketInfo.kyfc}';
            // 页面初始化完成时
            window.onload = function() {
```

```
$(":checkbox").live("click", function() {
     var classname = $(this).attr('class');
     $("." + classname).prop("checked", false);
     $(this).prop("checked", true);
  });
 if($("#DSHJ").val()!=''.\&\$("#DSHJ").val()!=null){
   $("#dkfyhj"). text(fmoney($("#DSHJ").val(),2));
   if($("#SD DSHJ").val()!=''.\&\$("#SD DSHJ").val()!=null){
       $("#sd_dkfyhj").text(fmoney($("#SD_DSHJ").val(),2));
       //判断项目下到期日是否一致,并且判断此张当票是否可续
           //sfkk-true 表示此张当票可续 false 表示此张当票不可续,即项目到期日不一致
           if('${ticketInfo.SFKX}' == 'false'){
               swal({
                   title: "项目下当票到期日不一致",
                   text: "项目下当票到期日不一致,请先进行其他当票续当!",
                   type: "warning",
                   confirmButtonColor: "#DD6B55",
                   confirmButtonText: "确定"
               }, function() {
                   Dialog.close();
               });
           // 判断项目审批期限是否过期
           if ('${ticketInfo.SPSFGQ}' == 'true') {
               swal({
                   title: "项目审批有效期过期",
                   text: "项目审批有效期过期,不允许续当!",
                   type: "warning",
                   confirmButtonColor: "#DD6B55",
                   confirmButtonText: "确定"
               }, function() {
                   Dialog.close();
               });
           }
else if('${ticketInfo.YWPZ}' == '1'){
       // 判断续当他向权证
           if ('${ticketInfo.TXQZH}' == 'true') {
               swal({
                   title: "他项权证不存在",
                   text: "他项权证不存在, 不允许续当!",
                   type: "warning",
                   confirmButtonColor: "#DD6B55",
```

```
}, function() {
                            Dialog.close();
                        });
                    }
                    // 判断项目审核期限是否过期
                    if ('${ticketInfo.SHSFGQ}' == 'true') {
                        swal({
                             title: "项目审核有效期过期",
                             text: "项目审核有效期过期,不允许续当!",
                             type: "warning",
                             confirmButtonColor: "#DD6B55",
                             confirmButtonText: "确定"
                        }, function() {
                            Dialog. close();
                        });
                else if('${ticketInfo.YWPZ}' == '2'){
                // 判断项目评估有效期
                    if ('${ticketInfo.PGSFGQ}' == 'true') {
                         swal({
                             title: "项目评估有效期过期",
                             text: "项目评估有效期过期,不允许续当!",
                             type: "warning",
                             confirmButtonColor: "#DD6B55",
                             confirmButtonText: "确定"
                        }, function() {
                             Dialog. close();
                        });
                    else if('${ticketInfo.QCPGJG}'*100<'${ticketInfo.QCKCJE}'*100) {</pre>
                    var s='${ticketInfo.YJXDJE}';
                    if(s==null||s==""){s=0;}
                    swal({
                    title: "评估金额",
                             text: "业务评估金额为"+'${ticketInfo.QCPGJG}'+"元,业务库存金额为
"+'${ticketInfo.QCKCJE}'+"元,已续当金额为"+s+"元,评估金额小于库存金额请根据实际情况选择操作!",
                             type: "warning",
                             confirmButtonColor: "#DD6B55",
                             confirmButtonText: "确定"
                             },
                             function() {
                             if((('${ticketInfo.QCPGJG}'-s)*100<'${ticketInfo.ZDJE}'*100)){
                             if('${ticketInfo.QCPGJG}'-s>0){
                             ('#XDLX').val("02");
                             $("#SHOW_HKJE").removeAttr('readonly');
                             $("#SHOW XDJE").removeAttr('readonly');
```

confirmButtonText: "确定"

```
$("#sdxxFieldSet").removeClass('hidden'); //展示赎当信息
             $("#dkxxSdFieldSet").removeClass('hidden');//展示赎当代扣信息
             $("#sd_preview").removeClass('hidden');//赎当票预览
             if('${ticketInfo.ZSKLY}' == 'true') {
             $("#XD_SHOW_ZSK").removeAttr('readonly'); // 续当暂收款可录入
             $("#XD ZSK").val('${ticketInfo.XD ZSK}'); // 续当暂收款
             $("#XD_SHOW_ZSK").val(fmoney($("#XD_ZSK").val()*1.0,2)); // 续当暂收款
            $("#SD SHOW ZSK").removeAttr('readonly'); // 赎当暂收款可录入
            $("#SD_ZSK"). val('${ticketInfo. SD_ZSK}'); // 赎当暂收款
            $("#SD_SHOW_ZSK").val(fmoney($("#SD_ZSK").val()*1.0,2)); // 赎当暂收款
             }else{
             $("#SD_ZSK").val("0.00"); // 续当暂收款为 0
             $("#SD_SHOW_ZSK").attr('readonly', true); // 赎当暂收款可录入
            $("#SD_SHOW_ZSK").val(fmoney($("#SD_ZSK").val()*1.0,2)); // 赎当暂收款
        if('${ticketInfo.XDJE}'==null||'${ticketInfo.XDJE}'==""){
         var a='${ticketInfo.QCPGJG}';
             $('#XDJE').val(a-s);
             inputXdje();
        }
            }
    });
         }
// 判断合同有限期是否过期
else if ('${ticketInfo.HTSFGQ}' == 'true') {
        swal({
            title: "合同有效期过期",
            text: "合同有效期过期,不允许续当!",
            type: "warning",
            confirmButtonColor: "#DD6B55",
            confirmButtonText: "确定"
        }, function() {
            Dialog.close();
        });
    }
    // 判断当户证件有限期是否过期
else if ('${ticketInfo.ZJSFGQ}' == 'true') {
        swal({
            title: "证件有限期过期",
```

钮可用

```
text: "当户证件有效期过期,不允许续当!",
        type: "warning",
        confirmButtonColor: "#DD6B55",
        confirmButtonText: "确定"
    }, function() {
        Dialog. close();
    });
}
if ('${ticketInfo.ZSKLY}' == 'true') {
    $("#zskxxFieldSet").removeClass('hidden');
} else {
    $("#zskxxFieldSet").addClass('hidden');
    $("#XD_SHOW_ZSK").attr('readonly', true); //续当暂收款不能录入
    $("#XD_SHOW_ZSK").val(fmoney(0,2)); // 续当暂收款为0
    $("#XD ZSK"). val("0.00"); // 续当暂收款为 0
// 判断逾期减免信息是否需要展示
if ('${ticketInfo.sfyqjm}' == 'true') {
    $("#yqjmxxFieldSet").removeClass('hidden'); // 显示逾期减免信息
    $("#reduce").addClass('hidden');// 隐藏罚息减免按钮
    $("#cancelReduce").removeClass('hidden');// 显示取消罚息减免按钮
} else {
    $("#yqjmxxFieldSet").addClass('hidden'); // 隐藏逾期减免信息
    $("#cancelReduce").addClass('hidden');// 隐藏取消减免按钮
    $("#reduce").removeClass('hidden');// 显示罚息减免按钮
    if ($('#XD_YQTS').val() != ''&& $('#XD_YQTS').val() * 1.0 > 0) {
        $('#reduce').attr('disabled', false);// 如果续当逾期天数大于 0, 逾期减免按
    }
// 判断是否需强制到期日期
if ('${ticketInfo.QZDQRQ}' == 'true') {
    $("#XDTS").attr('readonly', true);
    $("#DQRQ").val('${ticketInfo.DQRQ}');
} else {
    $("#XDTS").removeAttr('readonly');
// 付款人
$('#FKR').val('${ticketInfo.FKR}');
if('${ticketInfo.FKR}' == '' | | '${ticketInfo.FKR}' == null) {
$('#FKR').val("01");
if ('${ticketInfo.FKR}' == '02') {
    $("#qtfkr").removeClass('hidden');
    $("#qtfkrxm_label").removeClass('hidden');
    $("#QTFKRXM").removeClass('hidden');
    $("#QTFKRZJLX").val('${ticketInfo.QTFKRZJLX}');
```

```
}
                      // 续当类型
                   if('${ticketInfo.XDLX}'==null||'${ticketInfo.XDLX}'=="""){
                   $('#XDLX').val("01");
                   }else{
                      $('#XDLX').val('${ticketInfo.XDLX}');
                      if
                                                     ('${ticketInfo.XDLX}'
'01' | | '${ticketInfo.XDLX}' ==null | | '${ticketInfo.XDLX}' ==""") {
                          Continue('hc'):
                      if ('${ticketInfo.XDLX}' == '02') {
                           $("#SHOW_HKJE").removeAttr('readonly');
                           $("#SHOW_XDJE").removeAttr('readonly');
                         $("#sdxxFieldSet").removeClass('hidden'); //展示赎当信息
                         $("#dkxxSdFieldSet").removeClass('hidden');//展示赎当代扣信息
                         $("#sd_preview").removeClass('hidden');//赎当票预览
                         if('${ticketInfo.ZSKLY}' == 'true') {
                         $("#XD_SHOW_ZSK").removeAttr('readonly'); // 续当暂收款可录入
                          $("#SD_SHOW_ZSK").removeAttr('readonly'); // 赎当暂收款可录入
                         }else{
                           $("#SD_SHOW_ZSK").val(fmoney(0,2)); // 赎当暂收款为0
                         $("#SD_ZSK"). val(0); // 赎当暂收款为0
                         $("#SD SHOW ZSK").attr('readonly', true); // 赎当暂收款可录入
                   calPayMoney();//计算相关金额
                      // 续当方式
                      $('#XDFS').val('${ticketInfo.XDFS}');
                      if('${ticketInfo.XDFS}' == '' | |'${ticketInfo.XDFS}' == null) {
                      $('#XDFS').val("01");
                      if ('${ticketInfo.XDFS}' == '02') {
                           $("#ydmdLabel").removeClass('hidden');
                           $("#ydmdSelect").removeClass('hidden');
                           $("#YDXDMDBH").val('${ticketInfo.YDXDMDBH}');
                      //通过审批状态控制按钮
                      var spzt = '${ticketInfo.SPZT}';
                      if (spzt == '26' | | spzt == '41') {
                           allunoperate();
                      } else if('${ticketInfo.sfyqjm}' == 'true'||spzt == '42'){
                      partoperate();
```

};

// 计算续当逾期、金额

```
function calPayMoney() {
            // 计算实付金额所需参数
            var xdlx = $("#XDLX").val();// 续当类型
            var xdts = $("#XDTS").val() + ''; //典当期限
            var dqrq = $("#DQRQ").val();//到期日期
            var xdje = $("#XDJE").val(); //本次续当金额
            var xd zsk = $("#XD ZSK").val(); //暂收款
            var xd_jrsk = $("#XD_JRSK").val(); //今日收款
            var pjbh = '${ticketInfo.PJBH}';//票据编号
            var hkje = $("#HKJE").val();// 还款金额
            var sd_zsk = $("#SD_ZSK").val();// 赎当暂收款使用金额
            var sd_jrsk = $("#SD_JRSK").val();// 赎当今日收款金额
            // 续当金额为空,不计算
            if (xdje == 0 || xdje.trim() == '') {
                return;
            }
            var parameter = {
                XDLX: xdlx, // 续当类型
                PJBH: pjbh, // 票据编号
                XDJE: xdje, // 续当金额
                XD_ZSK: xd_zsk, // 使用暂收款
                XD_JRSK: xd_jrsk, // 今日收款
                XDTS: xdts, // 续当天数
                HKJE: hkje, // 还款金额
                SD_ZSK: sd_zsk, // 赎当暂收款
                SD_JRSK : sd_jrsk
            // 赎当今日收款
            // 调用后台方法, 计算实付金额
            $. a jax ({
                url : 'houseContinuePawnController/calDelay.do',
                data : parameter,
                datatype : 'json',
                type : 'POST',
                async : false,
                success : function(msg) {
                    var returnData = eval(msg);
                    // 续当时间限制不通过
                    if (returnData.XD_SJXZ == 'reject') {
                        swal("温馨提示!", "续当到期日期大于评估有效期止和审批有效期止,请选择重新评估和
重新审批! ");
                        $("#XDTS").val('');
                        $('#submitForm').attr('disabled', true);
                        $("#reduce").attr("disabled", true);
                        return;
                    else if (returnData.XD_SJXZ == 'pgreject') {
```

```
swal("温馨提示!", "续当到期日期大于评估有效期止, 请选择重新评估!");
                         $("#XDTS").val(''):
                    $("#submitForm").attr("disabled", true);
                         $("#reduce").attr("disabled", true);
                    else if (returnData.XD SJXZ == 'spreject') {
                         swal("温馨提示!", "续当到期日期大于审批有效期止, 请选择重新审批!");
                         $("#XDTS").val(''):
                         $('#submitForm').attr('disabled', true);
                         $("#reduce").attr("disabled", true);
                        return;
                    }
                    else
                    $('#submitForm').attr('disabled', false);
                    if ($('#XD_YQTS').val() != ''&& $('#XD_YQTS').val() * 1.0 > 0) {
                             $('#reduce').attr('disabled', false);// 如果续当逾期天数大于 0, 逾期减免按
钮可用
                        }
                    }
                    if (returnData.XD_SPSJXZ == 'reject') {
                         swal("温馨提示!","续当到期日期大于审批到期日与审核到期日,请选择重新审批和审核!
");
                         $("#XDTS").val('');
                         $('#submitForm').attr('disabled', true);
                         $("#reduce").attr("disabled", true);
                         return;
                    else if (returnData.XD_SPSJXZ == 'spreject') {
                    swal("温馨提示!", "续当到期日期大于审批到期日请选择重新审批!");
                    $("#XDTS").val('');
                    $('#submitForm').attr('disabled', true);
                         $("#reduce").attr("disabled", true);
                    return;
                    else if (returnData.XD_SPSJXZ == 'shreject') {
                         swal("温馨提示!", "续当到期日期大于审核到期日请选择重新审核!");
                         $('#submitForm').attr('disabled', true);
                         $("#reduce").attr("disabled", true);
                        $("#XDTS").val('');
                         return;
                    }
                    else
                    $('#submitForm').attr('disabled', false);
                         if ($('#XD_YQTS').val() != ''&& $('#XD_YQTS').val() * 1.0 > 0) {
```

```
$('#reduce').attr('disabled', false);// 如果续当逾期天数大于 0, 逾期减免按
钮可用
                         }
                     if (returnData.XD_XZ == 'reject') {
                         swal("温馨提示!", "续当期限太短, 续当票到期日期必须大于当前日期, 请重新输入!");
                         $('#submitForm').attr('disabled', true);
                         $("#reduce").attr("disabled", true);
                         $("#XDTS").val(''):
                         return:
                    }
                    else
                    $('#submitForm').attr('disabled', false);
                     if ($('#XD_YQTS').val() != ''&& $('#XD_YQTS').val() * 1.0 > 0) {
                             $('#reduce').attr('disabled', false);// 如果续当逾期天数大于 0, 逾期减免按
钮可用
                        }
                    }
                 $("#XD_ZHFY").val(toDecimal(returnData.XD_ZHFY)); // 续当综合费用
                    $("#XD_SHOW_ZHFY").val(fmoney(toDecimal(returnData.XD_ZHFY),2)); // 续当综合费用-显
示
                    $("#XD_BCZGKSYFLJE").val(toDecimal(returnData.XD_BCZGKSYFLJE)); // 本次最高可使用返
利金额
                    $("#XD_SHOW_BCZGKSYFLJE").val(fmoney(toDecimal(returnData.XD_BCZGKSYFLJE),2)); // 本
次最高可使用返利金额-显示
                     $("#XD_YQTS").val(returnData.XD_YQTS); // 续当逾期天数
                    $("#XD SQLX").val(toDecimal(returnData, XD SQLX)); // 续当上期利息
                    $("#XD_SHOW_SQLX").val(fmoney(toDecimal(returnData.XD_SQLX),2)); // 续当上期利息-显
示
                    $("#XD YSFX").val(toDecimal((returnData.XD YSFX))); // 续当应收罚息
                    $("#XD_SHOW_YSFX").val(fmoney(toDecimal((returnData.XD_YSFX)),2)); // 续当应收罚息-
显示
                    $("#XDTS").val(returnData.XDTS); // 续当天数
                    $("#DQRQ").val(returnData.DQRQ); // 到期日期
                    //赎当上期利息
                    $("#SD_SQLX").val(toDecimal(returnData.SD_LX)); // 赎当应付利息
                    $("#SD_SHOW_SQLX").val(fmoney(toDecimal(returnData.SD_LX),2)); // 续当上期利息-显示
                    $("#SD_BCZGKSYFLJE").val(toDecimal(returnData.SD_BCZGKSYFLJE)); // 赎当本次最高可使
用返利金额
                    $("#SD_SHOW_BCZGKSYFLJE").val(fmoney(toDecimal(returnData.SD_BCZGKSYFLJE),2)); // 赎
当本次最高可使用返利金额-显示
                    $("#SD_YQTS").val(returnData.SD_YQTS); // 赎当逾期天数
                     $("#SD YSFX").val(toDecimal(returnData.SD YJFX)); // 赎当应收罚息
```

```
$("#SD_SHOW_YSFX").val(fmoney(toDecimal(returnData.SD_YJFX),2)); //赎当应收罚息-显示
                    $("#SD_YTZHFY").val(toDecimal(returnData.SD_YTZHFY));//赎当应退综合服务费用
                    $("#SD_SHOW_YTZHFY").val(fmoney(toDecimal(returnData.SD_YTZHFY),2));//赎当应退综合
服务费用
                    $("#SD_STZHFY").val(toDecimal(returnData.SD_STZHFY));//赎当实退综合服务费用
                    $("#SDRQ"). val(returnData.SDRQ);//赎当日期
                    $("#ZHFYSYFLYE NEW").val(toDecimal(returnData.ZHFYSYFLYE NEW));//退费后剩余的返利
                    $("#SD_YSLX").val(toDecimal(returnData.SD_YSLX));//退费后剩余的返利
                    $("#SD_YTLX").val(toDecimal(returnData.SD_YTLX));//退费后剩余的返利
                    $("#SD_SHOW_YSLX"). val(fmoney(toDecimal(returnData.SD_YSLX),2));//退费后剩余的返利
                    $("#SD_SHOW_YTLX").val(fmoney(toDecimal(returnData.SD_YTLX),2));//退费后剩余的返利
                         if($("#XD_YQTS").val()*1.0>0){
                         $("#reduce").attr('disabled', false);
                    }
                    calXdSsje(); // 计算续当实收金额
                    calSdSsje(); //计算赎当实收金额
                error : function(XMLHttpRequest, textStatus, errorThrown) {
                    swal("温馨提示!", "计算金额失败, 请检查!");
            });
        var flag=false;
        // 暂存收款通知单信息
        function saveSktzd() {
            var url = "houseContinuePawnController/saveSktzd.do";
            $. a jax ({
                type : 'post',
                url : url,
                data : $("#infoForm").serialize(),
                success : function(data) {
                    var sktzd = eval(data);
                    $("#XDSKTZDID").val(sktzd.XDSKTZDID); // 返回续当收款通知单 ID
                    $("#SDSKTZDID").val(sktzd.SDSKTZDID); // 返回续当收款通知单 ID
                    if ($("#XD_YQTS").val() != ''
                             && ("\#XD_YQTS").val() * 1.0 > 0) {
                         $('#reduce').attr('disabled', false); // 如果续当存在逾期,罚息减免按钮可用
                    flag=true;
                     swal("温馨提示!", "续当收款通知单信息保存成功!");
```

```
});
       //提交财务
        function submitToFinance() {
       if (checkSaveFlag()) {
            // 数据校验
            var xdlx = $("#XDLX").val().trim(): // 续当类型
            if (xdlx == '') {
                swal("温馨提示!", "请选择续当类型!");
               return;
            }
            var xdje = $("#XDJE").val().trim(); // 续当金额
            if (xdje == '' | | xdje == 0) {
                swal("温馨提示!", "请录入续当金额!");
               return;
            var ywpz=$("#YWPZ").val();
            if (ywpz=='2') {
            var qcpgjg=$("#QCPGJG").val().trim()*1.0;//评估金额
            var yjxdje=$("#YJXDJE").val().trim()*1.0;//已续当金额
            if (yjxdje*100==qcpgjg*100) {
                swal("温馨提示!", "已续当金额"+y.jxd.je+"元等于于评估金额,请进行赎当操作");
            }
            //本次续当金额+已续当金额>评估金额
            if(xdje*100+yjxdje*100 >qcpgjg*100){
            swal("温馨提示!", "已续当金额"+yjxdje+"元加上本次续当金额"+xdje+"大于评估金额,请重新填写续当
金额");
               return:
            }
            var xdts = $("#XDTS").val().trim(); // 典当期限
            if (xdts == '' | xdts == 0) {
                swal("温馨提示!", "请录入典当期限!");
               return;
            }
            var xd_jrsk = $("#XD_JRSK").val().trim()* 100.0; // 续当今日收款
            if (xd_jrsk=='') {
                swal("温馨提示!", "请录入续当今日收款金额!");
                return;
            }
            var xd_sqlx = $("#XD_SQLX").val().trim() * 100.0; // 续当上期利息
            var xd_zhfy = $("#XD_ZHFY").val().trim() * 100.0; // 续当综合费用
            var xd ysfx = $("#XD YSFX").val().trim() * 100.0; // 续当应收罚息
```

```
var xd_zsk = $("#XD_ZSK").val().trim() * 100.0; // 续当暂收款
var xd jrsk = $("#XD JRSK").val().trim() * 100.0; // 续当今日收款
var xd_bcsyflje = $("#XD_BCSYFLJE").val().trim() * 100.0; // 续当本次使用返利金额
var xd_ssje = $("#XD_SSJE").val().trim() * 100.0; // 续当实收金额
if (xd_zsk+xd_jrsk!=xd_ssje) {
    swal("温馨提示!", "暂收款使用金额加今日收款金额与续当应收金额不符,请检查!");
   return;
if(xd1x=='02')
var sd zsk = $("#SD ZSK").val().trim() * 100.0; // 赎当暂收款
var sd_jrsk = $("#SD_JRSK").val().trim() * 100.0; // 赎当今日收款
var sd_ssje = $("#SD_SSJE").val().trim() * 100.0; // 赎当实收金额
var zskje='${ticketInfo.JYJE}';//续当暂收款
var hkje = $("#HKJE").val().trim(); // 赎当金额
if ( hkje == '' || hkje == 0) {
   swal("温馨提示!", "请录入赎当金额!");
   return;
}
if (sd_jrsk ==='') {
   swal("温馨提示!", "请录入赎当今日收款金额!");
   return;
}
if ((sd_zsk*100 + sd_jrsk*100) != sd_ssje*100) {
    swal("温馨提示!","赎当信息暂收款使用金额加今日收款金额与赎当应收金额不符,请检查!");
   return;
}
if ((sd_zsk + xd_zsk) != zskje*100.0) {
    swal("温馨提示!", "暂收款使用金额不等于领用金额,请检查!");
   return;
}
var fkr = $("#FKR").val().trim(); // 付款人
if (fkr == '' || fkr == 0) {
   swa1("温馨提示!", "请选择付款人!");
   return;
if (fkr == '02') {
   var qtfkrxm = $("#QTFKRXM").val().trim(); // 其他付款人姓名
    if (qtfkrxm == '') {
       swal("温馨提示!", "请输入其他付款人姓名!");
       return;
   var qtfkrzjlx = $("#QTFKRZJLX").val().trim(); // 其他付款人证件类型
   if (qtfkrzjlx == ") {
       swal("温馨提示!", "请选择其他付款人证件类型!");
       return;
```

```
var qtfkrzjhm = $("#QTFKRZJHM").val().trim(); // 其他付款人证件号码
                 if (qtfkrzjhm == '') {
                     swal("温馨提示!", "请输入其他付款人证件号码!");
                     return;
             var xdfs = $("#XDFS").val().trim(); // 续当方式
             if (xdfs == '') {
                 swal("温馨提示!", "请选择续当方式!");
                 return:
             }
             if (xdfs = '02') {
                 var ydxdmdbh = $("#YDXDMDBH").val().trim(); // 异店续当门店编号
                 if (ydxdmdbh == '') {
                     swal("温馨提示!", "请选择异地续当门店!");
                     return:
             /* inputSdBcsyflje(); //检验赎当
           inputXdBcsyflje();//检验续当 */
             // 提交按钮置为不可用
             $('#submitForm').attr('disabled', true);
             $("#XDLX").attr("disabled", false);
             var url = "houseContinuePawnController/submitToFinance.do";
             $("#infoForm").attr("action", url);
             $("#infoForm").submit();
}
        // 逾期减免申请
        function yqjmSq() {
             var xdlx=$("#XDLX").val();//续当类型
          if ($("#XDJE").val() == null || $("#XDJE").val() == ''||$("#XDJE").val()== 0) {
                     swal("温馨提示","请输入续当金额!");
                 } else if($("#XDTS").val()==null||$("#XDTS").val()==''||$("#XDTS").val()<1){
                 swal("温馨提示","请输入续当天数!");
                 }
                  else {
                  if(checkSaveFlag()) {
                      saveYqjmSktzd();
                      var xdsktzdid = $("#XDSKTZDID").val();
                          var sdsktzdid = $("#SDSKTZDID").val();
                     top. jzts();
                     var diag = new top.Dialog();
                     diag. Drag=true;
                     diag. Title ="逾期减免";
                     if (xd1x=='01') {diag. URL
                                             = '<%=basePath%>/xudangYqjm/xzxudangyqjm.do?SKDID='+
xdsktzdid;
```

```
if (xd1x=='02') {diag. URL
                                                             '<%=basePath%>/xudangYqjm/xzjcbyqjm.do?XDID='+
xdsktzdid+'&SDID='+sdsktzdid;
                       diag. Width = 1200;
                       diag. Height = 800;
                       diag. CancelEvent = function() { //关闭事件
                       diag.close();
                       window. location=window. location:
                  };
                       diag.show();
         //全部不可操作
         function allunoperate() {
              $("#save").attr("disabled", true);
              $("#submitForm").attr("disabled", true);
              $("#reduce").attr("disabled", true);
              $("#cancelReduce").attr("disabled", true);
              $("#cancelContinue").attr("disabled", true);
              $("#XDLX").attr("disabled", true);
              $("#FKR").attr("disabled", true);
              $("#XDFS").attr("disabled", true);
              $('input').attr("readonly", true);
              $("#XDTS").attr("readonly", true);
              $('textarea').attr("readonly", true);
              $(":checkbox").prop("disabled", true);//checkbox 单选框不可用
         //部分不可操作
         function partunoperate() {
             $("#save").attr("disabled", true);
              $("#submitForm").attr("disabled", true);
              $("#reduce").attr("disabled", true);
              $('input').attr("readonly", true);
              $("#QTFKRXM").attr("readonly", false);
              $("#QTFKRZJHM").attr("readonly", false);
         }
         function partoperate() {
           $("#XDLX").attr("disabled", true);
              $("#reduce").attr("disabled", true);
              $("#SHOW_XDJE").attr("readonly", true);//续当金额
              $("#SHOW_HKJE").attr("readonly", true);//还款金额
              $("#QTFKRXM").attr("readonly", false);
              $("#QTFKRZJHM").attr("readonly", false);
              $("#XDTS").attr("readonly", true);
         function operate() {
              $("#submitForm").attr("disabled", false);
```

```
if ($('#XD_YQTS').val() != ''&& $('#XD_YQTS').val() * 1.0 > 0) {
      $("#reduce").attr("disabled", false); // 如果续当逾期天数大于 0, 逾期减免按钮可用
 }
//取消逾期减免
 function cancelReduce1(skdid, ydph, czfs) {
 var sdskdid=$("#SDSKTZDID").val();
 var pjbh=$("#PJBH").val();
     $. a jax ({
          url: 'houseContinuePawnController/cancelReduce.do',
          data : {
               SDSKDID:sdskdid,
               SKDID: skdid,
               WKPARAM : ydph,
               CZFS : czfs,
               PJBH : pjbh
          },
          type : 'POST',
          async : false,
          success : function(code) {
               if (code == '1') {
                   swal("", "操作成功!", "success");
                   window.location.reload();
               } else {
                   swal("", "程序出现异常", "error");
          error : function() {
               swal("", "程序出现异常", "error");
     });
 var areaCodeSuffix = '${areaCodeSuffix}';
 function xdp_preview() {
      var spzt = '${ticketInfo.SPZT}';
      if(spzt!='26'&&spzt!='42'&&spzt!='41'&&spzt!='43'){
              saveYqjmSktzd();}
          var PJBH = '${ticketInfo.SQPJBH}';
          var print_url = $("#firereport").val();
          var tarValue = {
               РЈВН : РЈВН
          };
          var url = print_url
                   + "WebReport/ReportServer?reportlet=continue_preview" + areaCodeSuffix + ".cpt";
           if('2'==$("#ROOTID").val()){
           var SKDID = $("#XDSKTZDID").val();
                   tarValue = {
                        SKDID: SKDID
```

```
};
                          url = print url+"WebReport/ReportServer?reportlet=xudangshoukuanping.ju"
areaCodeSuffix + ".cpt";
                           if('${ticketInfo.EWYFL}'*1>0) {
                               = print_url+"WebReport/ReportServer?reportlet=xudangchaoxifei"
areaCodeSuffix + ".cpt";
                 url = cjkEncode(url);
                  FR. doHyperlinkByPost(url, tarValue, 'reportFrame');
         //得到行对象
         function getRowObj(obj) {
             var i = 0;
             while (obj.tagName.toLowerCase() != "tr") {
                  obj = obj.parentNode;
                  if (obj.tagName.toLowerCase() == "table")
                      return null;
             }
             return obj;
         //根据得到的行对象得到所在的行数
         function getRowNo(obj) {
             var trObj = getRowObj(obj);
             title: "您确定要终止吗?",
             text: "您确定要终止续当流程?",
                  type: "warning",
                  showCancelButton: true,
                  closeOnConfirm: false,
             confirmButtonText: "是",
             confirmButtonColor: "#ec6c62",
             cancelButtonText: "否"
             }, function() {
             swal({
             title: "您确定要终止吗?",
             text: "终止后业务将不可恢复!",
                  type: "warning",
                  showCancelButton: true,
                  closeOnConfirm: false,
             confirmButtonText: "是",
             confirmButtonColor: "#ec6c62",
             cancelButtonText: "否"
             }, function() {
                  $(":button").attr('disabled', true);
                  url : '<%=basePath%>houseContinuePawnController/stopContinue.do',
                  data : $("#infoForm").serialize(),
                  datatype : 'json',
                  type : 'POST',
                  async : false,
```

```
success : function(data) {
                     if(data=="1")
                              swal({
                                  title: "终止成功!",
                                  type: "success",
                                  confirmButtonColor: "#8CD4F5",
                                  closeOnConfirm: false,
                              },
                              function() {
                                  top. Dialog. close();
                              });
                         },
                 error : function(XMLHttpRequest, textStatus, errorThrown) {
                     swal("温馨提示!", "终止续当失败, 请检查!");
                 });
                 });
                 });
      $("#DSBZ").blur(function() {
      var curLength=$("#DSBZ").val().length;
        if(curLength>200) {
        swal ("温馨提示", "代收备注不能超过 200 个字符, 请重新填写!");
             var num=$("#DSBZ").val().substr(0,200);
             $("#DSBZ").val(num);
}
     });
        //票据备注校验
      $("#SD DSBZ").blur(function() {
        var curLength=$("#SD_DSBZ").val().length;
        if (curLength>200) {
        swal ("温馨提示", "赎当代收备注不能超过 200 个字符,请重新填写!");
             var num=$("#SD_DSBZ").val().substr(0,200);
             $("#SD_DSBZ").val(num);
}
      });
                     //票据备注校验
      $("#SQYJ").blur(function() {
        var curLength=$("#SQYJ").val().length;
        if(curLength>200) {
        swal("温馨提示","申请意见不能超过200个字符,请重新填写!");
             var num=$("#SQYJ").val().substr(0,200);
             $("#SQYJ").val(num);
```

}

```
});
          function saveYqjmSktzd() {
             var url = "houseContinuePawnController/saveSktzd.do";
                 type : 'post',
                 url : url,
                 data : $("#infoForm").serialize(),
                 async: false,
                 success : function(data) {
                     var sktzd = eval(data);
                     $("#XDSKTZDID").val(sktzd.XDSKTZDID); // 返回续当收款通知单 ID
                     $("#SDSKTZDID").val(sktzd.SDSKTZDID); // 返回续当收款通知单 ID
                     if ($("#XD_YQTS").val() != ''
                              && ("\#XD_YQTS").val() * 1.0 > 0) {
                          $('#reduce').attr('disabled', false); // 如果续当存在逾期,罚息减免按钮可用
    function checkSaveFlag() {
       var flagInfo;
    var url = "houseContinuePawnController/getHandleIdentity.do";
    var pjbh = $("#PJBH").val();
            var 1x = 01';
            var parameter = {
                 hlflag: pjbh, // 续当类型
                 Flag: lx,
                 };
             $. a jax ({
                 type: 'post',
                 url : url,
                 data: parameter, //凭证查询
                 async : false,
                 success : function(data) {
                     var tjInfo = eval(data);
                     var tjF=tjInfo.flag; // 返回是否提交的标识
                     if(tjF=='0'){
                     swal("温馨提示","该业务在进行其他操作,请在项目列表、合同列表进行查看!");
                     flagInfo= false;
                     else
                 flagInfo= true;
                 }
            });
            return flagInfo;
    </script>
</body>
</html>
```