

# ARM AAC Decode Middleware for Linux RCG2ADAACMZ1SL32C

**Product Manual** 

[Preliminary]

#### RCG2ADAACMZ1SL32E-P01

All information contained in these materials, including products and product specifications, represents information on the product at the time of publication and is subject to change by Renesas Electronics Corp. without notice. Please review the latest information published by Renesas Electronics Corp. through various means, including the Renesas Electronics Corp. website (http://www.renesas.com).

Rev.0.01 January, 2015

#### Notice

- Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
- Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics
  does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages
  incurred by you resulting from errors in or omissions from the information included herein.
- 3. Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights of third parties by or arising from the use of Renesas Electronics products or technical information described in this document. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
- 4. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from such alteration, modification, copy or otherwise misappropriation of Renesas Electronics product.
- 5. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The recommended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.
  - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots etc.
  - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anti-crime systems; and safety equipment etc.

Renesas Electronics products are neither intended nor authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems, surgical implantations etc.), or may cause serious property damages (nuclear reactor control systems, military equipment etc.). You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application for which it is not intended. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for which the product is not intended by Renesas Electronics.

- 6. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
- 7. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or systems manufactured by von
- 8. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 9. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You should not use Renesas Electronics products or technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. When exporting the Renesas Electronics products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations.
- 10. It is the responsibility of the buyer or distributor of Renesas Electronics products, who distributes, disposes of, or otherwise places the product with a third party, to notify such third party in advance of the contents and conditions set forth in this document, Renesas Electronics assumes no responsibility for any losses incurred by you or third parties as a result of unauthorized use of Renesas Electronics products.
- 11. This document may not be reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
- 12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.
- (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

### - Table of Contents -

1. OV	ERVIEW
1.1.	Overview of This Document
	ODUCT SPECIFICATION
2.1.	Basic Specification
2.2.	Memory Requirements
2.3.	Performance
2.4.	Version information.
a LIS	ST OF FILES

## - Tables -

Table 1-1 List of Related Document	
Table 1-2 List of Processor-related Document	
Table 2-1 Basic Specification	
Table 2-2 Memory Size Requirements	
Table 2-3 Processing Capability	
Table 2-4 Version Information	
Table 3-1 File list of this Middleware	



#### ARM AAC Decode Middleware for Linux

RCG2ADAACMZ1SL32 Rev.0.01 January 26, 2015

#### 1. Overview

#### 1.1. Overview of This Document

This Document is the Product Manual for ARM AAC Decode Middleware for Linux. For function specification, please read related document [1].

#### 1.2. Related Document

Table 1-1 shows the related documents. Table 1-2 shows the processor-related documents.

#### **Table 1-1 List of Related Document**

No	Document Name	Description
[1]	AAC Decode Middleware User's Manual	This document shows function specifications.

#### **Table 1-2 List of Processor-related Document**

No	Document Name	Title
[2]	WHITE PAPER(Rev.2.0)	big.LITTLE Processing with the Cortex-A15 and Cortex-A7 Processors
[3]	ARM IHI 0042E	Procedure Call Standard for the ARM Architecture (Nov 30, 2012)

#### 2. Product Specification

#### 2.1. Basic Specification

Table 2-1 shows the basic specification of this Middleware.

**Table 2-1 Basic Specification** 

Item	Description
Target CPU	ARM Cortex-A15/A7
Endian	Little Endian
Supported OS	Linux 3.10
Development Environments	gcc version 4.8.3 20140401 (prerelease) (Linaro GCC 4.8-2014.04)

#### 2.2. Memory Requirements

Table 2-2 shows memory requirements of this Middleware.

**Table 2-2 Memory Size Requirements** 

Memory Type	Location	Memory area name		Size (in by	ytes)
Instruction		Instruction a	rea		
	ROM	Constant tab	le area		T.B.D
		Other area(D	Depended on the compiler)		
		Middleware v	work area		65,896
		Area	Static area	Size	37,192
		breakdown	Scratch area	breakdown	28,680
Data		User work ar	ea		10,870
	RAM	Area	Input buffer	Size	1,536
		breakdown	Output buffer	breakdown	4,096
			Structure		630
		Stack area			2,048
		Other area(Depended on the compiler)			T.B.D

[Note] Area whose location is shown as ROM in the location column can be included in RAM or ROM. [Note] Area whose location is shown as RAM in the location column can be included RAM only.

#### 2.3. Performance

Table 2-3 shows processing capability of this Middleware.

**Table 2-3 Processing Capability** 

Item	Description
Average processing load	T.B.D

[Note] The value above varies depending on the frequency, bit rate, and data.

[Note] The value above is measured on R-Car H2 Evaluation Board (ARM Cortex-A15).

[Note] The value above is a reference value which does not indicate a guaranteed level of performance.

#### 2.4. Version information

Table 2-4 shows version information of this Middleware.

#### **Table 2-4 Version Information**

Item	Description	
Version information	0x00000241 (Version 2.41)	

#### 3. List of files

The file list of this Middleware is shown in Table 3-1.

Table 3-1 File list of this Middleware

Directory		Description	
RCG2ADAACMZ1SL3	RCG2ADAACMZ1SL32C		
document	AACD_UM_J.pdf	User's Manual(Japanese)	
	AACD_UM_E.pdf	User's Manual(English)	
	RCG2ADAACMZ1SL32J-P01.pdf	Product Manual(Japanese)	
	RCG2ADAACMZ1SL32E-P01.pdf	Product Manual(English)	
lib	libAACDLA_L.so.2.4	Dynamic link library	
	aacd_Lib.h	Header file of library	
sample	parser	the sample program of parser	
	src	the sample program of application	

Revision	ARM AAC Decode Middleware for Linux
History	Product Manual

Rev.	Date	Description	
		Page	Summary
0.01	Jan. 26, 2015	-	Newly created.

ARM AAC Decode Middleware for Linux Product Manual

Publication Date: January 26, 2015 Rev.0.01

Published by: Renesas Electronics Corporation



#### **SALES OFFICES**

#### Renesas Electronics Corporation

http://www.renesas.com

Refer to "http://www.renesas.com/" for the latest and detailed information.

Renesas Electronics America Inc. 2801 Scott Boulevard Santa Clara, CA 95050-2549, U.S.A. Tel: +1-408-588-6000, Fax: +1-408-588-6130

Renesas Electronics Canada Limited 9251 Yonge Street, Suite 8309 Richmond Hill, Ontario Canada L4C 9T3 Tel: +1-905-237-2004

Renesas Electronics Europe Limited
Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire, SL8 5FH, U.K
Tel: +44-1628-585-100, Fax: +44-1628-585-900

Renesas Electronics Europe GmbH

Arcadiastrasse 10, 40472 Düsseldorf, German Tel: +49-211-6503-0, Fax: +49-211-6503-1327

Renesas Electronics (China) Co., Ltd. Room 1709, Quantum Plaza, No.27 ZhiChunLu Haidian District, Beijing 100191, P.R.China Tel: +86-10-8235-1155, Fax: +86-10-8235-7679

Renesas Electronics (Shanghai) Co., Ltd.
Unit 301, Tower A, Central Towers, 555 Langao Road, Putuo District, Shanghai, P. R. China 200333 Tel: +86-21-2226-0888, Fax: +86-21-2226-0999

Renesas Electronics Hong Kong Limited
Unit 1601-1611, 16/F., Tower 2, Grand Century Place, 193 Prince Edward Road West, Mongkok, Kowloon, Hong Kong Tel: +852-2265-6688, Fax: +852 2886-9022

Renesas Electronics Taiwan Co., Ltd. 13F, No. 363, Fu Shing North Road, Taipei 10543, Taiwan Tel: +886-2-8175-9600, Fax: +886 2-8175-9670

Renesas Electronics Singapore Pte. Ltd. 80 Bendemeer Road, Unit #06-02 Hyflux Innovation Centre, Singapore 339949 Tel: +65-6213-0200, Fax: +65-6213-0300

Renesas Electronics Malaysia Sdn.Bhd.

Unit 1207, Block B, Menara Amcorp, Amcorp Trade Centre, No. 18, Jln Persiaran Barat, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia Tel: +60-3-7955-9390, Fax: +60-3-7955-9510

Renesas Electronics India Pvt. Ltd.
No.777C, 100 Feet Road, HALII Stage, Indiranagar, Bangalore, India Tel: +91-80-67208700, Fax: +91-80-67208777

Renesas Electronics Korea Co., Ltd. 12F., 234 Teheran-ro, Gangnam-Gu, Seoul, 135-080, Korea Tel: +82-2-558-3737, Fax: +82-2-558-5141

© 2015 Renesas Electronics Corporation. All rights reserved. Colophon 4.0

## ARM AAC Decode Middleware for Linux RCG2ADAACMZ1SL32C

