Altering on SELECT

- Boolean Algebra — Yes/No
  - OR
  - AND
  - NOT

E1 OR E2 → Y

E1 ↓ Y

E2 ↓ N

- Banking Problem

Q find all customers coming from same address/branch.

Address

Condition : Address

SELECT * FROM Branch;

Result set → No. of results in a single set.

↓

Conditioning → Address = "Delhi"

key - any one of column in the table.

WHERE (extending query with it)

key value

SELECT * from Branch WHERE address = "Delhi";
id = 7;

Result set

CONDITIONING

no need to use quotes.

-- comments)

---

eg → if we need two columns

where

base_interest_rate > = 20
AND
base_amount < = 3000;

Bank manager wants to find out base interest > 20% & base amount < = 3000

WHERE
amount_paid BETWEEN 0 AND 1000;

---

where dept IN ('D1', 'D3');

if 2 depts

Filtering operators

1) IN
2) NOT IN
3) IS NULL

Column 1

bank_name = 'Chennai'; AND

bank_name = 'Delhi'; AND

bank_name = 'Pune';

⇓ shorter version

bank_name IN ('Chennai', 'Delhi', 'Pune');

bank_name NOT IN ('Chennai', 'Delhi');

opposite of this IN

- Exploratory Data Analysis → WHERE Bank_IFSC is NULL

Wildcards

% (percentage) = zero or more

_ (underscore) '_pa' → one single character before pa

Eg all names with pa in it → first_name

% pa %

↑ It may / may not have characters before)

Eg AKANKSHA

↓

A_ANK_H_

eg SELECT * from CUSTOMER

WHERE first_name LIKE '%pa';

keyword

Sorting

SELECT * FROM CUSTOMER ⇒ (Result set)

↓ ordering

Result (ordered) sequence

ORDER BY (KEYWORD)

ORDER BY first_name, last_name

ASC ASCENDING ORDER (default)

DESC DESCENDING ORDER

ORDER BY first_name ASC, last_name DESC;