

Q1. Explain how reinforcement learning can be applied to a real-world problem, such as optimizing traffic flow in a city. What are the key considerations?

Reinforcement Learning (RL) is used where an agent learns by interacting with an environment and receiving rewards or penalties.

Application in Traffic Flow Optimization:

- The **agent** = Traffic signal controller
- The **environment** = Road network
- The **actions** = Change signal timing (red/green duration)
- The **reward** = Reduced waiting time, less congestion

Example:

If traffic clears faster → **positive reward**

If congestion increases → **negative reward**

Working:

- Sensors collect real-time traffic data
- RL model adjusts signal timing dynamically
- Over time, it learns the best traffic patterns

Key Considerations:

- Real-time data availability
- Safety constraints (avoid accidents)
- Exploration vs exploitation balance
- Scalability to large cities
- Delay in reward feedback

Q2. What are the key challenges in interpreting the results of unsupervised learning, and how can these be addressed?

Ans :

1. **No labeled data**
 - Hard to verify correctness of results
2. **Ambiguity in clusters**
 - Different algorithms give different groupings
3. **Difficulty in evaluation**
 - No clear accuracy metric
4. **High dimensionality**
 - Hard to visualize patterns
5. **Overfitting / noise sensitivity**
 - Model may detect meaningless patterns

How to Address Them:

- Use domain knowledge
- Apply validation techniques (e.g., silhouette score)
- Use visualization tools (PCA, t-SNE)
- Try multiple algorithms and compare results
- Preprocess data (cleaning, normalization)

Q3. Discuss the practical challenges faced when implementing unsupervised learning in a real-world business scenario, specifically addressing data quality issues, skill shortages, and infrastructure limitations.

Ans :

1. Data Quality Issues

- Missing or inconsistent data
- Noise and outliers
- Unstructured data (text, images)

Solution:

- Data cleaning & preprocessing
 - Feature engineering
 - Handling missing values
-

2. Skill Shortages

- Lack of ML experts
- Difficulty in choosing correct algorithm

Solution:

- Training employees
 - Using AutoML tools
 - Hiring specialists
-

3. Infrastructure Limitations

- Large data requires high computation
- Lack of GPU/Cloud resources

Solution:

- Use cloud platforms (AWS, Azure)
 - Distributed computing (Hadoop, Spark)
-

4. Interpretation Difficulty

- Results are not easily understandable

Solution:

- Visualization techniques
 - Explainable AI methods
-

5. Scalability Issues

- Algorithms may not scale with big data

Solution:

- Use optimized algorithms (Mini-batch K-means)

Q4. Compare and contrast Principal Component Analysis (PCA) and t-distributed Stochastic Neighbor Embedding (t-SNE) as dimensionality reduction techniques, highlighting their strengths, weaknesses, and appropriate use cases.

Ans :

1. Definition

- **PCA (Principal Component Analysis):**
 - Linear dimensionality reduction technique
 - Converts data into principal components
- **t-SNE (t-distributed Stochastic Neighbor Embedding):**
 - Non-linear technique
 - Preserves local structure (clusters)

2. Comparison

Feature	PCA	t-SNE
Type	Linear	Non-linear
Speed	Fast	Slow
Data Structure	Global structure	Local structure
Interpretability	High	Low
Scalability	Good	Poor

3. Strengths

PCA:

- Fast and efficient
- Easy to interpret
- Works well for large datasets

t-SNE:

- Excellent for visualization

- Captures complex patterns
 - Shows clear clusters
-

4. Weaknesses

PCA:

- Cannot capture non-linear relationships

t-SNE:

- Computationally expensive
 - Not suitable for large datasets
 - Results vary each time
-

5. Use Cases

PCA:

- Feature reduction
- Preprocessing before ML models

t-SNE:

- Data visualization (2D/3D plots)
- Exploring clusters in high-dimensional data