

Treatment Mapping

Load Libraries

```
library(tidyverse)
library(here)
library(arrow)
library(sf)
library(urbanmapr)
library(naniar)
library(janitor)
library(ggiraph)
options(scipen = 99)
```

Today's Data

The data we will analyze today is SAMHSA's TEDS-D Dataset. The metadata can be found [here](#)

Reading in feather files with `arrow`

```
#teds_d <- read_parquet(here("data/tedsD_2012_2020.parquet"))
```

Clean names

```
# teds_d <- teds_d %>%
#   clean_names()
```

Selecting for relevant columns for today's class

- State
- Frequency of use at discharge
- Treatment Service
- Length of Stay
- Reason for Discharge

```
# teds_d_select <- teds_d %>%  
#   select(freq1_d, stfips, services_d, los, reason)
```

```
#write_parquet(teds_d_select, here("data/teds_d_lecture.parquet"))
```

```
teds_d_select <- read_parquet(here("data/teds_d_lecture.parquet"))
```

NA Analysis

How does the documentation label missing data?

```
teds_d_select[teds_d_select == "-9"] <- NA
```

```
miss_var_summary(teds_d_select)
```

```
# A tibble: 5 x 3  
  variable    n_miss pct_miss  
  <chr>      <int>    <num>  
1 freq1_d   7263891  51.8  
2 services_d 4715728  33.6  
3 reason        140  0.000997  
4 los           18  0.000128  
5 stfips         0    0
```

Variable Re-coding

Frequency of Use at Discharge

```

teds_d_select$freq1_d <- as.character(teds_d_select$freq1_d)

teds_d_select$freq1_d[teds_d_select$freq1_d == "1"] <- "no use"

teds_d_select$freq1_d[teds_d_select$freq1_d == "2"] <- "some use"

teds_d_select$freq1_d[teds_d_select$freq1_d == "3"] <- "daily use"

teds_d_select$freq1_d[is.na(teds_d_select$freq1_d)] <- "unknown"

```

Services

```

teds_d_select$services_d <- as.character(teds_d_select$services_d)

teds_d_select$services_d[teds_d_select$services_d == "1"] <- "Detox, 24-hour, hospital inpatient"

teds_d_select$services_d[teds_d_select$services_d == "2"] <- "Detox, 24-hour, free-standing"

teds_d_select$services_d[teds_d_select$services_d == "3"] <- "Rehab/residential, hospital (non-detox)"

teds_d_select$services_d[teds_d_select$services_d == "4"] <- "Rehab/residential, short term"

teds_d_select$services_d[teds_d_select$services_d == "5"] <- "Rehab/residential, long term (non-detox)"

teds_d_select$services_d[teds_d_select$services_d == "6"] <- "Ambulatory, intensive outpatient"

teds_d_select$services_d[teds_d_select$services_d == "7"] <- "Ambulatory, non-intensive outpatient"

teds_d_select$services_d[teds_d_select$services_d == "8"] <- "Ambulatory, detoxification"

teds_d_select$services_d[is.na(teds_d_select$services_d)] <- "unknown"

```

Reason

```

teds_d_select$reason <- as.character(teds_d_select$reason)

teds_d_select$reason[teds_d_select$reason == "1"] <- "completed"

teds_d_select$reason[teds_d_select$reason == "2"] <- "dropped out"

```

```

teds_d_select$reason[teds_d_select$reason == "3"] <- "terminated by facility"
teds_d_select$reason[teds_d_select$reason == "4"] <- "transferred"
teds_d_select$reason[teds_d_select$reason == "5"] <- "incarcerated"
teds_d_select$reason[teds_d_select$reason == "6"] <- "death"
teds_d_select$reason[teds_d_select$reason == "7"] <- "other"

```

Mapping

We want to map the percentage of complete treatments by state

First, let's calculate the percentage of completed treatments by state

```

percent_completed_by_state <- teds_d_select %>%
  group_by(stfips) %>%
  summarize(
    total_cases = n(),
    completed_cases = sum(reason == "completed", na.rm = TRUE)
  ) %>%
  mutate(percentage_completed = (completed_cases / total_cases) * 100)

```

Next, let's bring in some mapping data

```

states_map <- get_urban_map(map = "states", sf = TRUE)

```

What do we notice that's different between the teds-d stfips column and the states_map stfips column?

stfips columns under 10 have 1 character as opposed to 2 ex. "01"

```

percent_completed_by_state$stfips_recode <- sprintf('%02d', percent_completed_by_state$stfips)

colnames(percent_completed_by_state)[colnames(percent_completed_by_state) == "stfips_recode"]

```


Joining data

```
percent_completed_by_state_map <- full_join(percent_completed_by_state,
                                             states_map,
                                             by = "state_fips")
```

old-style crs object detected; please recreate object with a recent sf::st_crs()

Plotting Map

```
ggplot(percent_completed_by_state_map) +
  geom_sf(percent_completed_by_state_map,
          mapping = aes(geometry = geometry, fill = percentage_completed),
          color = "#ffffff", size = 0.25) +
  labs(fill = "% of Completed Treatment Episodes") +
  coord_sf(datum = NA) +
  theme_minimal()
```



Making interactive with ggiprah

```
interactive_completed_treatment_map <- ggplot(percent_completed_by_state_map) +
  geom_sf_interactive(
    mapping = aes(
```

```

    geometry = geometry,
    fill = percentage_completed,
    tooltip = paste("State FIPS:", stfips, "<br>Completed:", percentage_completed, "%", "<br>")
  ),
  color = "#ffffff",
  size = 0.25
) +
labs(fill = "% of Completed Treatment Episodes") +
coord_sf(datum = NA) +
theme_minimal()

# Use `girafe` to render the interactive plot
#girafe(ggobj = interactive_completed_treatment_map)

```

Round & Add state name to tooltip

Adding color bins


```

percent_completed_by_state_map <- percent_completed_by_state_map %>%
  mutate(percentage_bin = cut(percentage_completed, breaks=c(0, 10,20,30,40,50, 60, 70, 80)))

ggplot(percent_completed_by_state_map) +
  geom_sf(mapping = aes(geometry = geometry, fill = percentage_bin),
    color = "#ffffff", size = 0.25) +
  labs(fill = "% of CompletedTreatment Episodes",
    title = "Completed Treatment Episodes by State",
    subtitle = "TEDS-D Dataset (SAMHSA)") +
  scale_fill_viridis_d(option = "D") +
  coord_sf(datum = NA) +
  theme_minimal() +
  theme(
    panel.background = element_blank(),
    axis.ticks = element_blank(),
    axis.text.x = element_blank(),
    axis.text.y = element_blank(),
    legend.text = element_text(size = 4),
    legend.title = element_text(size = 5),
    strip.text = element_text(size = 4)
  )

```

Completed Treatment Episodes by State TEDS–D Dataset (SAMHSA)



Assignment

1. Make an interactive map with `ggiraph` showing the percentage of completed treatments that end with no use at discharge: (`freq1_d`)
2. How does the percentage of treatments being completed & percentage of treatments ending with no use vary by the service and length of stay. Create at least 3 visualizations to try and answer this question

```
unique(teds_d_select$services_d)
```

```
[1] "unknown"
[2] "Ambulatory, non-intensive outpatient"
[3] "Ambulatory, intensive outpatient"
[4] "Rehab/residential, long term (more than 30 days)"
[5] "Ambulatory, detoxification"
[6] "Detox, 24-hour, free-standing residential"
[7] "Detox, 24-hour, hospital inpatient"
[8] "Rehab/residential, short term (30 days or fewer)"
[9] "Rehab/residential, hospital (non-detox)"
```

```
percent_no_use_discharge <- teds_d_select %>%
  group_by(stfips) %>%
  summarize(
    total_cases = n(),
    completed_cases = sum(reason == "completed", na.rm = TRUE),
    completed_no_use_discharge = sum(freq1_d == "no use" & reason == "completed", na.rm = TRUE)
  ) %>%
  mutate(percentage_no_use = (completed_no_use_discharge / completed_cases) * 100)
```

```
states_map <- get_urban_map(map = "states", sf = TRUE)
```

```
percent_no_use_discharge$stfips_recode <- sprintf('%02d', percent_no_use_discharge$stfips)
```

```
colnames(percent_no_use_discharge)[colnames(percent_no_use_discharge) == "stfips_recode"] <-
```

```
percent_no_use_discharge_map <- full_join(percent_no_use_discharge,
  states_map,
  by = "state_fips")
```

```
old-style crs object detected; please recreate object with a recent sf::st_crs()
```

```
#percent_no_use_discharge_map$percentage_no_use = sprintf('%.2f', percent_no_use_discharge_map$percentage_no_use)
```

```
interactive_no_use_discharge_map <- ggplot(percent_no_use_discharge_map) +
  geom_sf_interactive(
    mapping = aes(
      geometry = geometry,
      fill = percentage_no_use,
      tooltip = paste("State FIPS:", stfips, "<br>Completed with no use:", percentage_no_use)
    ),
    color = "#ffffff",
    size = 0.1
  ) +
  labs(fill = "% of Completed Treatment Resulting in No Use",
    title = "Completed Treatment Episodes Resulting in No Use by State",
    subtitle = "TEDS-D Dataset (SAMHSA)") +
  coord_sf(datum = NA) +
  theme_minimal() +
  theme(
```




```

panel.background = element_blank(),
legend.text = element_text(size = 4),
legend.title = element_text(size = 5)
)

```

```
interactive_no_use_discharge_map
```

Completed Treatment Episodes Resulting in No Use by State TEDS–D Dataset (SAMHSA)



```

# Use `girafe` to render the interactive plot
#girafe(ggobj = interactive_no_use_discharge_map)

```