



CASE REPORT FORM

Solifenacin Succinate Tablets 10 mg BE Fasting Study

QPS Bioserve India Pvt. Limited

Study No: 765/15

Principal Investigator: Dr. A. Srinivas

Sponsor: PHARMA Private Limited., India

CRF Number:765/15/F001 V00, 02/11/2016

Volunteer ID:	VID	Subject ID:	SUBJID
---------------	----------------------------------	-------------	-------------------------------------

STUDYID

Study No:

765/15

SUBJECT

Volunteer ID:

SCREENING VISIT

DEMOGRAPHIC DETAILS

DEMO_RAW

Gender GEN

☐ Male☐ Female

Age(Years) AGEUN

Ethnicity ETH

DM.RACE

☐ Asian☐ Other☐ If Other, specify ETHOTRACE1,2 SUPPDM WHEN RACE IS
OTHER

Height HT

Height Units cm HTU

Weight WT

Weight Units Kg WTU

BMI

BMI

BMI Units kg/m² BMIU

STUDYID

Study No:

765/15

SUBJECT

Volunteer ID:

ELIGIBILITY CRITERIA

Check-in Vital Signs

Blood Pressure (mm of Hg) Systolic/Diastolic	Oral Temperature (°F)	Pulse Rate (per min)	Recording Time	Recorded By (Sign & Date)

COMMENTS

INCLUSION CRITERIA

(A response of "No" to any of the Inclusion Criteria below means the participant DOES NOT meet criteria)

S. No	Activity	Yes	No
1.	The volunteer is able to understand and willingness to sign statements of informed consent.		
2.	The volunteer is healthy, adult, human being between 18 and 45 years of age (both inclusive) and weighing at least 50 kg.		
3.	The volunteer has a body mass index between 18.5and 29.9 (both inclusive) , calculated as weight in Kg/height in m ² .		

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

STUDYID

Study No:

765/15

SUBJECT

Volunteer ID:

EXCLUSION CRITERIA

(A response of "Yes" to any of the Exclusion criteria below means the participant DOES NOT meet criteria)

S. No	Activity	Yes	No
1.	The volunteer's systolic blood pressure is less than 90 mm of Hg or more than 140 mm of Hg.		
2.	The volunteer's diastolic blood pressure is less than 60 mm of Hg or more than 90 mm of Hg.		
3.	The volunteer's oral temperature is below 95.0°F or above 98.6°F.		
4.	The volunteer's pulse rate is below 60 /min or above 100 /min.		
5.	The volunteer is confirmed positive in alcohol screening (breath alcohol test).		
6.	The volunteer is confirmed positive in selected drug of abuse (for benzodiazepines, cannabinoids, amphetamine, cocaine, barbiturates, morphine).		
7.	The volunteer is confirmed positive in hepatitis screening (HbsAg/HCV) or for HIV antibody.		

COMMENTS

ELIGIBILITY STATEMENT

Tick the appropriate:

☐

The subject is complying all the inclusion and exclusion criteria as per the study protocol and is eligible to participate in the study.

☐

The subject is not complying the inclusion and exclusion criteria as per the study protocol and is not eligible to participate in the study.

Enrollment Date:

ENRDT

DM.RFSTDTC

Enrollment Time:

ENRTM

Subject

ID: **SUBJID**

DM.SUBJID

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

INVESTIGATIONAL PRODUCT ADMINISTRATION (P – I)VISIT

DRUG ADMINISTRATION PROCEDUREEXPOSURE_RAW

Subject will receive single dose of Test (T) or Reference (R) products while in sitting posture with about 240 ± 2ml of drinking water according to a randomization schedule.

Dosing

Date:DSDT

Dosing

Time:DSDTM

DOSTP

DOSE Please affix the Investigational

DOSEN

TRT Product

Label and sign across

DOSTP

EX.EXDOSFRM

DOSE

EX.EXDOSE EX.EXDOSU

DOSEN

TRT

EX.EXTRT

EX.EXDOSFRQ="ONCE"

EX.EXROUTE=ORAL

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

PK SAMPLING LOG (P – I)

Dosing Date:

Dosing Time:

PK SAMPLING PROCEDURE

Collect 4ml of blood sample in sample tubes containing K₂EDTA as anticoagulant. The sample tube will be inverted gently to and fro for each sample point. Any deviation will be recorded in the comments.

S. No	Sample Point (hour)	Schedule Time	Actual Time	Deviation		Done By (Sign & Date)
				Time (min)	Reason #	
1.	Pre-dose (0.00)	within 1 hour prior to dosing				
2.	1.00					
3.	1.50					
4.	2.00					
5.	2.50					
6.	3.00					
7.	3.50					
8.	4.00					
9.	4.50					
10.	5.00					
11.	5.50					

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

S. No	Sample Point (hour)	Schedule Time	Actual Time	Deviation		Done By (Sign & Date)
				Time (min)	Reason #	
12.	6.00					
13.	6.50					
14.	7.00					
15.	7.50					
16.	8.00					
17.	8.50					
18.	9.00					
19.	10.00					
20.	12.00					
21.	24.00					

1. Late arrival of the Subject 2. Cannula Blockage 3. Vein Collapse 4. Others (Specify)

Note: The post dose samples will be collected within 2 minutes of the schedule time. Any blood samples drawn beyond the specified window period will be recorded in the deviation column.

COMMENTS

--

PK SAMPLING STATEMENT

All samples were collected, processed and stored as per study protocol and applicable procedures.

Reviewed By	Signature	Date

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

VITAL SIGNS AND WELLBEING LOG (P – I) VITAL_RAW VISIT

Time Point (hr) TP	Schedule Time SCHEDULE	Pulse Rate (per min) PULSE PULSE U	Oral Temperature (°F) TEMP TEMP U	Blood Pressure (mm of Hg) Systolic/Diastolic SYS SYSU DIA DIAU	Well Being PULSER,TEMP,SYSR DIAR	Recording Time REC DT REC DT M	Recorded By (Sign)	Remarks
Pre-dose (0.00)	----							
2.00			----					
8.00			----					

Check-Out	----							

Note: The vitals and wellbeing will be examined within $\pm$ 40 minutes from the scheduled time

DEVIATIONS

COMMENTS

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

~~STUDYID~~

Study No:

765/15



Subject ID:

SUBJID SUBJID

Reviewed By	Signature	Date

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

ELIGIBILITY CRITERIA FOR PERIOD – II

Check-in Vital Signs

Blood Pressure (mm of Hg) Systolic/Diastolic	Oral Temperature (°F)	Pulse Rate (per min)	Recording Time	Recorded By (Sign & Date)

COMMENTS

EXCLUSION CRITERIA

(A response of "Yes" to any of the Exclusion criteria below means the participant DOES NOT meet criteria)

S. No	Activity	Yes	No
1.	The subject is confirmed positive in alcohol screening (breath alcohol test).		
2.	The subject is confirmed positive in selected drug of abuse (for benzodiazepines, cannabinoids, amphetamine, cocaine, barbiturates, morphine).		
3.	The subject's systolic blood pressure is less than 90 mm of Hg or more than 140 mm of Hg.		
4.	The subject's diastolic blood pressure is less than 60 mm of Hg or more than 90 mm of Hg.		
5.	The subject's oral temperature is below 95.0°F or above 98.6°F.		
6.	The subject's pulse rate is below 60 /min or above 100 /min.		

COMMENTS

ELIGIBILITY STATEMENT

Tick the appropriate:

☐

The subject is complying all the exclusion criteria as per the study protocol and is eligible to continue in the study.

☐

The subject is not complying exclusion criteria as per the study protocol and is not eligible to continue in the study.

Check-in Date:

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

~~STUDYID~~

Study No:

765/15



Subject ID:

SUBJID SUBJID

Check-in Time:

	Signature	Date
Done By		
Reviewed By		

~~STUDYID~~

Study No:

765/15



Subject ID:

~~SUBJID~~ SUBJID**INVESTIGATIONAL PRODUCT ADMINISTRATION (P – II)**
VISIT**DRUG ADMINISTRATION PROCEDURE** ~~EXPOSURE_RAW~~

Subject will receive single dose of Test (T) or Reference (R) products while in sitting posture with about 240 ± 2ml of drinking water according to a randomization schedule.

Dosing Date:

~~DSDT~~

Dosing

Time:~~DSDTM~~

DRUG TYPE: TABLET

DOSAGE: **10 mg****Solifenacin Succinate****REF | DRUG**

DOSTP
DOSE
DOSEN
TRT

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

PK SAMPLING LOG (P – II)

Dosing Date:

Dosing Time:

PK SAMPLING PROCEDURE

Collect 4ml of blood sample in sample tubes containing K₂EDTA as anticoagulant. The sample tube will be inverted gently to and fro for each sample point. Any deviation will be recorded in the comments.

S. No	Sample Point (hour)	Schedule Time	Actual Time	Deviation		Done By (Sign & Date)
				Time (min)	Reason #	
1.	Pre-dose (0.00)	within 1 hour prior to dosing				
2.	1.00					
3.	1.50					
4.	2.00					
5.	2.50					
6.	3.00					
7.	3.50					
8.	4.00					
9.	4.50					

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

S. No	Sample Point (hour)	Schedule Time	Actual Time	Deviation		Done By (Sign & Date)
				Time (min)	Reason #	
10.	5.00					
11.	5.50					
12.	6.00					
13.	6.50					
14.	7.00					
15.	7.50					
16.	8.00					
17.	8.50					
18.	9.00					
19.	10.00					
20.	12.00					
21.	24.00					
# 1. Late arrival of the Subject 2. Cannula Blockage 3. Vein Collapse 4. Others (Specify)						

Note: The post dose samples will be collected within 2 minutes of the schedule time. Any blood samples drawn beyond the specified window period will be recorded in the deviation column.

COMMENTS

--

PK SAMPLING STATEMENT

All samples were collected, processed and stored as per study protocol and applicable procedures.

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

~~STUDYID~~

Study No:

765/15



Subject ID:

SUBJID SUBJID

Reviewed By	Signature	Date

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

STUDYID

Study No:

765/15



Subject ID:

SUBJID SUBJID

VITAL SIGNS AND WELLBEING LOG (P – II)

Time Point (hr)	Schedule Time	Pulse Rate (per min)	Oral Temperature (°F)	Blood Pressure (mm of Hg) Systolic/Diastolic	Well Being	Recording Time	Recorded By (Sign & Date)	Remarks
Pre-dose (0.00)	----							
2.00			----					
8.00			----					

Check-Out	----							

Note:The vitals and wellbeing will be examined within $\pm$ 40 minutes from the scheduled time

DEVIATIONS

COMMENTS

Reviewed By	Signature	Date

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

Study No:

765/15



Subject ID:

Event Description	Start Date and Time	Seriousness	Severity/Intensity	Causality	Concomitant medication given	Action Taken	Stop Date and Time	Out Come
EVENT	ST DT ST T	S E R	S E V	C A U	CO CN	AC TT	STOPD T STOPT M	Outcom e
AETERM	AES TDT C	A E S E R	AE SE V	A E R E L	AEACNO TH	AEACN	AEENDTC	AEOUT

Seriousness 1-Yes 2-No	Severity/Intensity 1-Mild 2-Moderate 3-Severe	Causality 1-Certain4- Unlikely 2-Probable5- Conditional 3-Possible6- Unassessable	Concomitant Medication 1-Yes 2-No	Action Taken 1-Continued 2- Discontinued 3-Not Applicable	Out Come 1-Resolved4-Died 2-Resolved with sequelae5-Lost to follow-up 3-On-going
-------------------------------------	---	--	--	---	---

Remarks	
----------------	--

I have reviewed the AEs on this page and have assessed them for seriousness, severity, causality, and outcome and confirm that, to the best of my knowledge the data reflected is accurate.

Principal Investigator	Signature	Date

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

Study No:

765/15



Subject ID:

CONCOMITANT MEDICATION LOG

S. No	Drug Name (Preferably Generic Name)	Indication	Dose	Dosage Form	Scheduled Frequency	Route of Administration	Start Date and Time	End Date and Time	Done By

Dosage Form 1 – Tablet Injection 2 – Capsule 3 – Ointment Others (Specify) 4 – Suspension	5 – 6 - Syrup 7 –	Schedule Frequency 1 – QH (every hour) 2 – QID (four times a day) 3 – TID (three times a day) 4 – BID (two times a day)	5 – QD (once a day) 6 – QOD (every other day) 7 – SOS (as needed)	Route of Administration 1-Oral Inhalation 2-Topical Intravenous 3- Subcutaneous Intramuscular 4 - Rectal	5- 8 – Intraocular 6- 9- Vaginal 7- Nasal 10-
--	---------------------------------	--	---	--	--

Any concomitant medication will interact with the study drug pharmacokinetics

Yes ☐ NO ☐

Remarks

SOLIFENACIN SUCCINATE TABLETS 10 mg BE FASTING STUDY

Study No:

765/15



Subject ID:

END OF THE STUDY

Did the Subject complete the study?

☐ Yes

☐ No

(Complete the below mentioned details for Early withdrawal).

EARLY WITHDRAWAL LOG

Indicate the primary reason the subject has withdrawn from the study (Select the appropriate)

☐

The subject chooses to dropout from the study with or without stating any reason.

☐

It is not in subject's best interest to continue in the study, as per the opinion of investigator.

☐

The subject is found to be violating the inclusion and exclusion criteria.

☐

The subject requires the use of an unacceptable concomitant medication.

☐

The subject suffered from significant inter-current illness or has to undergo surgery during the study.

☐

The subject experienced emesis (vomiting) within two times median t_{max} of Solifenacin.

☐

The subject experienced adverse event and discontinued in the study, as per the opinion of investigator.

☐

The subject experienced serious adverse event, he/she will be discontinued from the study unconditionally.

☐

Others (Specify) _____

Date of withdrawal

Time of Withdrawal

Follow Up required: Yes ☐

No ☐

If Yes : Follow Up Remark _____

Done By

Signature and Date

INVESTIGATOR'S STATEMENT

I certify that I have reviewed the Case Report Form for this Subject and verified to the best of my knowledge and the information contained herein is true and complete.

Signature

Date