YUVA INTERN • JUNIOR WEB DESIGNER PROJECT

OFFSCRIPT

Wear Outside the Lines

COMPREHENSIVE DESIGN DOCUMENTATION REPORT

Project type Responsive streetwear e-commerce website
Brand concept Conceptual all-gender youth streetwear focused on individuality, creativity and self-expression
Technology HTML • CSS • JavaScript
Source repository github.com/AHANADEL/offscript-website

Final internship submission • October 2026

Table of Contents

This report documents the design intent, planning, implementation approach, evaluation criteria and future scope of OFFSCRIPT. Repository facts are distinguished from recommendations and items requiring further verification.

1. Project Overview and Problem Statement
2. Design Objectives and Target Audience
3. Design Methodology and Project Timeline
4. Wireframing and Information Architecture
5. Visual Design Decisions and Rationale
6. Tools and Technologies
7. Website Structure and Implementation Strategy
8. Responsive Design Approach
9. UI/UX Heuristic Evaluation
10. Challenges and Resolution Approach
11. Feedback Integration and Iteration
12. Final Testing and Quality Assurance
13. Project Limitations
14. Future Development Opportunities
15. Personal Learning Outcomes and Reflection
16. Conclusion
17. Project Links and Appendix

Evidence note

The public GitHub repository and README were inspected for this report. The repository identifies the project files, the core interaction set, the responsive layout strategy, the colour palette, and the front-end-only limitations. The report does not claim that independent user testing, cross-browser testing, accessibility audits, or fixes were completed unless those activities are supported by the available project record.

1. Project Overview and Problem Statement

OFFSCRIPT is a conceptual, all-gender youth streetwear brand presented through a responsive e-commerce-style website. Its tagline, “Wear Outside the Lines,” expresses a brand position built around individuality and self-expression rather than a narrow definition of style. The website is a front-end demonstration created with HTML, CSS and JavaScript, with the source hosted in a public GitHub repository.

The design problem is to translate a strong, expressive fashion identity into a web experience that is easy to understand and use on both desktop and mobile screens. A streetwear site must balance visual impact with practical tasks: discovering the brand, browsing a collection, narrowing product choices, expressing interest in items, and receiving feedback after an interaction. If the visual concept overwhelms navigation or the shopping controls are unclear, the experience becomes less useful.

OFFSCRIPT addresses this challenge through a homepage that introduces the brand and a separate collection page for browsing. The documented feature set includes responsive navigation, wishlist interactions, a demonstration shopping-bag counter, collection filtering and sorting, a load-more interaction, and newsletter form feedback. These functions demonstrate common commerce interaction patterns without representing a live store.

Scope statement: OFFSCRIPT is a learning and demonstration project. The repository explicitly states that it has no backend, real checkout, account system, persistent cart, live inventory or real newsletter service. Product artwork is created with CSS shapes rather than product photography.

2. Design Objectives and Target Audience

The primary objective was to create a coherent streetwear brand experience that feels expressive while remaining understandable. The project objectives were to: (1) establish a recognisable brand identity; (2) make the homepage and collection page easy to navigate; (3) support common browsing actions through lightweight JavaScript; (4) adapt layouts to desktop, tablet and mobile viewports; and (5) demonstrate a complete design-to-front-end workflow appropriate to a junior web design internship.

The intended audience is digitally familiar young people interested in streetwear, casual fashion and individual styling. The brand is explicitly all-gender, so the design language should avoid implying that a product or style belongs exclusively to one gender. Visitors may arrive with different goals: some want to understand the brand quickly, some want to scan the collection, and others want to filter products by category, size or price.

This audience definition is a design assumption based on the stated brand concept, not the result of a documented survey or interview study. A future research phase could validate preferred navigation labels, product information needs, visual tone and mobile browsing behaviour with representative users.

3. Design Methodology and Project Timeline

The workflow follows a staged design process: plan the content and structure, explore the visual direction, implement the interface, evaluate it against usability principles, then refine and document the result. The stages provide checkpoints so that implementation decisions can be compared with the original purpose.

Stage	Planned focus	Deliverable / evidence
Week 1 — Planning	Define the site purpose, page structure and key journeys.	Website blueprint and wireframes; repository describes itself as a Week 1 blueprint and wireframes.
Week 2 — Visual design	Translate the structure into a high-fidelity visual direction.	A Week 2 manual mockup image is present in the repository.

Stage	Planned focus	Deliverable / evidence
Week 3 — Development	Build the responsive interface and interactions with HTML, CSS and JavaScript.	Homepage, collection page, stylesheet and script are listed in the repository.
Week 4 — Evaluation	Review usability through heuristic principles and identify improvement opportunities.	A Week 4 UI/UX heuristic evaluation PDF is present in the repository.
Final week — Refinement and documentation	Consolidate the experience, document decisions and define testing and future scope.	This comprehensive report; specific fixes and test outcomes are not asserted without evidence.

This timeline reflects the project plan supplied for the internship and the repository artefacts visible at the time of writing. It should not be read as proof that every possible usability or browser test was executed. The presence of a heuristic evaluation document establishes that an evaluation artefact exists, but this report does not invent its individual findings.

4. Wireframing and Information Architecture

Wireframing helps separate information hierarchy from decorative styling. At the planning stage, the central task is deciding what a visitor needs to see first, what belongs together, and how users move between pages. For OFFSCRIPT, the information architecture centres on two primary destinations: the homepage (`index.html`) and the collection page (`collection.html`). The homepage introduces the brand and provides a route into browsing; the collection page supports product discovery and refinement.

A clear hierarchy for a streetwear homepage typically begins with brand identity and a prominent message, followed by a direct route to the collection and supporting brand or newsletter content. The collection page should make product browsing the primary activity, with category, size and price controls positioned so they can be found without extensive searching. This structure supports recognition rather than recall: users can see the available choices instead of having to remember hidden commands.

The repository includes a manual Week 2 mockup and describes the project as beginning with a Week 1 blueprint and wireframes. These artefacts support the documented planning-to-visual-design progression. No screenshots have been inserted into this report because the report is intended to remain a text-led submission and the repository images are not required to explain the implementation accurately.

5. Visual Design Decisions and Rationale

The documented design palette consists of warm ivory (`#F5F3EE`), burgundy (`#7E303A`), charcoal (`#242321`) and muted stone (`#D9D3C9`). Together, these colours create a restrained editorial base with a distinctive accent. Ivory provides a warm canvas; charcoal supports readable text; burgundy gives the interface a memorable brand signal; and muted stone can distinguish borders, secondary surfaces or low-emphasis details.

Visual hierarchy is important because users scan fashion pages quickly. A clear difference between headings, supporting text, product information and action controls helps users identify what matters first. Strong typographic scale, consistent spacing and aligned content blocks can make a page feel deliberate without requiring every element to compete for attention. In practice, the brand message should have more visual weight than secondary copy, while shopping controls should remain easy to identify.

Consistency means that repeated elements—navigation, buttons, product cards, filters, form feedback and colour roles—behave and look predictably across both pages. A consistent component language reduces the amount of interpretation required from visitors. It also improves maintainability because a visual change can be applied

through shared CSS rules rather than re-created differently in each location.

The project uses CSS-created product artwork rather than product photography, according to the README. This is suitable for demonstrating layout and interaction, but it changes the experience: visitors see illustrative representations rather than realistic fabric, fit or garment details. A production-oriented version would need carefully art-directed product imagery and accessible alternative text.

6. Tools and Technologies

Tool / technology	Role in OFFSCRIPT
HTML	Defines page content and semantic structure for the homepage and collection page.
CSS	Provides the visual system, responsive layout, spacing, product presentation and breakpoints.
JavaScript	Supports client-side interactions such as the mobile menu, wishlist state, bag counter feedback, filtering, sorting, load-more and newsletter confirmation.
Visual Studio Code	Development environment for editing and organising the project files.
Adobe Express	Used for high-fidelity visual mockup work as specified in the project brief.
GitHub	Hosts the source files and supporting project artefacts, including the README, mockup and heuristic-evaluation PDF.

Using native browser technologies keeps the project lightweight and avoids the need for a framework, package installation or build pipeline. The README states that the project can be opened in a modern browser without build tools, dependencies or API keys. This simplicity makes the code easier to inspect in an educational setting and keeps attention on the fundamentals of layout, styling and interaction.

7. Website Structure and Implementation Strategy

The repository identifies five core website files. `index.html` is the homepage; `collection.html` is the shop or collection page; `styles.css` contains the visual styling, layouts and responsive breakpoints; `script.js` contains interaction logic; and `README.md` documents the project setup, features and limitations.

The implementation strategy separates content structure, presentation and behaviour. HTML describes the content and controls, CSS establishes appearance and responsive behaviour, and JavaScript adds client-side state changes. This separation makes the project easier to reason about: a layout adjustment can usually be made in CSS without rewriting the content, while an interaction can be reviewed in JavaScript without mixing it into the page markup.

The collection interface documents category, size and price filtering, sorting, clear filters and a load-more demo action. These controls support product discovery. The wishlist button state and demonstration bag counter communicate user intent, while toast feedback provides a visible response to actions. Newsletter confirmation is explicitly front-end only and does not submit data.

The project is therefore an interactive prototype of a commerce experience rather than a commerce system. It demonstrates how a user interface can model common shopping tasks, but it does not establish that an order can be placed, a cart persists across sessions, stock is current or customer data reaches a service.

8. Responsive Design Approach

The repository README states that CSS Grid and Flexbox are used with breakpoints for desktop, tablet and mobile widths. Navigation becomes a collapsible menu on smaller screens, while product grids and filter controls adapt to the viewport. This approach reflects responsive design: content and controls should reflow to suit the available space rather than simply shrink a desktop page.

Grid is useful for product-card collections because it creates aligned rows and columns that can change their column count at different widths. Flexbox is useful for one-dimensional alignment, such as navigation items or grouped controls. Breakpoints should be chosen where the content begins to feel cramped, not only at the dimensions of a particular device.

A responsive implementation should preserve essential tasks on touch screens: navigation must be easy to open and close, controls need comfortable target sizes, and product information should remain legible without horizontal scrolling. The README describes the intended responsive behaviour, but actual viewport-by-viewport verification is not claimed in this report. A formal QA pass should include narrow mobile, larger mobile, tablet and desktop widths.

9. UI/UX Heuristic Evaluation

A heuristic evaluation uses established usability principles to inspect an interface for likely friction. OFFSCRIPT's documented Week 4 evaluation PDF is included in the repository. The principles below connect those theories to the project's feature set and identify what should be checked; they are not presented as invented user-test results.

Visibility of system status

Users should receive a response when they interact. OFFSCRIPT's documented demonstration bag counter and toast feedback are examples of visible status. Wishlist state and newsletter confirmation also need clear visual feedback. Recommended check: confirm that feedback is noticeable, understandable, and does not disappear before a user can read it.

Consistency and standards

Navigation, buttons, cards and form controls should use consistent labels and visual treatment across the homepage and collection page. A repeated action should not unexpectedly change appearance or meaning. Recommended check: compare shared components across both pages and standardise focus, hover, disabled and active states where applicable.

User control and freedom

Clear-filters functionality gives visitors a way to recover from a narrowed collection. A mobile menu should be easy to open and close, and users should be able to change filter choices without feeling trapped in a state. Recommended check: verify that reset controls restore the intended default state and that menus can be dismissed by a clear, predictable action.

Recognition rather than recall

Visible category, size and price controls help visitors recognise available ways to refine the collection. Familiar labels are easier to use than unexplained icons alone. Recommended check: make selected filters apparent and ensure the user can see which options are active.

Error prevention and helpful feedback

Form interactions should make the next step clear and avoid implying that data was sent to a real service when it was not. Since newsletter confirmation is demonstrative only, the message should remain truthful about the interaction. Recommended check: test empty input, malformed email input if validation is included, and repeated submissions.

Accessibility and inclusive interaction

All-gender branding is a positioning choice; accessibility additionally requires perceivable, operable and understandable interface controls. Semantic HTML, meaningful button names, keyboard access, visible focus indicators, sufficient colour contrast and alternative text for informative imagery should be reviewed. The README does not provide a formal accessibility audit result, so conformance should be treated as an area for verification rather than a completed claim.

Visual hierarchy and minimalist clarity

The palette and editorial streetwear positioning should help visitors identify the primary action without making secondary information invisible. Recommended check: inspect headings, body copy, product labels and actions at actual rendered sizes, including zoomed views and mobile widths.

10. Challenges and Resolution Approach

A key design challenge is balancing visual personality with shopping usability. An expressive streetwear identity can benefit from strong typography and contrast, but those elements must not obscure the collection or make actions difficult to find. The project's staged workflow—planning, mockup, development and evaluation—provides a way to check the design intent against the implemented interface.

A second challenge is making the same experience work across different screen widths. A desktop navigation bar and multi-column product grid cannot simply be compressed indefinitely. The documented solution uses responsive breakpoints, CSS Grid and Flexbox, with a collapsible mobile menu and adaptive collection controls.

A third challenge is communicating the limits of a simulated store. A wishlist toggle or bag counter can look like a real commerce feature even when it only changes client-side interface state. The project addresses this scope boundary in the README by explicitly identifying the lack of backend, persistent cart, real checkout, account system, inventory and newsletter service. Keeping that disclosure visible is important for honest product communication.

This report does not assign specific bugs or claim specific fixes without a verifiable record. The recommended resolution process is to reproduce a problem, identify whether it belongs to structure, styling or interaction logic, make a focused change, then re-test the affected flow and nearby layouts.

11. Feedback Integration and Iteration

Iteration is the process of using evaluation evidence to improve the interface. In OFFSCRIPT, the existence of a high-fidelity mockup and a Week 4 heuristic-evaluation document indicates that the workflow included visual design and usability review artefacts. However, the available information does not establish a set of external user comments or prove which changes were made in response to feedback.

For a transparent submission, the distinction is important: an evaluation document is evidence of review activity, but it is not automatically evidence of user testing or of every proposed improvement being implemented. A useful next iteration would prioritise issues by severity and frequency: first correct broken navigation or filtering, then improve unclear status messages and active states, then polish spacing, transitions and decorative details.

Recommended iteration log for future versions: record the issue, the principle affected, the evidence that revealed it, the proposed change, the file modified and the re-test outcome. This creates a traceable link between design theory and implementation.

12. Final Testing and Quality Assurance

The repository was inspected to verify the documented file names, feature list, palette and stated limitations. This is a documentation-level verification of repository metadata, not a substitute for executing the website in multiple browsers. No browser automation, independent user study, formal accessibility audit or performance benchmark is claimed in this report.

A practical QA checklist for the final build should include the following checks:

- Open both `index.html` and `collection.html`; confirm that links lead to the expected destinations.
- Open and close the mobile navigation using mouse, touch and keyboard where supported.
- Toggle a wishlist item and confirm the visual state is understandable.
- Use the demo quick-add or bag interaction and confirm the counter and toast feedback agree.
- Apply category, size and price filters; combine filters; clear filters; and confirm the displayed collection matches the selected criteria.
- Change sorting options and verify the order changes as expected.
- Activate load-more and check whether the resulting state is clear and does not duplicate or misrepresent products.
- Submit the newsletter form with empty and valid-looking input; ensure feedback does not imply a real subscription service.
- Inspect layout at mobile, tablet and desktop widths, including text wrapping, overflow, focus states and tap target spacing.
- Check browser console errors, missing assets, semantic structure, colour contrast and keyboard operability.

These are recommended verification steps, not a claim that every check has already passed. The project should be considered ready for a final technical sign-off only after the checks are performed and any issues are recorded.

13. Project Limitations

OFFSCRIPT is explicitly a front-end learning/demo project. It has no backend, real checkout, account system, persistent cart, inventory service or real newsletter integration. Interface state should therefore be understood as demonstrative and not as a record of a real purchase or subscription.

The product artwork is built with CSS shapes rather than product photography. This keeps the prototype visually self-contained but limits how realistically visitors can assess material, fit, texture, colour and garment construction. The site also does not document a live product catalogue, shipping rules, return policies, tax calculation or order confirmation workflow.

The available project record does not establish formal user research, measured conversion outcomes, usability-study statistics, a full accessibility audit or verified browser-compatibility results. These are not failures unique to a learning project; they are boundaries that should be stated clearly so the prototype is evaluated against its intended scope.

14. Future Development Opportunities

The next development stage should be prioritised around making the prototype more realistic, accessible and maintainable while preserving the brand concept.

- **Backend and commerce integration:** connect a secure product catalogue, cart, order flow and payment provider only when appropriate production requirements, security and compliance are in place.
- **Persistent state:** add a clearly designed persistence strategy for wishlist and cart state, with explicit handling for errors and cross-device expectations.
- **Real product imagery:** introduce consistent product photography, multiple views, size information, fabric details and descriptive alternative text.
- **Accessibility review:** check semantic landmarks, heading order, keyboard focus, accessible names, contrast, form labels, error messages and reduced-motion preferences.
- **Validated user research:** conduct short, consent-based usability sessions with representative visitors and observe whether they can navigate, filter and understand feedback without assistance.
- **Quality and performance:** test common browsers and viewport sizes, inspect console errors, optimise images, and document performance findings instead of assuming the site is fast.
- **Content and trust:** add accurate sizing, delivery, returns, privacy and contact information before representing the site as a real store.
- **Maintainability:** centralise repeated design values, document component states and maintain a small changelog so future improvements are traceable.

15. Personal Learning Outcomes and Reflection

OFFSCRIPT brings together visual design, front-end implementation and usability thinking in a single project. The process demonstrates why a website is more than a set of attractive screens: it is a system of content, hierarchy, navigation, feedback and state. Planning before coding gives the interface a clearer structure, while a visual mockup helps translate abstract brand values into concrete choices about colour, spacing and emphasis.

Working with HTML, CSS and JavaScript also illustrates the value of separating responsibilities. HTML establishes structure, CSS defines presentation and responsive behaviour, and JavaScript supports interaction. This division makes it easier to identify where a change belongs and provides a foundation for future debugging and enhancement.

The project also highlights the difference between an interface demonstration and a production service. A counter or confirmation message can communicate a state, but it cannot replace server-side data, secure checkout, reliable persistence or real inventory. Recognising and documenting these limits is part of responsible design practice.

A further learning outcome is the value of evaluation criteria. Principles such as visibility of system status, user control, consistency, recognition rather than recall and accessibility can be used to ask concrete questions about the interface. The next step is to support those questions with recorded test evidence and real user observations, rather than relying only on personal judgement.

16. Conclusion

OFFSCRIPT presents a focused concept for an all-gender youth streetwear website, combining a clear brand position with a two-page browsing experience and a set of familiar front-end interactions. Its use of native HTML, CSS and JavaScript makes the implementation approachable and suitable for demonstrating core junior web design skills. The documented palette, responsive layout strategy and interaction set create a coherent foundation for the concept.

The project should be evaluated honestly as a front-end prototype. Its documented strengths are the planning-to-implementation workflow, the presence of responsive behaviour and the demonstration of browsing controls. Its main boundaries are the absence of production commerce services, real product photography and verified formal testing evidence. With further QA, accessibility review, validated feedback and optional backend integration, OFFSCRIPT could evolve from a learning demonstration into a more complete fashion-commerce experience.

Final statement: OFFSCRIPT demonstrates how brand identity and usability can work together—helping visitors explore a style concept while keeping the experience structured, responsive and transparent about its capabilities.

17. Project Links and Appendix

Project links

Public GitHub repository: https://github.com/AHANADEL/offscript-website

README: OFFSCRIPT project README

The repository also lists the Week 2 manual mockup and a Week 4 UI/UX heuristic evaluation PDF. These artefacts are useful supporting materials for an evaluator reviewing the project's progression.

Appendix A — Core file inventory

File	Documented responsibility
index.html	Homepage and brand introduction.
collection.html	Collection/shop page and product discovery controls.
styles.css	Visual design, layouts and responsive breakpoints.
script.js	Mobile navigation, wishlist state, demonstration bag counter/toast, newsletter feedback, filters, sorting, clear filters and load-more demo action.
README.md	Project overview, setup notes, responsive behaviour, feature list, palette and limitations.

Appendix B — Design system reference

Token	Value	Intended role
Warm ivory	#F5F3EE	Primary light surface / background.
Burgundy	#7E303A	Brand accent and emphasis.
Charcoal	#242321	Primary text and high-contrast elements.
Muted stone	#D9D3C9	Borders and secondary neutral details.

Appendix C — Scope and evidence note

This report is based on the project brief and the public repository README and file listing inspected during preparation. Repository documentation is used to describe declared functionality. No undocumented user research, feedback quotations, test outcomes, screenshots, production integrations or completed fixes have been fabricated. Any action labelled as recommended or requiring verification remains future work until supported by evidence.