OFFSCRIPT

WEAR OUTSIDE THE LINES

WEEK 04 PROJECT REPORT

Heuristic Evaluation • Usability • Iterative Improvements

Project	Responsive website prototype for a conceptual all-gender youth streetwear brand
Pages reviewed	Homepage (index.html) and collection page (collection.html)
Source repository	https://github.com/AHANADEL/offscript-website
Evaluation method	Heuristic inspection of the provided front-end source and rendered page screenshots

Prepared as a Week 4 internship deliverable. Findings are based on the current prototype; no real customer study or analytics data was available.

1. Executive Summary

OFFSCRIPT has a coherent visual identity, clear primary navigation, a prominent homepage call-to-action, and a collection layout with category, size, and price controls. The current build is a front-end prototype, so several controls provide demo feedback rather than a complete shopping workflow. The most important usability opportunities are to make control behaviour predictable, ensure homepage category links correctly pre-filter the collection, and clearly communicate prototype-only actions.

Scope and limitations

This review inspected the supplied HTML, CSS, JavaScript and rendered desktop/mobile screenshots. It is a heuristic evaluation, not a formal usability study with participants. Findings marked “observed in code” are supported by the current implementation; visual findings are based on the rendered screenshots. Re-check all items in the browser before final submission, especially after any edits.


2. Heuristic Evaluation

Principle	Observation	Priority
Visibility of system status	The add-to-bag and wishlist actions show toast messages, and the bag count updates. However, the bag itself does not open a cart view; the toast labels these actions as demo-only. Make this limitation clearer before users invest effort.	Medium
Match between system and real world	The collection uses geometric CSS garment illustrations instead of product photography. This is consistent as a visual prototype but gives limited information about fabric, fit, detail and colour. Add real or clearly labelled sample imagery when available.	Medium
User control and freedom	“Load more pieces” does not load additional products: the script displays a toast, changes the button label and disables it. Rename it to “End of demo collection” or implement real pagination/infinite loading.	High
Consistency and standards	Homepage category cards pass query values such as `category=essentials`, while the collection filter controls contain values such as `tees`, `hoodies`, `pants`, and `statement`. The `essentials` query does not match a filter, so that card will not pre-filter the collection. Map every card value to a valid filter or use a shared category taxonomy.	High
Recognition rather than recall	Filter labels are grouped by category, size and price, and there is a “Clear all filters” control. Consider displaying active-filter chips and keeping the result count prominent after a filter is applied.	Medium
Accessibility and target size	Small uppercase labels and compact text are part of the editorial style, but some utility text and controls may be hard to read or tap on small screens. Check contrast, visible keyboard focus, and touch target size; preserve the style while improving legibility.	Medium
Help users recover from errors	The collection has an empty state with a suggestion to clear filters, which is helpful. Verify that it appears when no items match and that the clear action restores all items and the result count.	Low

3. Annotated Screenshots

Red outlines and numbered markers point to areas discussed below. These are evaluation annotations, not changes already implemented in the website.

Screenshot A — Homepage, desktop view




1. Search icon: the current click handler only shows a “visual demo” toast; there is no search field or results. Recommended fix: implement a lightweight search overlay that filters product names, or remove/disable the control until search exists.

2. Hero illustration: the abstract CSS artwork is visually coherent, but does not show actual product detail. Recommended fix: add labelled sample product photos/mockups or keep the artwork and add a nearby “Illustrative concept” note.

3. Main call-to-action: the high-contrast “Explore the drop” button creates a clear next step. Preserve this pattern and check keyboard focus/hover states for equivalent visibility.

Screenshot B — Homepage, mobile view




1. Compact mobile header: navigation collapses into a menu icon and the “Join us” and search links are hidden at this breakpoint. This keeps the header compact; ensure the menu has a visible open state and all important tasks remain reachable.

2. Hero action: the primary button is visible near the top of the mobile page. Test that it is comfortably tappable and does not become crowded at 320–390 px widths.

Mobile test checklist: inspect at 320 px, 390 px and tablet width; open and close the menu; follow a category card; check that no horizontal scrolling occurs; test focus order using the keyboard where available.

Screenshot C — Collection page, desktop view



1. Filter panel: category, size and price options are grouped and a clear-all control is present. Add visible active-filter chips or a short “Filters applied” summary so users can understand why results changed.

2. Sort control: the label and select control are compact. Increase legibility and ensure the control has an obvious keyboard focus indicator.

3. Product tiles: geometric garment shapes support the concept but are not sufficient for real purchase decisions. Add front/back detail or clear concept labels if the site remains a mock storefront.

4. Recommended Iterative Improvements

Order	Enhancement	Implementation and success check
1 — High	**Fix category deep links**	Use the same category IDs in homepage links and collection filters. For example, make “Everyday essentials” point to a valid category or translate `essentials` to `hoodies`. Success check: clicking each category card opens the collection with the expected filter selected and the correct result count.
2 — High	**Make “Load more” honest**	Either add real extra products/pagination or replace the button with a clear end-of-demo message. Success check: the label never promises new products if none are loaded; the control does not appear misleadingly actionable.
3 — High	**Implement or disable search**	Add a simple search field that filters the product list by name, or hide the search icon until available. Success check: a matching query narrows results, a no-match query gives a helpful empty state, and users can clear the query.
4 — Medium	**Clarify demo shopping actions**	Add a small “Prototype — no checkout” note near the bag or make the bag open a demo drawer listing added items. Success check: users understand whether an item has been added and what they can do next.
5 — Medium	**Improve accessibility and mobile comfort**	Add visible `:focus-visible` outlines, verify text contrast, and keep tap targets comfortable. Success check: keyboard users can see focus on every interactive control and the page remains usable at narrow widths.

5. Suggested Test Plan

• Homepage navigation: click New drops, Shop all, About, Join us and the main Explore the drop CTA.

• Category cards: open each card and confirm the matching category is selected on the collection page.

• Filters: combine category, size and price; confirm result count; clear filters; verify empty-state recovery.

• Sorting: test price low-to-high, price high-to-low and name A–Z.

• Feedback: test wishlist and Quick add; confirm toast messages and bag count are understandable.

• Responsive layout: check desktop, tablet and mobile widths; open/close mobile navigation; check for horizontal overflow.

• Accessibility: use Tab/Shift+Tab to navigate; confirm visible focus, meaningful button labels, and readable text.

6. Conclusion

The current OFFSCRIPT prototype provides a strong visual starting point and several useful browsing controls. The highest-value next iteration is to align the behaviour with the labels: fix category deep links, make the load-more behaviour accurate, and either implement search or remove the non-functional affordance. Follow with accessibility and mobile checks. These changes are practical, low-cost, and directly connected to the observed implementation.

Source repository: https://github.com/AHANADEL/offscript-website

Evidence note: annotated screenshots were captured from the provided website files with CSS and JavaScript included. The report does not claim user testing with real participants.