Introduction to Web Technologies & HTML 5 Language

New Form Elements in HTML5

ITI – Assiut Branch

Eng. Hany Saad

Forms

- **Form Controls**
  - HTML 4 controls are too limited
  - Several new types added

- New Input type
  - color
  - date
  - datetime-local
  - time
  - month
  - week
  - Datalist
  - email
  - number
  - range
  - search
  - tel
  - url

Forms (Cont.)

- <input type=tel>
- <input type=time>
- <input type=color>
- <input type=month>
- <input type=search>
- <input type=number>
- <input type=email>
- <input type=range>
- <input type=date>
- <input type=time>
- <input type=url>
- …

Forms (Cont.)

- **<input type=“” required>**
  - **Required:** We also have required attribute to mark this field as mandatory.
- **<input type=“” multiple>**
  - **Multiple:** allows the user to enter multiple email addresses.
- **<input type=“” pattern=“[0-9][A-Z]{3}”>**
  - **Pattern:** custom validate, A part number is a digit followed by three uppercase letters.
- **input type=“” placeholder=“”>**
  - **Placeholder:** add a hint inside the text-field, but where the hint automatically disappears when clicking inside it.

Forms (Cont.)

❑ Form Controls: Dates and Times (datetime-local)




```
<input type="datetime-local">
```

Forms (Cont.)

❑ Form Controls: Dates and Times (time)




```
<input type="time">
```

Forms (Cont.)

❑ Form Controls: Dates and Times (date)




```
<input type="date">
```

Forms (Cont.)

❑ Form Controls: Dates and Times (month)

```
<input type="month">
```

Forms (Cont.)

❑ Form Controls: Dates and Times (week)




```
<input type="week">
```

Forms (Cont.)

- **Form Controls: Search**




```
<input type="search">
```

Forms (Cont.)

❑ Form Controls: Color




```
<input type="color">
```

Forms (Cont.)

- **Form Controls: Combo Boxes (datalist)**




```
<input list="title-list">
<datalist id="title-list">
        <option value="...">
</datalist>
```

Forms (Cont.)

- **Form Controls: telephone**

Telephone

555-555-5555

```
<input type="tel">
```

Forms (Cont.)

- **Form Controls: number**




```
<input type="number“>
```

Forms (Cont.)

- **Form Controls: range**

```
<input type="range">
```

Forms (Cont.)

- **Form Controls: Email and URIs**

lachlan.hunt@lachy.id.au

http://lachy.id.au

http://lachy.id.au/	Lachlan Hunt: Web Development Guru
http://lachy.id.au/log/	Lachy's Log

```
<input type="email">
<input type="url">
```

Form Attributes

- **New attributes for <form>:**
  - novalidate
- **New attributes for <input>:**
  - autofocus
  - form
  - formaction
  - formenctype
  - formmethod
  - formnovalidate
  - formtarget
  - height and width
  - list
  - min and max
  - multiple
  - pattern (regexp)
  - placeholder
  - required
  - step

HTML5 data Attributes

- Store some extra information that doesn't have any visual representation.
- The name of a custom data attribute begins with data-
- It may contain only [a-z], [0-9], (-), (.), (:), (_).
- It should not contain ASCII capital letters (A to Z).
- Example:

```
<ul>
 <li data-animal-type="bird">Owl</li>
 <li data-animal-type="fish">Salmon</li>
 <li data-animal-type="spider">Tarantula</li>
</ul>
```

<Questions> ? </Questions>

Thank You…