

# **CS 395 Selected Topics in CS-1 Research Project**

Report Submitted for Fulfillment of the Requirements and ILO's for  
Selected Topics in CS-2 course

Team No. 31

Delivered to:

**Dr. Wessam El-Behaidy**

**Eng. Eman Ismail**

## Team information:

#	ID	Name
1	201900065	أحمد علاء الدين السيد مرتضى
2	201900085	احمد محمد احمد عثمان
3	201900083	احمد محمد ابراهيم محمد
4	201900452	عبدالله احمد حسن سلامه
5	201900059	احمد عبد المنجي عبد الموجود ابراهيم
6	201900074	احمد عيسى محمود احمد
7	201900095	احمد محمد محمد علي

# CONTENT



PAPER AND ITS DATASET ,  
ARCHITECTURE AND  
RESULTS



DATASET DETAILS



IMPLEMENTATION  
DETAILS



RESULTS AND  
VISUALIZATIONS



# PAPER AND ITS DATASET , ARCHITECTURE AND RESULTS

# DeepWeeds: A Multiclass Weed Species Image Dataset for Deep Learning

## Authors :

**Alex Olsen<sup>1,\*</sup>, Dmitry A. Konovalov<sup>1</sup>, Bronson Philippa<sup>1</sup>, Peter Ridd<sup>1</sup>, Jake C. Wood<sup>1</sup>, Jamie Johns<sup>1</sup>, Wesley Banks<sup>1</sup>, Benjamin Girgenti<sup>1</sup>, Owen Kenny<sup>1</sup>, James Whinney<sup>1</sup>, Brendan Calvert<sup>1</sup>, Mostafa Rahimi Azghadi<sup>1</sup>, and Ronald D. White<sup>1</sup>**

<sup>1</sup>College of Science and Engineering, James Cook University, Townsville, QLD, 4811, Australia \*Correspondence and requests for materials should be addressed to [alex.olsen@my.jcu.edu.au](mailto:alex.olsen@my.jcu.edu.au)


---

**Paper publication date: 14 Feb 2019**

---

**Published by: Australian Government Department of Agriculture and Water Resources  
Control Tools and Technologies**


# DATASET USED



- The *DeepWeeds* Dataset  
From June 2017 to March 2018, images were collected from sites across northern Australia using the *WeedLogger* in-field instrument. The result is *DeepWeeds*, a large multiclass dataset comprising 17,509 images of eight different weed species and various off-target (or negative) plant life native to Australia.

# Implemented algorithms and its results


Species	Top-1 accuracy (%)		Precision (%)		False positive rate (%)	
	ResNet-50	Inception-v3	ResNet-50	Inception-v3	ResNet-50	Inception-v3
<i>Chinee Apple Lantana</i>	85.3	88.5	92.7	91.0	0.48	0.61
<i>Parkinsonia</i>	94.4	95.0	90.9	91.7	0.62	0.55
<i>Parthenium</i>	96.8	97.2	95.6	97.9	0.29	0.13
<i>Prickly Acacia</i>	94.9	95.8	95.8	96.7	0.26	0.21
<i>Rubber Vine</i>	92.8	95.5	93.4	93.0	0.43	0.46
<i>Siam Weed</i>	93.1	92.5	99.2	99.1	0.05	0.05
<i>Snake Weed</i>	97.6	96.5	94.4	97.2	0.38	0.18
<i>Negatives</i>	88.0	88.8	86.9	90.9	0.82	0.55
	97.2	97.6	96.5	96.7	3.77	3.59
Weighted average	<b>95.1</b>	<b>95.7</b>	<b>95.1</b>	<b>95.7</b>	<b>2.16</b>	<b>2.04</b>




# ARCHITECTURE USED IN THE PAPER




# RESNET-50



Model trained on ImageNet Dataset




Avoid vanishing  
gradient problem



# Avoid vanishing gradient problem

Because  
Input shape  $\neq$  output shape



# DATASET DETAILS



The dataset contains  
images of 16 different  
flowers species.

Total number of Images: 15740  
(239 MB)

Link: [kaggle](#)

# IMAGES SAMPLES

Class #0 :astilbe




Class #1 :bellflower



Class #2 :black\_eyed\_susan



Class #3 :calendula



Class #4 :california\_poppy



Class #5 :carnation



Class #6 :common\_daisy



Class #7 :coreopsis



Class #8 :daffodil



Class #9 :dandelion



Class #10 :iris



Class #11 :magnolia



Class #12 :rose



Class #13 :sunflower



Class #14 :tulip












Class #15 :water\_lily




# Data balancing

Class #0 (Number Of Images: 737 )	Name : astilbe
Class #1 (Number Of Images: 873 )	Name : bellflower
Class #2 (Number Of Images: 1000)	Name : black_eyed_susan
Class #3 (Number Of Images: 978 )	Name : calendula
Class #4 (Number Of Images: 1022)	Name : california_poppy
Class #5 (Number Of Images: 923 )	Name : carnation
Class #6 (Number Of Images: 980 )	Name : common_daisy
Class #7 (Number Of Images: 1047)	Name : coreopsis
Class #8 (Number Of Images: 970 )	Name : daffodil
Class #9 (Number Of Images: 1052)	Name : dandelion
Class #10 (Number Of Images: 1054)	Name : iris
Class #11 (Number Of Images: 1048)	Name : magnolia
Class #12 (Number Of Images: 999 )	Name : rose
Class #13 (Number Of Images: 1027)	Name : sunflower
Class #14 (Number Of Images: 1048)	Name : tulip
Class #15 (Number Of Images: 982 )	Name : water_lily

# FOLDER STRUCTURE

- ▼  flowers
  - ▶  astilbe
  - ▶  bellflower
  - ▶  black\_eyed\_susan
  - ▶  calendula
  - ▶  california\_poppy
  - ▶  carnation
  - ▶  common\_daisy
  - ▶  coreopsis
  - ▶  daffodil
  - ▶  dandelion
  - ▶  iris
  - ▶  magnolia
  - ▶  rose
  - ▶  sunflower
  - ▶  tulip
  - ▶  water\_lily





# IMPLEMENTATION DETAILS

# DATA PREPROCCESING



Resize Images to (128px,128px)



Training Data: 72% (11328 Image)



Validation Data: 18% (2832 Image)



Testing Data: 10% (1580 Image)



Loading the Images with colors (RGB)


# Hyper parameters

Hyper parameters	Model before optimization	Model after optimization
Pretrained model	ResNet50	ResNet50
weights	ImageNet	ImageNet
Pooling	max	average
Top layers	Dense(32, activation='tanh')	Dense(160, activation='relu')
	Dense(16, activation='softmax')	Dense(16, activation='softmax')
epochs	4	7



# RESULTS AND VISUALIZATIONS

# Before Optimization




Training Accuracy: 82.4%

Validation Accuracy: 79%

Testing Accuracy: 80%

# After Optimization



Training Accuracy: 97.5%

Validation Accuracy: 83%

Testing Accuracy: 85%