



Use

Appllication layer

Usecase

AddDeviceCommandUseCase

+ execute(deviceld: UUID, command: DeviceCommandDto) : DeviceSummaryDto

CreateCor

+ execute(command: CreateOpe

DeleteOperaterUseCase

+ execute(id: UUID) : void

GetControllerByldUseCase

+ execute(id: UUID) : Optional<ControllerDto>

GetDevic

+ execute(id: UUID) : Opti

RecordActionDacionneurUseCase

+ execute(command: RecordActionDacionneurCommand) : void

ListSensorsUseCase

+ execute() : List<SensorDto>

+

<<Interface>>
LoadControllerPort

+loadByld(id: UUID) : Optional<Controller>
+loadAll() : List<Controller>

<<Interface>>
SaveActionDacionneurPort

+save(action: ActionDacionneur) : void
+updateResponse(commandId: UUID, responseAt: Instant, receivedPayloa

<<Interface>>
LoadOperatorPort

+loadByld(id: UUID) : Optional<Operator>
+loadAll() : List<Operator>

<<Interface>>
LoadSensorPort

+loadByld(id: UUID) : Optional<Sensor>
+loadAll() : List<Controller>

Diagram Heading

ActionDacionneurPersistenceAdapter

+save(action: ActionDacionneur) : void
+updateResponse(commandId: UUID, response

ControllerPersistenceAdapter

+save(controller: Controller) : void
+loadByld(id: UUID) : Optional<Controller>
+loadAll() : List<Controller>

+
+
+

OperaterRepository

ControllerUseCase	CreateOperatorUseCase	GetSensorBy
eraterCommand) : OperatorDto	+ execute(command: CreateSensorCommand) : SensorDto	+ execute(id: UUID) : Opt

ceByIdUseCase	GetOperatorByIdUseCase	ListDevicesUseCase	
ional<DeviceSummaryDto>	+ execute(id: UUID) : Optional<OperatorDto>	+ execute() : List<DeviceSummaryDto>	+ €

ListOperatorsUseCase	CreateSensorUseCase
execute() : List<OperatorDto>	+ +execute(id: UUID) : void

	<<Interface>> SaveControllerPort	<<Interface>> SaveControllerPort	<<Interface>> SaveSensorPort
id: String) : void	+save(operator: Operator) : void	+save(controller: Controller) : void	+save(sensor: Sensor) : v

OperatorPersistenceAdapter	SensorPersistenceAdapter	A
+save(operator: Operator) : void +loadById(id: UUID) : Optional<Operator> +loadAll() : List<Operator>	+save(sensor: Sensor) : void +loadById(id: UUID) : Optional<Sensor> +loadAll() : List<Sensor>	+findByS

ControllerRepository

SensorRepository

/IdUseCase
ional<SensorDto>

ListControllersUseCase
execute() : List<ControllerDto>

t
oid

ActionDacionneurRepository
SerialNumberIgnoreCaseOrderBySen





