

South Africa

**Ariane Sessego, Africa Health Research Institute, French
Institute of Demographic Studies (INED), Ecole des Hautes
Etudes en Sciences Sociales (Centre Maurice Halbwachs)**

Siyabonga Nxumalo, Africa Health Research Institute

Dickman Gareta, Africa Health Research Institute

Dr. Alison Castle, Africa Health Research Institute

Dr. Guy Harling, Africa Health Research Institute

Prof. Mark Siedner, Africa Health Research Institute

Prof. Janet Seeley, Africa Health Research Institute

Prof. Collins Iwuji, Africa Health Research Institute

Prof. Willem Hanekom, Africa Health Research Institute

Dr. Kobus Herbst, Africa Health Research Institute

Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024)

Study Documentation

September 22, 2026

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	AHRI.VerbalAutopsy.Harmonisation

Table of Contents

Overview.....	4
Scope & Coverage.....	6
Producers & Sponsors.....	6
Sampling.....	7
Data Collection.....	7
Data Processing & Appraisal.....	7
Accessibility.....	9
Files Description.....	10
AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2.....	10
AHRI.HDSS.VA-detailed-input-data-2000-2024.v2.....	10
Variables List.....	11
AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2.....	11
AHRI.HDSS.VA-detailed-input-data-2000-2024.v2.....	12
Variables Description.....	30
AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2.....	31
AHRI.HDSS.VA-detailed-input-data-2000-2024.v2.....	36

Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024)

Overview

Identification	AHRI.VerbalAutopsy.Harmonisation
Version	v2.0.0

Abstract

This dataset documents deaths and causes of deaths captured through verbal autopsies among participants of the Africa Health Research Institute's Health and Demographic Surveillance System from 2000 to 2024. Verbal autopsy (VA) is a standardized method of cause of death estimation and based on a structured post-mortem survey administered to the final caretaker of the deceased about medical history and symptoms preceding deaths (Chandramohan et al. 2021).

A total of 27,726 deaths were recorded over this period, 26,168 (94.3%) of which have completed verbal autopsies. The datasets includes demographic information (age, sex), probable causes of death, detailed verbal autopsy symptoms, and information on death setting and health services utilization prior to death. Probable causes of death were estimated using two automated algorithms, InterVA5 (Byass et al. 2019) and InSilicoVA (McCormick et al. 2016), which assign cause-of-death probabilities based on reported symptoms and demographic characteristics. Both algorithms are based on the same set of prior probabilities, however their method of estimation differ. InterVA5 uses a deterministic formula to estimate causes of death for each death, and elects up to three most probable causes (Byass et al. 2019). These probabilities can be summed to analyze cause-specific mortality fractions at the population level. By contrast, InSilicoVA uses bayesian estimation methods to estimate causes of death at the individual level and at the population level with credible intervals (McCormick et al. 2016). For InSilicoVA, we include here the top causes of death at the individual level¹. To analyze cause-specific mortality trends at the population level with InSilicoVA, we advise users to run the algorithm using the detailed symptoms to obtain cause-specific mortality fractions and credible intervals at the level fitted to their analysis (for guidance see Li et al. 2023).

Compared to InterVA5, InSilicoVA does not have pre-defined rules to select the top causes of death (Byass et al. 2012). For this dataset, InSilicoVA's top causes of death were selected according to the following criteria (similar to InterVA's rules): a cause is considered “Undetermined” if the most probable cause is associated with a mean posterior probability $\leq 40\%$, otherwise the most probable cause is selected as the first cause. A second and a third cause are selected, if their mean posterior probability is higher or equal to 20%. We included the 95% posterior credible interval (CI) for each selected cause. Note that a small minority of deaths might have a mean posterior probability outside of their CI due to skewed probability distributions.

There are two datasets:

1) AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2 a dataset documenting all deaths registered in the HDSS during this period, with information on whether a verbal autopsy was completed and probable causes of death estimated through InterVA5 and InSilicoVA. Probable stillbirths are included among deaths, as they are subject to verbal autopsies and diagnosis may remain uncertain. Users might consider removing them for mortality analyses.

2) AHRI.HDSS.VA-detailed-input-data-2000-2024.v2, a dataset that includes detailed verbal autopsy symptoms and circumstances of death data (healthcare access, cost of care... - D'Ambruoso et al. 2016, 2021) for deaths with completed verbal autopsies. It can be used to run the algorithms. It also includes five additional covid-related symptoms, which are not used for cause of death estimation. Its format corresponds to the input required to run the algorithms, so these variables are not labelled. The variable values are as follows 'y' = 'yes', 'n' = 'no' and '-' = 'I don't know or not applicable'. Some question labels are too long to appear in full on this document. Please refer to the “Variable documentation” in the resource files for the full question corresponding to the variable.

Comparability over time

These datasets encompass 25 years of data collection and four major VA questionnaire periods: 2000-2009, 2010-2016, 2017-2021, 2022-2024. Data from the four questionnaires were harmonized to create a consistent dataset suitable for longitudinal analyses of mortality and cause-specific mortality patterns.

We evaluated the impact of questionnaire evolutions on algorithmic cause-of-death estimation through a simulation of questionnaire-specific missingness. Discrepancies 2017-2021 and 2022-2024 questionnaires are negligible, suggesting minimal discontinuities in recent time-series. By contrast, there is a limited but noticeable cause-dependent discrepancies between 2000-2016 and 2017-2024 : earlier questionnaires underestimated cardiovascular diseases and chronic respiratory diseases and overestimated acute respiratory infections. Users can access the following interactive app to inspect questionnaire-related discontinuities for specific causes in more detail: <https://ariane-sessego.shinyapps.io/Consistency_CoD_estimation_across_questionnaires/>

Separately, descriptive analyses of observed cause-specific mortality trends suggest a discontinuity in HIV/AIDs cause-of-death assignment in 2017, with substantial fall in HIV/AIDs assignment relative to the preceding trend. This discontinuity was not reproduced in the questionnaire missingness simulations, suggesting that missing information alone is unlikely to explain it. However, it could be the result of changes in question order or phrasing and/or a true decline in HIV/AIDs related mortality.

For the study of long-term trends, we therefore advise users to remain cautious of possible discrepancies linked to changes in data-collection instruments over these different periods: 2000-2009, 2010-2016, 2017-2021, 2022-2024. For more information see the working paper dedicated to this harmonization and robustness testing process (soon to be made available).

Resource files are available in “Downloads”. They include:

- VA Questionnaires: all versions of VA questionnaires (four main versions : 2000-2009, 2010-2016, 2017-2021, 2022-2024)
- Variable documentation: documents the availability of each variable depending on the questionnaire version
- Causetext_VA_causes_and_ICD10_equivalent.csv: a spreadsheet with the classification of causes of death used by InterVA and InSilicoVA and their ICD-10 equivalent.
- Mapping files: correspondence tables documenting which variables from the historical data are used to produced the harmonized dataset
- Harmonization report (that will be made available soon): describing the harmonization process and the consistency analysis carried out to assess comparability of cause-of-death estimation across questionnaire versions.

The code used to harmonize the data and estimate causes of death is also available on Github:

Ariane Sessego, Kobus Herbst, & Siyabonga Nxumalo. (2026). AHRIORG/VAConvert.jl: VA Convert - AHRI's Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024) (Version release_v.2_zeondo) [Computer software]. Zenodo. <<https://doi.org/10.5281/zenodo.22028690>>

References

- Byass, Peter, Daniel Chandramohan, Samuel J. Clark, et al. 2012. 'Strengthening Standardised Interpretation of Verbal Autopsy Data: The New InterVA-4 Tool'. *Global Health Action* 5 (1): 19281. <https://doi.org/10.3402/gha.v5i0.19281>.
- Byass, Peter, Laith Hussain-Alkhateeb, Lucia D'Ambruoso, et al. 2019. 'An Integrated Approach to Processing WHO-2016 Verbal Autopsy Data: The InterVA-5 Model'. *BMC Medicine* 17 (1): 102. <https://doi.org/10.1186/s12916-019-1333-6>.
- Chandramohan, Daniel, Edward Fottrell, Jordana Leitao, et al. 2021. 'Estimating Causes of Death Where There Is No Medical Certification: Evolution and State of the Art of Verbal Autopsy'. *Global Health Action* 14 (sup1): 1982486. <https://doi.org/10.1080/16549716.2021.1982486>.
- D'Ambruoso, Lucia, Kathleen Kahn, Ryan G. Wagner, et al. 2016. 'Moving from Medical to Health Systems Classifications of Deaths: Extending Verbal Autopsy to Collect Information on the Circumstances of Mortality'. *Global Health Research and Policy* 1 (1): 2. <https://doi.org/10.1186/s41256-016-0002-y>.
- D'Ambruoso, Lucia, Jessica Price, Eilidh Cowan, et al. 2021. 'Refining Circumstances of Mortality Categories (COMCAT): A Verbal Autopsy Model Connecting Circumstances of Deaths with Outcomes for Public Health Decision-Making'. *Global Health Action* 14 (sup1): 2000091. <https://doi.org/10.1080/16549716.2021.2000091>.
- Gareta, Dickman, Kathy Baisley, Thobeka Mngomezulu, et al. 2021. 'Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and Population-Based HIV Survey'. *International Journal of Epidemiology* 50 (1): 33-34. <https://doi.org/10.1093/ije/dyaa264>.
- Li, Zehang Richard, Jason Thomas, Eungang Choi, Tyler H. McCormick, and Samuel J. Clark. 2023. 'The openVA Toolkit for Verbal Autopsies'. *The R Journal*, February 25, 1.
- McCormick, Tyler H., Zehang Richard Li, Clara Calvert, Amelia C. Crampin, Kathleen Kahn, and Samuel J. Clark. 2016. 'Probabilistic Cause-of-Death Assignment Using Verbal Autopsies'. *Journal of the American Statistical Association* 111 (515): 1036-49. <https://doi.org/10.1080/01621459.2016.1152191>.

Kind of Data	Population surveillance (death registration) and survey data (verbal autopsies)
Unit of Analysis	Deceased individuals

Scope & Coverage

Keywords	South Africa, mortality, deaths, causes of death, verbal autopsy, surveillance
Topics	Population Surveillance, Deaths, Causes of death, Verbal Autopsy, Circumstances of death Harmonisa data
Time Period(s)	2000-2024
Countries	South Africa

Geographic Coverage

AHRI's Health and Demographic Surveillance System (HDSS) in uMkhanyakude District, KwaZulu-Natal, South Africa. From 2000 to 2016, the HDSS covered an area of 438 km² with a population of approximately 85 000 people. It expanded in 2017 to cover an area of 845 km² and ~150,000 participants (Gareta et al. 2021). .

Universe

AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2: All participants of AHRI's HDSS deceased between 01-01-2000 and 31-12-2024

AHRI.HDSS.VA-detailed-input-data-2000-2024.v2: All deceased in AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2 with a complete verbal autopsy

Producers & Sponsors

Primary Investigator(s)	Ariane Sessegro, Africa Health Research Institute, French Institute of Demographic Studies (INED), Ecole des Hautes Etudes en Sciences Sociales (Centre Maurice Halbwachs) Siyabonga Nxumalo, Africa Health Research Institute Dickman Gareta, Africa Health Research Institute Dr. Alison Castle, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Prof. Mark Siedner, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Collins Iwuji, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Dr. Kobus Herbst, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Wellcome Trust (WT) , Core funding SAPRIN (SAPRIN) Ecole des Hautes Etudes en Sciences Sociales (EHESS) French Institute of Demographic Studies (INED)
Other Acknowledgment(s)	Sweetness Dube , Data Documentation , Africa Health Research Institute AHRI Data Collection Team , Data Collection , Africa Health Research Institute AHRI Community Engagement Team , Community Engagement , Africa Health Research Institute Nompumelelo Mkwanazi , Community Engagement , Africa Health Research Institute We thank the household members of the HDSS. We acknowledge the support of the study and field staff at the Africa Health Research Institute, particularly the verbal autopsy nurses, who made this study possible , Data Collection We would also like to thank the openVA team who developed and implemented the tools used here to estimate causes of death and provided support during part of the production process. In particular, we would like to thank Jason Thomas, Sam Clark, Zehang Richard Li and Tyler McCormick , Support on the cause-of-death estimation process , Ohio State University, University of Washington

Sampling

Sampling Procedure

This dataset is not based on a sample, it contains information from the complete demographic surveillance area.

Data Collection

Data Collection Dates	Time period:Deaths that occurred: start 2000-01-01 Time period:Deaths that occurred: end 2024-12-31
------------------------------	--

Data Processing & Appraisal

Data Editing

Data collection mode

Face-to-face between January 2000 and April 2021.

From May 2021 to 2024, first three attempts are telephonic. If they are not successful interviews attempts are made face to face.

The mode of data collection is documented with the variable VAIInterview for each death.

Notes on Data Collection

AHRI's HDSS monitors vital events (births, death, in- and out-migration) in the rural district of uMkhanyakude, KwaZulu-Natal, South Africa (Gareta et. al 2021). When a death is recorded, a trained nurses conducts a VA with the caregiver of the deceased, after a bereavement period of at least 3 months.

From 2000 to 2016, verbal autopsies were collected through paper-based questionnaires. In 2017, the data collection process was digitalized. Different questionnaires were used during the period, with four significant changes (2000-2009, 2010-2016, 2017-2021, 2022-2024). For more details, see the harmonization report and Questionnaires in the resource files.

Reference: Gareta, Dickman, Kathy Baisley, Thobeka Mngomezulu, et al. 2021. 'Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and Population-Based HIV Survey'. International Journal of Epidemiology 50 (1): 33-34. <https://doi.org/10.1093/ije/dyaa264>.

Harmonization Process

These datasets are the result of the harmonization of data collected across 25 years and four different verbal autopsy questionnaires. To ensure transparency and reproducibility, this was carried out using a structured data processing framework implemented in a Julia package, VAConvert. This framework is based on correspondence tables that systematically document which variables from the historical data are used to produced the harmonized input format required by InterVA5 and InSilicoVA (see the harmonization report for more details).

These correspondence tables are available in the resource files (Mapping files) and the code used for harmonization is available on Github (<https://github.com/AHRIORG/VAConvert.jl/releases/tag/release_v.1>).

Cause-of-death Estimation

Causes of death were estimated using the R package openVA (Li et al. 2023). Default parameters were used for InterVA5 and InSilicoVA. For InSilicoVA, the seed used was 19800508 (date of the declaration of smallpox eradication!). The detailed code is available on Github (<https://github.com/AHRIORG/VAConvert.jl/releases/tag/release_v.1>, src/CoD_attribution.R).

Compared to InterVA5, InSilicoVA does not have pre-defined rules to select the top causes of death (Byass et al. 2012). For this dataset, InSilicoVA's top causes of death were selected according to the following criteria (similar to InterVA's rules): a cause is considered "Undetermined" if the most probable cause is associated with a mean posterior probability <= 40%, otherwise the most probable cause is selected as the first cause. A second and a third cause are selected, if their mean

posterior probability is higher or equal to 20%. We included the 95% posterior credible interval (CI) for each selected cause. Note that a small minority of deaths might have a mean posterior probability outside of their CI due to skewed probability distributions.

Reference:

- Byass, Peter, Daniel Chandramohan, Samuel J. Clark, et al. 2012. 'Strengthening Standardised Interpretation of Verbal Autopsy Data: The New InterVA-4 Tool'. *Global Health Action* 5 (1): 19281. <https://doi.org/10.3402/gha.v5i0.19281>.
- Li, Zehang Richard, Jason Thomas, Eungang Choi, Tyler H. McCormick, and Samuel J. Clark. 2023. 'The openVA Toolkit for Verbal Autopsies'. *The R Journal*, February 25, 1.

Harmonization Process

These datasets are the result of the harmonization of data collected across 25 years and four different verbal autopsy questionnaires. To ensure transparency and reproducibility, this was carried out using a structured data processing framework implemented in a Julia package, VAConvert. This framework is based on correspondence tables that systematically document which variables from the historical data are used to produce the harmonized input format required by InterVA5 and InSilicoVA (see the harmonization report for more details).

These correspondence tables are available in the resource files (Mapping files) and the code used for harmonization is available on Github :

Ariane Sessego, Kobus Herbst, & Siyabonga Nxumalo. (2026). AHRIORG/VAConvert.jl: VA Convert - AHRI's Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024) (Version release_v.2_zeondo) [Computer software]. Zenodo. <https://doi.org/10.5281/zenodo.22028690>

Cause-of-death Estimation

Causes of death were estimated using the R package openVA (Li et al. 2023). Default parameters were used for InterVA5 and InSilicoVA. For InSilicoVA, the seed used was 19800508 (date of the declaration of smallpox eradication!). The detailed code is available on Github:

Ariane Sessego, Kobus Herbst, & Siyabonga Nxumalo. (2026). AHRIORG/VAConvert.jl: VA Convert - AHRI's Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024) (Version release_v.2_zeondo) [Computer software]. Zenodo. <https://doi.org/10.5281/zenodo.22028690>

Compared to InterVA5, InSilicoVA does not have pre-defined rules to select the top causes of death (Byass et al. 2012). For this dataset, InSilicoVA's top causes of death were selected according to the following criteria (similar to InterVA's rules): a cause is considered "Undetermined" if the most probable cause is associated with a mean posterior probability $\leq 40\%$, otherwise the most probable cause is selected as the first cause. A second and a third cause are selected, if their mean posterior probability is higher or equal to 20%. We included the 95% posterior credible interval (CI) for each selected cause. Note that a small minority of deaths might have a mean posterior probability outside of their CI due to skewed probability distributions.

Comparability over time

These datasets encompass 25 years of data collection and four major VA questionnaire periods: 2000-2009, 2010-2016, 2017-2021, 2022-2024. Data from the four questionnaires were harmonized to create a consistent dataset suitable for longitudinal analyses of mortality and cause-specific mortality patterns.

We evaluated the impact of questionnaire evolutions on algorithmic cause-of-death estimation through a simulation of questionnaire-specific missingness. Discrepancies 2017-2021 and 2022-2024 questionnaires are negligible, suggesting minimal discontinuities in recent time-series. By contrast, there is a limited but noticeable cause-dependent discrepancies between 2000-2016 and 2017-2024 : earlier questionnaires underestimated cardiovascular diseases and chronic respiratory diseases and overestimated acute respiratory infections. Users can access the following interactive app to inspect questionnaire-related discontinuities for specific causes in more detail: https://ariane-sessego.shinyapps.io/Consistency_CoD_estimation_across_questionnaires/

Separately, descriptive analyses of observed cause-specific mortality trends suggest a discontinuity in HIV/AIDs cause-of-death assignment in 2017, with substantial fall in HIV/AIDs assignment relative to the preceding trend. This discontinuity was not reproduced in the questionnaire missingness simulations, suggesting that missing information alone is unlikely to

explain it. However, it could be the result of changes in question order or phrasing and/or a true decline in HIV/AIDS related mortality.

For the study of long-term trends, we therefore advise users to remain cautious of possible discrepancies linked to changes in data-collection instruments over these different periods: 2000-2009, 2010-2016, 2017-2021, 2022-2024. For more information see the working paper dedicated to this harmonization and robustness testing process (soon to be made available).

Reference:

Byass, Peter, Daniel Chandramohan, Samuel J. Clark, et al. 2012. 'Strengthening Standardised Interpretation of Verbal Autopsy Data: The New InterVA-4 Tool'. *Global Health Action* 5 (1): 19281. <https://doi.org/10.3402/gha.v5i0.19281>.

Li, Zehang Richard, Jason Thomas, Eungang Choi, Tyler H. McCormick, and Samuel J. Clark. 2023. 'The openVA Toolkit for Verbal Autopsies'. *The R Journal*, February 25, 1.

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Sessego, A., Nxumalo, S., Gareta, D., Castle, A., Harling, G., Siedner, M., Seeley, J., Iwuji, C., Hanekom, W., & Herbst, K. (2026). AHRI:Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024) [Data set]. Africa Health Research Institute.

DOI: <https://doi.org/10.23664/AHRI.VERBALAUTOPSY.HARMONISATION>

Files Description

Dataset contains 2 file(s)

AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2	
# Cases	27726
# Variable(s)	33

AHRI.HDSS.VA-detailed-input-data-2000-2024.v2	
# Cases	26168
# Variable(s)	359

Variables List

Dataset contains 392 variable(s)

File AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IntID	Unique Internal Id of Individual	continuous	numeric-12.0	27726	0	-
2	DoB_ym	Date of birth (Year-Month)	discrete	character-7	27726	0	-
3	DoD_ym	Date of Death (Year-Month)	discrete	character-7	27726	0	-
4	Sex	What was the sex of the deceased?	discrete	numeric-12.0	27726	0	-
5	Age_in_y_..	Age in completed years Numeric	continuous	numeric-12.0	27726	0	-
6	Age_in_d_..	Age in days for deceased that died before the age of 1	continuous	numeric-12.0	1313	26413	-
7	MissingVA	Was the verbal autopsy not completed?	discrete	numeric-12.0	27726	0	-
8	NonContact	Was it a non-contact?	discrete	numeric-12.0	8617	19109	-
9	VAREfused	Was participation refused ?	discrete	numeric-12.0	8618	19108	-
10	Question_..	Verbal autopsy questionnaire used for data collection (dates are indicative)	discrete	numeric-12.0	27726	0	-
11	VAVisitD_..	VA Visit Date	discrete	character-11	27431	-	-
12	VAInterv_..	Interview modality (face-to-face in the field or telephonic)	discrete	numeric-12.0	27431	295	-
13	RespRela_..	Respondent's relationship to deceased (important classification change in 2017)	discrete	numeric-12.0	26249	1477	-
14	LivedWit_..	Did the respondent live with the deceased in the period leading to death?	discrete	numeric-12.0	24971	2755	-
15	DeathSet_..	Where did the deceased die?	discrete	numeric-12.0	25082	2644	-
16	cause1_I_..	Cause 1 - InterVA5 causes of death	discrete	character-34	27726	0	-
17	lik1_Int_..	Likelihood cause 1 - InterVA5 causes of death	continuous	numeric-10.0	26168	1558	-
18	cause2_I_..	Cause 2 - InterVA5 causes of death	discrete	character-34	2189	0	-
19	lik2_Int_..	Likelihood cause 2 - InterVA5 causes of death	continuous	numeric-10.0	2189	25537	-
20	cause3_I_..	Cause 3 - InterVA5 causes of death	discrete	character-34	71	0	-
21	lik3_Int_..	Likelihood cause 3 - InterVA5 causes of death	continuous	numeric-10.0	71	27655	-
22	cause1_I_..	Cause 1 - InSilicoVA causes of death	discrete	character-34	27726	0	-
23	prob1_In_..	Probability cause 1 - InSilicoVA causes of death	discrete	character-17	26168	0	-

File AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
24	prob1_up..	Probability cause 1 95% CI upper bound - InSilicoVA	discrete	character-20	25383	0	-
25	prob1_lo..	Probability cause 1 95% CI lower bound InSilicoVA	discrete	character-20	25383	0	-
26	cause2_1..	Cause 2 - InSilicoVA causes of death	discrete	character-34	4042	0	-
27	prob2_In..	Probability cause 2 - InSilicoVA causes of death	discrete	character-17	4042	0	-
28	prob2_up..	Probability cause 2 95% CI upper bound - InSilicoVA	discrete	character-20	4042	0	-
29	prob2_lo..	Probability cause 2 95% CI lower bound InSilicoVA	discrete	character-20	4042	0	-
30	cause3_1..	Cause 3 - InSilicoVA causes of death	discrete	character-34	172	0	-
31	prob3_In..	Probability cause 3 - InSilicoVA causes of death	discrete	character-17	172	0	-
32	prob3_up..	Probability cause 3 95% CI upper bound - InSilicoVA	discrete	character-20	172	0	-
33	prob3_lo..	Probability cause 3 95% CI lower bound InSilicoVA	discrete	character-20	172	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
1	IIntID	-	continuous	numeric-12.0	26168	0	-
2	i004a	Did s(he) die during the wet season?	discrete	character-1	26168	0	-
3	i004b	Did s(he) die during the dry season?	discrete	character-1	26168	0	-
4	i019a	Was he male?	discrete	character-1	26168	0	-
5	i019b	Was she female?	discrete	character-1	26168	0	-
6	i022a	Was s(he) aged 65 years or more at death?	discrete	character-1	26168	0	-
7	i022b	Was s(he) aged 50 to 64 years at death?	discrete	character-1	26168	0	-
8	i022c	Was s(he) aged 15 to 49 years at death?	discrete	character-1	26168	0	-
9	i022d	Was s(he) aged 5-14 years at death?	discrete	character-1	26168	0	-
10	i022e	Was s(he) aged 1 to 4 years at death?	discrete	character-1	26168	0	-
11	i022f	Was s(he) aged 1 to 11 months at death?	discrete	character-1	26168	0	-
12	i022g	Was s(he) aged < 1 month (28 days) at death?	discrete	character-1	26168	0	-
13	i022h	Was s(he) a live baby who died within 24 hours of birth?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
14	i022i	Was s(he) a baby who died between 24 and 48 hours of birth?	discrete	character-1	26168	0	-
15	i022j	Was s(he) a baby who died more than 48 hours from birth, but within the first we	discrete	character-1	26168	0	-
16	i022k	Was s(he) a baby who died after the first week, but within the first month?	discrete	character-1	26168	0	-
17	i022l	Was she a woman aged 12-19 years at death?	discrete	character-1	26168	0	-
18	i022m	Was she a woman aged 20-34 years at death?	discrete	character-1	26168	0	-
19	i022n	Was she a woman aged 35 to 49 years at death?	discrete	character-1	26168	0	-
20	i059o	Was she married at the time of death?	discrete	character-1	26168	0	-
21	i077o	Did (s)he suffer from any injury or accident that led to her/his death?	discrete	character-1	26168	0	-
22	i079o	Was (s)he injured in a road traffic accident?	discrete	character-1	26168	0	-
23	i082o	Was (s)he injured in a non-road transport accident?	discrete	character-1	26168	0	-
24	i083o	Was (s)he injured in a fall?	discrete	character-1	26168	0	-
25	i084o	Was (s)he poisoned in any way?	discrete	character-1	26168	0	-
26	i085o	Did (s)he die of drowning?	discrete	character-1	26168	0	-
27	i086o	Was (s)he injured by the bite or sting of a venomous animal?	discrete	character-1	26168	0	-
28	i087o	Was (s)he injured by an animal or insect (non-venomous)	discrete	character-1	26168	0	-
29	i089o	Was (s)he injured by burns or fire?	discrete	character-1	26168	0	-
30	i090o	Was (s)he subject to violence (suicide, homicide, abuse)?	discrete	character-1	26168	0	-
31	i091o	Was (s)he injured by a fire arm?	discrete	character-1	26168	0	-
32	i092o	Was (s)he stabbed, cut or pierced?	discrete	character-1	26168	0	-
33	i093o	Was (s)he strangled?	discrete	character-1	26168	0	-
34	i094o	Was (s)he injured by a blunt force?	discrete	character-1	26168	0	-
35	i095o	Was (s)he injured by a force of nature?	discrete	character-1	26168	0	-
36	i096o	Was (s)he electrocuted?	discrete	character-1	26168	0	-
37	i098o	Was the injury accidental?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
38	i099o	Was the injury or accident self-inflicted?	discrete	character-1	26168	0	-
39	i100o	Was the injury or accident intentionally inflicted by someone else?	discrete	character-1	26168	0	-
40	i104o	Did the baby ever cry?	discrete	character-1	26168	0	-
41	i105o	Did the baby cry immediately after birth, even if only a little bit?	discrete	character-1	26168	0	-
42	i106a	Was it more than 5 minutes after birth before the baby first cried?	discrete	character-1	26168	0	-
43	i107o	Did the baby stop being able to cry?	discrete	character-1	26168	0	-
44	i108a	Did the baby stop crying more than a day before (s)he died?	discrete	character-1	26168	0	-
45	i109o	Did the baby ever move?	discrete	character-1	26168	0	-
46	i110o	Did the baby ever breathe?	discrete	character-1	26168	0	-
47	i111o	Did the baby breathe immediately after birth, even a little?	discrete	character-1	26168	0	-
48	i112o	Did the baby have a breathing problem?	discrete	character-1	26168	0	-
49	i113o	Was the baby given assistance to breathe at birth?	discrete	character-1	26168	0	-
50	i114o	If the baby didn't show any sign of life, was it born dead?	discrete	character-1	26168	0	-
51	i115o	Were there any bruises or signs of injury on child's body after the birth?	discrete	character-1	26168	0	-
52	i116o	Was the baby's body soft, pulpy and discoloured with the skin peeling away?	discrete	character-1	26168	0	-
53	i120a	Did the final illness last less than 3 weeks?	discrete	character-1	26168	0	-
54	i120b	Did the final illness last at least 3 weeks?	discrete	character-1	26168	0	-
55	i123o	Did (s)he die suddenly?	discrete	character-1	26168	0	-
56	i125o	Was there any diagnosis by a health professional of tuberculosis?	discrete	character-1	26168	0	-
57	i127o	Was there any diagnosis by a health professional of HIV/AIDS?	discrete	character-1	26168	0	-
58	i128o	Did (s)he have a recent positive test by a health professional for malaria?	discrete	character-1	26168	0	-
59	i129o	Did (s)he have a recent negative test by a health professional for malaria?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
60	i130o	Was there any diagnosis by a health professional of dengue fever?	discrete	character-1	26168	0	-
61	i131o	Was there any diagnosis by a health professional of measles?	discrete	character-1	26168	0	-
62	i132o	Was there any diagnosis by a health professional of high blood pressure?	discrete	character-1	26168	0	-
63	i133o	Was there any diagnosis by a health professional of heart disease?	discrete	character-1	26168	0	-
64	i134o	Was there any diagnosis by a health professional of diabetes?	discrete	character-1	26168	0	-
65	i135o	Was there any diagnosis by a health professional of asthma?	discrete	character-1	26168	0	-
66	i136o	Was there any diagnosis by a health professional of epilepsy?	discrete	character-1	26168	0	-
67	i137o	Was there any diagnosis by a health professional of cancer?	discrete	character-1	26168	0	-
68	i138o	Was there any diagnosis by a health professional of Chronic Obstructive Pulmonar	discrete	character-1	26168	0	-
69	i139o	Was there any diagnosis by a physician or health worker of dementia?	discrete	character-1	26168	0	-
70	i140o	Was there any diagnosis by a health professional of depression?	discrete	character-1	26168	0	-
71	i141o	Was there any diagnosis by a health professional of stroke?	discrete	character-1	26168	0	-
72	i142o	Was there any diagnosis by a health professional of sickle cell disease?	discrete	character-1	26168	0	-
73	i143o	Was there any diagnosis by a health professional of kidney disease?	discrete	character-1	26168	0	-
74	i144o	Was there any diagnosis by a health professional of liver disease?	discrete	character-1	26168	0	-
75	i147o	During the illness that led to death, did (s)he have a fever?	discrete	character-1	26168	0	-
76	i148a	Did the fever last less than a week before death?	discrete	character-1	26168	0	-
77	i148b	Did the fever last at least one week, but less than 2 weeks before death?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
78	i148c	Did the fever last at least 2 weeks before death?	discrete	character-1	26168	0	-
79	i149o	Did the fever continue until death?	discrete	character-1	26168	0	-
80	i150a	Was the fever severe?	discrete	character-1	26168	0	-
81	i151a	Was the fever continuous?	discrete	character-1	26168	0	-
82	i152o	Did (s)he have night sweats?	discrete	character-1	26168	0	-
83	i153o	During the illness that led to death, did (s)he have a cough?	discrete	character-1	26168	0	-
84	i154a	Did the cough last less than 3 weeks before death?	discrete	character-1	26168	0	-
85	i154b	Did the cough last at least 3 weeks before death?	discrete	character-1	26168	0	-
86	i155o	Was the cough productive, with sputum?	discrete	character-1	26168	0	-
87	i156o	Was the cough very severe?	discrete	character-1	26168	0	-
88	i157o	Did (s)he cough up blood?	discrete	character-1	26168	0	-
89	i158o	Did (s)he make a whooping sound when coughing?	discrete	character-1	26168	0	-
90	i159o	During the illness that led to death, did (s)he have any difficulty breathing?	discrete	character-1	26168	0	-
91	i161a	Did the difficult breathing last for at least 3 days before death?	discrete	character-1	26168	0	-
92	i165a	Was the difficult breathing continuous during this period?	discrete	character-1	26168	0	-
93	i166o	Did (s)he have fast breathing?	discrete	character-1	26168	0	-
94	i167a	Did the fast breathing last for less than two weeks before death?	discrete	character-1	26168	0	-
95	i167b	Did the fast breathing last for at least 2 weeks before death?	discrete	character-1	26168	0	-
96	i168o	Did (s)he have breathlessness?	discrete	character-1	26168	0	-
97	i169a	Did the breathlessness last for less than 2 weeks before death?	discrete	character-1	26168	0	-
98	i169b	Did the breathlessness last for at least 2 weeks before death?	discrete	character-1	26168	0	-
99	i170o	Was (s)he unable to carry out daily routines due to breathlessness?	discrete	character-1	26168	0	-
100	i171o	Was (s)he breathless while lying flat?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
101	i172o	Did you see the lower chest wall/ribs being pulled in as the child breathed?	discrete	character-1	26168	0	-
102	i173a	Did his/her breathing sound like wheezing or grunting?	discrete	character-1	26168	0	-
103	i174o	During the illness that led to death, did (s)he have chest pain?	discrete	character-1	26168	0	-
104	i175o	Was the chest pain severe?	discrete	character-1	26168	0	-
105	i176a	Did (s)he experience chest pain at least 3 days before death?	discrete	character-1	26168	0	-
106	i178a	Did the chest pain last for at least 30 minutes?	discrete	character-1	26168	0	-
107	i181o	Did (s)he have diarrhoea?	discrete	character-1	26168	0	-
108	i182a	Did (s)he have diarrhoea for less than 2 weeks before death?	discrete	character-1	26168	0	-
109	i182b	Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death	discrete	character-1	26168	0	-
110	i182c	Did (s)he have diarrhoea for at least 4 weeks before death?	discrete	character-1	26168	0	-
111	i183a	Did the baby or child have at least 4 stools on the day that loose liquid stools	discrete	character-1	26168	0	-
112	i184a	Did the frequent loose or liquid stools start at least 3 days before death?	discrete	character-1	26168	0	-
113	i185o	Did the frequent loose or liquid stools continue up until death?	discrete	character-1	26168	0	-
114	i186o	At any time during the final illness was there blood in the stools?	discrete	character-1	26168	0	-
115	i187o	Was there blood in the stool up until death?	discrete	character-1	26168	0	-
116	i188o	During the illness that led to death, did (s)he vomit?	discrete	character-1	26168	0	-
117	i189o	Did (s)he vomit in the week preceding the death?	discrete	character-1	26168	0	-
118	i190o	Did (s)he vomit for at least 3 days before death?	discrete	character-1	26168	0	-
119	i191o	Was there blood in the vomit?	discrete	character-1	26168	0	-
120	i192o	Was the vomit black?	discrete	character-1	26168	0	-
121	i193o	During the illness that led to death, did (s)he have any abdominal (belly) probl	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
122	i194o	Did (s)he have abdominal pain?	discrete	character-1	26168	0	-
123	i195o	Was the abdominal pain severe?	discrete	character-1	26168	0	-
124	i197a	Did (s)he have severe abdominal pain for less than 2 weeks before death?	discrete	character-1	26168	0	-
125	i197b	Did (s)he have severe abdominal pain for at least 2 weeks before death?	discrete	character-1	26168	0	-
126	i199a	Was the pain in the upper abdomen?	discrete	character-1	26168	0	-
127	i199b	Was the pain in the lower abdomen?	discrete	character-1	26168	0	-
128	i200o	Did (s)he have a more than usually protruding abdomen?	discrete	character-1	26168	0	-
129	i201a	Did (s)he have a more than usually protruding abdomen for less than 2 weeks befo	discrete	character-1	26168	0	-
130	i201b	Did (s)he have a more than usually protruding abdomen for at least 2 weeks befor	discrete	character-1	26168	0	-
131	i203a	Did (s)he develop the protruding abdomen rapidly?	discrete	character-1	26168	0	-
132	i204o	Did (s)he have any mass in the abdomen?	discrete	character-1	26168	0	-
133	i205a	Did (s)he have a mass in the abdomen for less than 2 weeks before death?	discrete	character-1	26168	0	-
134	i205b	Did (s)he have a mass in the abdomen for at least 2 weeks before death?	discrete	character-1	26168	0	-
135	i207o	During the illness that led to death, did (s)he have a severe headache?	discrete	character-1	26168	0	-
136	i208o	During the illness that led to death, did (s)he have a stiff neck?	discrete	character-1	26168	0	-
137	i209a	Did (s)he have a stiff neck for less than one week before death?	discrete	character-1	26168	0	-
138	i209b	Did (s)he have a stiff neck for at least one week before death?	discrete	character-1	26168	0	-
139	i210o	During the illness that led to death, did (s)he have a painful neck?	discrete	character-1	26168	0	-
140	i211a	Did (s)he have a painful neck for at least one week before death?	discrete	character-1	26168	0	-
141	i212o	During the illness that led to death, did (s)he have mental confusion?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
142	i213o	Did (s)he have mental confusion for at least 3 months before death?	discrete	character-1	26168	0	-
143	i214o	During the illness that led to death, was (s)he unconscious?	discrete	character-1	26168	0	-
144	i215o	Was (s)he unconscious for at least 24 hours before death?	discrete	character-1	26168	0	-
145	i216a	Was (s)he unconscious for at least 6 hours before death?	discrete	character-1	26168	0	-
146	i217o	Did the unconsciousness start suddenly, quickly (at least within a single day)?	discrete	character-1	26168	0	-
147	i218o	Did the unconsciousness continue until death?	discrete	character-1	26168	0	-
148	i219o	During the illness that led to death, did (s)he have any convulsions?	discrete	character-1	26168	0	-
149	i220o	Did (s)he experience any generalized convulsions or fits?	discrete	character-1	26168	0	-
150	i221a	Did the convulsions last for less than 10 minutes?	discrete	character-1	26168	0	-
151	i221b	Did the convulsions last for at least 10 minutes?	discrete	character-1	26168	0	-
152	i222o	Did (s)he become unconscious immediately after the convulsion?	discrete	character-1	26168	0	-
153	i223o	During the illness that led to death, did (s)he have any urine problems?	discrete	character-1	26168	0	-
154	i224o	Did (s)he stop urinating?	discrete	character-1	26168	0	-
155	i225o	Did (s)he go to urinate more often than usual?	discrete	character-1	26168	0	-
156	i226o	Did (s)he pass blood in the urine?	discrete	character-1	26168	0	-
157	i227o	During the illness that led to death, did (s)he have any sores or ulcers anywhere?	discrete	character-1	26168	0	-
158	i228o	Did (s)he have sores?	discrete	character-1	26168	0	-
159	i229o	Did the sores have clear fluid and/or pus?	discrete	character-1	26168	0	-
160	i230o	Did (s)he have an ulcer (pit) on the foot?	discrete	character-1	26168	0	-
161	i231o	Did any ulcer ooze pus?	discrete	character-1	26168	0	-
162	i232a	Did the ulcer ooze pus for at least 2 weeks?	discrete	character-1	26168	0	-
163	i233o	During the illness that led to death, did (s)he have any skin rash?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
164	i234a	Did (s)he have the skin rash for less than one week?	discrete	character-1	26168	0	-
165	i234b	Did (s)he have the skin rash for at least one week?	discrete	character-1	26168	0	-
166	i235a	Did (s)he have a rash on the face?	discrete	character-1	26168	0	-
167	i235b	Did (s)he have a rash on the trunk or abdomen?	discrete	character-1	26168	0	-
168	i235c	Did (s)he have a rash on the extremities?	discrete	character-1	26168	0	-
169	i235d	Did (s)he have a rash everywhere?	discrete	character-1	26168	0	-
170	i236o	Did (s)he have measles rash?	discrete	character-1	26168	0	-
171	i237o	Did (s)he ever have shingles or herpes zoster?	discrete	character-1	26168	0	-
172	i238o	During the illness that led to death, did her/his skin flake off in patches?	discrete	character-1	26168	0	-
173	i239o	During the illness that led to death, did he/she have areas of the skin that turn	discrete	character-1	26168	0	-
174	i240o	During the illness that led to death, did he/she have areas of the skin with red	discrete	character-1	26168	0	-
175	i241o	During the illness that led to death, did (s)he bleed from anywhere?	discrete	character-1	26168	0	-
176	i242o	Did (s)he bleed from the nose, mouth or anus?	discrete	character-1	26168	0	-
177	i243o	During the illness that led to death, did (s)he have noticeable weight loss?	discrete	character-1	26168	0	-
178	i244o	Was (s)he severely thin or wasted?	discrete	character-1	26168	0	-
179	i245o	During the illness that led to death, did s/he have a whitish rash inside the mouth	discrete	character-1	26168	0	-
180	i246o	During the illness that led to death, did (s)he have stiffness of the whole body	discrete	character-1	26168	0	-
181	i247o	During the illness that led to death, did (s)he have puffiness of the face?	discrete	character-1	26168	0	-
182	i248a	Did (s)he have puffiness of the face for at least one week before death?	discrete	character-1	26168	0	-
183	i249o	During the illness that led to death, did (s)he have swollen legs or feet?	discrete	character-1	26168	0	-
184	i250a	Did the swelling last for at least 3 days before death?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
185	i251o	Did (s)he have both feet swollen?	discrete	character-1	26168	0	-
186	i252o	During the illness that led to death, did (s)he have general puffiness all over	discrete	character-1	26168	0	-
187	i253o	During the illness that led to death, did (s)he have any lumps?	discrete	character-1	26168	0	-
188	i254o	Did (s)he have any lumps or lesions in the mouth?	discrete	character-1	26168	0	-
189	i255o	Did (s)he have any lumps in the neck?	discrete	character-1	26168	0	-
190	i256o	Did (s)he have any lumps in the armpit?	discrete	character-1	26168	0	-
191	i257o	Did (s)he have any lumps in the groin?	discrete	character-1	26168	0	-
192	i258o	During the illness that led to death, was (s)he in any way paralysed?	discrete	character-1	26168	0	-
193	i259o	Did (s)he have paralysis of only one side of the body?	discrete	character-1	26168	0	-
194	i260a	Was only the right side of the body paralysed?	discrete	character-1	26168	0	-
195	i260b	Was only the left side of the body paralysed?	discrete	character-1	26168	0	-
196	i260c	Was only the lower part of the body paralysed?	discrete	character-1	26168	0	-
197	i260d	Was only the upper part of the body paralysed?	discrete	character-1	26168	0	-
198	i260e	Was only one leg paralysed?	discrete	character-1	26168	0	-
199	i260f	Was only one arm paralysed?	discrete	character-1	26168	0	-
200	i260g	Was the entire body paralysed?	discrete	character-1	26168	0	-
201	i261o	During the illness that led to death, did (s)he have difficulty swallowing?	discrete	character-1	26168	0	-
202	i262a	Did (s)he have difficulty swallowing for at least one week before death?	discrete	character-1	26168	0	-
203	i263a	Did (s)he have difficulty with swallowing solids?	discrete	character-1	26168	0	-
204	i263b	Did (s)he have difficulty with swallowing liquids?	discrete	character-1	26168	0	-
205	i264o	Did (s)he have pain upon swallowing?	discrete	character-1	26168	0	-
206	i265o	During the illness that led to death, did (s)he have yellow discolouration of th	discrete	character-1	26168	0	-
207	i266a	Did (s)he have the yellow discolouration for at least 3 weeks before death?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
208	i267o	During the illness that led to death, did her/his hair change to a reddish or ye	discrete	character-1	26168	0	-
209	i268o	During the illness that led to death, did (s)he look pale (thinning/lack of bloo	discrete	character-1	26168	0	-
210	i269o	During the illness that led to death, did (s)he have sunken eyes?	discrete	character-1	26168	0	-
211	i270o	During the illness that led to death, did (s)he drink a lot more water than usua	discrete	character-1	26168	0	-
212	i271o	Was the baby able to suckle or bottle-feed within the first 24 hours after birth	discrete	character-1	26168	0	-
213	i272o	Did the baby ever suckle in a normal way?	discrete	character-1	26168	0	-
214	i273o	Did the baby stop suckling?	discrete	character-1	26168	0	-
215	i274a	Did the baby stop suckling on the 2nd day of life or later?	discrete	character-1	26168	0	-
216	i275o	Did the baby have convulsions starting within the first 24 hours of life?	discrete	character-1	26168	0	-
217	i276o	Did the baby have convulsions starting more than 24 hours after birth?	discrete	character-1	26168	0	-
218	i277o	Did the baby's body become stiff, with the back arched backwards?	discrete	character-1	26168	0	-
219	i278o	During the illness that led to death, did the baby have a bulging or raised font	discrete	character-1	26168	0	-
220	i279o	During the illness that led to death, did the baby have a sunken fontanelle?	discrete	character-1	26168	0	-
221	i281o	During the illness that led to death, did the baby become unresponsive or uncons	discrete	character-1	26168	0	-
222	i282o	Did the baby become unresponsive or unconscious soon after birth, within less th	discrete	character-1	26168	0	-
223	i283o	Did the baby become unresponsive or unconscious more than 24 hours after birth?	discrete	character-1	26168	0	-
224	i284o	During the illness that led to death, did the baby become cold to touch?	discrete	character-1	26168	0	-
225	i285a	Was the baby more than 3 days old when it started feeling cold to touch?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
226	i286o	During the illness that led to death, did the baby become lethargic, after a per	discrete	character-1	26168	0	-
227	i287o	Did the baby have redness or discharge from the umbilical cord stump?	discrete	character-1	26168	0	-
228	i288o	During the illness that led to death, did the baby have skin ulcer(s) or pits?	discrete	character-1	26168	0	-
229	i289o	During the illness that led to death, did the baby have yellow skin, palms (hand	discrete	character-1	26168	0	-
230	i290o	Did the baby or infant appear to be healthy and then just die suddenly?	discrete	character-1	26168	0	-
231	i294o	During the illness that led to death, did she have any swelling or lump in the b	discrete	character-1	26168	0	-
232	i295o	During the illness that led to death, did she have any ulcers (pits) in the brea	discrete	character-1	26168	0	-
233	i296o	Did she ever have a period or menstruate?	discrete	character-1	26168	0	-
234	i297o	During the illness that led to death, did she have excessive vaginal bleeding in	discrete	character-1	26168	0	-
235	i298o	Was the bleeding excessive?	discrete	character-1	26168	0	-
236	i299o	Did her menstrual period stop naturally because of menopause?	discrete	character-1	26168	0	-
237	i300o	Did she have vaginal bleeding after cessation of menstruation?	discrete	character-1	26168	0	-
238	i301o	Was there excessive vaginal bleeding in the week prior to death?	discrete	character-1	26168	0	-
239	i302o	At the time of death was her period overdue?	discrete	character-1	26168	0	-
240	i303a	Had her period been overdue for at least 4 weeks?	discrete	character-1	26168	0	-
241	i304o	Did she have a sharp pain in her abdomen shortly before death?	discrete	character-1	26168	0	-
242	i305o	Was she pregnant (incl. in labour) at the time of death?	discrete	character-1	26168	0	-
243	i306o	Did she die within 6 weeks of delivery, abortion or miscarriage?	discrete	character-1	26168	0	-
244	i309o	Was she, or had she been, pregnant for less than 6 months when she died?	discrete	character-1	26168	0	-
245	i310o	Please confirm: When she died, she was NEITHER	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
		pregnant NOR had recently been pr					
246	i312o	Did she die during labour or delivery?	discrete	character-1	26168	0	-
247	i313o	Did she die after delivering a baby?	discrete	character-1	26168	0	-
248	i314o	Did she die within 24 hours after delivery?	discrete	character-1	26168	0	-
249	i315o	Did she die within 6 weeks of childbirth?	discrete	character-1	26168	0	-
250	i316o	Did she give birth to a live baby (within 6 weeks of her death)?	discrete	character-1	26168	0	-
251	i317o	Did she die during or after a multiple pregnancy?	discrete	character-1	26168	0	-
252	i318o	Was she breastfeeding the child in the days before death?	discrete	character-1	26168	0	-
253	i319a	Did she die during or after her first pregnancy?	discrete	character-1	26168	0	-
254	i319b	Did she have four or more pregnancies before this one?	discrete	character-1	26168	0	-
255	i320o	Had she had any previous Caesarean section?	discrete	character-1	26168	0	-
256	i321o	During pregnancy, did she suffer from high blood pressure?	discrete	character-1	26168	0	-
257	i322o	Did she have foul smelling vaginal discharge during pregnancy or after delivery?	discrete	character-1	26168	0	-
258	i323o	During the last 3 months of pregnancy, did she suffer from convulsions?	discrete	character-1	26168	0	-
259	i324o	During the last 3 months of pregnancy did she suffer from blurred vision?	discrete	character-1	26168	0	-
260	i325o	Did she have excessive bleeding during pregnancy or shortly after delivery?	discrete	character-1	26168	0	-
261	i326o	Was there vaginal bleeding during the first 6 months of pregnancy?	discrete	character-1	26168	0	-
262	i327o	Was there vaginal bleeding during the last 3 months of pregnancy but before labo	discrete	character-1	26168	0	-
263	i328o	Did she have excessive bleeding during labour, before delivery?	discrete	character-1	26168	0	-
264	i329o	Did she have excessive bleeding after delivery or abortion?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
265	i330o	Was the placenta completely delivered?	discrete	character-1	26168	0	-
266	i331o	Did she deliver or try to deliver an abnormally positioned baby?	discrete	character-1	26168	0	-
267	i332a	Did her labour last longer than 24 hours?	discrete	character-1	26168	0	-
268	i333o	Did she attempt to terminate the pregnancy?	discrete	character-1	26168	0	-
269	i334o	Did she recently have a pregnancy that ended in an abortion (spontaneous or indu	discrete	character-1	26168	0	-
270	i335o	Did she die during an abortion?	discrete	character-1	26168	0	-
271	i336o	Did she die within 6 weeks of having an abortion?	discrete	character-1	26168	0	-
272	i337a	Did the mother deliver at a health facility or clinic?	discrete	character-1	26168	0	-
273	i337b	Did the mother deliver at home?	discrete	character-1	26168	0	-
274	i337c	Did the mother deliver elsewhere (not at a health facility nor at home)?	discrete	character-1	26168	0	-
275	i338o	Did she receive professional assistance during the delivery?	discrete	character-1	26168	0	-
276	i340o	Did she have an operation to remove her uterus shortly before death?	discrete	character-1	26168	0	-
277	i342o	Was the delivery normal vaginal, without forceps or vacuum?	discrete	character-1	26168	0	-
278	i343o	Was the delivery vaginal, with forceps or vacuum?	discrete	character-1	26168	0	-
279	i344o	Was the delivery a Caesarean section?	discrete	character-1	26168	0	-
280	i347o	Was her baby born more than one month early?	discrete	character-1	26168	0	-
281	i354o	Was the child part of a multiple birth?	discrete	character-1	26168	0	-
282	i355a	If the child was part of a multiple birth, was it born first?	discrete	character-1	26168	0	-
283	i356o	Is the child's mother still alive?	discrete	character-1	26168	0	-
284	i357o	Did the child's mother die during or shortly after the delivery?	discrete	character-1	26168	0	-
285	i358a	Did the child's mother die in the baby's first year of life?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
286	i360a	Was the baby born in a health facility or clinic?	discrete	character-1	26168	0	-
287	i360b	Was the baby born at home?	discrete	character-1	26168	0	-
288	i360c	Was the baby born somewhere else (e.g. on the way to a clinic)?	discrete	character-1	26168	0	-
289	i361o	Did the mother receive professional assistance during the delivery?	discrete	character-1	26168	0	-
290	i362o	At birth, was the baby of usual size?	discrete	character-1	26168	0	-
291	i363o	At birth, was the baby smaller than normal (weighing under 2.5 kg)?	discrete	character-1	26168	0	-
292	i364o	At birth, was the baby very much smaller than usual, (weighing under 1 kg)?	discrete	character-1	26168	0	-
293	i365o	At birth, was the baby larger than normal (weighing over 4.5 kg)?	discrete	character-1	26168	0	-
294	i367a	Was the baby born during the ninth month (at least 37 weeks) of pregnancy?	discrete	character-1	26168	0	-
295	i367b	Was the baby born during the eighth month (34 to 37 weeks) of pregnancy?	discrete	character-1	26168	0	-
296	i367c	Was the baby born before the eighth month (less than 34 weeks) of pregnancy?	discrete	character-1	26168	0	-
297	i368o	Were there any complications in the late part of the pregnancy (defined as the 1	discrete	character-1	26168	0	-
298	i369o	Were there any complications during labour or delivery?	discrete	character-1	26168	0	-
299	i370o	Was any part of the baby physically abnormal at time of delivery? (for example:	discrete	character-1	26168	0	-
300	i371o	Did the baby/child have a swelling or defect on the back?	discrete	character-1	26168	0	-
301	i372o	Did the baby/child have a very large head?	discrete	character-1	26168	0	-
302	i373o	Did the baby/child have a very small head?	discrete	character-1	26168	0	-
303	i376o	Was the baby moving in the last few days before the birth?	discrete	character-1	26168	0	-
304	i377o	Did the baby stop moving in the womb before labour started?	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
305	i382a	Did labour and delivery take more than 24 hours?	discrete	character-1	26168	0	-
306	i383o	Was the baby born 24 hours or more after the waters broke?	discrete	character-1	26168	0	-
307	i384o	Was the liquor foul smelling when the waters broke?	discrete	character-1	26168	0	-
308	i385a	Was the liquor a green or brown colour when the waters broke?	discrete	character-1	26168	0	-
309	i387o	Was the delivery normal vaginal, without forceps or vacuum?	discrete	character-1	26168	0	-
310	i388o	Was the delivery vaginal, with forceps or vacuum?	discrete	character-1	26168	0	-
311	i389o	Was the delivery a Caesarean section?	discrete	character-1	26168	0	-
312	i391o	Did the child's mother receive any vaccinations since reaching adulthood includi	discrete	character-1	26168	0	-
313	i393o	Did the mother receive tetanus toxoid (TT) vaccine?	discrete	character-1	26168	0	-
314	i394a	Was this baby born from the mother's first pregnancy?	discrete	character-1	26168	0	-
315	i394b	Did the baby's mother have four or more births before this one?	discrete	character-1	26168	0	-
316	i395o	During labour, did the baby's mother suffer from fever?	discrete	character-1	26168	0	-
317	i396o	During the last 3 months of pregnancy, labour or delivery, did the baby's mother	discrete	character-1	26168	0	-
318	i397o	Did the baby's mother have diabetes mellitus?	discrete	character-1	26168	0	-
319	i398o	Did the baby's mother have foul smelling vaginal discharge during pregnancy or a	discrete	character-1	26168	0	-
320	i399o	During the last 3 months of pregnancy, labour or delivery, did the baby's mother	discrete	character-1	26168	0	-
321	i400o	During the last 3 months of pregnancy did the baby's mother suffer from blurred	discrete	character-1	26168	0	-
322	i401o	Did the baby's mother have severe anaemia?	discrete	character-1	26168	0	-
323	i402o	Did the baby's mother have vaginal bleeding during the last 3 months of pregnanc	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

#	Name	Label	Type	Format	Valid	Invalid	Question
324	i403o	Did the baby's bottom, feet, arm or hand come out of the vagina before its head?	discrete	character-1	26168	0	-
325	i404o	Was the umbilical cord wrapped more than once around the baby's neck at birth?	discrete	character-1	26168	0	-
326	i405o	Was the umbilical cord delivered first?	discrete	character-1	26168	0	-
327	i406o	Was the baby blue in colour at birth?	discrete	character-1	26168	0	-
328	i408o	Before the illness that led to death, was the baby/child growing normally?	discrete	character-1	26168	0	-
329	i411o	Did (s)he drink alcohol?	discrete	character-1	26168	0	-
330	i412o	Did (s)he use tobacco?	discrete	character-1	26168	0	-
331	i413o	Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)?	discrete	character-1	26168	0	-
332	i414a	Did (s)he use non-smoking tobacco?	discrete	character-1	26168	0	-
333	i415a	Did (s)he smoke at least 10 cigarettes daily?	discrete	character-1	26168	0	-
334	i418o	Did (s)he receive any treatment for the illness that led to death?	discrete	character-1	26168	0	-
335	i419o	Did (s)he receive oral rehydration salts?	discrete	character-1	26168	0	-
336	i420o	Did (s)he receive (or need) intravenous fluids (drip) treatment?	discrete	character-1	26168	0	-
337	i421o	Did (s)he receive (or need) a blood transfusion?	discrete	character-1	26168	0	-
338	i422o	Did (s)he receive (or need) treatment/food through a tube passed through the nos	discrete	character-1	26168	0	-
339	i423o	Did (s)he receive (or need) injectable antibiotics?	discrete	character-1	26168	0	-
340	i424o	Did (s)he receive (or need) antiretroviral therapy (ART)?	discrete	character-1	26168	0	-
341	i425o	Did (s)he have (or need) an operation for the illness?	discrete	character-1	26168	0	-
342	i426o	Did (s)he have the operation within 1 month before death?	discrete	character-1	26168	0	-
343	i427o	Was (s)he discharged from hospital very ill?	discrete	character-1	26168	0	-
344	i428o	Did (s)he receive appropriate immunizations?	discrete	character-1	26168	0	-
345	i450o	In the final days before death, did s/he travel to a hospital or health facility	discrete	character-1	26168	0	-

File AHRI.HDSS.VA-detailed-input-data-2000-2024.v2							
#	Name	Label	Type	Format	Valid	Invalid	Question
346	i451o	Did (s)he use motorised transport to get to the hospital or health facility?	discrete	character-1	26168	0	-
347	i452o	Were there any problems during admission to the hospital or health facility?	discrete	character-1	26168	0	-
348	i453o	Were there any problems with the way (s)he was treated (medical treatment, proce	discrete	character-1	26168	0	-
349	i454o	Were there any problems getting medications, or diagnostic tests in the hospital	discrete	character-1	26168	0	-
350	i455o	Does it take more than 2 hours to get to the nearest hospital or health facility	discrete	character-1	26168	0	-
351	i456o	In the final days before death, were there any doubts about whether medical care	discrete	character-1	26168	0	-
352	i457o	In the final days before death, was traditional medicine used?	discrete	character-1	26168	0	-
353	i458o	In the final days before death, did anyone use a telephone or cell phone to call	discrete	character-1	26168	0	-
354	i459o	Over the course of illness, did the total costs of care and treatment prohibit o	discrete	character-1	26168	0	-
355	covid_diag	Was there any diagnosis by a health professional of COVID-19?	discrete	character-3	26168	0	-
356	covid_test	Did s(h)e have a recent test by a health professional for COVID-19?	discrete	character-3	26168	0	-
357	covid_te..	What was the result of the Covid-19 test?	discrete	numeric-12.0	23509	2659	-
358	taste_loss	Did (s)he experience a new loss, change or decreased sense of smell or taste?	discrete	character-3	26168	0	-
359	extreme_..	Did s(h)e suffer from extreme fatigue?	discrete	character-3	26168	0	-

Variables Description

Dataset contains 392 variable(s)

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2

IntID: Unique Internal Id of Individual

Information [Type= continuous] [Format=numeric] [Range= 11-275724] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-] [Mean=80737.491 /-] [StdDev=61873.55 /-]

DoB_ym: Date of birth (Year-Month)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-]

DoD_ym: Date of Death (Year-Month)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-]

Sex: What was the sex of the deceased?

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unknown	1	0.0%
1	Male	13898	50.1%
2	Female	13827	49.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Age_in_years: Age in completed years Numeric

Information [Type= continuous] [Format=numeric] [Range= 0-122] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-] [Mean=44.952 /-] [StdDev=24.503 /-]

Age_in_days: Age in days for deceased that died before the age of 1

Information [Type= continuous] [Format=numeric] [Range= 0-364] [Missing=*]

Statistics [NW/ W] [Valid=1313 /-] [Invalid=26413 /-] [Mean=141.107 /-] [StdDev=104.024 /-]

MissingVA: Was the verbal autopsy not completed?

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=27726 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	1558	5.6%
2	No	26168	94.4%
997	Not Applicable	0	
999	Missing	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NonContact: Was it a non-contact?

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=8617 /-] [Invalid=19109 /-]

Value	Label	Cases	Percentage
1	Yes	273	3.2%
2	No	8344	96.8%
997	Not Applicable	0	
999	Missing	0	

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2

NonContact: Was it a non-contact?

Value	Label	Cases	Percentage
Sysmiss		19109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VAREfused: Was participation refused ?

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=8618 /-] [Invalid=19108 /-]

Value	Label	Cases	Percentage
1	Yes	335	3.9%
2	No	8283	96.1%
997	Not Applicable	0	
999	Missing	0	
Sysmiss		19108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Questionnaire: Verbal autopsy questionnaire used for data collection (dates are indicative)

Information	[Type= discrete] [Format=numeric] [Range= 1-997] [Missing=*]
Statistics [NW/ W]	[Valid=27726 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	AHRI Form (2000-2016)	1204	4.3%
2	WHO 2016 standard (2017-2021)	5041	18.2%
3	WHO 2022 standard (2022-2024)	2668	9.6%
4	AHRI Form & Checklist1(CL1)(2000-2009)	12121	43.7%
5	AHRI Form & Checklist2(CL2)(2010-2016)	4308	15.5%
6	AHRI Form, CL1 & CL2 (2010)	826	3.0%
997	Not Applicable	1558	5.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VAVisitDate: VA Visit Date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=27431 /-]

VAIInterviewType: Interview modality (face-to-face in the field or telephonic)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=27431 /-] [Invalid=295 /-]

Value	Label	Cases	Percentage
1	Field Interview	23050	84.0%
2	Telephonic Interview	4381	16.0%
Sysmiss		295	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RespRelationship: Respondent's relationship to deceased (important classification change in 2017)

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=26249 /-] [Invalid=1477 /-]

Value	Label	Cases	Percentage
1	Another Relationship	778	3.0%

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2

RespRelationship: Respondent's relationship to deceased (important classification change in 2017)

Value	Label	Cases	Percentage
2	Child	2360	9.0%
3	Child	2250	8.6%
4	Daughter-in-law	751	2.9%
5	Father-in-law	6	0.0%
6	Family Member(Household Member)	2857	10.9%
7	Friend	2	0.0%
8	Grandchild	758	2.9%
9	Grandparent	1327	5.1%
10	Mother-in-law	172	0.7%
11	Other	346	1.3%
12	Other non-relative	521	2.0%
13	Other relative	3198	12.2%
14	Parent	6060	23.1%
15	Public Official	1	0.0%
16	Sibling	2568	9.8%
17	Son-in-law	19	0.1%
18	Spouse	2275	8.7%
Sysmiss		1477	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LivedWithDeceased: Did the respondent live with the deceased in the period leading to death?

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=24971 /-] [Invalid=2755 /-]		
Value	Label	Cases	Percentage
1	Yes	22727	91.0%
2	No	2244	9.0%
997	Not Applicable	0	
999	Missing	0	
Sysmiss		2755	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathSetting: Where did the deceased die?

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=25082 /-] [Invalid=2644 /-]		
Value	Label	Cases	Percentage
1	Home	11190	44.6%
2	Hospital	10840	43.2%
3	Other Health facility	844	3.4%
4	Other	2009	8.0%
5	On route to hospital or facility (only from 2017 on)	199	0.8%
Sysmiss		2644	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cause1_InterVA: Cause 1 - InterVA5 causes of death

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2			
# cause1_InterVA: Cause 1 - InterVA5 causes of death			
Statistics [NW/ W]		[Valid=27726 /-] [Invalid=0 /-]	
# lik1_InterVA: Likelihood cause 1 - InterVA5 causes of death			
Information		[Type= continuous] [Format=numeric] [Range= 0.4-1] [Missing=*/11]	
Statistics [NW/ W]		[Valid=26168 /-] [Invalid=1558 /-] [Mean=0.907 /-] [StdDev=0.156 /-]	
Value	Label	Cases	Percentage
11	..		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cause2_InterVA: Cause 2 - InterVA5 causes of death			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2189 /-] [Invalid=0 /-]	
# lik2_InterVA: Likelihood cause 2 - InterVA5 causes of death			
Information		[Type= continuous] [Format=numeric] [Range= 0.2-0.5] [Missing=*/11]	
Statistics [NW/ W]		[Valid=2189 /-] [Invalid=25537 /-] [Mean=0.374 /-] [StdDev=0.0682 /-]	
Value	Label	Cases	Percentage
11	..		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cause3_InterVA: Cause 3 - InterVA5 causes of death			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=0 /-]	
# lik3_InterVA: Likelihood cause 3 - InterVA5 causes of death			
Information		[Type= continuous] [Format=numeric] [Range= 0.2-0.28] [Missing=*/11]	
Statistics [NW/ W]		[Valid=71 /-] [Invalid=27655 /-] [Mean=0.236 /-] [StdDev=0.0192 /-]	
Value	Label	Cases	Percentage
11	..		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cause1_InSilicoVA: Cause 1 - InSilicoVA causes of death			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=27726 /-] [Invalid=0 /-]	
# prob1_InSilicoVA: Probability cause 1 - InSilicoVA causes of death			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=26168 /-] [Invalid=0 /-]	
# prob1_upper: Probability cause 1 95% CI upper bound - InSilicoVA			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=25383 /-] [Invalid=0 /-]	
# prob1_lower: Probability cause 1 95% CI lower bound InSilicoVA			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=25383 /-] [Invalid=0 /-]	

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v2

cause2_InSilicoVA: Cause 2 - InSilicoVA causes of death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4042 /-] [Invalid=0 /-]

prob2_InSilicoVA: Probability cause 2 - InSilicoVA causes of death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4042 /-] [Invalid=0 /-]

prob2_upper: Probability cause 2 95% CI upper bound - InSilicoVA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4042 /-] [Invalid=0 /-]

prob2_lower: Probability cause 2 95% CI lower bound InSilicoVA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4042 /-] [Invalid=0 /-]

cause3_InSilicoVA: Cause 3 - InSilicoVA causes of death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=0 /-]

prob3_InSilicoVA: Probability cause 3 - InSilicoVA causes of death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=0 /-]

prob3_upper: Probability cause 3 95% CI upper bound - InSilicoVA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=0 /-]

prob3_lower: Probability cause 3 95% CI lower bound InSilicoVA

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=0 /-]

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

IIntID

Information	[Type= continuous] [Format=numeric] [Range= 11-275724] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-] [Mean=80219.112 /-] [StdDev=61584.186 /-]

i004a: Did s(he) die during the wet season?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i004b: Did s(he) die during the dry season?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i019a: Was he male?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i019b: Was she female?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022a: Was s(he) aged 65 years or more at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022b: Was s(he) aged 50 to 64 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022c: Was s(he) aged 15 to 49 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022d: Was s(he) aged 5-14 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022e: Was s(he) aged 1 to 4 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022f: Was s(he) aged 1 to 11 months at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022g: Was s(he) aged < 1 month (28 days) at death?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i022h: Was s(he) a live baby who died within 24 hours of birth?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

i022h: Was s(he) a live baby who died within 24 hours of birth?

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022i: Was s(he) a baby who died between 24 and 48 hours of birth?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022j: Was s(he) a baby who died more than 48 hours from birth, but within the first we

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022k: Was s(he) a baby who died after the first week, but within the first month?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022l: Was she a woman aged 12-19 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022m: Was she a woman aged 20-34 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i022n: Was she a woman aged 35 to 49 years at death?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i059o: Was she married at the time of death?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i077o: Did (s)he suffer from any injury or accident that led to her/his death?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i079o: Was (s)he injured in a road traffic accident?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i082o: Was (s)he injured in a non-road transport accident?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i083o: Was (s)he injured in a fall?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i084o: Was (s)he poisoned in any way?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

i085o: Did (s)he die of drowning?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i086o: Was (s)he injured by the bite or sting of a venomous animal?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i087o: Was (s)he injured by an animal or insect (non-venomous)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i089o: Was (s)he injured by burns or fire?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i090o: Was (s)he subject to violence (suicide, homicide, abuse)?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i091o: Was (s)he injured by a fire arm?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i092o: Was (s)he stabbed, cut or pierced?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i093o: Was (s)he strangled?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i094o: Was (s)he injured by a blunt force?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i095o: Was (s)he injured by a force of nature?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i096o: Was (s)he electrocuted?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i098o: Was the injury accidental?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

i099o: Was the injury or accident self-inflicted?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v2

i099o: Was the injury or accident self-inflicted?

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i100o: Was the injury or accident intentionally inflicted by someone else?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i104o: Did the baby ever cry?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i105o: Did the baby cry immediately after birth, even if only a little bit?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i106a: Was it more than 5 minutes after birth before the baby first cried?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i107o: Did the baby stop being able to cry?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i108a: Did the baby stop crying more than a day before (s)he died?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i109o: Did the baby ever move?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i110o: Did the baby ever breathe?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i111o: Did the baby breathe immediately after birth, even a little?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i112o: Did the baby have a breathing problem?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i113o: Was the baby given assistance to breathe at birth?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

i114o: If the baby didn't show any sign of life, was it born dead?

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
--------------------	---------------------------------

# i115o: Were there any bruises or signs of injury on child's body after the birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i116o: Was the baby's body soft, pulpy and discoloured with the skin peeling away?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i120a: Did the final illness last less than 3 weeks?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i120b: Did the final illness last at least 3 weeks?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i123o: Did (s)he die suddenly?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i125o: Was there any diagnosis by a health professional of tuberculosis?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i127o: Was there any diagnosis by a health professional of HIV/AIDS?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i128o: Did (s)he have a recent positive test by a health professional for malaria?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i129o: Did (s)he have a recent negative test by a health professional for malaria?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i130o: Was there any diagnosis by a health professional of dengue fever?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i131o: Was there any diagnosis by a health professional of measles?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i132o: Was there any diagnosis by a health professional of high blood pressure?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i133o: Was there any diagnosis by a health professional of heart disease?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i134o: Was there any diagnosis by a health professional of diabetes?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i135o: Was there any diagnosis by a health professional of asthma?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i136o: Was there any diagnosis by a health professional of epilepsy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i137o: Was there any diagnosis by a health professional of cancer?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i138o: Was there any diagnosis by a health professional of Chronic Obstructive Pulmonar	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i139o: Was there any diagnosis by a physician or health worker of dementia?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i140o: Was there any diagnosis by a health professional of depression?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i141o: Was there any diagnosis by a health professional of stroke?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i142o: Was there any diagnosis by a health professional of sickle cell disease?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i143o: Was there any diagnosis by a health professional of kidney disease?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i144o: Was there any diagnosis by a health professional of liver disease?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i147o: During the illness that led to death, did (s)he have a fever?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i148a: Did the fever last less than a week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i148b: Did the fever last at least one week, but less than 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i148c: Did the fever last at least 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i149o: Did the fever continue until death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i150a: Was the fever severe?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i151a: Was the fever continuous?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i152o: Did (s)he have night sweats?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i153o: During the illness that led to death, did (s)he have a cough?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i154a: Did the cough last less than 3 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i154b: Did the cough last at least 3 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i155o: Was the cough productive, with sputum?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i156o: Was the cough very severe?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i157o: Did (s)he cough up blood?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i158o: Did (s)he make a whooping sound when coughing?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i159o: During the illness that led to death, did (s)he have any difficulty breathing?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i161a: Did the difficult breathing last for at least 3 days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i165a: Was the difficult breathing continuous during this period?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i166o: Did (s)he have fast breathing?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i167a: Did the fast breathing last for less than two weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i167b: Did the fast breathing last for at least 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i168o: Did (s)he have breathlessness?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i169a: Did the breathlessness last for less than 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i169b: Did the breathlessness last for at least 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i170o: Was (s)he unable to carry out daily routines due to breathlessness?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i171o: Was (s)he breathless while lying flat?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i172o: Did you see the lower chest wall/ribs being pulled in as the child breathed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i173a: Did his/her breathing sound like wheezing or grunting?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i174o: During the illness that led to death, did (s)he have chest pain?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i175o: Was the chest pain severe?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i176a: Did (s)he experience chest pain at least 3 days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i178a: Did the chest pain last for at least 30 minutes?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i181o: Did (s)he have diarrhoea?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i182a: Did (s)he have diarrhoea for less than 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i182b: Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i182c: Did (s)he have diarrhoea for at least 4 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i183a: Did the baby or child have at least 4 stools on the day that loose liquid stools	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i184a: Did the frequent loose or liquid stools start at least 3 days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i185o: Did the frequent loose or liquid stools continue up until death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i186o: At any time during the final illness was there blood in the stools?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i187o: Was there blood in the stool up until death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i188o: During the illness that led to death, did (s)he vomit?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i189o: Did (s)he vomit in the week preceding the death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i190o: Did (s)he vomit for at least 3 days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i191o: Was there blood in the vomit?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i192o: Was the vomit black?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i193o: During the illness that led to death, did (s)he have any abdominal (belly) probl	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i194o: Did (s)he have abdominal pain?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i195o: Was the abdominal pain severe?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i197a: Did (s)he have severe abdominal pain for less than 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i197b: Did (s)he have severe abdominal pain for at least 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i199a: Was the pain in the upper abdomen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i199b: Was the pain in the lower abdomen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i200o: Did (s)he have a more than usually protruding abdomen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i201a: Did (s)he have a more than usually protruding abdomen for less than 2 weeks befo	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i201b: Did (s)he have a more than usually protruding abdomen for at least 2 weeks befor	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i203a: Did (s)he develop the protruding abdomen rapidly?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i204o: Did (s)he have any mass in the abdomen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i205a: Did (s)he have a mass in the abdomen for less than 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i205b: Did (s)he have a mass in the abdomen for at least 2 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i207o: During the illness that led to death, did (s)he have a severe headache?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i208o: During the illness that led to death, did (s)he have a stiff neck?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i209a: Did (s)he have a stiff neck for less than one week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i209b: Did (s)he have a stiff neck for at least one week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i210o: During the illness that led to death, did (s)he have a painful neck?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i211a: Did (s)he have a painful neck for at least one week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i212o: During the illness that led to death, did (s)he have mental confusion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i213o: Did (s)he have mental confusion for at least 3 months before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i214o: During the illness that led to death, was (s)he unconscious?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i215o: Was (s)he unconscious for at least 24 hours before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i216a: Was (s)he unconscious for at least 6 hours before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i217o: Did the unconsciousness start suddenly, quickly (at least within a single day)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i218o: Did the unconsciousness continue until death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i219o: During the illness that led to death, did (s)he have any convulsions?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i220o: Did (s)he experience any generalized convulsions or fits?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i221a: Did the convulsions last for less than 10 minutes?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i221b: Did the convulsions last for at least 10 minutes?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i222o: Did (s)he become unconscious immediately after the convulsion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i223o: During the illness that led to death, did (s)he have any urine problems?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i224o: Did (s)he stop urinating?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i225o: Did (s)he go to urinate more often than usual?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i226o: Did (s)he pass blood in the urine?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i227o: During the illness that led to death, did (s)he have any sores or ulcers anywhere	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i228o: Did (s)he have sores?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i229o: Did the sores have clear fluid and/or pus?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i230o: Did (s)he have an ulcer (pit) on the foot?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i231o: Did any ulcer ooze pus?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i232a: Did the ulcer ooze pus for at least 2 weeks?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i233o: During the illness that led to death, did (s)he have any skin rash?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i234a: Did (s)he have the skin rash for less than one week?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i234b: Did (s)he have the skin rash for at least one week?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i235a: Did (s)he have a rash on the face?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i235b: Did (s)he have a rash on the trunk or abdomen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i235c: Did (s)he have a rash on the extremities?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i235d: Did (s)he have a rash everywhere?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i236o: Did (s)he have measles rash?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i237o: Did (s)he ever have shingles or herpes zoster?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i238o: During the illness that led to death, did her/his skin flake off in patches?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i239o: During the illness that led to death, did he/she have areas of the skin that tur	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i240o: During the illness that led to death, did he/she have areas of the skin with red	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i241o: During the illness that led to death, did (s)he bleed from anywhere?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i242o: Did (s)he bleed from the nose, mouth or anus?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i243o: During the illness that led to death, did (s)he have noticeable weight loss?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i244o: Was (s)he severely thin or wasted?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i245o: During the illness that led to death, did s/he have a whitish rash inside the mo	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i246o: During the illness that led to death, did (s)he have stiffness of the whole body	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i247o: During the illness that led to death, did (s)he have puffiness of the face?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i248a: Did (s)he have puffiness of the face for at least one week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i249o: During the illness that led to death, did (s)he have swollen legs or feet?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i250a: Did the swelling last for at least 3 days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i251o: Did (s)he have both feet swollen?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i252o: During the illness that led to death, did (s)he have general puffiness all over	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i253o: During the illness that led to death, did (s)he have any lumps?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i254o: Did (s)he have any lumps or lesions in the mouth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i255o: Did (s)he have any lumps in the neck?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i256o: Did (s)he have any lumps in the armpit?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i257o: Did (s)he have any lumps in the groin?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i258o: During the illness that led to death, was (s)he in any way paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i259o: Did (s)he have paralysis of only one side of the body?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260a: Was only the right side of the body paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260b: Was only the left side of the body paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260c: Was only the lower part of the body paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260d: Was only the upper part of the body paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260e: Was only one leg paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260f: Was only one arm paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i260g: Was the entire body paralysed?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i261o: During the illness that led to death, did (s)he have difficulty swallowing?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i262a: Did (s)he have difficulty swallowing for at least one week before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i263a: Did (s)he have difficulty with swallowing solids?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i263b: Did (s)he have difficulty with swallowing liquids?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i264o: Did (s)he have pain upon swallowing?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i265o: During the illness that led to death, did (s)he have yellow discolouration of th	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i266a: Did (s)he have the yellow discolouration for at least 3 weeks before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i267o: During the illness that led to death, did her/his hair change to a reddish or ye	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i268o: During the illness that led to death, did (s)he look pale (thinning/lack of bloo	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i269o: During the illness that led to death, did (s)he have sunken eyes?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i270o: During the illness that led to death, did (s)he drink a lot more water than usua	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i271o: Was the baby able to suckle or bottle-feed within the first 24 hours after birth	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i272o: Did the baby ever suckle in a normal way?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i273o: Did the baby stop suckling?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i274a: Did the baby stop suckling on the 2nd day of life or later?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i275o: Did the baby have convulsions starting within the first 24 hours of life?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i276o: Did the baby have convulsions starting more than 24 hours after birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i277o: Did the baby's body become stiff, with the back arched backwards?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i278o: During the illness that led to death, did the baby have a bulging or raised font	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i279o: During the illness that led to death, did the baby have a sunken fontanelle?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i281o: During the illness that led to death, did the baby become unresponsive or uncons	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i282o: Did the baby become unresponsive or unconscious soon after birth, within less th	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i283o: Did the baby become unresponsive or unconscious more than 24 hours after birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i284o: During the illness that led to death, did the baby become cold to touch?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i285a: Was the baby more than 3 days old when it started feeling cold to touch?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i286o: During the illness that led to death, did the baby become lethargic, after a per	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i287o: Did the baby have redness or discharge from the umbilical cord stump?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i288o: During the illness that led to death, did the baby have skin ulcer(s) or pits?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i289o: During the illness that led to death, did the baby have yellow skin, palms (hand	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i290o: Did the baby or infant appear to be healthy and then just die suddenly?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i294o: During the illness that led to death, did she have any swelling or lump in the b	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i295o: During the illness that led to death, did she have any ulcers (pits) in the brea	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i296o: Did she ever have a period or menstruate?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i297o: During the illness that led to death, did she have excessive vaginal bleeding in	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i298o: Was the bleeding excessive?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i299o: Did her menstrual period stop naturally because of menopause?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i300o: Did she have vaginal bleeding after cessation of menstruation?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i301o: Was there excessive vaginal bleeding in the week prior to death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i302o: At the time of death was her period overdue?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i303a: Had her period been overdue for at least 4 weeks?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i304o: Did she have a sharp pain in her abdomen shortly before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i305o: Was she pregnant (incl. in labour) at the time of death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i306o: Did she die within 6 weeks of delivery, abortion or miscarriage?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i309o: Was she, or had she been, pregnant for less than 6 months when she died?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i310o: Please confirm: When she died, she was NEITHER pregnant NOR had recently been pr	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i312o: Did she die during labour or delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i313o: Did she die after delivering a baby?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i314o: Did she die within 24 hours after delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i315o: Did she die within 6 weeks of childbirth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i316o: Did she give birth to a live baby (within 6 weeks of her death)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i317o: Did she die during or after a multiple pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i318o: Was she breastfeeding the child in the days before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i319a: Did she die during or after her first pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i319b: Did she have four or more pregnancies before this one?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i320o: Had she had any previous Caesarean section?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i321o: During pregnancy, did she suffer from high blood pressure?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i322o: Did she have foul smelling vaginal discharge during pregnancy or after delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i323o: During the last 3 months of pregnancy, did she suffer from convulsions?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i324o: During the last 3 months of pregnancy did she suffer from blurred vision?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i325o: Did she have excessive bleeding during pregnancy or shortly after delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i326o: Was there vaginal bleeding during the first 6 months of pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i327o: Was there vaginal bleeding during the last 3 months of pregnancy but before labo	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i328o: Did she have excessive bleeding during labour, before delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i329o: Did she have excessive bleeding after delivery or abortion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i330o: Was the placenta completely delivered?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i331o: Did she deliver or try to deliver an abnormally positioned baby?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i332a: Did her labour last longer than 24 hours?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i333o: Did she attempt to terminate the pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i334o: Did she recently have a pregnancy that ended in an abortion (spontaneous or indu	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i335o: Did she die during an abortion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i336o: Did she die within 6 weeks of having an abortion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i337a: Did the mother deliver at a health facility or clinic?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i337b: Did the mother deliver at home?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i337c: Did the mother deliver elsewhere (not at a health facility nor at home)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i338o: Did she receive professional assistance during the delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i340o: Did she have an operation to remove her uterus shortly before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i342o: Was the delivery normal vaginal, without forceps or vacuum?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i343o: Was the delivery vaginal, with forceps or vacuum?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i344o: Was the delivery a Caesarean section?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i347o: Was her baby born more than one month early?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i354o: Was the child part of a multiple birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i355a: If the child was part of a multiple birth, was it born first?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i356o: Is the child's mother still alive?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i357o: Did the child's mother die during or shortly after the delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i358a: Did the child's mother die in the baby's first year of life?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i360a: Was the baby born in a health facility or clinic?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i360b: Was the baby born at home?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i360c: Was the baby born somewhere else (e.g. on the way to a clinic)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i361o: Did the mother receive professional assistance during the delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i362o: At birth, was the baby of usual size?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i363o: At birth, was the baby smaller than normal (weighing under 2.5 kg)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i364o: At birth, was the baby very much smaller than usual, (weighing under 1 kg)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i365o: At birth, was the baby larger than normal (weighing over 4.5 kg)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i367a: Was the baby born during the ninth month (at least 37 weeks) of pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i367b: Was the baby born during the eighth month (34 to 37 weeks) of pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i367c: Was the baby born before the eighth month (less than 34 weeks) of pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i368o: Were there any complications in the late part of the pregnancy (defined as the 1	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i369o: Were there any complications during labour or delivery?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i370o: Was any part of the baby physically abnormal at time of delivery? (for example:	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i371o: Did the baby/child have a swelling or defect on the back?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i372o: Did the baby/child have a very large head?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i373o: Did the baby/child have a very small head?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i376o: Was the baby moving in the last few days before the birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i377o: Did the baby stop moving in the womb before labour started?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i382a: Did labour and delivery take more than 24 hours?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i383o: Was the baby born 24 hours or more after the waters broke?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i384o: Was the liquor foul smelling when the waters broke?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i385a: Was the liquor a green or brown colour when the waters broke?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i387o: Was the delivery normal vaginal, without forceps or vacuum?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i388o: Was the delivery vaginal, with forceps or vacuum?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i389o: Was the delivery a Caesarean section?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i391o: Did the child's mother receive any vaccinations since reaching adulthood includi	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i393o: Did the mother receive tetanus toxoid (TT) vaccine?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i394a: Was this baby born from the mother's first pregnancy?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i394b: Did the baby's mother have four or more births before this one?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i395o: During labour, did the baby's mother suffer from fever?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i396o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i397o: Did the baby's mother have diabetes mellitus?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i398o: Did the baby's mother have foul smelling vaginal discharge during pregnancy or a	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i399o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i400o: During the last 3 months of pregnancy did the baby's mother suffer from blurred	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i401o: Did the baby's mother have severe anaemia?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i402o: Did the baby's mother have vaginal bleeding during the last 3 months of pregnanc	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i403o: Did the baby's bottom, feet, arm or hand come out of the vagina before its head?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i404o: Was the umbilical cord wrapped more than once around the baby's neck at birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i405o: Was the umbilical cord delivered first?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i406o: Was the baby blue in colour at birth?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i408o: Before the illness that led to death, was the baby/child growing normally?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i411o: Did (s)he drink alcohol?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i412o: Did (s)he use tobacco?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i413o: Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i414a: Did (s)he use non-smoking tobacco?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i415a: Did (s)he smoke at least 10 cigarettes daily?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i418o: Did (s)he receive any treatment for the illness that led to death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i419o: Did (s)he receive oral rehydration salts?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i420o: Did (s)he receive (or need) intravenous fluids (drip) treatment?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i421o: Did (s)he receive (or need) a blood transfusion?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i422o: Did (s)he receive (or need) treatment/food through a tube passed through the nos	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i423o: Did (s)he receive (or need) injectable antibiotics?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i424o: Did (s)he receive (or need) antiretroviral therapy (ART)?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i425o: Did (s)he have (or need) an operation for the illness?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i426o: Did (s)he have the operation within 1 month before death?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i427o: Was (s)he discharged from hospital very ill?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i428o: Did (s)he receive appropriate immunizations?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i450o: In the final days before death, did s/he travel to a hospital or health facility	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i451o: Did (s)he use motorised transport to get to the hospital or health facility?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i452o: Were there any problems during admission to the hospital or health facility?	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i453o: Were there any problems with the way (s)he was treated (medical treatment, proce	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i454o: Were there any problems getting medications, or diagnostic tests in the hospital	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]
# i455o: Does it take more than 2 hours to get to the nearest hospital or health facility	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]

# i456o: In the final days before death, were there any doubts about whether medical care			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# i457o: In the final days before death, was traditional medicine used?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# i458o: In the final days before death, did anyone use a telephone or cell phone to call			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# i459o: Over the course of illness, did the total costs of care and treatment prohibit o			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# covid_diag: Was there any diagnosis by a health professional of COVID-19?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# covid_test: Did s(h)e have a recent test by a health professional for COVID-19?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# covid_test_r: What was the result of the Covid-19 test?			
Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]		
Statistics [NW/ W]	[Valid=23509 /-] [Invalid=2659 /-]		
Value	Label	Cases	Percentage
1	Positive	7	0.0%
2	Negative	2	0.0%
3	Unclear	0	
993	Refused	0	
997	Not Applicable	23500	100.0%
998	Don't know	0	
Sysmiss		2659	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# taste_loss: Did (s)he experience a new loss, change or decreased sense of smell or taste?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		
# extreme_fatigue: Did s(h)e suffer from extreme fatigue?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=26168 /-] [Invalid=0 /-]		