CSC 209H1 F 2019 Midterm Test
Duration — 50 minutes
Aids allowed: none

UTORID: _foo joel_ _9993828_

Last Name: __Fo_____   First Name: ___Joel_____

Instructor: Moghaddassian
Section: L0201

---

*Do **not** turn this page until you have received the signal to start.*
(Please fill out the identification section above, **write your name on the back of the test**, and read the instructions below.)
Good Luck!

This midterm consists of 5 questions on 8 pages (including this one). *When*
you receive the signal to start, please make sure that your copy is complete.
Comments are not required.
No error checking is required.
You do not need to provide the include statements for your programs.
If you use any space for rough work, indicate clearly what you want marked.

1: _2_ / 4
2: _4.5_ / 5
3: _2.5_ / 6
4: _2.5_ / 3
5: _4.5_ / 7
TOTAL: _16_ /25

Question 1. [4 MARKS] 2/4

These questions use the following struct:

```
struct rec {
    char *leader;
    int seats;
    struct rec *next;
};
```

Part (a) [1 MARK] Check the box that best explains the output of this program.

```
void set_record(struct rec *r, char *name, int seats) {
    r = malloc(sizeof(struct rec));
    r->leader = name;
    r->seats = seats;
}

int main() {
    struct rec party;
    set_record(&party, "Justin Trudeau", 155);
    printf("%s %d\n", party.leader, party.seats);
}
```

☑ Prints Justin Trudeau 155

☑ Prints empty string and 155 because the leader field is not initialized

☐ Justin Trudeau and garbage because seats is not initialized

☐ Unknown because party is not initialized

-1

Part (b) [2 MARKS] Fill in the types so that the following statements are correct: (Assume appropriate memory has been allocated for all variables.)

```
    struct rec party;

    _____int*_____x = &party.seats;

    _____char*_____y = &party.leader[0];

    _____char_____z = party.leader[2];

    ___struct rec_____a = *party.next;
```

Part (c) [1 MARK] Check the box that best describes the error in this function.

```
void freelist(struct rec *head) {
    while(head != NULL) {
        free(head);
        head = head->next;
    }
}
```

☑ segmentation fault

☐ memory leak

☐ dangling pointer

☐ None of the above. There is nothing wrong with this code.

(4.5)

Question 2. [5 MARKS]

Part (a) [4 MARKS]

Suppose we have a directory that contains the following files:

```
Makefile    customer.o  item.o      library.h
customer.c  item.c      library.c   library.o
```

The Makefile contains the following:

```
library : library.o item.o customer.o
        gcc -Wall -g -std=gnu99 -o library library.o item.o customer.o

%.o : %.c library.h
        gcc -Wall -g -std=gnu99 -c $<     ← called multiple times
```

How many times is gcc called if we type `make library`? For each of the options below, circle "possible" or "not possible". For the case or cases where it is possible, explain under what circumstances it will occur.

0 times	(possible) ~~(not possible)~~	When *.o files, the dependencies for ~~test~~target library, ~~don't need to~~ don't need to be recompiled, and ~~executable~~ library exists. *executable*
1 time	(possible) not possible	When executable library does not exist, but all dependencies of ~~test~~target library are up-to-date. ✓
2 times	(possible) not possible	When only ~~only~~ one dependency requires *of target library* recompilation ✓
4 times	(possible) not possible	When all dependencies of target library require recompilation. ✓
5 times	possible (not possible)	

Part (b) [1 MARK]

Check the statements are true about the following rule.

```
all : simpletest mytest
```

☐ The rule will only be executed if `simpletest` and `mytest` are newer than `all`
☑ The rule has no actions
☐ The rule has no prerequisites
☑ The rule will always evaluate the `simpletest` and `mytest` rules

Question 3. [6 MARKS] 2.5

For assignment 1 we could have dynamically allocated the two-dimensional matrix as illustrated in the following code.

Fill in the memory diagram to show the current state of the program exactly before the return statement on line 16 is executed. If there are uninitialized blocks of memory at that point in the program, write their values as ???.

```
1  int **create_matrix(int rows, int cols) {
2
3      int **matrix = malloc(rows * sizeof(int *));
4
5      for(int i = 0; i < rows; i++) {
6          matrix[i] = malloc(cols * sizeof(int));
7
8          for(int j = 0; j < cols; j++) {
9              if(i == j) {
10                 matrix[i][j] = 1;
11             } else {
12                 matrix[i][j] = 0;
13             }
14         }
15     }
16     return matrix;
17 }
18
19 int main() {
20     int d = 2;
21     int **m = create_matrix(d, d);
22     printf("%d %d\n", m[0][0], m[0][1]);
23     return 0;
24 }
```

Handwritten annotations on code: line 2: `2 . 8`; line 10: `1 O`; line 12: `O 1`; line 16: `before here`; line 21: `2 2`

Section	Address	Value	Label
Read-only	0x100		
	0x104		
	0x108		
	0x10c		
	0x110		
	⋮	⋮	
Heap	0x23c	0x24c	matrix
	0x240		
	0x244	0x254	
	0x248		
	0x24c	1	matrix[0]
	0x250	0	
	0x254	0	matrix[1]
	0x258	1	
	0x25c		
	0x260		
	0x264		
	⋮	⋮	
Stack	0x454	2	d
	0x458		
	0x45c		
	0x460		
	0x464		
	0x468		
	0x46c		
	0x470		
	0x474		
	0x478		
	0x47c		
	0x480		

Handwritten: red "2" next to 0x248 area; red "0.5" circled next to d label.

Question 4. [3 MARKS] 2/5

Consider the following program that illustrates how to use the get_point function. Assume no errors occur, opening the files is successful, and the files have the correct format.

The file "points.b" contains an array of struct point written to the file in binary using fwrite.

```
struct point {
  int x;
  int y;
};

int main(){
    FILE *fp1 = fopen("points.b", "rb");
    struct point *p1 = get_point(fp1, 2);
    printf("%d %d\n", p1->x, p1->y);

    return 0;
}
```

Complete the function below that returns a pointer to a struct point that contains the **nth point** in the binary file. The first struct point in the file would be stored at the beginning of the file. Assume the file is large enough to contain the nth point.

```
struct point *get_point(FILE *fp, int n) {
```
struct point* ret = malloc (size of (struct point));

fseek (fp, ~~2~~ 2 * size of (struct point) , SEEK_SET); *should be n or (n-1) —0.5*

fread (ret, sizeof(struct point), 1, fp);

return ret;
}

Question 5. [7 MARKS] 4.5

The function `inject` will return a string containing `str` but with every occurrence of `c` replaced with `substr`. If `c` does not occur in `str`, then a copy of `str` is returned.

For example, if `inject` is called as `inject("abcabc", 'a', "def")`, then it will return `"defbcdefbc"`

You must allocate exactly the right amount of space to store the new string. You may make use of the function `count_chars()` defined below that returns the number of occurrences of `c` in `str`: (Do not write `count_chars()`.)

```
int count_chars(char *str, char c);


char *inject(char *str, char c, char *substr) {
```

```
int c_num = count_chars(str, c);
int total_size =  ←
char* ret = malloc(sizeof(char) * (strlen(str) - c_num + (c_num * strlen(substr)) + 1));
ret[total_size] = '\0';
for(int i=0; i < strlen(str); i++){
    if(str[i] == c){
        strcat(ret, str, i);
        strcat(ret, substr, strlen(substr));
    }
}

return ret;
}
```

Must store the null-terminator in index 0 before invoking strcat, so that characters are appended starting from the beginning of the string. (-0.5)

Does not properly copy those parts that are not affected (-2)

+1

C function prototypes:

```
int fclose(FILE *stream)
char *fgets(char *s, int n, FILE *stream)
FILE *fopen(const char *file, const char *mode)
size_t fread(void *ptr, size_t size, size_t nmemb, FILE *stream)
void free(void *ptr)
int fscanf(FILE *restrict stream, const char *restrict format, ...)
int fseek(FILE *stream, long offset, int whence)
        //set whence to SEEK_SET to seek from beginning of file
size_t fwrite(const void *ptr, size_t size, size_t nmemb, FILE *stream)
char *index(const char *s, int c)
void *malloc(size_t size)
void perror(const char *s)
int scanf(const char *restrict format, ...)
char *strchr(const char *s, int c)
size_t strlen(const char *s)
char *strcat(char *dest, const char *src)
char *strncat(char *dest, const char *src, size_t n)
int strncmp(const char *s1, const char *s2, size_t n)
char *strncpy(char *dest, const char *src, size_t n)
char *strstr(const char *haystack, const char *needle)
long int strtol(const char *nptr, char **endptr, int base);
```

Excerpt from strcpy/strncpy man page:

The strcpy() functions copy the string src to dst (including the terminating '\0' character).
The strncpy() function copies at most n characters from src into dst. If src is less than n
characters long, the remainder of dst is filled with '\0' characters. Otherwise, dst is not terminated.

Excerpt from strchr man page:

The strchr() function locates the first occurrence of c (converted to a char) in the
string pointed to by s. The terminating null character is considered to be part of
the string; therefore if c is '\0', the functions locate the terminating '\0'.

Excerpt from strcat man page:

The strcat() function appends the src string to the dest string, overwriting the terminating null
byte ('\0') at the end of dest, and then adds a terminating null byte.

Useful Unix programs: cat, cut, wc, grep, sort, head, tail, echo, set, uniq, chmod

Makefile variables: $@ target, $^ all prerequisites, $? all out of date prereqs,$< first prereq

Print your name in this box.

JOEL

Fro

END OF EXAMINATION