

Test Cases — KAN-3: Create test cases for login functionality and SRS document

Status: DRAFT — pending human review **Source ticket:** [KAN-3](#) (AI_QA project) **Generated from:** the actual KAN-3 ticket fetched from JIRA (2026-08-17) **Method:** 02-test-case-generator skill — requirement gap analysis + test case drafting, with the **hallucination rule** applied **Author:** Test Case Generator (skill) **Note:** Test cases below are derived **only** from the KAN-3 ticket content (summary + description) and the skill's requirement checklist. Where the ticket is silent, the gap is flagged as a question for the author — **nothing is fabricated, invented, or assumed as fact.**

1. Scope & Objectives

Objective: Deliver two artifacts for KAN-3:

- Test cases for the login functionality** — a traceable, review-ready set of test cases covering the login module described in the ticket.
- SRS (Software Requirements Specification) document** — verification support: test cases that check the SRS document itself for completeness, clarity, and testability.

In Scope

- Functional test cases for the login module (per ticket description)
- Boundary and empty-state test cases
- Security-oriented login cases
- SRS document review/verification test cases
- Traceability to requirements (RTM)

Out of Scope

- Automation script implementation (test case design only)
- Performance / load testing
- Penetration testing
- Non-login features (post-login modules are only referenced as context)

2. Hallucination Rule Compliance

The skill guardrails require: **do not invent ticket content, never fabricate acceptance criteria, keep scenarios traceable, use only the ticket and the skill's own references.** This section documents how each rule was applied.

#	Hallucination Rule (from skill)	How it was applied in this document
1	Do not invent ticket content	Ticket summary + description were fetched live from JIRA (KAN-3, 2026-08-17). No requirement, page element, or post-login feature was added beyond what the ticket states.
2	Never fabricate acceptance criteria	The ticket has no acceptance criteria . This is recorded as a finding (Section 3 gap note), and test expectations are framed as "verify ..." behaviors derived from the description — never presented as the ticket's ACs.
3	Keep scenarios traceable	Every test case has a Maps To column pointing to R1, R2, R3 (ticket statements) or an explicit gap (e.g. "Gap: boundary/error"). No orphan scenarios.
4	Only use ticket + skill references	No external sources, other skills, or prior documents were consulted for content. Where test data/environment is unknown, it is marked TBD and listed as an open question — never guessed.

#	Hallucination Rule (from skill)	How it was applied in this document
5	Never mark as final	Status is DRAFT ; the Human Review Gate (Section 10) is mandatory before any execution or automation.
6	A missing AC is a finding, not a blank to fill	The missing acceptance criteria are surfaced as a blocking open question, not silently filled in.

3. Gaps & Questions for the Author

Gap analysis performed with the skill's requirement checklist (✅ present · ⚠️ ambiguous · ❌ missing).

Functional

Checklist item	Status	Finding
Clear user story / goal	⚠️	Ticket states the login module's purpose but no "As a ... I want ... so that ..." user story
Acceptance criteria are testable	❌	No acceptance criteria in the ticket at all
Happy path fully described	⚠️	"Registered users securely authenticate" — but no target URL or credential format
Negative / error paths described	⚠️	Not described in the ticket; derived by analysis (invalid/unregistered/disabled accounts)
Boundary & empty states (0, 1, max, empty)	❌	Not specified — no min/max length or empty-state behavior stated
State transitions / workflow steps enumerated	⚠️	Post-login feature list given; login flow steps not enumerated

Data & Environment

Checklist item	Status	Finding
Required test data specified or derivable	❌	No test credentials — valid/invalid identifiers and passwords all TBD
Environment / config / feature flags named	❌	No environment, browser, or feature-flag info
External dependencies & integrations listed	⚠️	Post-login functions imply integrations (payment, delivery); none named
Preconditions / setup stated	❌	Not stated

Non-functional

Checklist item	Status	Finding
Performance / load expectations	❌	Not stated
Security / authorization	⚠️	"Securely authenticate" is stated; no roles, lockout, or session policy defined
Accessibility (a11y) expectations	❌	Not stated
Internationalization / localization	❌	Not stated
Audit / logging / observability	❌	Not stated

Cross-cutting

Checklist item	Status	Finding
Impact on existing features (regression surface)	⚠️	8 post-login modules referenced; regression scope not defined
Backward compatibility / migration	❌	Not applicable / not stated

Checklist item	Status	Finding
Mobile / responsive / browser matrix	✗	Not stated
Rollback / feature-flag behavior	✗	Not stated

Clarity

Checklist item	Status	Finding
No ambiguous wording ("should", "etc.")	⚠	"as applicable" and "if supported" leave element scope open
Terms defined consistently	⚠	"identifier" (email/mobile/username) not pinned to one type
Mockups / designs linked	✗	No designs or mockups linked

Open questions for the ticket author (blocking)

1. **Which application and login URL** do these test cases target? The ticket does not name the product/application.
2. **What are the valid test credentials** (and where should they be stored)?
3. What **exact error message text** is expected for invalid credentials (identifier vs password)?
4. Is the identifier an **email, mobile number, or username** — and is it case-sensitive? What are the **min/max length** rules?
5. Is there **CAPTCHA / 2FA / SSO** on login that must be handled or bypassed?
6. Does the **SRS document already exist**, and where is it located? If not, is writing the SRS part of this ticket's scope?
7. Which **browsers/platforms** must be supported?
8. Should these test cases be **executed manually or automated**, and in which CI?

4. Ticket Requirements (from the actual KAN-3 description)

R1 — Secure authentication: The Login module allows registered users to securely authenticate themselves before accessing features that require an authenticated account.

R2 — Post-login access: An authenticated user may subsequently access functions such as: - Product browsing - Product customization - Customer information - Orders - Order history - Communication - Payment-related functionality - Delivery information

R3 — Login page elements (as applicable): - Email/mobile/username field - Password field - Login button - Forgot Password option - Password visibility control - Remember Me option (if supported)

Gap (finding, per hallucination rule): No acceptance criteria, target URL/environment, credential rules (identifier type, min/max length, case sensitivity), or expected error messages are specified in the ticket. These are flagged in Section 3 and **not fabricated**.

5. Test Case Design Techniques Applied

- Equivalence Partitioning (valid / invalid credential classes)
- Boundary Value Analysis (empty, single-char, max-length inputs)
- Error Guessing (wrong identifier, wrong password, both wrong)
- Use Case Testing (primary login journey)
- Requirements Review Checklist (SRS verification cases)

6. Test Scenarios

6.1 Login Functionality — Test Cases

TC ID	Test Case Title	Preconditions	Test Steps	Test Data	Expected Result	Priority	Maps To
TC-01	Verify login page loads successfully	Login page URL is accessible	1. Open the login page URL 2. Observe page title, URL, and form elements	Login page URL (TBD)	Login page loads; email/mobile/username field, password field and Login button are visible	P0	R3
TC-02	Verify login with valid credentials	Registered user credentials available	1. Enter valid email/mobile/username 2. Enter valid password 3. Click Login	Valid credentials (TBD)	User is authenticated and granted access to authenticated features	P0	R1
TC-03	Verify access to post-login features after successful login	Valid credentials	1. Login successfully 2. Access each authenticated function	Valid credentials	Authenticated user can access Product browsing, Product customization, Customer information, Orders, Order history, Communication, Payment-related functionality, Delivery information	P0	R2
TC-04	Verify login with invalid identifier (email/mobile/username)	Login page loaded	1. Enter invalid identifier 2. Enter valid password 3. Click Login	Invalid identifier (e.g. <code>invalid@test.com</code>)	Appropriate error message displayed; user stays on login page; no authentication	P0	R1
TC-05	Verify login with invalid password	Login page loaded	1. Enter valid identifier 2. Enter invalid password 3. Click Login	Invalid password (e.g. <code>WrongPass!1</code>)	Appropriate error message displayed; user stays on login page; no authentication	P0	R1
TC-06	Verify login with both identifier and password invalid	Login page loaded	1. Enter invalid identifier 2. Enter invalid password 3. Click Login	Invalid identifier + invalid password	Appropriate error message displayed; no authentication	P1	R1
TC-07	Verify login with empty identifier field	Login page loaded	1. Leave identifier empty 2. Enter valid password 3. Click Login	Empty identifier	Field validation/error message displayed; no authentication	P1	R3
TC-08	Verify login with empty password field	Login page loaded	1. Enter valid identifier 2. Leave password empty 3. Click Login	Empty password	Field validation/error message displayed; no authentication	P1	R3
TC-09	Verify login with both fields empty	Login page loaded	1. Leave both fields empty 2. Click Login	Empty identifier + empty password	Validation messages displayed for both fields; no authentication	P1	R3
TC-10	Verify login with whitespace-only input	Login page loaded	1. Enter spaces in identifier field 2. Enter spaces in password field 3. Click Login	<code>" " / " "</code>	Inputs trimmed/treated as empty or explicit error; no authentication	P1	R3
TC-11	Verify login with single-character input	Login page loaded	1. Enter 1-char identifier 2. Enter 1-char password 3. Click Login	<code>a / b</code>	Error message or min-length validation; no authentication	P2	R3
TC-12	Verify login with maximum-length input	Login page loaded	1. Enter max-length identifier 2. Enter max-length password 3. Click Login	Max-length strings (limits TBD)	Input accepted or clean validation error; no crash	P2	R3

TC ID	Test Case Title	Preconditions	Test Steps	Test Data	Expected Result	Priority	Maps To
TC-13	Verify identifier is case-sensitive	Login page loaded	1. Enter identifier with wrong case 2. Enter correct password 3. Click Login	Mismatched-case identifier	Case mismatch → error message (if case-sensitive; TBD)	P1	R3
TC-14	Verify password visibility control	Login page loaded	1. Enter a password 2. Toggle the password visibility control	Password text	Password is masked by default; toggling reveals/hides the text	P1	R3
TC-15	Verify Forgot Password option	Login page loaded	1. Click Forgot Password 2. Follow the flow	Registered email/mobile	Forgot-password flow initiates correctly (e.g. reset link/OTP sent)	P1	R3
TC-16	Verify Remember Me behavior (if supported)	Login page loaded	1. Select Remember Me 2. Login 3. Close and reopen browser	Valid credentials	Session persists per Remember Me selection	P2	R3
TC-17	Verify error message for invalid credentials	Login page loaded	1. Enter invalid credentials 2. Click Login	Invalid credentials	Error message text is deterministic and assertable (exact text TBD)	P0	R1
TC-18	Verify no sensitive data exposure in error	Login page loaded	1. Enter invalid credentials 2. Observe error and page source	Invalid credentials	Error does not reveal password, tokens, or internal details	P1	R1
TC-19	Verify session created after successful login	Valid credentials	1. Login successfully 2. Inspect session cookie	Valid credentials	Session cookie set; secure flag present over HTTPS	P2	R1
TC-20	Verify login with unregistered identifier	Login page loaded	1. Enter unregistered identifier 2. Enter any password 3. Click Login	Unregistered identifier (e.g. nobody@test.com)	Appropriate error message; no authentication	P1	R1
TC-21	Verify login with disabled/locked account	Disabled account available	1. Enter disabled account credentials 2. Click Login	Disabled account (TBD)	Clear lockout/disabled message; no authentication	P2	R1
TC-22	Verify login with special characters in credentials	Login page loaded	1. Enter identifier with special chars 2. Enter password with special chars 3. Click Login	Special-char credentials	Input handled without error/validation issues	P2	R3
TC-23	Verify login button state during submission	Login page loaded	1. Enter valid credentials 2. Click Login and observe button state	Valid credentials	Button disabled/loading during request; no duplicate submissions	P2	R3
TC-24	Verify unauthenticated access is blocked	No active session	1. Attempt to access authenticated features directly (e.g. Orders)	—	Unauthenticated user is redirected to login or blocked	P1	R1

6.2 SRS Document — Verification Test Cases

TC ID	Test Case Title	Preconditions	Test Steps	Expected Result	Priority	Maps To
SRS-01	Verify SRS document exists and is accessible	SRS document delivered	1. Locate SRS document in deliverables folder 2. Open the document	SRS document exists at known path and opens without corruption	P0	Summary: SRS document

TC ID	Test Case Title	Preconditions	Test Steps	Expected Result	Priority	Maps To
SRS-02	Verify SRS covers login functionality	SRS document available	1. Review SRS login section 2. Check for functional requirements for login	Login requirements exist: secure authentication, post-login access, login page elements	P0	R1, R2, R3
SRS-03	Verify SRS acceptance criteria are testable	SRS document available	1. Review each requirement 2. Check for observable pass/fail criteria	Every requirement has testable acceptance criteria; no vague terms ("should", "etc.")	P0	Gap: testability
SRS-04	Verify SRS covers boundary and error states	SRS document available	1. Check for empty, invalid, max-length input requirements	Boundary and error-state requirements are specified	P1	Gap: boundary/error
SRS-05	Verify SRS covers non-functional requirements	SRS document available	1. Check for security, performance, a11y, i18n requirements	NFRs relevant to login are present (or explicitly out of scope)	P1	Gap: non-functional
SRS-06	Verify SRS has consistent terminology and defined terms	SRS document available	1. Check glossary/definitions 2. Verify terms used consistently	Terms defined and used consistently (e.g. "identifier", "authenticated user")	P1	Gap: clarity
SRS-07	Verify SRS traceability to test cases	SRS document + test cases	1. Map each login requirement to test cases 2. Update RTM	Every requirement maps to ≥1 test case; no orphan requirements	P1	Gap: traceability
SRS-08	Verify SRS versioning and change history	SRS document available	1. Check version number 2. Check revision/change history table	Version and change history recorded	P2	Gap: document quality

7. Test Data & Environment

Test Data (all TBD — pending author confirmation; nothing assumed)

Data	Value	Notes
Valid identifier (email/mobile/username)	TBD	Must be a registered, active account
Valid password	TBD	Store in secrets manager, never in repo
Invalid identifier	TBD	e.g. <code>invalid@test.com</code>
Invalid password	TBD	e.g. <code>WrongPass!1</code>
Unregistered identifier	TBD	e.g. <code>nobody@test.com</code>
Disabled/locked account	TBD	For TC-21

Environment

- Login page URL (TBD)
- Browser: TBD
- Target application: not stated in the ticket

8. Entry & Exit Criteria

Entry

- KAN-3 requirements clarified (see open questions in Section 3)
- Login page available at known URL

- SRS document delivered
- Valid test credentials provisioned

Exit

- All P0 test cases pass (once approved)
- SRS verification completed
- Defects (if any) logged in Jira
- Test execution report produced

9. Risks & Assumptions

Assumptions (explicitly flagged, never stated as fact)

- A login page/module exists at a known URL (to be confirmed by the author).
- Valid registered-user credentials will be provided externally.
- "Appropriate error messages" means deterministic, assertable strings.
- An SRS document for the login module exists or will be delivered for review.

Risks

Risk	Mitigation
No acceptance criteria in ticket	Blocking — require clarification from ticket author
No valid credentials	Blocking — request from ticket author
Target URL not confirmed	Blocking — confirm which login page
SRS not yet delivered	Blocking — confirm delivery timeline
CAPTCHA / 2FA / SSO on login	Use test env with these disabled or handled
Error message wording varies by locale	Pin exact expected strings after first run

10. Human Review Gate

Do not proceed to automation or treat this as final until a human approves.

Assumptions made

- A login module exists at a URL to be confirmed — **not stated in KAN-3**.
- Valid registered-user credentials will be supplied externally — **not in the ticket**.
- The SRS document is a deliverable to be reviewed against these cases.
- Error messages are deterministic and assertable — exact text to be confirmed.

Open questions for the ticket author (blocking)

1. **Which application and login URL** do these test cases target? The ticket does not name the product/application.
2. **What are the valid test credentials** (and where should they be stored)?
3. What **exact error message text** is expected for invalid credentials (identifier vs password)?
4. Is the identifier an **email, mobile number, or username** — and is it case-sensitive? What are the **min/max length** rules?
5. Is there **CAPTCHA / 2FA / SSO** on login that must be handled or bypassed?
6. Does the **SRS document already exist**, and where is it located? If not, is writing the SRS part of this ticket's scope?
7. Which **browsers/platforms** must be supported?
8. Should these test cases be **executed manually or automated**, and in which CI?

Required before sign-off

- ☐ Confirm target application and login URL
- ☐ Provide valid test credentials
- ☐ Confirm expected error-message strings
- ☐ Confirm identifier type and field rules (case sensitivity, length limits)
- ☐ Confirm SRS document availability/location
- ☐ Approve test case scenarios (P0/P1/P2)

Document created by the Test Case Generator skill for human review, with the hallucination rule applied. No credentials, tokens, or personal information are included.