


Graphs and networks for clustering and fitting: graph structure

(Harbin, July 2025)



Perth, Western Australia






Perth, Western Australia



Sydney, New South Wales




Perth, Western Australia



Melbourne, Victoria

Sydney, New South Wales




Perth, Western Australia



Adelaide, South Australia

Melbourne, Victoria

Sydney, New South Wales




Perth, Western Australia

Adelaide, South Australia

Melbourne, Victoria

Sydney, New South Wales

Sydney-Melbourne – about
1,000km 1hr flight, 1 long
day drive



Perth, Western Australia

Adelaide, South Australia

Melbourne, Victoria

Sydney, New South Wales

Sydney-Melbourne ,
Melbourne-Adelaide,
Adelaide-Sydney

– about 1,000km 1hr flight, 1
long day drive


About 25 years in Melbourne
(La Trobe University, PhD,; 2
years as lecturer; Monash
University 18
years...Professor)



Melbourne, Victoria

About 25 years in Melbourne
(La Trobe University, PhD,; 2
years as lecturer; Monash
University 18
years...Professor)


About 10 years University of
Adelaide, Professor



About 25 years in Melbourne
(La Trobe University, PhD,; 2
years as lecturer; Monash
University 18
years...Professor)

About 10 years University of
Adelaide, Professor

About 7 years Edith Cowan
University, Research
Professor



Perth, Western Australia

Adelaide, South Australia

Melbourne, Victoria

About 25 years in Melbourne
(La Trobe University, PhD,; 2
years as lecturer; Monash
University 18
years...Professor)

About 10 years University of
Adelaide, Professor

About 7 years Edith Cowan
University, Research
Professor

Go west!!




Perth, Western Australia

Adelaide, South Australia

Melbourne, Victoria

The big picture(s)



What does the space look like?


What are its structures?

What are the powerful ways of thinking about the space?

Hierarchies of problem types – sharing common characteristics.

The "problem –type" zoo.

The big picture(s)



What does the space look like?


What are its structures?

What are the powerful ways of thinking about the space?

Hierarchies of **graph** types – sharing common characteristics.


The "**graph**-type" zoo.

The big picture(s)




The big picture(s)

Here type A are Maximum Clique (and related);
Type B are (?) (partial list: interval graphs, box
intersection graphs, disc intersection graphs,...
and subclasses).



The big picture(s)

Here type A are Maximum Clique (and related);
Type B are (?) (partial list: interval graphs, box
intersection graphs, disc intersection graphs,...
and subclasses).




AI/Data Science/Machine Learning

- Finding what information is there (in the data – in the world) and useful
- Using that information to maximum advantage
- This presentation is biased towards information that can (is best?) be modelled as graphs or hypergraphs
 - “networks” “this is related to that/these” “this is connected to that/these”
 - Old-style “knowledge graphs”, “scene graphs”, Databases,.....,clustering
 - New-style: Graph neural networks, embeddings and then clustering

Conceptual workflow


Data



Take measurements/Extract
Features




Cluster/form graph




Conceptual workflow


Data



Take measurements/Extract
Features




Cluster/form graph




Feature Extraction

Feature embedding/
data embedding


Conceptual workflow



Conceptual workflow




Conceptual workflow



Deep learning – learn the feature extraction and even the embedding – and even the clustering....what metric to use, in what space to embed, etc.

Conceptual workflow



Networks (graphs) Under a Microscope



Networks
(graphs)
Under a
Microscope
....
And through
a telescope



Why – what things can we discover??


- It's like a zoo....there are “families” of graphs, just like there are “families” of animals: the bird family, the reptile family, the mammal family.....
- There are hierarchies you can see in these families (just like sub-families of birds, subfamilies of reptiles, etc.
- These hierarchies of families of graphs tell us many things
 - Expressivity of a graph family – what set of problems are these families describing/capturing the characteristics of?
 - Algorithmic (shared characteristics that one can exploit for efficient algorithms)

Why – what things can we discover??

- It's an exciting time! "Graph theory" (structural graph theory) has been developing for decades – and even in some sense tracing back a couple of centuries..BUT
- There seem to be some rapid recent advances making the "picture" more clear/powerful/useful.


In particular...the understanding of the structure of SPARSE graphs (and even the concepts around what are meaningful ways to define "sparsity") has been very much advanced in the last 5 years or so.

Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs



Slightly modified from diagram of Felix Reidl – circa 2020

Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs




Slightly modified from diagram of Felix Reidl – circa 2020

Very, Very, Very
nice – trivial to
deal with

For example, max
clique size is 2;
finding a maximal
clique is equiv to
merely finding an
edge

Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs




Still – “nice” –
fixed parameter
tractable for
example


Very, Very, Very
nice – trivial to
deal with

Slightly modified from diagram of Felix Reidl – circa 2020


Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs



Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs



Hierarchy of “complexity”/niceness – for ‘Sparse’ graphs



Where do my problems/data sit?

But what problems can be described in such a “sub-zoo”??



- Many!

But what problems can be described in such a “sub-zoo”??

- Many!
-

But what problems can be described in such a “sub-zoo”??

- Many!
-
- But Not enough! Not all. Not even the main clustering problems
- That isn't to say you can do clustering on sparse graphs....but it is to say that “most” clustering problems aren't captured by the sparse graph classes.




?


Cliques (of arbitrary large size) cannot belong to “nowhere dense” classes.

(And Straightforward generalizations to hypergraphs)


Split
Essentially single structure



K:S - "Ideal"



K (Clique)



S (Isolated)



Cluster – perfect cluster – everybody is associated with each other




?


Cliques (of arbitrary large size) cannot belong to “nowhere dense” classes.

(And Straightforward generalizations to hypergraphs)


Split
Essentially single structure



K:S - "Ideal"



K (Clique)



S (Isolated)



No structure
– nobody
associated
with anybody
else


Cluster – perfect
cluster –
everybody is
associated with
each other



?


Cliques (of arbitrary large size) cannot belong to “nowhere dense” classes.

Split
Essentially single structure



(And
Straightforward
generalizations
to hypergraphs)

K:S - "Ideal"




“Building Blocks”

By themselves model only the
“trivial” situations:

Perfect – structure and nothing
else/no structure and nothing else

K (Clique)



S (Isolated)




?


Cliques (of arbitrary large size) cannot belong to “nowhere dense” classes.

(And Straightforward generalizations to hypergraphs)


Split
Essentially single structure



K:S - “Ideal”



K (Clique)



S (Isolated)



Realistic – but “ideal” data is a mix of structure and “background” and the structure is “pure” and the background “pure” and no interaction/association between structure and background

“Building Blocks”

By themselves model only the “trivial” situations:

Perfect – structure and nothing else/no structure and nothing else

?


Cliques (of arbitrary large size) cannot belong to “nowhere dense” classes.

(And Straightforward generalizations to hypergraphs)

“not ideal” but still relatively ideal and still single structure with some background – and only some “accidental” or minor associations between the two.

Realistic – but “ideal” data is a mix of structure and “background” and the structure is “pure” and the background “pure” and no interaction/association between structure and background

“Building Blocks”
By themselves model only the “trivial” situations:
Perfect – structure and nothing else/no structure and nothing else




Much above this....somewhat a mystery – especially in the hypergraph cases..
AND the relevant “actors” will likely differ from problem type to problem type. Building blocks/base common...less and less so for classes “up the tree”

“not ideal” but still relatively ideal and still single structure with some background – and only some “accidental” or minor associations between the two.

Realistic – but “ideal” data is a mix of structure and “background” and the structure is “pure” and the background “pure” and no interaction/association between structure and background

“Building Blocks”
By themselves model only the “trivial” situations:
Perfect – structure and nothing else/no structure and nothing else



It's an exciting time for RESEARCH!

- “Doing the same thing” achieved for sparse classes but now in classes more suited to covering the entire space of clustering problems. (realm of Mathematicians (graph theorists, logicians, combinatorics, topology,.....; and the realm of theoretical computer scientists)
- Working out the implications of each (smallor large) advance.
 - realm of more applied people as well as the “theorists”