



Helvetica N...



Step 3 of 10



IBM Developer
SKILLS NETWORK

Hands-on Lab : Database Design using ERDs

Estimated time needed: 45 minutes

In this lab, you will learn how to design a database by creating an entity relationship diagram (ERD) in the PostgreSQL database service using the pgAdmin graphical user interface (GUI) tool. First, you will create an ERD of a database. Next, you will generate and execute an SQL script to create the database schema from its ERD. Finally, you will load the created database schema with data.

Software Used in this Lab

In this lab, you will use [PostgreSQL Database](#). PostgreSQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.



PostgreSQL


To complete this lab you will utilize the PostgreSQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE. SN Labs is a virtual lab environment used in this course.

Database Used in this Lab

The HR database used in this lab comes from the following source: [HR Sample Database](#) [Copyright 2021 - Oracle Corporation].

You will use a modified version of the database for the lab, so to follow the lab instructions successfully please use the database provided with the lab, rather than the database from the original source.

The following ERD shows the tables of the HR database:



Objectives

After completing this lab, you will be able to use pgAdmin with PostgreSQL to:

- Create an ERD of a database.
- Generate and execute an SQL script from an ERD to create a schema.
- Load the database schema with data.

This lab is divided into two exercises, *Example Exercise* and *Practice Exercise*.


Example Exercise

In this example exercise through different tasks, first you will create a partial ERD of the HR database. Next, you will generate and execute an SQL script to create the partial schema of the HR database from its ERD. Finally, you will load the created database schema with data by using restore feature.

Task A: Create an Entity Relationship Diagram (ERD) of a database

In this task of the Example Exercise, you will create a partial ERD of the HR database.


1. Go to **Terminal > New Terminal** to open a terminal from the side-by-side launched Cloud IDE.

 Skills Network Labs







Instructions

A⁺ A⁻ Helvetica N... ↕ ▾ ↺ ⓘ 🖨

◀ Step 6 of 7 ▶


IBM Developer
SKILLS NETWORK

Lab

2. Start a PostgreSQL service session in the Cloud IDE using the command below in the terminal. Find your PostgreSQL service session password from the highlighted location of the terminal shown in the image below. Note down your PostgreSQL service session password because you may need to use it later in the lab.

```
start_postgres
```

```
theia@theiadocker-sandipsahajo:/home/project$ start_postgres
Starting your Postgres database....
This process can take up to a minute.

Postgres database started, waiting for all services to be ready....
[/]
Your Postgres database is now ready to use and available with username: postgres password: MTQ5NTItc2FuZGlw

You can access your Postgres database via:
• The Browser with pgadmin
  • URL: https://sandipsahajo-5050.theiadocker-27.proxy.cognitiveclass.ai/browser/
  • Database Password: MTQ5NTItc2FuZGlw
  • CommandLine: psql --username=postgres --host=localhost
theia@theiadocker-sandipsahajo:/home/project$
```


3. Copy your pgAdmin weblink from the highlighted location of the terminal shown in the image below and paste it to a new tab of your web browser.

```
theia@theiadocker-sandipsahajo:/home/project$ start_postgres
Starting your Postgres database....
This process can take up to a minute.

Postgres database started, waiting for all services to be ready....
[/]
Your Postgres database is now ready to use and available with username: postgres password: MTQ5NTItc2FuZGlw

You can access your Postgres database via:
• The Browser with pgadmin
  • URL: https://sandipsahajo-5050.theiadocker-27.proxy.cognitiveclass.ai/browser/
  • Database Password: MTQ5NTItc2FuZGlw
  • CommandLine: psql --username=postgres --host=localhost
theia@theiadocker-sandipsahajo:/home/project$
```

4. You will see the pgAdmin GUI tool.



>  Servers

Welcome



pgAdmin

Management Tools for PostgreSQL

Feature rich | Maximises PostgreSQL | Open Source

pgAdmin is an Open Source administration and management tool for PostgreSQL. It is designed to answer the needs of developers, DBAs and system administrators.

Quick Links




Add New Server

Getting Started



PostgreSQL Documentation



5. In the tree-view, expand **Servers** > **postgres** > **Databases**. Enter your PostgreSQL service session password if prompted during the process. Right-click on **Databases** and go to **Create** > **Database**. Type **HR** as name of the database and click **Save**.

pgAdmin File ▾ Object ▾ Tools ▾ Help ▾

Browser 1

2

3

▼ Servers (1)

▼ postgres

▼ Databases (1)

▼ postgres

- > Casts
- > Catalogs
- > Event Triggers
- > Extensions
- > Foreign Data Wrappers
- > Languages
- > Publications
- > Schemas
- > Subscriptions
- > Login/Group Roles
- > Tablespaces

Create > Database...


Refresh...

Server sessions

| |
|---|
| 7 |
| 4 |
| 3 |
| 2 |
| 1 |
| 0 |

Tuples in Inse

| |
|---|
| 1 |
|---|


 **Create - Database** ✕

General Definition Security Parameters Advanced SQL



Database


HR

Owner


 postgres ▼

Comment


 

✕ Cancel ↺ Reset  Save

6. In the tree-view, expand **HR**. Right-click on **HR** and select **Generate ERD (Beta)**.



- > Schemas
- > Subscriptions
- > Login/Group Roles
- > Tablespaces



7. Click the **Add table** button. On the **General** tab, in the **Name** box, type **employees** as name of the table. Don't click **OK**, proceed to the next step.

pgAdmin File ▾ Object ▾ Tools ▾ Help ▾

Browser Dashboard Properties SQL Statistics Dependencies

▾ Servers (1)
 ▾ postgres
 ▾ Databases (2)
 ▾ HR
 > Casts
 > Catalogs

HR/postgres 1M MM

Add table
Option Ctrl A


New table

General Columns

Name

Schema public

Comment



8. Switch to the **Columns** tab and click the **Add new row** button to add the necessary column placeholders. Now enter the **employees** table definition information as shown in the image below to create its entity diagram. Then click **OK**.

New table

General Columns

Columns





















| | Name | Data type | Length/Precision | Scale |
|--|------|-----------|------------------|-------|
|--|------|-----------|------------------|-------|



New table

General

Columns

Columns

| | | Name | Data type | Length/Precision |
|---|---|----------------|---------------------|------------------|
|  |  | employee_id | integer ▼ | |
|  |  | first_name | character varying ▼ | |
|  |  | last_name | character varying ▼ | |
|  |  | email | character varying ▼ | |
|  |  | phone_number | character varying ▼ | |
|  |  | hire_date | date ▼ | |
|  |  | job_id | character varying ▼ | |
|  |  | salary | numeric ▼ | |
|  |  | commission_pct | numeric ▼ | |
|  |  | manager_id | integer ▼ | |



department_id







integer

9. Similarly, create entity diagrams for the other three tables following steps 7 and 8:








- ▶ [Click here] Create an entity diagram for the jobs table
- ▶ [Click here] Create an entity diagram for the departments table
- ▶ [Click here] Create an entity diagram for the locations table

10. After creating all four entity diagrams, the entities of the ERD are complete.


Properties SQL Statistics Dependencies Dependents **Untitled***





1M MM





/postgres@localhost





**public**


**jobs**


**job_id** character varying(10)


**job_title** character varying(35)


**min_salary** numeric(8,2)


**max_salary** numeric(8,2)





**public**



**public**



**public**



11. Next you will create relationships between the entities by adding foreign keys to the tables. Select the entity diagram **employees** and click the **One-to-Many link** button. Now enter the definition information for a foreign key on the **employees** table as shown in the image below to create the relationship. Then click **OK**.

12. Similarly, create the other relationships between the tables following the instructions in step 11:

- [Click here] Create a relationship between employees and jobs
- [Click here] Create a relationship between departments and locations
- [Click here] Create a relationship between departments and employees

13. After creating all four relationships, you have completed the ERD for this exercise. Proceed to Task B.

Task B: Generate and execute SQL script from ERD to create schema

In this task of the Example Exercise, you will generate and execute an SQL script from the ERD you created in Task A of the Example Exercise.

1. In the **Generate ERD (Beta)** window, click the **Generate SQL** button.
2. A new Query Editor window will open containing a SQL script generated from the ERD. Click the **Execute/Refresh** button to run the script. Proceed to Task C.

Task C: Load the database schema with data.

In this task of the Example Exercise, you will load the database schema you created in Task B of the Example Exercise with data using the pgAdmin restore feature.

1. Download the **HRpgsqldumpdatafor_example-exercise.tar** PostgreSQL dump file (containing the partial HR database data) using the link below to your local computer storage.
 - [HRpgsqldumpdatafor_example-exercise.tar](#)
2. Follow the instructions below to import/restore the data:
 - In the tree-view, expand **HR**. Right-click **HR** and click **Restore**.
 - On the **General** tab, click the **Select file** button by the Filename box.
 - Click the **Upload File** button.
 - Double-click on the drop files area and load the **HRpgsqldumpdatafor_example-exercise.tar** you downloaded earlier from your local computer storage.
 - When the upload is complete, close the drop files area by clicking the **X** button.
 - Make sure Format is set to **All Files**, select the uploaded **HRpgsqldumpdatafor_example-exercise.tar** file from the list, and then click the **Select** button.
 - Now switch to **Restore options** tab.
 - Under Disable, set the Trigger option to **Yes**. Then click **Restore** button.

Practice Exercise

In this practice exercise, first you will finish creating a partially complete ERD for the HR database. Next, you will generate and execute an SQL script to build the complete schema of the HR database from its ERD. Finally, you will load the complete database schema with data by using restore feature.

1. Download the **HRpgsqlERDforpractice-exercise.pgerd** ERD file (containing a partial HR database ERD based on the one that you created in Task A of Example Exercise) below to your local computer storage.
 - [HRpgsqlERDforpractice-exercise.pgerd](#)
2. In pgAdmin, create a new database named **HR_Complete**.
3. Open the ERD Tool and use the **Load from file** button to load the **HRpgsqlERDforpractice-exercise.pgerd** file.

Tip: Follow Example Exercise Task C for how to load any file in pgAdmin.

4. You will see the previous four entity diagrams along with relationships that you created in the Example Exercise. You will also see three new entity diagrams for the **jobhistory**, **regions**, and **countries** tables as well as one new relationship within the entity diagram of the **employees** table between *managerid* as local column and *employee_id* as referenced column.
5. Create the remaining relationships between the tables:
 - ▶ [Click here] Create a relationship between countries and regions
 - ▶ [Click here] Create a relationship between job_history and departments
 - ▶ [Click here] Create a relationship between job_history and employees

- ▶ [Click here] Create a relationship between job_history and jobs
- ▶ [Click here] Create a relationship between locations and countries

Tip: Follow Example Exercise Task A for how to create relationships between the entities by adding foreign keys to the tables.

6. After creating the remaining relationships, the complete ERD of the HR database will look like the following image:

7. Generate and execute an SQL script from the ERD to create the schema of the **HR_Complete** database.

Tip: Follow Example Exercise Task B.

8. Download the **HRpgsqldumpdata.tar** PostgreSQL dump file (containing the complete HR database data) below to your local computer storage. Use the dump file to restore/import the data to the **HRCComplete** database.

- [HRpgsqldump_data.tar](#)

Tip: Follow Example Exercise Task C.

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- [Sandip Saha Joy](#)

Other Contributor(s)

*

Changelog

| Date | Version | Changed by | Change Description |
|------------|---------|-----------------|-------------------------|
| 2021-03-31 | 1.0 | Sandip Saha Joy | Created initial version |

© IBM Corporation 2021. All rights reserved.

[Previous](#)[Continue](#)