


- Generar un archivo tipo PDF que contenga las salidas del uso del controlador de versiones GitHub :


- ❖ Registro en github.com de su repositorio de código para el curso
 - Repositorio EBAC en GitHub



- ❖ Instalación de Git local

```
Last login: Thu Apr  9 14:05:33 on ttys000
(base) sarahivillegas@192 ~ % brew install git
✓ JSON API cask.jws.json          Downloaded 15.4MB/ 15.4MB
✓ JSON API formula.jws.json       Downloaded 32.0MB/ 32.0MB
Warning: git 2.53.0_1 is already installed and up-to-date.
To reinstall 2.53.0_1, run:
  brew reinstall git
(base) sarahivillegas@192 ~ %
```

- ❖ Sincronización de Git local con el repositorio
 - Se usa PUSH para sincronizar el Git local con el repositorio remoto




```

2026-04-09 14:12:59.513 [info] > git config --get commit.template [10ms]
2026-04-09 14:12:59.516 [info] > git for-each-ref --format=%(refname)%00%(upstream:short)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [12ms]
2026-04-09 14:12:59.530 [info] > git for-each-ref --sort -committerdate --format %(refname)%00
(objectname)%00%(objectname) [12ms]
2026-04-09 14:12:59.530 [info] > git status -z -uall [13ms]
2026-04-09 14:12:59.544 [info] > git config --local -l [11ms]
2026-04-09 14:12:59.546 [info] > git merge-base refs/heads/main refs/remotes/origin/main [11ms]
2026-04-09 14:12:59.557 [info] > git diff --raw --numstat --diff-filter=ADMR -z --find-renames=50%
f70d9cca5fd9e46a6f39f9cf57ff82ebd39d21...refs/remotes/origin/main -- [10ms]
2026-04-09 14:12:59.560 [info] > git config --local -l [7ms]
2026-04-09 14:13:00.607 [info] > git config --get commit.template [11ms]
2026-04-09 14:13:00.610 [info] > git for-each-ref --format=%(refname)%00%(upstream:short)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2026-04-09 14:13:00.626 [info] > git status -z -uall [15ms]
2026-04-09 14:13:00.627 [info] > git for-each-ref --sort -committerdate --format %(refname)%00
(objectname)%00%(objectname) [15ms]
2026-04-09 14:13:00.704 [info] > git ls-files --stage -- test.py [8ms]
2026-04-09 14:13:00.713 [info] > git cat-file -s 4b7afda39794e1323726bdc955a7043f23da8a1 [8ms]
2026-04-09 14:13:00.723 [info] > git show --textconv :test.py [7ms]

```

❖ Uso de GitHub con VS Code (Push, Commit, Pull)

▪ commit



• Push

```

git push
  test.py  Git Push
1 Container Images: Push...
2 Git Push (Force Push)
3 Git Push Type
4 Git Push To...
5 Git Push To...
6 Git Push To...
7 Container Images: Create Pull Request
8 Container Images: Pull
9 Git Pull (Rebase)
10 Git Cherry Pick...
Ask in Chat: push

2020-04-09 14:11:17.982 [info] > git cat-file -s 4b7afda39794e1323726bedc955a7043f23da8a1 [7ms]
2020-04-09 14:11:18.000 [info] > git blame --root --incremental
f70d9c9a5f9e46a6f39f9cf574f820ebd39d21...refs/remotes/origin/main -- [10ms]
2020-04-09 14:11:18.100 [info] > git check-ignore -v -z -stdin [1ms]
2020-04-09 14:11:18.100 [info] > git fetch [40ms]
2020-04-09 14:11:18.100 [info] > git config --get commit.template [1ms]
2020-04-09 14:11:18.100 [info] > git for-each-ref --format=%(refname)%00%(upstream:short)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:11:18.100 [info] > git status -z -uall [1ms]
2020-04-09 14:11:18.100 [info] > git for-each-ref --sort=-commitdate --format=%(refname)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:11:18.100 [info] > git status -z -uall [1ms]
2020-04-09 14:11:18.100 [info] > git for-each-ref --sort=-commitdate --format=%(refname)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:11:18.100 [info] > git ls-files --stage -- test.py [8ms]
2020-04-09 14:11:18.100 [info] > git cat-file -s 4b7afda39794e1323726bedc955a7043f23da8a1 [8ms]
2020-04-09 14:11:18.100 [info] > git show --textconv :test.py [7ms]
  
```


- Pull

```


git pull
  test.py  Git Pull
1 GitHub Pull Request: Create Pull Request
2 Container Images: Checkout on CodeSpaces
3 Container Images: Pull Image
4 Container Images: Pull Repository
5 Dev Containers: Clone GitHub Pull Request in Container Volume...
6 Git Pull (Rebase)
7 Git Pull...
8 GitHub Pull Request: Checkout Pull Request by Number
9 GitHub Pull Request: Close All Pull Request Editors
10 GitHub Pull Request: Configure...
11 GitHub Pull Request: Delete local branches and remotes
12 GitHub Pull Request: Test Pull Request with GitHub

2020-04-09 14:15:52.872 [info] > git config --get commit.template [1ms]
2020-04-09 14:15:52.872 [info] > git for-each-ref --format=%(refname)%00%(upstream:short)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:15:52.880 [info] > git for-each-ref --sort=-commitdate --format=%(refname)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:15:52.880 [info] > git status -z -uall [1ms]
2020-04-09 14:15:52.880 [info] > git config --local -l [1ms]
2020-04-09 14:15:52.880 [info] > git merge-base refs/heads/main refs/remotes/origin/main [11ms]
2020-04-09 14:15:52.880 [info] > git config --local -l [1ms]
2020-04-09 14:15:52.880 [info] > git diff --raw --numstat --diff-filter=ADMR -z --find-renames=50%
f70d9c9a5f9e46a6f39f9cf574f820ebd39d21...refs/remotes/origin/main -- [10ms]
2020-04-09 14:15:52.880 [info] > git config --get commit.template [1ms]
2020-04-09 14:15:52.880 [info] > git for-each-ref --format=%(refname)%00%(upstream:short)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:15:52.880 [info] > git status -z -uall [1ms]
2020-04-09 14:15:52.880 [info] > git for-each-ref --sort=-commitdate --format=%(refname)%00
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [13ms]
2020-04-09 14:15:52.880 [info] > git ls-files --stage -- test.py [8ms]
2020-04-09 14:15:52.880 [info] > git cat-file -s 4b7afda39794e1323726bedc955a7043f23da8a1 [8ms]
2020-04-09 14:15:52.880 [info] > git show --textconv :test.py [7ms]
  
```

- ❖ Creación de un repositorio con archivos creados en las clases anteriores



- ❖ Screenshot del repositorio en Internet con los archivos locales



- ❖ Generación de un cambio en un archivo cualquiera de los notebook
 - commit


```
>push


Git: Push
Container Images: Push...
Git: Push (Follow Tags)
Git: Push Tags
Git: Push To...
GitLens: Git Push Stash...
GitLens: Push
GitHub Pull Requests: Create Pull Request
Container Images: Pull
Git: Pull (Rebase)
GitLens: Git Cherry Pick...
Git: Cherry Pick...
Ask in Chat: push
Lectura del archivo, head, tail, sample, describe.

PROBLEMAS OUTPUT ... Filter (e.g. text, lecludeTex... Git


2026-04-09 16:28:14.376 [info] > git status -z -uall [8ms]
2026-04-09 16:28:14.377 [info] > git for-each-ref --sort -committerdate --format %(refname)%00%
(objectname)%00%(objectname) [9ms]
2026-04-09 16:28:14.392 [info] > git merge-base refs/heads/main refs/remotes/origin/main [12ms]
2026-04-09 16:28:14.393 [info] > git config --local -l [14ms]
2026-04-09 16:28:14.402 [info] > git diff --raw --numstat --diff-filter=ADMR -z --find-renames=50%
05db75bd6d97249cf19e2368488384117cccf1...refs/remotes/origin/main -- [9ms]
2026-04-09 16:28:14.415 [info] > git config --get commit.template [7ms]
2026-04-09 16:28:14.415 [info] > git config --local -l [8ms]
2026-04-09 16:28:14.439 [info] > git for-each-ref --format %(refname)%00%(upstream:short)%00%
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [20ms]
2026-04-09 16:28:14.459 [info] > git status -z -uall [18ms]
2026-04-09 16:28:14.459 [info] > git for-each-ref --sort -committerdate --format %(refname)%00%
(objectname)%00%(objectname) [17ms]
2026-04-09 16:28:15.525 [info] > git config --get commit.template [13ms]
2026-04-09 16:28:15.528 [info] > git for-each-ref --format %(refname)%00%(upstream:short)%00%
(objectname)%00%(upstream:track)%00%(upstream:remotename)%00%(upstream:remoteref) --ignore-case refs/
heads/main refs/remotes/main [14ms]
2026-04-09 16:28:15.545 [info] > git status -z -uall [12ms]
2026-04-09 16:28:15.545 [info] > git for-each-ref --sort -committerdate --format %(refname)%00%
(objectname)%00%(objectname) [12ms]
```

- Generar un archivo tipo PDF que contenga las salidas del uso del controlador de versiones GitHub y su cliente Sourcetree:


- ❖ Instalación de Sourcetree




- ❖ Definición de Repositorio Local en SourceTree






- ❖ Clonado de repositorio local hacia SourceTree





- ❖ Uso de SourceTree: Generación de un cambio en un archivo local del repositorio para hacer luego un Commit + Push











- ❖ Generación de un repositorio nuevo llamado "test_branch"



- ❖ Generación de un branch, subida de un notebook de los desarrollados







- ❖ Generación de un pull request en SourceTree para combinarlo

