

<sup>1</sup> **SpatialProteomicsNet**: A unified interface for spatial  
<sup>2</sup> proteomics data access for computer vision and  
<sup>3</sup> machine learning

<sup>4</sup> **Adriano Martinelli**  <sup>1,2,4</sup> and **Marianna Rapsomaniki**  <sup>1,3,4</sup>

<sup>5</sup> 1 University Hospital Lausanne (CHUV), Lausanne, Switzerland 2 ETH Zurich, Zurich, Switzerland 3  
<sup>6</sup> University of Lausanne (UNIL), Lausanne, Switzerland 4 Swiss Institute of Bioinformatics (SIB),  
<sup>7</sup> Lausanne, Switzerland

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

---

Editor: [Open Journals](#) 

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright  
and release the work under a  
Creative Commons Attribution 4.0  
International License ([CC BY 4.0](#)).

## Summary

<sup>9</sup> SpatialProteomicsNet is an open-source Python package that provides a harmonized and  
<sup>10</sup> standardized interface for accessing spatial proteomics and multiplexed imaging datasets,  
<sup>11</sup> including imaging mass cytometry (IMC) ([Giesen et al., 2014](#)) and multiplexed ion beam  
<sup>12</sup> imaging time-of-flight (MIBI-TOF) ([Keren et al., 2019](#)) data. The package enables researchers  
<sup>13</sup> to load raw spatially-resolved proteomics data from multiple studies in a unified format,  
<sup>14</sup> apply and retrieve data structures ready for downstream machine learning analysis or model  
<sup>15</sup> training. By focusing on open-source raw data processing and enforcing common data schemas  
<sup>16</sup> (e.g., standardized image and single-cell data formats), SpatialProteomicsNet promotes  
<sup>17</sup> reproducible and efficient research in computational and spatial biology. The library is designed  
<sup>18</sup> to serve the broader community working on spatial proteomics by easing data access and  
<sup>19</sup> integration into machine learning workflows.

## Statement of Need

<sup>21</sup> Spatially-resolved proteomics, recently named Nature Method of the Year 2024 ("Method of  
<sup>22</sup> the Year 2024," [2024](#)), enable the quantification of proteins in single cells within their tissue  
<sup>23</sup> context, revealing intricate aspects of spatial cellular arrangement and communication. In the  
<sup>24</sup> context of cancer, these advancements provide unprecedented insights into the heterogeneity of  
<sup>25</sup> the tumor and its microenvironment, and the underlying mechanisms affecting tumor initiation,  
<sup>26</sup> progression, and response to treatment ([Lewis et al., 2021](#)). IMC and MIBI-TOF are among the  
<sup>27</sup> most popular technologies, with dozens of high-dimensional datasets made publicly available  
<sup>28</sup> per year. The increasing availability of these datasets has fueled algorithmic development  
<sup>29</sup> in machine learning and computer vision. Numerous models that perform a variety of tasks,  
<sup>30</sup> such as cell segmentation ([Greenwald et al., 2022](#)), cell type annotation ([Geuenich et al.,  
31](#) [2021](#)), representation learning ([Wenckstern et al., 2025](#)) or heterogeneity analysis ([Martinelli  
32](#) & Rapsomaniki, [2022](#)) tailored to spatial proteomics data have been recently developed, with  
<sup>33</sup> corresponding widely used packages.

<sup>34</sup> However, a critical gap hindering model development, reproducibility and cross-study analyses is  
<sup>35</sup> the lack of unified frameworks to access and process the data. Spatial proteomics datasets, often  
<sup>36</sup> deposited in public repositories such as Zenodo ([European Organization For Nuclear Research  
37](#) & OpenAIRE, [2013](#)) or Figshare ([Figshare - Credit for All Your Research](#), n.d.), typically  
<sup>38</sup> contain a collection of components, such as raw and preprocessed images, segmentation masks,  
<sup>39</sup> extracted single-cell intensities, panel descriptions and associated clinical metadata, uploaded  
<sup>40</sup> in disparate, non-standardized formats (e.g., mixed .tiff, .csv, custom JSONs), with varying  
<sup>41</sup> metadata structures and inconsistent preprocessing that vary greatly between studies and labs.

42 Working with these fragmented datasets implies a significant time investment for researchers  
 43 to locate and download the data, and write custom scripts to handle their specific data  
 44 structure, creating barriers to entry, complicating usage and hindering robust benchmarking.  
 45 While existing data frameworks developed by the spatial transcriptomics community such as  
 46 SpatialData ([Marconato et al., 2025](#)) and Pysodb ([Yuan et al., 2023](#)) are gaining popularity  
 47 and can be extended to spatial proteomics, they often come with heavier dependencies and  
 48 general-purpose abstractions that may be unnecessarily complex for researchers focused on  
 49 fast, standardized access to real-world IMC or MIBI-TOF datasets.  
 50 `SpatialProteomicsNet` is an open-source Python package that addresses these gaps by:  
 51     ■ Providing a lightweight, unified interface to widely-used curated spatial proteomics  
 52         datasets.  
 53     ■ Abstracting dataset-specific structure, letting users access data components (images,  
 54         masks, metadata) through a consistent schema.  
 55     ■ Supporting reproducible preprocessing via modular, reusable interfaces for common  
 56         pipeline steps.  
 57     ■ Facilitating integration in machine learning and computer vision models by streamlining  
 58         dataset loading into standard formats.  
 59     ■ Encouraging community contributions for expanding and maintaining harmonized dataset  
 60         access.  
 61 This unified approach allows scientists to abstract away dataset-specific idiosyncrasies and focus  
 62 on biological and analytical questions rather than data wrangling. `SpatialProteomicsNet`  
 63 is intentionally minimal, tailored to machine learning and computer vision workflows (e.g.,  
 64 loading images, masks, and cell-level metadata with minimal setup) without depending on  
 65 larger ecosystem packages (e.g., `anndata`, `xarray`, `zarr`, `dask`). `SpatialProteomicsNet` gives  
 66 immediate access to curated datasets with ready-to-use utilities, eliminating the need to write  
 67 custom loaders or parse inconsistent formats. As such, it is particularly friendly to the growing  
 68 community of ML developers, researchers, and engineers entering the emerging field of spatial  
 69 biology. By harmonizing data access, our package enables more straightforward integration of  
 70 spatial proteomics data into machine learning and modeling frameworks, ultimately accelerating  
 71 biomedical discovery.

## 72 Supported Datasets

73 The package supports the following public spatial proteomics datasets:  
 74     ■ [Keren et al. 2018](#) – MIBI-TOF of triple-negative breast cancer ([Keren et al., 2018](#))  
 75     ■ [Jackson et al. 2020](#) – IMC of breast cancer ([Jackson et al., 2020](#))  
 76     ■ [Danenberg et al. 2022](#) – IMC of breast cancer ([Danenberg et al., 2022](#))  
 77     ■ [Cords et al. 2024](#) – IMC of NSCLC ([Cords et al., 2024](#))

name	images	masks	markers	annotated cells	clinical samples
Danenberg2022	794	794	39	1123466	794
Cords2024	2070	2070	43	5984454	2072
Jackson2020	735	735	35	1224411	735
Keren2018	41	41	36	201656	41

78 Table 1: Summary statistics of supported spatial proteomics datasets in the package.

79 Each dataset is accessible through a standardized class interface that mimics the pytorch  
 80 lightning ([Falcon & team, 2019](#)) philosophy and includes methods for downloading, preparing,  
 81 and accessing processed components (images, masks, features and metadata). These datasets  
 82 follow consistent naming conventions and data schemas, making them immediately usable for  
 83 downstream tasks.

## Conclusion

84      SpatialProteomicsNet lowers the technical barrier to working with spatial proteomics data  
85      by providing unified, open access to several published datasets and processing routines. Its  
86      modular design and standardized outputs make it a practical tool for researchers developing  
87      computational methods in spatial biology. We welcome contributions and extensions from  
88      the community and envision this package as a foundation for reproducible spatial proteomics  
89      analysis.

## Acknowledgements

91      We thank Prof. Raza Ali, Prof. Leeat Keren, Prof. Michael Angelo and Dr. Lena Cords for  
92      providing detailed information and facilitating access to the corresponding datasets. This  
93      project has been made possible in part by grant number 2024-345909 from the Chan-Zuckerberg  
94      Initiative DAF, an advised fund of Silicon Valley Community Foundation.

## References

- 97      Cords, L., Engler, S., Haberecker, M., Rüschoff, J. H., Moch, H., De Souza, N., & Bodenmiller,  
98      B. (2024). Cancer-associated fibroblast phenotypes are associated with patient outcome in  
99      non-small cell lung cancer. *Cancer Cell*, 42(3), 396–412.e5. <https://doi.org/10.1016/j.ccr.2023.12.021>
- 101     Danenberg, E., Bardwell, H., Zanotelli, V. R. T., Provenzano, E., Chin, S. F., Rueda, O. M.,  
102     Green, A., Rakha, E., Aparicio, S., Ellis, I. O., Bodenmiller, B., Caldas, C., & Ali, H. R.  
103     (2022). Breast tumor microenvironment structures are associated with genomic features  
104     and clinical outcome. *Nature Genetics*, 54(5), 660–669. <https://doi.org/10.1038/s41588-022-01041-y>
- 106     European Organization For Nuclear Research, & OpenAIRE. (2013). Zenodo. CERN. <https://doi.org/10.25495/7GXK-RD71>
- 108     Falcon, W., & team, T. P. L. (2019). PyTorch lightning (Version 1.4). <https://doi.org/10.5281/zenodo.3828935>
- 110     Figshare - credit for all your research. (n.d.). <https://figshare.com/>.
- 111     Geuenich, M. J., Hou, J., Lee, S., Ayub, S., Jackson, H. W., & Campbell, K. R. (2021).  
112     Automated assignment of cell identity from single-cell multiplexed imaging and proteomic  
113     data. *Cell Systems*, 12(12), 1173–1186.e5. <https://doi.org/10.1016/j.cels.2021.08.012>
- 114     Giesen, C., Wang, H. A. O., Schapiro, D., Zivanovic, N., Jacobs, A., Hattendorf, B., Schüffler,  
115     P. J., Grolimund, D., Buhmann, J. M., Brandt, S., Varga, Z., Wild, P. J., Günther, D.,  
116     & Bodenmiller, B. (2014). Highly multiplexed imaging of tumor tissues with subcellular  
117     resolution by mass cytometry. *Nature Methods*, 11(4), 417–422. <https://doi.org/10.1038/nmeth.2869>
- 119     Greenwald, N. F., Miller, G., Moen, E., Kong, A., Kagel, A., Dougherty, T., Fullaway, C. C.,  
120     McIntosh, B. J., Leow, K. X., Schwartz, M. S., Pavelchek, C., Cui, S., Camplisson, I.,  
121     Bar-Tal, O., Singh, J., Fong, M., Chaudhry, G., Abraham, Z., Moseley, J., ... Van Valen,  
122     D. (2022). Whole-cell segmentation of tissue images with human-level performance using  
123     large-scale data annotation and deep learning. *Nature Biotechnology*, 40(4), 555–565.  
124     <https://doi.org/10.1038/s41587-021-01094-0>
- 125     Jackson, H. W., Fischer, J. R., Zanotelli, V. R. T., Ali, H. R., Mehera, R., Soysal, S.  
126     D., Moch, H., Muenst, S., Varga, Z., Weber, W. P., & Bodenmiller, B. (2020). The  
127     single-cell pathology landscape of breast cancer. *Nature*, 578(7796), 615–620. <https://doi.org/10.1038/s41586-020-0270-2>

128       [//doi.org/10.1038/s41586-019-1876-x](https://doi.org/10.1038/s41586-019-1876-x)

- 129     Keren, L., Bosse, M., Thompson, S., Risom, T., Vijayaragavan, K., McCaffrey, E., Marquez,  
130     D., Angoshtari, R., Greenwald, N. F., Fienberg, H., Wang, J., Kambham, N., Kirkwood,  
131     D., Nolan, G., Montine, T. J., Galli, S. J., West, R., Bendall, S. C., & Angelo, M. (2019).  
132     MIBI-TOF: A multiplexed imaging platform relates cellular phenotypes and tissue structure.  
133     *Science Advances*, 5(10), eaax5851. <https://doi.org/10.1126/sciadv.aax5851>
- 134     Keren, L., Marquez, D., Bosse, M., Angoshtari, R., Jain, S., Varma, S., Yang, S. R., Kurian, A.,  
135     Van Valen, D., West, R., Bendall, S. C., & Angelo, M. (2018). A Structured Tumor-Immune  
136     Microenvironment in Triple Negative Breast Cancer Revealed by Multiplexed Ion Beam  
137     Imaging. *Cell*, 174(6), 1373–1387.e19. <https://doi.org/10.1016/j.cell.2018.08.039>
- 138     Lewis, S. M., Asselin-Labat, M.-L., Nguyen, Q., Berthelet, J., Tan, X., Wimmer, V. C., Merino,  
139     D., Rogers, K. L., & Naik, S. H. (2021). Spatial omics and multiplexed imaging to explore  
140     cancer biology. *Nature Methods*, 18(9), 997–1012. <https://doi.org/10.1038/s41592-021-01203-6>
- 142     Marconato, L., Palla, G., Yamauchi, K. A., Virshup, I., Heidari, E., Treis, T., Vierdag, W.-M.,  
143     Toth, M., Stockhaus, S., Shrestha, R. B., Rombaut, B., Pollaris, L., Lehner, L., Vöhringer,  
144     H., Kats, I., Saeys, Y., Saka, S. K., Huber, W., Gerstung, M., ... Stegle, O. (2025).  
145     SpatialData: An open and universal data framework for spatial omics. *Nature Methods*,  
146     22(1), 58–62. <https://doi.org/10.1038/s41592-024-02212-x>
- 147     Martinelli, A. L., & Rapsomaniki, M. A. (2022). ATHENA: Analysis of tumor heterogeneity  
148     from spatial omics measurements. *Bioinformatics*, 38(11), 3151–3153. <https://doi.org/10.1093/bioinformatics/btac303>
- 150     Method of the Year 2024: Spatial proteomics. (2024). *Nature Methods*, 21(12), 2195–2196.  
151     <https://doi.org/10.1038/s41592-024-02565-3>
- 152     Wenckstern, J., Jain, E., Vasilev, K., Pariset, M., Wicki, A., Gut, G., & Bunne, C. (2025).  
153     *AI-powered virtual tissues from spatial proteomics for clinical diagnostics and biomedical*  
154     *discovery* (No. arXiv:2501.06039). arXiv. <https://doi.org/10.48550/arXiv.2501.06039>
- 155     Yuan, Z., Pan, W., Zhao, X., Zhao, F., Xu, Z., Li, X., Zhao, Y., Zhang, M. Q., & Yao, J.  
156     (2023). SODB facilitates comprehensive exploration of spatial omics data. *Nature Methods*,  
157     20(3), 387–399. <https://doi.org/10.1038/s41592-023-01773-7>