






Day 14 of Agentic AI

Memory & Feedback Loops – Evaluators & Corrective Agents



#30DaysofAgenticAI

Understanding Memory & Feedback Loops


In the realm of conversational agents, memory and feedback loops are pivotal for enhancing user interactions. These elements enable agents to maintain context and learn from past interactions, ultimately improving their performance and reliability.

What we'll cover

- **Memory Types:** We will explore the distinction between short-term and long-term memory, detailing how each type functions and contributes to conversational agents. Short-term memory retains context within a single session, while long-term memory captures user preferences over time.
- **Feedback Loops:** Understanding how feedback loops operate is crucial. These self-healing workflows allow agents to identify errors and make necessary adjustments, ensuring continuous improvement in their responses.
- **Importance for Conversational Agents:** The integration of memory and feedback mechanisms is essential for creating responsive and personalized interactions. This knowledge is vital for professionals looking to develop or enhance AI-driven systems.



Short-Term Memory: Definition & Function




Short-term memory in conversational agents refers to the ability to retain dialogue context during a single session or a bounded window of interactions. This enables agents to engage in coherent and contextually relevant conversations without needing extensive data retrieval.

How it works?

Short-term memory operates by storing recent dialogue context in ephemeral states or session buffers. This allows agents to maintain continuity in conversations, responding to user queries based on the immediate context. For instance, if a user asks a follow-up question, the agent can reference previous statements without needing to access a larger database. The mechanism relies on efficient data handling to ensure quick access and responsiveness.



Short-Term Memory - Key Characteristics




Understanding the characteristics of short-term memory is vital for developing effective conversational agents. These traits dictate how agents interact with users in real-time and ensure seamless communication.

- **Ephemeral Storage:** Short-term memory utilizes temporary storage that only retains information for the duration of a session. This characteristic allows agents to focus on current interactions without the overhead of long-term data management. It ensures that the agent can respond quickly based on recent context.
- **Fast Access:** Information in short-term memory is retrieved quickly, enabling real-time responses. This speed is crucial for maintaining the flow of conversation, as delays can disrupt user engagement. Agents can respond to queries almost instantaneously.



Use Cases for Short-Term Memory

Short-term memory



Use Case 1


Customer Support Chatbot In customer service, agents must respond to inquiries based on the current session context. A chatbot utilizes short-term memory to remember user questions and provide immediate answers, ensuring a smooth interaction. This leads to quicker resolutions and improved customer satisfaction, as users feel heard and understood.

Use Case 2

Interactive Voice Assistants Voice assistants must maintain context while users issue commands. Short-term memory allows these assistants to remember the last command and respond appropriately, such as continuing a music playlist. Users enjoy a seamless experience without needing to repeat themselves, enhancing usability.



Long-Term Memory: Definition & Function




Long-term memory in conversational agents refers to the capability to persist information across multiple sessions and tasks. This includes retaining user preferences, historical interactions, and knowledge bases, which enhance the agent's ability to provide personalized experiences.

How it works?

Long-term memory is implemented through various technologies such as databases, knowledge graphs, or vector stores. These systems store information that agents can recall in future interactions. For instance, when a user engages with a virtual assistant, it can access stored preferences and past queries to tailor responses accordingly. The architecture ensures that data is organized for efficient retrieval, allowing agents to learn from user interactions over time.




Long-Term Memory - Key Characteristics



- **Persistent Storage:** Long-term memory retains information beyond a single session, allowing for continuity in user interactions. This characteristic enables agents to build a comprehensive understanding of user preferences and history, which is crucial for personalized experiences.
- **Rich Retrieval Capabilities:** Long-term memory systems are designed for efficient retrieval of complex data. This allows agents to access detailed user histories and preferences, leading to more relevant interactions. The architecture supports quick access to stored information.
- **Supports Personalization:** Long-term memory enables agents to tailor interactions based on user history. By remembering user preferences and past interactions, agents can offer personalized recommendations and responses, enhancing user satisfaction.



Use Cases for Long-Term Memory



Use Case 1


Virtual assistants need to remember user preferences for effective task management. Long-term memory allows assistants like Google Assistant to recall user preferences, such as calendar events and favorite locations, providing tailored reminders and suggestions.

Use Case 2

Online shopping experiences can be enhanced through personalized recommendations. E-commerce chatbots utilize long-term memory to remember past purchases and user preferences, suggesting products that align with user interests.



Evaluators: Role & Function




Evaluators are independent modules within conversational agents that assess the accuracy and correctness of outputs. They play a critical role in ensuring the quality of interactions by comparing agent responses against predefined rules, benchmarks, or ground truth.

How it works?

Evaluators operate by analyzing the outputs generated by conversational agents in real-time. They check for alignment with expected results, providing feedback that informs corrective actions. For instance, if a chatbot generates a response that is off-topic, the evaluator identifies this discrepancy and flags it for correction. This feedback loop is essential for maintaining high standards of accuracy and relevance in agent responses.



Corrective Loops: Definition & Process



Corrective loops refer to self-healing workflows within conversational agents that enable them to identify and rectify errors in real-time. These loops are essential for improving the reliability and performance of agents by allowing them to learn from mistakes.

How it works

Corrective loops function by integrating feedback from evaluators into the agent's operational processes. When an evaluator identifies an error, the agent can adjust its approach based on this feedback. For example, if a chatbot provides an incorrect answer, the corrective loop allows it to re-attempt the task with the necessary adjustments. This dynamic process prevents the compounding of mistakes and fosters continuous improvement.



Memory Architectures in Practice

Short-term Memory

- **Session buffers:** These are temporary storage solutions that retain a context during single session, allowing for quick access and seamless interactions.

Long-term Memory


- **Vector stores:** Technologies such as Pinecone, Weaviate, and Qdrant are used to implement long-term memory, enabling agents to recall information from previous interactions efficiently.
- **Relational databases:** These provide structured storage for user preferences and historical data, facilitating rich retrieval capabilities.

Hybrid Models

Combining both short-term and long-term memory allows agents to use recent context for immediate reasoning while tapping into long-term memory for personalized experiences. This hybrid approach ensures that agents can provide relevant responses based on both current and historical data.



Comparison of Memory Types



Short-Term Memory

Ephemeral: Information is stored temporarily, only during active sessions.

Fast access: Enables quick retrieval of recent context for immediate responses.

Limited scope: Lacks historical depth, focusing solely on current interactions.

Long-Term Memory

Persistent: Information is stored for future retrieval, enabling continuity.

Rich retrieval: Supports complex queries and detailed user histories.

Personalization: Adapts interactions based on user preferences and historical data.