

MEDIA RECOMMENDATION


ERL STATION COVERAGE NETWORK

(KLIA EKSPRES & KLIA TRANSIT)

MAXIMISING YOUR AD EFFECTIVENESS



FREQUENCY
Daily exposure,
high brand recall





REACH
Large and diverse audience



AUDIENCE
Captive and available



VISIBILITY
No blocking, no
skipping



IMPACT
Platform for
emotions

QUICK FACTS

57 KM
TRACK LENGTH

6
TOTAL
STATIONS

18
TOTAL
TRAINS

7.5Mil
ANNUAL
RIDERSHIP

28-38
MINUTES
END-END JOURNEY

5AM – 12.00AM
EVERY 15-30 MINUTES

ROUTE


- KLIA T2
- KLIA T1
- Salak Tinggi
- Putrajaya & Cyberjaya
- Bandar Tasik Selatan
- KL Sentral


LEGEND

- LRT Sri Petaling Line
- LRT Kelana Jaya Line
- KL Monorail
- KTM Komuter
- MRT Sungai Buloh – Kajang Line
- MRT Kwasa Damansara – Putrajaya Line
- Terminal Bersepadu Selatan

Source: www.kliaekspres.com

COMMUTERS DEMOGRAPHIC AND TRAVEL PATTERN





Source: Express Rail Link (ERL) Customer Survey Report, 2022

ERL STATION COVERAGE NETWORK

ERL EKSPRES AND TRANSIT STATIONS



Spectacular new media opportunity


65’ Digital screens in ERL stations

Unmissable panel, head on to the commuters


NAME	ERL STATION COVERAGE NETWORK (ERL/KLS/DT/001 - 002)
FORMAT	65” DIGITAL TOTEM / 32 UNITS
MONTHLY DISPLAY CHARGE	RM 35,000 PER SPOT
MAX. NO. ADVERTISERS	8
ADV. SPOT LENGTH	15 SEC PER SPOT
LOCATION	KL SENTRAL, - 18 units PUTRAJAYA/CYBERJAYA, - 4 units KLIA T1 – 6 units KLIA T2 – 4 units
TAX	8% SST
AVAILABILITY	AVAILABLE

ERL STATION COVERAGE NETWORK

ERL EKSPRES AND TRANSIT STATIONS










ERL STATION COVERAGE NETWORK

ERL EKSPRES AND TRANSIT STATIONS












ERL Digital Network

EXPRESS RAIL LINK

1080



1920

Digital Specification

Specifications of the content

- Resolution : ***1080 pixels in width x 1920 pixels in height***
- Orientation : ***Portrait***
- Duration : ***10 sec***
- Video codec : ***H264***
- Format : ***See Content Format***
- Frame : ***25fps***
- No of Spots : ***8***

Content formats (Video)

- Container's format / Associated extensions : ***mov/mp4***
- Size of content :

  Videos have to be created in 'full screen', with no *surrounding black border: borders could appear on the screen or the image could be wrapped*
- *Audio : Not recommended*

Encoding

- Video codec : H264
- *Profile* : *Main Profile*
- *Profile level* : *4.2 maximum*
- *Max bit rate* : *50 Mbps*
- *Ref Frame* : *2, 4 (8 maximum)*
- *Encoding* : *2 pass recommended*
- *Chromatic subsample* : *4:2:0*
- *Color depth* : *8 bits*
- *Image type* : *Progressive*
- *CABAC* : *Recommended*
- *Variable Frame Rate* : *None*
- *Subtitles* : *None*

VGI AIRPORTS

TERMS & CONDITIONS

• SST 8%	Payable by advertiser
• Production & Electricity Charges	Production & Electricity charges are quoted at net values and are non-commissionable
• Approval	All sites and visuals are SUBJECT to ERL's approval
• Availability	All sites offered are released on a FIRST COME FIRST SERVE basis
• Booking and Material Deadline	8 weeks in advance prior to the in-charge date
• Proposal Validity	One Month from date of this proposal and subject to changes.

THANK YOU

HAFIZ BADRI
Media Manager
+6012-3057711
hafiz@meruutama.com.my