

Title: Access Messages Q1 2026	
REF-03454 v4	
Document Creator: Rachel Erichson	Date: 1/22/26

Purpose:

This Payer Data Reference Packet is the reference for the following access messages that are planned for use in internal presentations & training materials, AND external promotional settings including VYVGARThcp.com, banner ads, the CiVA, etc. These access messages include individual indication specific messages for gMG and CIDP, as well as cross-indication and cross-product access messages where use is appropriate to convey access across our portfolio.

gMG Access Messaging (with header)

These are standalone gMG Access Messages that include VYVGART, VYVGART Hytrulo Vial, and VYVGART Hytrulo PFS.

Please note that the below access messages MUST contain the header to use the shortened names (VYVGART/VYVGART Hytrulo). For use of Access messages without the header, please see below.

1. **Header: VYVGART and VYVGART Hytrulo vial and prefilled syringe | Broad access for your gMG patients**
2. **Message 1: >90% of commercial and Medicare insured gMG patients have coverage for VYVGART and VYVGART Hytrulo^{a,b}**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026
 - b. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
3. **Message 2: ~90% of commercial and Medicare insured gMG patients qualify for VYVGART and VYVGART Hytrulo after a trial of 2 or less oral therapies^{a,b}**
 - a. Sub-Message 1: ~50% of patients require a trial of only 1 prior oral therapy for VYVGART and VYVGART Hytrulo vial^a
 - b. Sub-Message 2: VYVGART and VYVGART Hytrulo vial are covered in ~70% of Medicare patients without prior therapy requirements^a
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026
 - ii. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
4. **Message 3: ~90% of commercial and Medicare insured patients have coverage allowing for an initial authorization of VYVGART and VYVGART Hytrulo for at least 6 months^{a,b}**
 - a. Sub-Message: This can allow for multiple treatment cycles with the first prescription
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026
 - ii. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe

gMG Access Message	gMG			
	IV	Vial	PFS	
1	94.6%	94.3%	92.8%	of commercial and Medicare insured patients have coverage for VYVGART or VYVGART Hytrulo
2	88.1%	89.0%	87.4%	of commercial and Medicare insured patients qualify for VYVGART or VYVGART Hytrulo after a trial of 2 or less oral therapies
2a	50.6%	53.3%	43.8%	of these patients require a trial of only 1 prior oral therapy
2b	69.4%	69.7%	39.4%	of Medicare patients are covered without prior therapy requirements
3	91.5%	92.5%	87.3%	of commercial and Medicare insured patients have coverage allowing for an initial authorization of VYVGART or VYVGART Hytrulo for at least 6 months
		96.2%		of patients whose insurance covers VYVGART or VYVGART Hytrulo, there is no difference in coverage requirements

gMG Access Messaging (without header)

These are standalone gMG Access Messages that include VYVGART, VYVGART Hytrulo Vial, and VYVGART Hytrulo PFS.

Please note that the below access messages may be used WITHOUT the header (above) and therefore must list out the full product name.

5. **Message 1: >90% of commercial and Medicare insured gMG patients have coverage for VYVGART, VYVGART Hytrulo vial, and VYVGART Hytrulo prefilled syringe^a**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026
6. **Message 2: ~90% of commercial and Medicare insured gMG patients qualify for VYVGART, VYVGART Hytrulo vial, and VYVGART Hytrulo prefilled syringe after a trial of 2 or less oral therapies^a**
 - a. Sub-Message 1: ~50% of patients require a trial of only 1 prior oral therapy for VYVGART and VYVGART Hytrulo vial^a
 - b. Sub-Message 2: VYVGART and VYVGART Hytrulo vial are covered in ~70% of Medicare patients without prior therapy requirements^a
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026
7. **Message 3: ~90% of commercial and Medicare insured patients have coverage allowing for an initial authorization of VYVGART, VYVGART Hytrulo vial, and VYVGART Hytrulo prefilled syringe for at least 6 months^a**
 - a. Sub-Message: This can allow for multiple treatment cycles with the first prescription
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026

[illegible]

CIDP Access Messaging (with header)

These are standalone CIDP Access Messages that include VYVGART Hytrulo Vial and VYVGART Hytrulo PFS.

Please note that the below access messages **MUST** contain the header to use the shortened names (VYVGART/VYVGART Hytrulo). For use of Access messages without the header, please see below.

8. **Header: VYVGART Hytrulo vial and prefilled syringe | Broad access for your CIDP patients**
9. **Message 1: >90% of commercial and Medicare insured CIDP patients have coverage for VYVGART Hytrulo^{a,b}**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026
 - b. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
10. **Message 2: ~70% of commercial and Medicare insured CIDP patients qualify for VYVGART Hytrulo after a trial of 1 or less previous therapies^{a,b}**
 - a. Sub-Message 1: ~50% of these patients require a trial of only 1 prior oral therapy^a
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026
 - ii. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
11. **Message 3: ~80% of commercial and Medicare insured CIDP patients have coverage allowing for an initial authorization of VYVGART Hytrulo vial for at least 6 months^a**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026

CIDP		
CIDP Access Message	Vial	PFS
1	93.7%	92.7% of commercial and Medicare insured patients have coverage for VYVGART Hytrulo
2	67.7%	73.2% of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of 1 or less previous therapies†
2a	50.8%	47.5% of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of only 1 previous oral therapy
3	79.2%	66.3% of commercial and Medicare insured patients have coverage allowing for an initial authorization of VYVGART Hytrulo for at least 6 months†
5	54.9%	71.8% patients qualify for VYVGART Hytrulo after 3 months or less of treatment with another therapy
	19.9%	8.4% of commercial and Medicare insured patients do not require previous treatment to qualify for VYVGART Hytrulo †
	59.1%	18.1% VYVGART Hytrulo is covered in [x%] of Medicare patients without prior therapy requirements

CIDP Access Messaging (without header)

These are standalone CIDP Access Messages that include VYVGART Hytrulo Vial and VYVGART Hytrulo PFS.

Please note that the below access messages may be used WITHOUT the header (above) and therefore must list out the full product name.

12. **Message 1: >90% of commercial and Medicare insured CIDP patients have coverage for VYVGART Hytrulo vial and VYVGART Hytrulo prefilled syringe^a**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026
13. **Message 2: ~70% of commercial and Medicare insured CIDP patients qualify for VYVGART Hytrulo vial and VYVGART Hytrulo prefilled syringe after a trial of 1 or less previous therapies^a**
 - a. Sub-Message 1: ~50% of these patients require a trial of only 1 prior oral therapy^a
 - i. Footnote A: Based on published policies from Policy Reporter as of January 2026
14. **Message 3: ~80% of commercial and Medicare insured CIDP patients have coverage allowing for an initial authorization of VYVGART Hytrulo vial for at least 6 months^a**
 - a. Footnote A: Based on published policies from Policy Reporter as of January 2026

	CIDP									
CIDP Access Message	Vial	PFS								
	1	93.7%	92.7%	of commercial and Medicare insured patients have coverage for VYVGART Hytrulo						
	2	67.7%	73.2%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of 1 or less previous therapies†						
	2a	50.8%	47.5%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of only 1 previous oral therapy						
	3	79.2%	66.3%	of commercial and Medicare insured patients have coverage allowing for an initial authorization of VYVGART Hytrulo for at least 6 months†						
s		54.9%	71.8%	patients qualify for VYVGART Hytrulo after 3 months or less of treatment with another therapy						
		19.9%	8.4%	of commercial and Medicare insured patients do not require previous treatment to qualify for VYVGART Hytrulo †						
		59.1%	18.1%	VYVGART Hytrulo is covered in [x%] of Medicare patients without prior therapy requirements						

Cross-Indication Access Messaging (with header)

These are Cross-Indication Access messages that cover VYVGART IV, VYVGART Hytrulo Vial, and VYVGART Hytrulo PFS. This is suggested to be used as a portfolio level access message.

Please note that the below access messages **MUST** contain the header to use the shortened names (VYVGART/VYVGART Hytrulo). For use of Access messages without the header, please see below.

15. Header: VYVGART and VYVGART Hytrulo vial and prefilled syringe | Broad access for your patients

16. Message 1: >90% of eligible patients have coverage for VYVGART and VYVGART Hytrulo^{a,b,c}

- a. Footnote A: Based on published policies from Policy Reporter as of January 2026
- b. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
- c. Footnote C: Among patients with Commercial or Medicare insurance coverage

17. Message 2: The majority of eligible patients qualify for VYVGART or VYVGART Hytrulo after a trial of only oral therapies^{a,b,c}

- a. Sub-Message 1: gMG
 - i. ~90% of patients require a trial of 2 or less oral therapies
 - ii. 100% of Medicare Part B patients require no prior therapies
- b. Sub-Message 2: CIDP
 - i. ~50% of patients require a trial of only 1 prior oral therapy
 - ii. ~70% of patients require a trial of 1 or less previous therapies
 - iii. 100% of Medicare Part B patients require no prior therapies
- c. Footnote A: Based on published policies from Policy Reporter as of January 2026
- d. Footnote B: VYVGART Hytrulo includes both VYVGART Hytrulo vial and VYVGART Hytrulo Prefilled syringe
- e. Footnote C: Among patients with Commercial or Medicare insurance coverage

	gMG																				
gMG Access Message	IV	Vial	PFS																		
1	94.6%	94.3%	92.8%	of commercial and Medicare insured patients have coverage for VYVGART or VYVGART Hytrulo																	
2	88.1%	89.0%	87.4%	of commercial and Medicare insured patients qualify for VYVGART or VYVGART Hytrulo after a trial of 2 or less oral therapies																	
2a	50.6%	53.3%	43.8%	of these patients require a trial of only 1 prior oral therapy																	
2a	69.4%	69.7%	39.4%	of Medicare patients are covered without prior therapy requirements																	
	CIDP																				
CIDP Access Message	Vial	PFS																			
1	93.7%	92.7%	of commercial and Medicare insured patients have coverage for VYVGART Hytrulo																		
2b	67.7%	73.2%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of 1 or less previous therapies†																		
2b	50.8%	47.5%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of only 1 previous oral therapy																		

Cross-Indication Access Messaging (without header)

These are Cross-Indication Access messages that cover both gMG and CIDP and VYVGART IV, VYVGART Hytrulo Vial, and VYVGART Hytrulo PFS. This is suggested to be used as a portfolio level access message.

Please note that the below access messages may be used WITHOUT the header (above) and therefore must list out the full product name.

18. Message 1: >90% of eligible patients have coverage for VYVGART, VYVGART Hytrulo vial, and VYVGART Hytrulo prefilled syringe^{a,c}

- a. Footnote A: Based on published policies from Policy Reporter as of January 2026
- b. Footnote C: Among patients with Commercial or Medicare insurance coverage

19. Message 2: The majority of eligible patients qualify for VYVGART, VYVGART Hytrulo vial, or VYVGART Hytrulo prefilled syringe after a trial of only oral therapies^{a,c}

- a. Sub-Message 1: gMG
 - i. ~90% of patients require a trial of 2 or less oral therapies
 - ii. 100% of Medicare Part B patients require no prior therapies
- b. Sub-Message 2: CIDP
 - i. ~50% of patients require a trial of only 1 prior oral therapy
 - ii. ~70% of patients require a trial of 1 or less previous therapies
 - iii. 100% of Medicare Part B patients require no prior therapies
- c. Footnote A: Based on published policies from Policy Reporter as of January 2026
- d. Footnote C: Among patients with Commercial or Medicare insurance coverage

gMG				
gMG Access Message	IV	Vial	PFS	
1	94.6%	94.3%	92.8%	of commercial and Medicare insured patients have coverage for VYVGART or VYVGART Hytrulo
2	88.1%	89.0%	87.4%	of commercial and Medicare insured patients qualify for VYVGART or VYVGART Hytrulo after a trial of 2 or less oral therapies
2a	50.6%	53.3%	43.8%	of these patients require a trial of only 1 prior oral therapy
2a	69.4%	69.7%	39.4%	of Medicare patients are covered without prior therapy requirements
CIDP				
CIDP Access Message	Vial	PFS		
1	93.7%	92.7%	of commercial and Medicare insured patients have coverage for VYVGART Hytrulo	
2b	67.7%	73.2%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of 1 or less previous therapies†	
2b	50.8%	47.5%	of commercial and Medicare insured patients qualify for VYVGART Hytrulo after a trial of only 1 previous oral therapy	



Payer Data Reference Packet

Approval	
Legal Counsel	Name: Dan Triggs
	Signature: <i>Daniel Triggs</i>
	Date: 1/22/26

Certificate Of Completion

Envelope Id: 8D58FB2A-8E61-4F6F-AECC-C742A6986F19
 Subject: Complete with Docusign: Access Messages Q1 2026.docx
 Source Envelope:
 Document Pages: 7
 Certificate Pages: 1
 AutoNav: Enabled
 Envelopeld Stamping: Disabled
 Time Zone: (UTC+01:00) Brussels, Copenhagen, Madrid, Paris

Status: Completed
 Envelope Originator:
 Rachel Erichson
 Industriepark-Zwijnaarde 7
 Zwijnaarde, . 9052
 rerichson@argenx.com
 IP Address: 73.186.156.187

Record Tracking

Status: Original
 1/22/2026 10:35:00 PM
 Holder: Rachel Erichson
 rerichson@argenx.com
 Location: DocuSign

Signer Events

Daniel Triggs
 dtriggs@argenx.com
 Senior Director, Us Legal, Commercial and Market
 Access
 Security Level: Email, Account Authentication
 (None), Login with SSO

Signature

Daniel Triggs

Signature Adoption: Pre-selected Style
 Using IP Address: 173.199.241.238

Timestamp

Sent: 1/22/2026 10:37:07 PM
 Viewed: 1/23/2026 8:44:46 PM
 Signed: 1/23/2026 8:45:06 PM

Electronic Record and Signature Disclosure:
 Not Offered via Docusign

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent	Hashed/Encrypted	1/22/2026 10:37:07 PM
Certified Delivered	Security Checked	1/23/2026 8:44:46 PM
Signing Complete	Security Checked	1/23/2026 8:45:06 PM
Completed	Security Checked	1/23/2026 8:45:06 PM

Payment Events

Status

Timestamps