

Instructions for filling out the matrix

The proposer is required to indicate the compliance status relative to each individual requirement listed in the Compliance Matrix. For each requirement, the proposer must indicate if its proposed system will comply (C); not comply (N); or comply only if NEORide accepts a proposed modified version of the requirement (CM).

No additional commentary shall be provided for responses of “C” or “N” unless the proposer exceeds the requirement (see below). For each requirement marked with a “C” or “CM,” proposers are required to provide a reference to exactly where in the proposal there is a description of how this requirement will be met. Proposers must provide at least the section and page numbers of the part of the proposal that verifies the claim that the proposer complies with the requirement.

A response of “CM” should only be used to indicate that the proposer will comply if the requirement wording is changed to specific alternate text that must be provided by the proposer in the column provided. A response of “CM” will be equivalent to a response of “C” if NEORide agrees to change the requirement as proposed, or equivalent to a

In the situation where the proposer exceeds the stated requirement, the proposer must indicate a response of “C” for the compliance status and must provide an explanation as to how that requirement exceeds the original requirement.

		Proposed Modified Requirement Text		
Ref No.	Requirement	Proposed Compliance Status (C/N/CM)	(required for CM or where the requirement is exceeded)	Proposal Reference (Section No. & Page No.)
1	3 Requirements			
2	This section defines technical requirements for the Mobility Platform under the following subsections:			
3	· Infrastructure: Defines requirements for the cloud infrastructure for the vendor hosted solution.			
4	· DRT/Microtransit Management defines requirements for managing vehicle, rider-facing and central applications for DRT/microtransit services.			
5	· ADA Paratransit and Specialized DRT Management defines requirements for managing ADA paratransit specific and specialized DRT-specific services.			
6	· Integrations: defines requirements for integrating Mobility Platform with external systems/platforms.			
7	3.1 Infrastructure			

8	This section provides requirements for hosting, security, access, and performance. Ideally, the system(s) will be provided as a SaaS product.			
9	3.1.1 Cloud-based Hosting			
10	1. The Contractor shall provide SaaS based model for providing the required functionality described in the scope of work.			
11	2. System operation in a multi-tenant platform is acceptable, provided that, in addition to Contractor staff, only authorized NEORide staff and Participating Agency--designated users, have access to NEORide data.			
12	3. The Contractor shall deliver and maintain at least two instances for each agency: test and production.			
13	4. The Contractor shall make provisions for designated users at NEORide and Participating Agencies to test any new updates, patches, upgrades and configuration changes to the customer mobile application, and back-office system before being implemented in the production environment.			
14	5. The Contractor shall be responsible for designing, configuring, delivering, installing, testing, and ensuring the availability of all required system functionality.			
15	6. The system and services shall maintain 99.99% availability as measured on a rolling monthly and annual basis, excluding pre-approved system maintenance down time and issues with networks provided by other Contractors.			
16	7. The Contractor shall test all updates, patches, upgrades, and configuration changes on Contractor's internal development environment prior to being implemented in the production environment. Reports of this testing shall be provided to NEORide and its Participating Agency upon request.			

17	8. The Contractor shall provide provisions for NEORide and its Participating Agency to test any new updates, patches, upgrades and configuration changes to system before being implemented.			
18	9. The Contractor shall provide a Disaster Recovery Plan highlighting how continued functionality can be provided in a disaster scenario (e.g. failover, fallback, recovery point objective [RPO], and recovery time objective [RTO]).			
19	10. Any system failover to support disaster recovery shall be completed within a recovery time objective (RTO) of one (1) hour.			
20	11. Any system failover shall be completed with a recovery point objective (RPO) of 1 minute.			
21	12. The Contractor shall set-up the central system in redundant configuration by default.			
22	13. The system shall automatically switch to geographically redundant secondary (failover) site in case the primary site is unavailable. A secondary (failover) site shall be available when the system goes into revenue service.			
23	14. The system shall not lose any data when transitioning over from the primary to secondary site during a disaster induced failover or test, or when transition back from the secondary to primary site.			
24	3.1.2 Cybersecurity			
25	1. NEORide shall have access to data from Participating Agencies, as authorized by a Participating Agency for the operation of EZConnect mobility center and reporting.			
26	2. The Participating Agency shall have access to a subset of data that is linked to said agency (e.g. role [agency-based] data access). When agencies in a region intend to coordinate services (e.g., via EZConnect center operations), the Contractor shall enable the Mobility Platform to allow such service coordination.			

27	3. Supplied applications shall provide secure data exchange via transport layer security/secure socket layer protocol (version 1.2 or higher).			
28	4. Supplied applications shall be digitally signed with established third-party Certification Authorities using methods appropriate to the targeted platforms.			
29	5. The system shall track and monitor all access and attempted access, including suspected threats to network resources, field devices, applications, and cardholder data.			
30	6. Vulnerabilities or exploits discovered by the Contractor or others shall be reported to NEORide and its Participating Agencies immediately (within 1 [one] business day of identification of issue) with a proposed mitigation strategy and remediation plan with expected resolution dates.			
31	7. Application security shall be provided in accordance with best practices identified in the National Institute of Standards and Technology (NIST) Cybersecurity Framework or an equivalent alternative published standard from a recognized security-standards body, if approved by NEORide and its Participating Agencies.			
32	8. The Contractor shall inform NEORide and its Participating Agencies of any security breaches or data loss within 1 (one) business day of discovery of the incident.			
33	9. The Contractor shall provide a detailed security incident response plan. The incident plan shall, at minimum, include the following:			
34	a) Incident reporting process and how details of an incident will be communicated to NEORide and its Participating Agencies.			
35	b) Incident reporting process and how the details of an incident will be communicated to the riders if deemed appropriate by NEORide and its Participating Agencies.			

36	c) Process for reporting vulnerabilities or exploits discovered by the Contractor or others and include at minimum a proposed mitigation strategy and remediation plan with expected resolution dates.			
37	10. The Contractor shall provide annual assurance statements of recertification and regulatory compliance delivered to NEORide's Contract Liaison. The Contractor shall provide annual attestations of compliance program certifications relevant to the controls and security plan devised for the solution or system.			
38	11. Solution or system and Contractor's safeguards of the privacy of the Participating Agency and its customer data shall be documented in a system security plan that shall include:			
39	a) Description of all customer data in accordance with Federal, State, and Local regulations.			
40	b) Statements of purpose for the collection of personally identifiable information (PII).			
41	c) Description of data quality and integrity checks that provide for validation and verification of PII.			
42	d) Description of data minimization and retention checks that ensure PII collected, used, and retained is relevant and necessary for the purpose for which it was originally collected.			
43	12. The Contractor shall provide notice of a loss or suspected loss of privacy sensitive data to NEORide and its Participating Agency, within 24 hours of loss or suspected loss.			
44	3.1.3 Access Control			
45	1. All Contractor supplied applications shall support role-based security, allowing access to system functionality and data based on the roles of the users.			

46	2. The system shall have the ability to regulate access to functionality and access to data for authorized external or third-party users.			
47	3. The system shall record login, logout and configuration change activities of all users from NEORide and its Participating Agency.			
48	4. The activity log shall be accessible by authorized system administrators from each agency for audit.			
49	5. Access control shall be configurable by NEORide and its Participating Agency -authorized system administrators.			
50	3.1.4 Data Access			
51	1. The Contractor shall provide access to all data the Contractor is collecting from NEORide and its Participating Agency via an API and/or access to the database.			
52	2. NEORide and its Participating Agency shall have access to provide all system generated data to third-parties, subject to execution of any applicable non-disclosure agreements.			
53	3. Contractor shall provide data stewardship information about location of data storage, addressing requirements to keep all data in the United States.			
54	4. Data collected by system will remain under the ownership of NEORide and its Participating Agency, and will be made available on request by NEORide and its Participating Agency.			
55	3.1.5 Integration Needs			
56	1. The Contractor shall develop and provide documentation for all internal and external system interfaces and APIs, including Interface Control Documents (ICDs), detailing data, data definitions, data formats, communications protocols and relevant database tables and views being accessed.			
57	2. Detailed requirements for integration are defined in Section 3.4.			

58	3.2 DRT/Microtransit Management			
59	This section lists requirements for demand response services that cover the following use cases (see Section 2.1.3.2 for description):			
60	· Fixed Route Alternative/Flex-Route Operations.			
61	· Point-to-point / Zone-based Service.			
62	· Fixed-route Connector/Feeder.			
63	· ADA Paratransit Alternative.			
64	The focus of requirements in this section is on delivery of same day/on-demand service that is commonly characterized as microtransit.			
65	3.2.1 General			
66	1. The application shall have NEORide branding.			
67	2. The system shall provide individual mobile application for each Participating Agency.			
68	3. The mobile application shall support integration with EZfare, as described in Section 3.4.1 and 3.4.2 (for both fare payment and trip planning).			
69	3.2.2 Rider-facing Applications (web, mobile and IVR)			
70	3.2.2.1 General			
71	1. The Rider-facing Application shall be capable of managing both DRT/Microtransit trips as defined in Section 3.2 and ADA Paratransit requirements listed in Section 3.3.			
72	3.2.2.2 Mobile and Web Applications			
73	1. The mobile application shall be available in native format for Android and iOS devices.			
74	2. The application shall permit customers to manage account information (e.g. address, email, phone/mobile number), location tracking preferences, mobile app notification preferences and trip history.			
75	3. The application shall allow customers to plan, book, and modify trips based on the service configuration of its Participating Agency.			

76	4. The application shall allow customers to save favorite pick-up and drop-off locations (e.g. recurring locations such as grocery stores, work, hospitals for said customer) for easier future trip planning on the IVR, website, and mobile app.			
77	5. The application shall permit customers access to historical trip records along with trip details and performance history (e.g., completed, cancelled, missed or no-show) for up to the most recent 24 months.			
78	6. The application shall permit customers to access NEORide and Participating Agency- related information including announcements, fare policies, service bulletins, customer policy, and a user training module.			
79	7. The application shall provide customers with aids and instructions in accordance with requirements established by NEORide and the Participating Agency.			
80	8. The application shall have the capabilities to support both single and multiple user accounts (e.g. dependents or institutions and their wards).			
81	9. The application shall allow users to authorize a third-party (e.g., caregiver) to book and manage trips on their behalf.			
82	10. The application shall provide real-time transit status (e.g. predicted pick-up arrival time; or vehicle is arriving in x minutes) updates to customers per their notification preferences.			
83	11. The application shall support modifications to existing trips per agency policy.			
84	12. The application shall provide customers with the option to speak with a customer service representative via phone call in response to a help request during business hours.			
85	a) All calls received after hours shall be sent to the incoming IVR system.			

86	b) The application shall provide customers with the option to speak with a customer service representative via live web chat in response to a help request during business hours.			
87	c) After EZConnect deployment is complete, all calls will be sent to EZConnect call center (except AAATA and GCRTA) and then routed to agencies as needed.			
88	13. The system shall track the following per approved configurations by application users:			
89	a) Time and pick up/drop off location of search requests.			
90	b) Time and pick up/drop off location of trip requests denied.			
91	c) Time and pick up/drop off location of trip requests completed.			
92	d) Time and pick up/drop off location of trip requests not fulfilled (e.g., no-show, missed, cancelled) and the reasons for unfulfillment, as available.			
93	e) Payment amount and payment method for each completed trip.			
94	3.2.2.3 IVR			
95	1. The system shall integrate with the			
96	o Agency-provided IVR system for AAATA and GCRTA.			
97	o NEORide EZConnect-provided IVR system for all other Participating Agencies. Note that EZConnect IVR system is currently not implemented but NEORide and Participating agencies plan to use Amazon Connect or similar Contact Center as a Service (CCaaS) infrastructure.			
98	2. Optionally, when Mobility Platform is integrated with IVR based on Participating Agency service configuration, the IVR shall allow customers to book trips to and from favorited pick-up and drop-off locations.			
99	3. The IVR shall allow customers to inquire about their booked trips (e.g. trip status) and cancel planned trips.			

100	4. The IVR shall have automated dial-out and/or SMS for when a vehicle is approaching for pick-up, if the customer has selected dial-out and/or SMS as communication options in their account profile.			
101	5. The system shall allow customers to contact Participating Agency CSRs via the IVR.			
102	6. The system's API for the IVR shall track the number of trips booked via the IVR			
103	3.2.2.4 Registration			
104	1. The system shall allow new users to register for DRT/microtransit with a Participating Agency.			
105	2. The system shall allow entry of relevant disability aid tools including at least mobility devices or service animals.			
106	3. When entering data, the system shall alert the user if there is an existing customer account entry under the same name.			
107	4. The Participating Agency shall be able to review, approve, and reject the registration requests.			
108	5. The system shall allow users to use all planning, booking, information functions in a "Guest Mode" without registration which shall require only minimal information for unique customer identification (e.g., email address and phone number). The number of trips booked in "Guest Mode" shall be limited per agency policy.			
109	3.2.2.5 Trip Planning			
110	1. The system shall list multimodal options for all services offered by agency for on-demand and future trips (up to 2 weeks in advance).			
111	2. The system shall provide the following information along with options			
112	o Real-time status for available vehicles and drivers.			
113	o Trip fare/price for the displayed options.			
114	o Expected travel time from pick-up and drop-off locations.			

115	3. The system shall present fixed route options and real-time status of upcoming trips when available.			
116	4. Riders shall be able to identify their mobility preferences for customized search (e.g. mobility aides, if any).			
117	5. Riders shall be able to identify any applicable funding sources to get correct info on fares.			
118	6. The application shall permit customers to select exact locations using a map-view or points of interest (landmarks).			
119	3.2.2.6 Trip Booking			
120	1. The system shall provide features to book a trip for any of the options that are presented via trip planning interface (except fixed route) and the booked trips shall be confirmed immediately with a unique confirmation number.			
121	2. The system may not assign trips to vehicles until day of service or x mins prior to pick-up. However, vehicle types (e.g., wheelchair accessible) shall be reserved at time of booking though so no trips are denied on the day of service.			
122	3. The system shall allow booking of return trips if requested by the customer.			
123	4. The system shall allow booking of multiple legs of a trip within the same transaction if requested by a customer.			
124	3.2.2.7 Trip Status Information			
125	1. The application shall provide customers with vehicle approaching notification for pick-up arrival via IVR, in-app notification, text alerts or email per the customers' configured notification settings.			
126	2. The application shall provide real-time location tracking of an approaching vehicle.			
127	3. The application shall provide real-time location tracking upon the arrival of a vehicle at a pick-up location.			
128	4. The application shall allow customers to track their location in real-time during the trip.			

129	5. The application shall have the ability to communicate with the driver via text or phone call during the pick-up stage.			
130	6. The customer shall have the ability to setup push notification alerts preferences for the mobile application, website, and IVR.			
131	7. The mobile application shall have the capability to share a customer's location with dispatching agents and/or assigned driver/vehicle at any point during their trip.			
132	8. The system shall provide customers with the vehicle type (e.g. make/model), and vehicle # or license plate to help ensure passengers get on the right vehicle.			
133	3.2.3 Vehicle Application			
134	3.2.3.1 General			
135	1. The Contractor shall be vehicle application in native format for Android and iOS devices.			
136	2. The Participating Agency will be responsible for arranging the vehicle hardware and cellular connectivity.			
137	3. The Proposer shall identify methods to secure the trip data end-to-end and guide the Participating Agency in procuring appropriate connectivity from the cellular carrier.			
138	4. The Proposer shall determine and implement any application-level encryption method needed to secure data as necessary and shall not rely on cellular carrier-provided security methods.			
139	5. The vehicle application shall provide operators with their trip manifests and details (e.g. current pick-ups and drop-offs).			
140	6. The vehicle application shall provide navigation routing to operators upon request.			
141	7. The vehicle application shall provide the customer's real-time location to the operator for pick-up events, if location data is available and the vehicle is near the location within the pick-up window.			

142	8. The vehicle application shall allow the operator to mark the completion of pick up and drop off events.			
143	9. The Participating Agency shall have the capability to geofence the trigger of trip completion by a driver to ensure customers are being picked up and dropped off per the locations in the scheduled trip.			
144	10. The vehicle application shall allow the operator to designate a “no-show” if the vehicle has arrived at a pick-up and the customer does not show up within a configurable time window permitted by a Participating Agency.			
145	11. The vehicle application interface shall be designed to ensure safe operations and any interaction with the on-board device shall be minimized and discouraged when the vehicle is in motion.			
146	3.2.3.2 Login and Access			
147	1. Drivers shall log into their profile on the vehicle application to view their manifests.			
148	2. The Proposer shall describe the logon and logon validation methods supported by their in-vehicle applications.			
149	3. All drivers shall be approved by their employing Participating Agency and the agencies shall have the ability to manage account setup.			
150	3.2.3.3 Data Connectivity and support for Offline Mode			
151	1. The system shall support communication over cellular data.			
152	2. The Proposer shall estimate the data plan needed by agency in terms of per vehicle per month usage. Where trip estimates cannot be defined (e.g., for future microtransit trips where demand is currently unknown), proposers shall define the parameters to estimate the data plan needs.			

153	3. Offline mode shall be supported to account for intermittent loss in connectivity for location and trip status update using built-in storage on devices. The vehicle application shall resync with the central application as soon as the connectivity is restored, and no operational data shall be lost.			
154	3.2.3.4 Driver communications			
155	1. The vehicle application shall support communication with Dispatchers via canned messages and voice (VoIP) call. Free format text messages shall not be allowed unless vehicle is not in motion.			
156	2. The vehicle application shall support communication with Riders via text and voice (VoIP) call for pick-up events within the configured time window or location distance. Free format text messages shall not be allowed unless vehicle is not in motion.			
157	3.2.3.5 Trip Details			
158	At a minimum, trip details in the driver manifest shall include: First and Last Name, pick-up address, drop-off address, pick-up time, drop-off time, ,mobility needs, fare due, payment method (e.g., cash/EZfare mobile/ EZfare card), and notes for pick-up or drop-off.			
159	3.2.4 Central Application			
160	The central system shall allow NEORide and the Participating Agency users to monitor operations in real-time and perform appropriate dispatch functions.			
161	3.2.4.1 General			
162	1. The Participating Agency dispatchers shall be able to update manifest, including Trip manifests and Vehicle assignments from their web-based application.			
163	2. The Participating Agency dispatchers shall have reporting functionality available within the same central application.			
164	3.2.4.2 Registration and Customer Profile			

165	1. The system shall allow the agency to create accounts on behalf of customers.			
166	2. The system shall allow manual entry of customer information by NEORide and Participating Agency staff. At a minimum, the system shall allow entry of the name, address and phone number and the information for a caregiver for disabled customers, if applicable.			
167	3.2.4.3 Web-based mapping and Visualization			
168	1. The system shall allow for the defining and adding point and shape layers that shall include, street network, fixed route network, points of interest locations and (POIs) and service area/jurisdiction layers.			
169	2. The standard formats to be supported shall include KML, KMZ, SHP, and Geo JSON.			
170	3. The system shall allow visualization of spatial data obtained in real-time (e.g., vehicle location, rider location, pick-up or drop-off location, vehicle path).			
171	3.2.4.4 Service configuration			
172	1. The system shall allow a Participating Agency to configure separate service parameters specific to them. This shall include at least the configuration of:			
173	a) Service zone boundary.			
174	b) Service hours.			
175	c) Fare structure.			
176	d) Available vehicle pool, including those available from non-dedicated service providers (NDSP).			
177	e) Available driver pool including those available from non-dedicated service providers (NDSP).			
178	2. There shall not be a limitation on the number of zones to be configured for a Participating Agency.			
179	3. There shall not be a limitation on the number of vehicle/driver service pools to be defined for a Participating Agency.			
180	3.2.4.5 On-demand scheduling and Optimization			

181	1. The system shall allow trip scheduling up to 30 minutes' notice before the pick-up time, or as allowed by Participating Agency service configuration.			
182	2. The system shall allow modification and cancelation within a defined window (e.g. 1 hour), as allowed by the Participating Agency service configuration.			
183	3. The system shall optimize trips in real-time for utilization of available service capacity.			
184	4. The system shall continuously optimize trip assignment for better capacity management during a service day and make vehicle or driver reassignments as needed to meet Participating Agency goals for operational performance and productivity.			
185	5. The system shall dynamically reassign trips to a new vehicle/driver in the event of a service disruption.			
186	6. The system shall allow manual override if needed by dispatchers for trip assignments.			
187	7. The system shall optimize trip assignment to provide shared rides, where possible.			
188	8. The system shall utilize real-time traffic/incident, when available, for better real-time trip scheduling and routing.			
189	3.2.4.6 Operations Management			
190	1. The system shall automatically assign trips to driver and vehicle pools based on preconfigured business rules (e.g., type of trip, service zones).			
191	2. The system shall track the location and available capacity along with any constraints (e.g., wheelchair space) on Participating Agency or their contractor vehicles (see Section 3.2.4.7 for trip brokerage to contractors) in real-time.			
192	3. The trip performance information shall provide the following details:			
193	a) Trip details (e.g., trip ID, customer name, pick-up and drop-off locations, pick-up and drop-off times).			

194	b) Driver (e.g., driver ID).			
195	c) Vehicle (e.g., vehicle ID, location and heading).			
196	d) Trip status and exceptions (e.g., scheduled/not picked up, in-progress, on-time, delayed, cancelled, no-show).			
197	4. The operations staff shall be able to make trip reassignments as necessary. The system shall flag any violations during reassignments.			
198	5. The system shall provide a dashboard that provides real-time information on trip status and capacity utilization. Details to be included on the dashboard shall be configurable.			
199	3.2.4.7 Trip Brokerage			
200	1. The system shall provide support for utilizing non-dedicated service provided (NDSPs) from at least:			
201	a) Contracted service operator.			
202	b) Transportation Network Company (e.g., Uber, Lyft).			
203	c) Taxis.			
204	d) Volunteer drivers, when available.			
205	2. For brokered trips, the system shall have the ability to exchange at least the following information with the third-party system:			
206	a. Trip details (e.g., trip ID, customer name, pick-up and drop-off locations, pick-up and drop-off times).			
207	b. Driver (e.g., driver ID).			
208	c. Vehicle (e.g., vehicle ID, location and heading).			
209	d. Trip status and exceptions (e.g., scheduled/not picked up, in-progress, on-time, delayed, cancelled, no-show).			
210	3. Brokerage via standards such as TDS is preferred, but the proponent is allowed to describe an alternate approach that is replicable and scalable without any added license cost.			
211	3.2.4.8 Reporting			

212	1. The system shall support National Transit Database (NTD) reporting focused on operations. Please refer to S-10 needs on NTD website (https://www.transit.dot.gov/sites/fta.dot.gov/files/docs/ntd/S-10_1.pdf)			
213	2. At a minimum, the system shall support the following KPIs:			
214	a) Operations			
215	I. Trips/Rides per hour.			
216	II. Rides per zone.			
217	III. On-time performance by service and system-wide.			
218	IV. Service reliability.			
219	V. Successful transfers/missed connections.			
220	VI. Missed trips.			
221	VII. Lost service time.			
222	VIII. Unaccommodated trips.			
223	IX. Fleet Utilization.			
224	X. Shared Rides Percentage by service.			
225	XI. Number of no-show events by trip type.			
226	XII. Number of cancellation events by trip type.			
227	b) Customer Satisfaction			
228	I. Passenger wait time.			
229	II. Average on-board time/travel time.			
230	III. Satisfaction:			
231	A. Driver Rating (through in-app survey)			
232	B. Service Rating (through in-app survey)			
233	IV. Access to destinations.			
234	V. Service reliability.			
235	VI. Trip denials.			
236	c) Financial			

237	I. Overall revenue trend.			
238	II. Cost/revenue hour.			
239	III. Cost/revenue mile.			
240	IV. Cost/trip.			
241	3.3 ADA Paratransit and Specialized DRT Management			
242	3.3.1 General			
243	<u>1. This section lists requirements for paratransit and specialized DRT needs (e.g., healthcare transportation). This includes any ADA paratransit services in compliance with 49CFR37 (https://www.transit.dot.gov/regulations-and-guidance/civil-rights-ada/part-37-transportation-services-individuals-disabilities).</u>			
244	2. The focus of requirements described in this section is on trips booked the day before, as required per the ADA paratransit regulation.			
245	3.3.2 Eligibility Application Automation			
246	1. The system shall provide capability to intake eligibility application through the app or web interface.			
247	2. The system shall provide workflow automation: capability to track application status (for both agency staff and riders). For customers, their eligibility status can be tracked via the website and mobile app.			
248	3. The system shall provide the capability to develop a questionnaire as needed to meet the needs of agency operations, policy and as defined by the funding entity eligibility criteria.			
249	4. Once eligibility is determined, their eligibility for a funding along with expiration date shall be stored in the Participating Agency customer database.			
250	3.3.3 Registration and Customer Database			

251	1. The Contractor shall be responsible for converting the existing customer database currently used by the Participating Agency, if ADA paratransit is provided within the Mobility Platform.			
252	2. The system shall identify and notify the user if there may already be a customer database entry under the entered name.			
253	3. The system shall assign a unique customer identification number for each entry in the customer database of each transit agency.			
254	4. The system shall link unique customer identification numbers to other identification numbers that are on file for each customer (e.g., Medicaid).			
255	5. The system shall permit entry of one or more billing codes for each customer.			
256	6. The system shall indicate third party trip payment options for certain trip purposes.			
257	7. The system shall record and track the number of trips taken by customer by billing code.			
258	8. The system shall permit the entry of additional comments or information of importance to the customer database.			
259	9. The system shall accept and store any of the following file types with a customer profile:			
260	a) Microsoft Word document			
261	b) Image (JPG/JPEG or others).			
262	c) Portable document format (PDF)			
263	d) Audio file (WAV, MP3 or other)			
264	e) Video file (AVI or other)			
265	10. The system shall permit each agency to select specific customer information to be included in the driver manifest or trip details.			
266	11. The system shall allow authorized users to edit customer details in the database at any time.			

267	3.3.4 Scheduling			
268	1. The system shall provide the capability to manually override details of scheduled trips where needed to meet ADA standards, including negotiation window.			
269	2. The system shall notify the call center representatives or the customer upon booking when the number of permitted trips for a pre-determined timeline for a specific billing code has been reached.			
270	3. The system shall notify the customer service representative upon booking, if a customer is approaching the expiration of their eligibility status.			
271	4. The system shall notify the customer of an approaching expiration date via a message on website and mobile app, and voice message on the IVR upon booking.			
272	5. The system shall permit the booking of subscription trips.			
273	a) The system shall at least provide daily, weekly, and monthly subscription trip booking options.			
274	b) The system shall permit the suspension of subscription trips by entering the start date and end date of the suspension period.			
275	c) The system shall automatically suspend subscription trips on non-service days such as holidays.			
276	d) The system shall notify the customer when a subscription trip has been suspended via a message on website and mobile app, and voice message on the IVR.			
277	e) The system shall notify the customer the duration of which a subscription trip has been suspended via a message on website and mobile app, and voice message on the IVR.			
278	6. The system shall prioritize scheduling of ADA paratransit trips. Also, ADA paratransit trips, once scheduled, shall be anchored (i.e., not modified) during batch or continuous optimization process.			

279	7. The system shall allow booking of return trip upon customer request and shall automatically fill out the information using the previous original trip information.			
280	3.3.5 Operations Management			
281	1. The system shall allow management of trips in real-time as described in 3.2.4.6. All operations management functions shall strictly follow the guidelines as required for the management of ADA paratransit trips.			
282	2. The system shall provide the capability to manual override where needed to meet ADA service standards.			
283	3. The system shall permit manual overriding of trip negotiations when necessary to meet ADA standards.			
284	4. The system shall automate violation notices issuance upon the day of violation.			
285	5. The system shall provide a printable version of the automated notice that will include the customers' mailing address.			
286	6. The system shall provide a daily report of trip violations where all printable notices will be accessible.			
287	3.3.5.1 Cost Allocation and Billing			
288	1. The system shall support scenarios when trips funded by multiple funding sources may be on the same vehicle and determine allocation of cost to appropriate funding sources.			
289	2. The system shall include the capability to setup billing rules and generate invoices for funding entities.			
290	3. There shall not be a limit on funding sources or billing rules that can be configured for an Agency.			
291	3.4 Integration:			
292	3.4.1 EZfare Payment System			

293	1. The Mobility Platform shall integrate with Masabi/EZfare application using a RESTful API as offered by Masabi (current EZfare vendor) to complete the payment for a trip within the same application once the trip is complete.			
294	2. In the event of a no-show or cancellation outside the allowed window, payment shall be charged at the time of no-show or cancellation event is confirmed.			
295	3. The Mobility Platform shall determine the appropriate amount to charge to the EZfare account based on Participating Agency fare structure, cost allocation and funds available through a billing source.			
296	4. If Masabi/EZfare account does not have enough funds, the Mobility Platform shall allow alternate methods of payment.			
297	5. The Mobility Platform shall allow accommodation of any discount credit/coupon/voucher as allowed by the Participating Agency.			
298	6. The Driver and Central Applications shall be updated with the accurate payment amount paid by the customer.			
299	3.4.2 Trip Planning Applications			
300	1. The Mobility Platform shall integrate with the NEORide-approved trip planning applications using TDS or RESTful API offered by the Contractor.			
301	2. The Mobility Platform shall allow booking of a trip that is searched by a customer using one of the NEORide- approved trip planning applications.			
302	3. The Mobility Platform shall allow modification of details for a booked trip using one of the NEORide- approved trip planning applications.			
303	4. The Mobility Platform shall provide trip status information for trips booked by using one of the NEORide-- approved trip planning applications.			
304	3.4.3 EZConnect Mobility Center			

305	1. For EZConnect users, the Mobility Platform shall determine appropriate agency to deliver a trip based on customer trip preferences, applicable funding source, geographic jurisdiction, and available capacity at the Participating Agency that are part of EZConnect Mobility Center operations to enable optimal resource pooling.			
306	2. For EZConnect users, the Mobility Platform shall provide a common customer profile and eligibility database involving all Participating Agencies.			
307	3. The Mobility Platform shall interface with EZConnect system/service to provide rider-facing IVR functions as described in Section 3.2.2.3.			
308	4. The Mobility Platform shall provide the following information for service coordination by EZConnect Mobility Center staff for agencies looking to pool their resources:			
309	A. Real-time status of trips managed by all Participating Agencies.			
310	B. Real-time location of all vehicles being run by the all Participating Agencies or their Contractors (including NDSP).			
311	C. Real-time capacity available on all available vehicles run by the all Participating Agencies or their Contractors (including NDSP).			
312	D. Real-time location of Riders for all Participating Agencies (if available to support coordination at the time of pickup).			
313	4 Implementation Services			
314	4.1 General			
315	1. The Contractor shall prepare baseline requirements traceability matrix (RTM) per technical requirements/SOW included in the contract (using the requirements defined in Section 3) and maintain that throughout project implementation and use it to track compliance with requirements.			

316	2. The Contractor shall be present in-person for the project meetings. Virtual meeting may be acceptable if confirmed by NEORide and the Participating Agency.			
317	4.2 Project Management			
318	1. The Contractor shall prepare a Project Management Plan (PMP), describing the approach to delivering and making operational the system for the Participating Agency. The PMP shall include the following at minimum:			
319	a) Identification of functionality and features required to be operational such that the system can be placed into revenue service.			
320	b) Design process and timing.			
321	c) Testing and acceptance process and timing.			
322	d) Rollout plan for all vehicles and operations.			
323	e) Software development and feature rollout plan.			
324	f) Consolidated project schedule in Microsoft Project or similar format incorporating all of the above and current progress on each.			
325	g) A risk register identifying and quantifying project risks and risk mitigation plans.			
326	2. The PMP shall be updated at least monthly.			
327	3. The Contractor shall host and participate in regular bi-weekly meetings with NEORide and each of its agencies.			
328	4. The Contractor shall provide the agenda for these meetings. Agenda for these meetings will primarily be to review open actions and high priority risks.			
329	5. The Contractor shall provide detailed meeting notes and actions within two (2) days of each meetings			
330	6. The Requirements Traceability Matrix shall be updated and maintained for each Participating Agency separately.			
331	4.3 Design			
332	1. The Contractor shall submit the Design Review Document (DRD) which shall include the following material:			

333	a) Overview of the system and configuration proposed for implementation for all NEORide and Participating Agency choosing to deploy the system.			
334	b) Detailed technical documentation on the software, addressing the functions of each module, the format of all user interface screens, the format of all reports, the data fields to be included in all data exchange interfaces and any other software aspects warranting advance agreement with the deploying agency prior to the system configuration/customization.			
335	c) Network and system user access level configurations.			
336	d) Data conversion and procedures.			
337	2. DRD shall be common for all agencies describing the common system design and functionality.			
338	3. The Contractor shall update the DRD based on Agency feedback and provide a list of configurations by Agency before the DRD is finalized.			
339	4. NEORide and its Participating Agency shall require sign-off of the design before implementation proceeds.			
340	4.4 Configuration and Testing			
341	1. Stages of testing specific to each agency deployment shall include the following			
342	a) Sandbox Testing			
343	b) Mini-fleet Testing (MFT)			
344	c) System Acceptance Testing (SAT)			
345	d) Burn-in Testing			
346	2. The Contractor shall define Acceptance Test Procedures (ATPs) to be followed for each test stage. ATPs shall be approved by the Participating Agency before testing each stage.			
347	3. Sandbox testing shall include testing of the system in a test environment using past or simulation data and configuring system parameters.			

348	4. MFT shall involve testing the system in production environment on a limited number of vehicles designated by the Participating Agency deploying the system.			
349	5. SAT shall include testing system functionality in production across all the vehicles and platforms.			
350	6. Burn-in Testing shall include testing of system functionality and performance over a period of 30 days after the SAT.			
351	7. All stages of testing shall be completed for each Participating Agency deploying the system.			
352	8. The Contractor shall provide written Test Results Documentation (TRD) for each stage of testing, including results of each test and a summary of deficiencies to be resolved.			
353	9. TRD shall be approved by Participating Agency deploying the system before Test Stage Completion is granted.			
354	10. NEORide and the Participating Agency may authorize proceeding to the next testing stage with certain deficiencies not yet resolved after action plan is provided to resolve outstanding issues from a test stage.			
355	11. During Burn-in Testing, NEORide and the Participating Agency shall record all issues discovered in a deficiency list.			
356	12. Any deficiencies noted in the system that cause system outages, prevent regular operations, or leave the system open to fraud, litigation, reputation damage or other risks shall result in Burn-in Testing being terminated and restarted once issues are resolved. Testing shall be stopped and restarted at the sole discretion of NEORide and the Participating Agency.			
357	13. Final System Acceptance shall be granted for an Agency deployment when:			
358	a) All required equipment, systems, and services required to implement the system have been provided.			

359	b) All functionality is available and demonstrated (i.e. all contract requirements have been validated to the satisfaction of NEORide and the Participating Agency.			
360	c) All training is completed.			
361	d) All required documents are submitted.			
362	e) All testing is completed, signed off by NEORide or the Participating Agency.			
363	f) All issues noted in the deficiency list have been addressed.			
364	4.5 Documentation and Training			
365	1. The Contractors shall provide training materials that are accessible online and are available on-demand without any additional cost.			
366	2. The Contractor shall provide online training videos.			
367	3. NEORide and the Participating Agency reserve the right to record all training sessions.			
368	4. The Contractor shall provide NEORide with tailored documentation (e.g. train-the-trainer, instructor, and/or student guides; manuals).			
369	5. The Contractor shall provide training courses for the following stakeholders:			
370	a) Planners (including reporting).			
371	b) Agency dispatchers.			
372	c) Agency drivers and supervisors.			
373	d) Agency customer service representatives.			
374	e) Agency system administrators.			
375	f) Agency executive and management staff.			
376	g) EZConnect Mobility Center staff.			
377	h) NEORide staff.			
378	6. Every Participating Agency deploying the system will receive separate training sessions designed for the system deployed at the agency.			

379	7. NEORide and the Participating Agency shall have the right to copy and reproduce the training materials as needed.			
380	8. The Contractor shall provide a training plan for each of the Participating Agencies deploying the system. The following topics shall be included in the Training Plan for each training session at each agency, at a minimum:			
381	a) Course objectives.			
382	b) Topics to be covered.			
383	c) Time required to complete each course.			
384	d) Suggested attendees.			
385	e) Resources required from NEORide and the Participating Agency.			
386	f) Approach to follow-up training.			
387	g) Any prerequisites for the course.			
388	h) Approach to evaluating student learning and retention.			
389	9. The Contractor shall provide all training materials for review to NEORide and the Participating Agency at least 2 weeks prior to any anticipated training.			
390	10. The Contractor shall provide training for any new modules added to the system in the future.			
391	11. The Contractor shall provide at least 2 refresher training sessions including all modules for each agency every year for the duration of the contract.			
392	12. The Contractor shall provide annual IT security awareness and applicable role-based training to all concerned staff members.			
393	5 Support Services			
394	5.1.1 Service Level Agreement			

395	The Service Level Agreement (SLA) shall be negotiated between the Contractor and NEORide / Participating Agencies before the project closeout. This forms the basis for support roles and responsibilities, reporting/response/resolution processes and timelines, and incident examples and criticality. KPIs for the pilot program are defined in Section 6.			
396	5.1.2 Technical Support			
397	1. Contractor shall provide Participating Agencies with Maintenance and Support Services in accordance with the following table, which sets out the actions to be taken by Contractor and the Service Level applicable thereto in response to an Incident. SLAs are provided in Table 3.			
398	2. The Contractor shall provide NEORide and Participating Agency with Maintenance Release(s) at no additional fees as long as the Agreement is in effect, and NEORide and its Participating Agency shall put into production such Maintenance Release(s) as soon as reasonably possible.			
399	3. Maintenance and Support Services will be provided during Contractor's Business Days and Business Hours for Medium and Low Priority Incidents, and twenty-four (24) hours per day, seven (7) days per week for High Priority Incidents.			
400	5.1.3 Failure to Meet Service Levels			
401	If Contractor commits a "High" Service Level Failure (as defined in Table 3), without limiting the other requirements set forth in this Agreement, Contractor will provide a financial credit refunded to NEORide to compensate NEORide for the reduced value of the Services actually provided by the Contractor (and not as a penalty or exclusive liquidated damages) (" Service Level Credit ").			
402	The Service Level Credits are described in Table 4:			
403	5.1.4 Incident Reporting			

404	1. The Contractor shall provide a reliable method for telephone and web-based reporting of High Priority Incidents, available twenty-four (24) hours per day, seven (7) days per week, three hundred and sixty five (365) days per year.			
405	2. The Contractor shall provide a reliable method for reporting Medium and Low Priority Incidents via telephone during Contractor's business hours, and via a web-based solution available twenty-four (24) hours per day, seven (7) days per week, three hundred sixty five (365) days per year. The web-based solution should provide NEORide with an Incident tracking number and confirmation of receipt of the Incident report.			
406	3. When reporting an Incident, NEORide will to the best of its ability, provide a detailed written description allowing the Contractor to reproduce the Incident. NEORide will also indicate to the Contractor the appropriate priority of the Incident (High, Medium or Low). If no priority is indicated by NEORide, Contractor will determine which priority applies to the Incident according to the detailed description provided by NEORide and will inform NEORide accordingly. Either Party may ask to review the priority of the Incident by providing information justifying its reclassification.			
407	5.1.5 Software Upgrades			
408	1. Contractor shall make Software Upgrades to the Deliverables available to NEORide and its Participating Agencies at no additional license fees. Software Upgrades shall be made available to NEORide and its Participating Agencies if this Maintenance SOW has remained in force between the parties without interruption since the original installation of the Deliverables and until the Software Upgrade is requested by NEORide and its Participating Agencies.			

409	2. All required services (adaptations, configuration, installation, training, support, etc) and travel expenses to implement the Software Upgrade will be charged at Contractor fees applying for the period when the services are provided. Maintenance and Support Fees may be adjusted at the acceptance date of the Software Upgrade to be in line with the value of services for the additional functionality delivered. If such Software Upgrades require additional charges due to third party license fees, NEORide and its Participating Agencies shall be responsible for such charges. A Software Upgrade for which implementation services will be required from Contractor will be subject to a new Statement of Work to be entered into between the parties and such Statement of Work will address implementation fees charged by Contractor and any adjustment in Maintenance and Support Fees and any third party license fees.			
410	5.1.6 Refresher Training			
411	The Contractor shall provide optional pricing (base + yearly escalation %) for refresher training courses (e.g. system administrators, customer service representatives, planners, dispatchers, supervisors/operators) that NEORide and its Participating Agencies can exercise over the lifetime of the system. Please note that this refresher training requirement is beyond what is required in 4.5.			
412	6 Pilot Program Performance measurement			
413	1. The system shall be operated for 12 months from the date of Final System Acceptance for a pilot period of 12 months before an Agency will proceed for long term O&M contract. The pilot period will be assessed based on the KPIs defined in this section.			
414	2. The Contractor shall be responsible for calculating KPIs and providing through the Central Application Dashboard for daily operations and reporting as follows:			

415	a. Daily			
416	b. Weekly			
417	c. Monthly			
418	d. Pilot period			
419	e. A defined time period			
420	3. For on-demand reporting, an Agency shall be able to filter reports by zone, service type, and service pool (driver or vehicle).			
421	4. The Contractor shall be responsible for ensuring the accuracy of the date being reported as a part of the performance evaluation.			
422	5. KPIs are provided in Table 5.			