
PN <= 256, mode B; dashed: 5% / 10% latency reduction; not measured system speedup
hetero11
hetero31
hetero71
Single / hetero latency (estimate)
1.00
1.02
1.04
1.06
1.08
1.10
B2
B4
B8
B16
B64
B96
B128
256
1xHBM2
512
2xHBM2
1229
1xHBM3E
2458
2xHBM3E
9830
~8xHBM3E
HBM GB/s


PN <= 256, mode A; dashed: 5% / 10% latency reduction; not measured system speedup
hetero11
hetero31
hetero71
Single / hetero latency (estimate)
1.1
1.0
0.9
0.8
0.7
0.6
0.5
256
1xHBM2
512
2xHBM2
1229
1xHBM3E
2458
2xHBM3E
9830
~8xHBM3E
HBM GB/s
B2
B4
B8
B16
B64
B96
B128


PN <= 512, mode B; dashed: 5% / 10% latency reduction; not measured system speedup
hetero11
hetero31
hetero71
Single / hetero latency (estimate)
1.10
1.08
1.06
1.04
1.02
1.00
B2
B4
B8
B16
B64
B96
B128
256
1xHBM2
512
2xHBM2
1229
1xHBM3E
2458
2xHBM3E
9830
~8xHBM3E
HBM GB/s


PN <= 512, mode A; dashed: 5% / 10% latency reduction; not measured system speedup
hetero11
hetero31
hetero71
Single / hetero latency (estimate)
1.1
1.0
0.9
0.8
0.7
0.6
0.5
256
1xHBM2
512
2xHBM2
1229
1xHBM3E
2458
2xHBM3E
9830
~8xHBM3E
HBM GB/s
B2
B4
B8
B16
B64
B96
B128