




GOVERNMENT OF ODISHA

TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2022 - 2023



AGRICULTURAL STATISTICS DIVISION
DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA
BHUBANESWAR



GOVERNMENT OF ODISHA

TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2022-23

AGRICULTURAL STATISTICS DIVISION
DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA
BHUBANESWAR



Dr. Bijay Bhusan Nanda
Director
Economics & Statistics, Odisha

Arthaniti 'O' ParisankhyanBhawan
HOD Campus, Unit-V
Bhubaneswar – 751005, Odisha
Phone: 0674 – 2391295
e-mail: desbbsr@nic.in

Foreword

Agricultural Statistics serves in many ways for agricultural and allied sector planning, research work and academicians involved in the field of agriculture. The Scheme “EARAS” (Establishment of an Agency for Reporting Agricultural Statistics) is in operation in the state since 1976-77 & the “Technical Report on EARAS – 2022-23” is the 26th one in the series of its kind.

The mammoth task of “EARAS” involves sample survey of 20% of revenue villages of the state covering all the C.D. blocks of each district in each year, therewith, all revenue villages in 5 years. It encompasses Land Utilisation Survey & Crop Cutting Experiments by the Statistical Field Surveyors at district level and Area & Yield Estimation at State Headquarter level.

Under Land Utilisation Survey, the scheme covers all the survey numbers of the sample villages & it covers only Paddy & other thirteen minor crops, viz. Wheat, Maize, Ragi, Greengram, (Mung), Blackgram (Biri), Horsegram (Kulthi), Sesamum(Til), Groundnut, Mustard, Niger, Jute, Potato & Sugarcane to conduct Crop Cutting Experiments for the purpose of yield estimation. The report comprehends the estimates of area, yield rate and production of the programmed crops along with some ancillary information like soil & seed type, levels of land, application of fertiliser and manure, etc.

The arduous efforts made by the field workers at district/block level is intently accredited who furnish the primary data with a scanty of manpower & in a time bound manner.

I would like to record my appreciation for the efforts made by the officers and staff of Agriculture Statistics Division of this Directorate for bringing out the estimates & developing the tables & reports.

All-out effort has been made to produce this report as comprehensive, informative and useful document for decision-makers, researchers, planners, economists and other beneficiaries at large. Suggestions will, however, be welcome for its further improvement.

Bhubaneswar
Date: June 2024


(Dr. B.B. Nanda)

Sri Pabitra Mohan Dwibedy
Additional Director
Directorate of Economics & Statistics,
Odisha



P r e f a c e

There has been an enormous increase in the importance of Agricultural Statistics in the present era. Agriculture is the back bone of an agrarian economy like Odisha, which provides livelihood to the mass & significantly contributes to state's Gross Domestic Product.

In order to strengthen the agrarian sector, Government of Odisha have given much more importance to agriculture sector during previous years. Directorate of Economics & Statistics, Odisha, at the instance of Ministry of Agriculture and Farmers Welfare, Govt. of India is collecting Crop statistics under the scheme EARAS. "Technical Report on EARAS" is a publication of DE&S, Odisha comprising of land utilization survey and yield estimation survey. It contains data relating to land use, area under different crops, production, use of fertilizer, irrigation facility etc. It mainly focuses on area, yield rate and production of paddy and thirteen minor crops.

The present publication is the 26th issue in its series of publication. The current publication is a gigantic task and has been successfully prepared with the co-operation of Officers and Staff of Agriculture Statistics Division of DE&S.

I express my deep gratitude to Dr. B.B. Nanda, Director, Economics & Statistics, Odisha for his valuable suggestions and constant guidance in preparation of this report.

My heartiest thanks to all Officers and staff of A.S. Division for their team efforts in bringing out this valuable publication in time.

I hope the report would be very much useful to research & analysis on agriculture sector.

Any suggestion for further improvement of the publication is most welcome.

(Pabitra Mohan Dwibedy)

Bhubaneswar
Date: June 2024

Officers and Staff Associated

Dr. Bijay Bhusan Nanda

Director

Sri Pabitra Mohan Dwibedy

Additional Director

Sri Laxmidhar Biswal

Deputy Director

Mrs. Sarojini Routray

Assistant Director

Sri Rankanidhi Nayak

Assistant Director

Sri Madan Mohan Panda

Statistical Officer

Mrs. Manorama Behera

Statistical Officer

Sri Susant Kumar Sahoo



Statistical Officer

HIGHLIGHTS




- ❖ *Number of sample villages selected & surveyed under the scheme EARAS 2022-23 is 10072(Rural) & 609 (Urban).*
- ❖ *No. of Crop Cutting Experiments conducted for Paddy under EARAS 2022-23 is 38264.*
- ❖ *Similarly, 28919 crop cutting experiments on programmed minor crops have been conducted during 2022-23.*
- ❖ *During 2022-23, about 7.82%, 15.15% & 1.80% of the crop cutting experiments conducted on paddy & minor crops together have been inspected/ attended by the officers and staff of Directorate of Economics & Statistics, Agriculture Department & NSO, GoI respectively.*
- ❖ *The area under Paddy, estimated at 4064.17 thousand hectares during 2022-23 have shown an increase of 2.02% from 2021-22.*
- ❖ *The estimates of gross crop area during 2022-23 (5014.15 th. hect.) have shown an increase of 0.34% over the previous year 2021-22.*
- ❖ *The yield-rate of Paddy has increased to 44.49 qntl./hect. in 2022-23 from 35.66 qntl./hect. in 2021-22.*
- ❖ *The production of paddy in 2022-23 (180.79 lakh MTs) shows an increase by 28.43% from 2021-22 (140.77 lakh MT) as there is increase in both paddy area and yield-rate.*
- ❖ *During 2022-23, net area sown (4269 thousand hectares) show a decline by 1.22% from 2021-22 (4322 thousand hectares).*
- ❖ *There is a decline in fallow land in 2022-23 (908 thousand hectares) from 2021-22 (943 thousand hectares)*
- ❖ *During the agricultural year 2022-23, gross crop area estimated was 5014 thousand hectares against net crop area of 4269 thousand hectares with a cropping intensity of 117.45%*
- ❖ *Estimated irrigated gross crop area is 1614 thousand hectare against net crop irrigated 1335 thousand hectares showing a cropping intensity of irrigated crop area at 120.90 in 2022-23.*
- ❖ *In case of un-irrigated crop area, cropping intensity is 115.88% with a gross crop un-irrigated area of 3400 thousand hectares to net crop un-irrigated 2934 thousand hectares in 2022-23.*
- ❖ *Crop area of Paddy of HYV Variety has been increased to 97.88 % in 2022-23, which was 97.21% in 2021-22.*
- ❖ *Growth rate of Paddy production in 2022-23 stands at 36.22% taking average of last five years average as base.*

HIGHLIGHTS








Land Use



Paddy-Estimates



TOP-FIVES



C O N T E N T S

<i>Chapter</i>	<i>Subject</i>	<i>Page</i>
CHAPTER – I (INTRODUCTION)		
	1.1. Funding pattern	1
	1.2. Staffing pattern	1
	1.3. Methodology	2
CHAPTER – II (ESTIMATION PROCEDURE)		
	2.1. Estimates of area	5
	2.2. Estimates of yield-rate	6
	2.3. Estimate of production	7
	2.4. Variance of estimated area	8
	2.5. % standard error (Area)	9
	2.6. Variance of estimated yield rate	9
	2.7. % standard error (yield-rate)	9
	2.8. Variance of estimated production	10
	2.9. % Standard error (production)	10
CHAPTER – III (RESULTS OF THE SURVEY)		
	3.1. Land utilization survey	11
	3.2. Estimates of area under different crops	14
	3.3. Estimates of yield rate of different programmed crops	20
	3.4. Estimates of production of different crops	23
	3.5. Standard error of estimates	25
	3.6. Ancillary information	26

<i>Chapter</i>	<i>Subject</i>	<i>Page</i>
	3.6.1. Crop-wise estimates of irrigated area	26
	3.6.2. Cropping Intensity	28
	3.6.3. Estimates of Gross cropped area irrigated from diff. sources of irrigation.	31
	3.6.4. Estimates of Area & Yield rate under HYV & Local varieties	33
	3.6.5. Yield rate of different crops from Irrigated & Un-irrigated plots	33
	3.6.6. Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer.	34
	3.6.7. Yield rate of different crops from different types of Soil	35
	3.6.8. Yield rate of different crops from different levels of Land	36
	3.7. Growth-rate of area & production of different crops.	37
	3.8 Glossary of Terms	38
	Appendix Table (Page No.-39 to 156)	

CONTENTS OF APPENDIX TABLES		
<i>Table No.</i>	<i>Subject</i>	<i>Page</i>
1.0	State Level Estimates of Area under different Classification of Land Uses, Year : 2013-14 to 2022-23	41 - 42
1.1	Districtwise Estimates of Area under Different Classification of Land Uses, Year : 2022-23	43
2.0	State Level Estimates of Area under Different Crops, Year : 2013-14 to 2022-23	44 - 45
3.0	State Level Estimates of Yield-rate under Different Programmed crops, Year : 2013-14 to 2022-23	46 - 47
4.0	State Level Estimates of Production under Different Programmed crops, Year : 2013-14 to 2022-23	48 - 50
5.0	State level Season wise Estimates of Area, Yield-rate and Production of Programmed Crops, Year : 2022-23	51
5.1 - 5.14	District wise and Season wise Estimates of Area, Yield-rate and Production of 14th Programmed Crops. Year : 2022-23	52 - 65
6.0	State Level Estimates of Area under Other Crops by Broad Groups, Year : 2013-14 to 2022-23	66
6.1	Districtwise Estimates of Area under Other Crops by Broad Groups, Year : 2022-23	67
7.0	State Level Estimates of Area under All Crops by Broad Groups, Year : 2013-14 to 2022-23	68
7.1	Districtwise Estimates of Area under all Crops by Broad Groups, Year : 2022-23	69
8.0	District and Crop wise Estimates of Gross Cropped Area, Year : 2022-23	70
8.1	District wise, Crop wise and Season wise Estimates of Gross Cropped Area, Year : 2022-23	71 - 74
9.0	State Level Percentage Standard Error of estimated Area, Yield-rate & Production of Paddy, Year : 2013-14 to 2022-23	75
9.1	Districtwise Percentage Standard Error of estimated Area, Yield-rate & Production of Paddy, Year: 2022-23	76
9.2	State Level Percentage Standard Error of estimated Area, Yield-rate, Production of programmed crops, Year: 2022-23	77
10.0	State Level Estimates of Crop wise& Season wise Irrigated Area, Year : 2013-14 to 2022-23	78 - 79

<i>Table No.</i>	<i>Subject</i>	<i>Page</i>
10.1	District wise & Crop wise Estimates of Irrigated Area, Year : 2022-23.	80
10.2	District wise, Crop wise and Season wise Estimates of Irrigated Area, Year : 2022-23	81 - 84
11.0	State Level Estimates of Gross cropped Area Irrigated vrs. Un-Irrigated, Year : 2013-14 to 2022-23	85
11.1	Districtwise Estimates of Gross cropped Area, Irrigated vrs. Un-irrigated, Year : 2022-23	86
12.0	State Level Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity, Year : 2013-14 to 2022-23	87
12.1	District wise Estimates of Gross cropped area, Net area sown & Cropping intensity, Year : 2022-23	88
13.1 - 13.4	District wise Estimates of Cropped Area Irrigated from different sources of Irrigation (Season wise), Year : 2022-23	89 - 92
14.0	State Level Estimates of Area and Yield-rate of H.Y.V & Local varieties of Paddy, Wheat & Maize, Year : 2013-14 to 2022-23	93
14.1	District wise Estimates of Area and Yield-rate of H.Y.V & Local varieties of Paddy Crop, Year: 2022-23	94
14.2	District wise Estimates of Area and Yield-rate of H.Y.V & Local varieties of Wheat & Maize Crop, Year: 2022-23	95
15.0	State Level Estimates of Area & Yield-rate of Paddy from Irrigated & Un-irrigated Plots, Year : 2013-14 to 2022-23	96
15.1	District wise Estimates of Area & Yield-rate of Paddy from irrigated & Un-irrigated Plots, Year : 2022-23	97
15.2	State level Estimates of Area & Yield-rate of Paddy from irrigated & Un-irrigated Plots, Year : 2022-23	98
16.0	State level Estimates of Yield-rate of Programmed crops from plots applied with fertilizer/manure & not applied with fertilizer/manure, Year: 2022-23	99
16.1	District wise Estimates of Yield-rate of Paddy from plots applied with fertilizer/manure & not applied with fertilizer/manure, Year: 2022-23	100
17.0	State level Season-wise Estimates of Yield-rate of Paddy according to different types of Soil, Year : 2013-14 to 2022-23	101 - 102
17.0.1	State level Estimates of Yield-rate of Programmed crops according to different types of Soil (Season wise). Year: 2022-23	103
17.1 - 17.3	District wise Estimates of Yield-rate of Paddy according to different types of Soil (Season wise), Year : 2022-23	104 - 106

<i>Table No.</i>	<i>Subject</i>	<i>Page</i>
18.0	State level Estimates of Yield rate of Paddy according to Levels of Land, Year : 2022-23	107
18.0.1	State level Estimates of Yield rate of Programmed crops according to Levels of Land, Year : 2022-23	108
18.1	District wise Estimates of Yield rate of Paddy according to Levels of Land, Year : 2022-23	109
19.0	State level No. of Crop Cutting experiments conducted on Programmed crops, Year : 2022-23	110
19.1	District wise No. of Crop Cutting experiments conducted on Paddy Year : 2022-23	111
20.1 - 20.14	State Level Estimates of Area, Yield rate & Production of Paddy & Programmed Minor crops, Year: 1992-93 to 2022-23	112 - 125
21.0	Block-wise Estimates of Area under different classification of land uses 2022-23	126 - 139
21.1.1	Block-wise Estimates of Area, Yield-rate and Production of Paddy 2022-23	140 - 155

CHAPTER-I

INTRODUCTION:

Since 1959-60, State Economics & Statistics Bureau, Odisha was estimating the production and yield of some important crops like paddy, potato & jute through sample survey by trained field surveyors. The Scheme “Establishment of an Agency for Reporting Agricultural Statistics” (EARAS) is in operation in the state through Directorate of Economics & Statistics since 1976-77. The primary objective of the scheme is to formulate estimates of area, yield rate and production of 14 different programmed crops on the basis of data collected through sample surveys under Land Utilization Survey (LUS) and General Crop Estimation Surveys (GCES). In each agricultural year, 20% of total revenue villages of the State are covered for conducting sample surveys under the scheme on non-overlapping basis with effect from 1981-82. As such, all revenue villages of the State are covered under the scope of the survey within a period of 5 years in one round. The Agricultural year of 2022-23 is the 2nd year of the 9th round of the survey.

1.1. FUNDING PATTERN:

The scheme is 100% funded by Central Government w.e.f. the financial year 2007-08. The financial position during 2022-23 are given below in Table No.- 1.1

Table No.- 1.1 Funding Pattern in 2022-23

(Rupees in lakh)					
Year	Opening Balance as on 1 st April	Funds released by Govt. of India during the year	Funds Available During the year	Expenditure during the year	Balance to be adjusted during next year
2022-23	(-) 330.44	2571.60	2241.16	2911.16	(-) 670.00

1.2. STAFFING PATTERN:

In view of execution of the scheme at field level, supervision of field work and overall monitoring, following posts (Table No.-1.2) have been sanctioned by Government of India and State Government as well.

Table No.– 1.2 Staffing Pattern under EARAS

Sl. No.	Category of Post	No. of Posts sanctioned		
		EARAS	Crop Survey (State Non-plan scheme)	Total
For Headquarter of the Directorate				
1	Joint Director	1	--	1
2.	Deputy Director	2	1	3
3.	Asst. Director	5	1	6
4.	Statistical Officer	12	2	14
5.	Assistant Statistical Officer	40	10	50
For District Offices				
1	Deputy Director	8	---	8
2	Asst. Director	4	--	4
3	Statistical Officer	48	13	61
4	Assistant Statistical Officer	71	--	71
5	Senior Statistical Field Inspector	84	--	84
6	Statistical Field Inspector	101	44	145
7	Statistical Field Surveyor	1113	211	1324

* No. of sanctioned posts include only technical staff

1.3. METHODOLOGY:

SAMPLING DESIGN

Stratified sampling design, single stage for area estimation and three stage for yield estimation is adopted. For area estimation, Ratio method of estimation is used taking geographical area as the auxiliary variable.

A stratified three stage Random Sampling Design is adopted for yield estimation survey taking Block as the stratum, sample village as the 1st stage sampling unit, selected survey number/plot as the 2nd and experimental field of size 5mt.x5mts. as 3rd stage of the sampling units respectively.

First Stage: For yield estimation survey, a sub sample of 40% and 50% villages is selected out of total number of sample villages for crop cutting experiments on paddy and minor crops respectively. But, during summer season, slight deviation is adopted due to inadequate cultivation of crops. Thus, all sample villages are taken for conducting crop cutting experiments in summer season.

Second Stage: For the purpose of selecting plot(s) for conducting c.c. experiment in cadastral surveyed villages a list of survey numbers/plots growing crops is prepared separately for each programmed crop. In case of un-surveyed villages, the list of households cultivating the crop is prepared separately for each crop. From the above list, number of plot(s) is selected according to

plan/target by Simple Random Sampling method for conducting crop cutting experiments on different crops.

Third Stage: In the selected plot(s) an experimental field of size 5mts.x 5mts. is randomly identified with the help of a pair of imaginary co-ordinates for conducting c.c. experiments on all programmed crops (except potato) and weight of the harvested produce obtained from the experimental field is considered for yield estimation. In case of potato crop, the experimental field forms the shape of a trapezium of size 5mts. height and 8 rows in length.

➤ **STRATUM FORMATION**

Each C.D. block of the state is taken as a stratum.

➤ **SAMPLE SIZE**

Initially, the sample size was 6% and increased to 20% in phases w.e.f. the agricultural year 1981-82 with a view to cover all revenue villages of the state within a period of 5 years i.e. one round of survey.

➤ **FRAME FOR THE SURVEY**

All revenue villages of the C.D. block constitute the sampling frame at the Stratum level. The areas covered under irrigation projects, submerged under sea/river/lakes, transferred to developmental projects, transferred to Forest Department are excluded from the frame.

➤ **SAMPLE SELECTION**

From each stratum (C.D. Block), 5 sets of samples each constituting 20% of revenue villages is drawn by the method of Simple Random Sampling without Replacement with a view to cover one set during each agricultural year.

➤ **COVERAGE**

For the purpose of formulation of estimates, Paddy and 12 minor crops i.e. Wheat, Maize, Ragi, Mung(Greengram), Biri(Blackgram), Kulthi(Horsegram), Til, Groundnut, Mustard, Jute, Potato and sugarcane were covered as programmed crops. Niger crop has also been included w.e.f. 2002-03.

➤ **PERIOD OF SURVEY**

For the purpose of sample surveys under this scheme an agriculture year has been divided into three crop seasons i.e. Autumn, Winter & Summer keeping in view the harvesting period of different crops. Autumn season extends from July to October, Winter season from November to February and Summer season from March to June.

➤ **FIELD OPERATION**

Field operation consists of two phases

i) Land Utilization Survey

Land utilization / Area enumeration is done by visiting each survey No./plot of each sample village with the help of maps & R.O.Rs during each crop season (Autumn, Winter and Summer) of an agricultural year in order to collect primary data on area under different crops and other types of land uses pertaining to the same agricultural year. In case of un-surveyed villages for which maps and R.O.Rs are not available, area enumerations is conducted on the basis of household enquiry methods along with their particulars on land possessed/land cultivated.

ii) Yield Estimation Survey

Under Yield Estimation Survey, crop cutting experiments on paddy and 13 minor crops i.e., wheat, maize, ragi, mung, biri, kulthi, til, groundnut, mustard, nizer, jute, potato and sugarcane are conducted.

➤ **SELECTION OF PLOT/SURVEY NUMBER FOR CROP CUTTING EXPERIMENTS**

(i) FOR PADDY

As regards crop cutting experiments, 2-4 experiments are conducted on paddy in each sample village selected for yield estimation in each season. For minor crops, one crop cutting experiment is conducted during 3 crop seasons in each village selected for yield estimation according to its availability.

Block-wise allocation of Crop cutting experiments separately for 3 crop seasons has been done giving due weightage to estimated area under the crop of the block. Accordingly, 2-4 are conducted in each crop cutting village in each crop season according to availability. Selection of plots is done on the basis of Simple Random Sampling without replacement. Proportional representation of plots under both varieties (H.Y.V./Local) and Irrigated & Un-Irrigated plots is also considered at the time of selection of plot.

(ii) FOR MINOR CROPS

One crop cutting experiment for each programmed minor crop is conducted in each crop cutting village and during each crop season according to availability.

CHAPTER-II

(ESTIMATION PROCEDURE)

2.1 ESTIMATES OF AREA (ALL CROPS):

The Estimates of area under a particular crop in any stratum X_s is obtained by :

$$i) \quad \bar{X}_s = A_s \times \frac{\sum_{i=1}^{n_s} u_{si}}{\sum_{i=1}^{n_s} v_{si}}$$

where,

$\bar{X}_s$ = The estimated area under the crop in the 'S' th stratum (Block)

A_s = Total geographical area of the revenue villages of the 'S' th stratum (Block)

u_{si} = Area under the crop in the i-th sample village

v_{si} = Geographical area of the i-th sample village

n_s = Number of sample villages in the s-th stratum for area enumeration

The estimated area under the crop in the district ($\bar{X}_D$) and State level ($\bar{X}$) are formulated by adding up the estimates of all the constituent strata (Block) and districts respectively.

$$ii) \quad \bar{X}_D = \sum_{s=1}^L \bar{X}_s$$

$$iii) \quad \bar{X} = \sum_{D=1}^M \bar{X}_D$$

2.2 ESTIMATES OF YIELD RATE:

i) FOR PADDY

- The estimate of yield rate for a stratum is obtained by :

$$\bar{Y}_s = \frac{K}{\sum_{i=1}^{m_s} n_c} \times \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right] \times DR$$

Where,

$\bar{Y}_s$ = The estimate of yield rate of the crop in S-th Stratum.

K = Conversion factor from grams per cut to quintals per hectare (0.004).

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

n_c = Number of crop cutting experiments conducted in the i-th village.

m_s = Number of crop cutting villages in the S-th stratum.

DR= Driage Ratio.

***Estimate of yield rate at the district level is obtained by:**

$$\bar{Y}_D = \frac{\sum_{S=1}^L \bar{X}_S \times \bar{Y}_S}{\sum_{S=1}^L \bar{X}_S}$$

Where,

$\bar{X}_S$ =The estimated area under the crop in S-th stratum.

L = Number of strata in the district.

$\bar{Y}_S$ = The estimated yield rate of the crop in S-th stratum.

ii) FOR MINOR CROPS

- Estimate of yield rate of a particular minor crop at the district level is obtained by:

$$\bar{Y}_D = \frac{K}{\sum_{s=1}^{m_D} n_s} \times \sum_{i=1}^{m_D} \sum_{j=1}^{n_s} Y_{ij}$$

Where,

$\bar{Y}_D$ = The estimated yield rate of the district.

m_D = No. of Strata in D-th district.

n_s = No. of CC experiments conducted in S-th Stratum.

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

- The estimated yield rate (both for Paddy & MC) for the State is obtained by :

$$\bar{Y} = \frac{\sum_{D=1}^m \bar{X}_D \times \bar{Y}_D}{\sum_{D=1}^m \bar{X}_D}$$

Where,

$\bar{Y}$ = The estimated average yield of the crop for the State.

$\bar{X}_D$ = The estimated area under the crop in the D-th district.

M = Number of districts in the State.

2.3. ESTIMATE OF PRODUCTION:

i) FOR PADDY

Production at the Stratum level is obtained by:

$$\bar{P}_S = \bar{X}_S \times \bar{Y}_S$$

Production at the District level is obtained by:

$$\bar{P}_D = \sum_{S=1}^L \bar{P}_S$$

ii) FOR MINOR CROPS

Production at the District level is obtained by:

$$\bar{P}_D = \bar{X}_D \times \bar{Y}_D$$

- The estimated Production(both for Paddy & MC) for the State is obtained by :

$$\bar{P} = \sum_{D=1}^m \bar{P}_D$$

2.4. VARIANCE OF ESTIMATED AREA:

AT STRATUM LEVEL

$$\hat{V}(X_S) = A_S^2 \times \left[\frac{u_S^2 - \hat{v}(u_S)}{v_S^2 - \hat{v}(v_S)} \right] \left[\frac{\hat{v}(u_S)}{u_S^2 - \hat{v}(u_S)} + \frac{\hat{v}(v_S)}{v_S^2 - \hat{v}(v_S)} - \frac{2 \text{co}\hat{v}(u_S v_S)}{u_S v_S - \text{co}\hat{v}(u_S v_S)} \right]$$

Where,

$$\hat{v}(u_S) = \frac{n_S}{n_S - 1} \left[\sum_{i=1}^{n_S} u_{Si}^2 - \frac{u_S^2}{n_S} \right]$$

$$\hat{v}(v_S) = \frac{n_S}{n_S - 1} \left[\sum_{i=1}^{n_S} v_{Si}^2 - \frac{v_S^2}{n_S} \right]$$

$$\text{COV}(u_S v_S) = \frac{n_S}{n_S - 1} \left[\sum_{i=1}^{n_S} u_{Si} v_{Si} - \frac{u_S v_S}{n_S} \right]$$

$$u_S = \sum_{i=1}^{n_S} u_{Si}, \quad v_S = \sum_{i=1}^{n_S} v_{Si},$$

AT DISTRICT LEVEL

$$\hat{V}(X_D) = \sum_{S=1}^L \hat{V}(X_S)$$

AT STATE LEVEL

$$\hat{V}(X) = \sum_{D=1}^M \hat{V}(X_D)$$

2.5. % STANDARD ERROR (AREA):

AT DISTRICT LEVEL

$$\frac{\sqrt{\hat{V}(\bar{X}_D)}}{\bar{X}_D} \times 100$$

AT STATE LEVEL

$$\frac{\sqrt{\hat{V}(\bar{X})}}{\bar{X}} \times 100$$

2.6. VARIANCE OF ESTIMATED YIELD RATE:

AT STRATUM LEVEL

$$\hat{V}(\bar{Y}_s) = \frac{K^2}{n_c(n_c - 1)} \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij}^2 - \frac{1}{n_c} \left(\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right)^2 \right]$$

AT DISTRICT LEVEL

$$\hat{V}(\bar{Y}_D) = \frac{\bar{P}_D^2 - \hat{V}(P_D)}{\bar{X}_D^2 - \hat{V}(X_D)} \left[\frac{\hat{V}(P_D)}{\bar{P}_D^2 - \hat{V}(P_D)} + \frac{\hat{V}(X_D)}{\bar{X}_D^2 - \hat{V}(X_D)} - \frac{2CO\hat{V}(P_D X_D)}{\bar{P}_D \bar{X}_D - CO\hat{V}(P_D X_D)} \right]$$

Where,

$$\hat{V}(P_D) = \sum_{s=I}^L \hat{V}(P_s) \quad , \quad CO\hat{V}(P_D X_D) = \sum_{s=I}^L \bar{Y}_s \hat{V}(X_s)$$

$$\bar{P}_D = \sum_{s=I}^L \bar{P}_s \quad , \quad \bar{P}_s = \bar{X}_s \bar{Y}_s \quad \bar{X}_D = \sum_{s=I}^L \bar{X}_s$$

AT STATE LEVEL

$$\hat{V}(\bar{Y}) = \frac{\bar{P}^2 - \hat{V}(P)}{\bar{X}^2 - \hat{V}(X)} \left[\frac{\hat{V}(P)}{\bar{P}^2 - \hat{V}(P)} + \frac{\hat{V}(X)}{\bar{X}^2 - \hat{V}(X)} - \frac{2CO\hat{V}(PX)}{\bar{P}\bar{X} - CO\hat{V}(PX)} \right]$$

Where,

$$CO\hat{V}(PX) = \sum_{D=I}^m \bar{Y}_D \hat{V}(X_D)$$

2.7. % STANDARD ERROR (YIELDRATE):

AT DISTRICT LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y}_D)}}{\bar{Y}_D} \times 100$$

AT STATE LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y})}}{\bar{Y}} \times 100$$

2.8. VARIANCE OF ESTIMATED PRODUCTION:

AT STRATUM LEVEL

$$\hat{V}(P_s) = \left[\bar{X}_s^2 - \hat{V}(X_s) \right] \left[\bar{Y}_s^2 - \hat{V}(\bar{Y}_s) \right] \left[\frac{\hat{V}(X_s)}{\bar{X}_s^2 - \hat{V}(X_s)} + \frac{\hat{V}(\bar{Y}_s)}{\bar{Y}_s^2 - \hat{V}(\bar{Y}_s)} \right]$$

AT DISTRICT LEVEL

$$\hat{V}(P_D) = \sum_{s=I}^L \hat{V}(P_s)$$

AT STATE LEVEL

$$\hat{V}(P) = \sum_{D=I}^m \hat{V}(P_D)$$

2.9. % STANDARD ERROR (PRODUCTION):

AT DISTRICT LEVEL

$$\frac{\sqrt{\hat{V}(P_D)}}{P_D} \times 100$$

AT STATE LEVEL

$$\frac{\sqrt{\hat{V}(P)}}{\bar{P}} \times 100$$

CHAPTER – III

(RESULTS OF THE SURVEY)

3.1. LAND UTILIZATION SURVEY:

The sample size for Land Utilization Survey for the agricultural years 2022-23 has been given below.

Table No.–3.1.1 Sample size for Land Utilization Survey for the years 2022-23

Year	Total revenue village of the state	No. of sample villages selected for L.U.S.	No. of sample villages covered under the survey	% of achievement
2022-23	50047 (Rural) & 1284 (Urban)	10072 (Rural) + 609 (Urban)	10072 (Rural) + 609 (Urban)	100%

The estimates of area under different classification of land uses have been formulated on the basis of sample surveys conducted in the rural sample villages during 2022-23 & Urban ratio. The state level estimates of area under different classification of land uses for the agricultural years 2022-23 has been given below.

Table No.– 3.1.2 Estimates of Area under different classification of land uses for 2022-23

(Area in 000'hects.)

Year		Classification of land uses										TOTAL AREA UNDER SURVEY		Area not included under survey	Geographical area of the state
		Forest (Revenue)	Land put to non- agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown					
2022-23	Area	1847	1403	1046	534	278	582	704	908	4269	11571	4000	15571		
	(%)	(15.96%)	(12.13%)	(9.04%)	(4.61%)	(2.40%)	(5.03%)	(6.08%)	(7.85%)	(36.89%)	(*74.31%)	(*25.69%)			

N.B. i) Figures in the parenthesis indicate % to total area under survey.

ii) * indicates % to total geographical area of the state.

It is seen from the above Table No.-3.1.2 that about 74% of the Geographical area of the State has been covered under the survey during agricultural year 2022-23.

Further, contribution of net area sown to the total area under survey is 36.89% as per the Table No.-3.1.2 & Table No.-1.0 of the Appendix and Fig No.-3.1.1 during the agricultural year 2022-23, which is much higher than that of any other classification of land uses.

The district wise estimates of area under different classification of land uses for the agricultural year 2022-23 have been presented in Table No.-1.1 of the Appendix.

It is observed from district-wise estimates presented in Table No.- 1.1 of the Appendix that; percentage of net area sown to the area under survey was the highest (61.83%) in case of Subarnapur district whereas it was the lowest (11.59%) in case of Kandhamal district during the year under report.

Pictographically, Fig. No.-3.1.1 depicts the estimates of different classification of land uses for agricultural year 2022-23.

Fig. No.-3.1.1 Estimates of Area under different classification of land uses 2022-23

(in % to area under survey)




Table No. – 3.1.3 Estimates of Area under different classification of land uses from 2013-14 to 2022-23

(Area in 000'hects.)


Year	Categories of land uses									Total Cultivable Area	Total Area under Survey	% of Net Area Sown to cultivable Area
	Forest (Revenue)	Land put to non-agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown			
1	2	3	4	5	6	7	8	9	10	11	12	13
2013-14	1916	1280	1052	524	216	575	634	877	4495	6797	11569	66.13
2014-15	1856	1318	1078	524	211	550	631	918	4474	6784	11560	65.95
2015-16	1924	1376	1054	535	217	550	655	1028	4198	6648	11537	63.15
2016-17	1897	1405	1031	512	254	567	685	1085	4100	6691	11536	61.28
2017-18	1925	1377	976	512	276	613	777	1216	3863	6745	11535	57.27
2018-19	1912	1403	1016	523	251	591	738	1089	4006	6675	11529	60.01
2019-20	1963	1383	948	535	260	577	705	1055	4102	6699	11528	61.23
2020-21	1850	1376	1109	539	242	575	672	986	4179	6654	11528	62.8
2021-22	1942	1361	978	509	252	577	688	943	4322	6782	11572	63.73
2022-23	1847	1403	1046	534	278	582	704	908	4269	6741	11571	63.33

The Table No. 3.1.3 & Table No. 1.0 of the Appendix depicts the land use pattern during the period from 2013-14 to 2022-23 under 9-fold classification of Land uses in the State. It reveals that, (i)Land put to non-agricultural uses, (ii)Cultivable waste, (iii)Old fallow, (iv)Current fallow, have an increasing trend, whereas the land under net area sown has a declining trend till 2017-18. Then after, the estimates depict an increase in net area sown to that of preceding year and Current fallow for those years have declined.

Further, the Table No. 3.1.3 shows the cultivable area and net area sown during 2013-14 to 2022-23. The percentage of Net Area Sown to total Cultivable Area has been declined from 65% to 63% during the period of 10 years.

Pictographically, Fig. No.-3.1.2 depicts the estimates of cultivable area and net area sown from the agricultural year 2013-14 to 2022-23.

Fig. No.- 3.1.2 Estimates of Cultivable Area & Net Area Sown in '000' hect.



3.2. ESTIMATES OF AREA UNDER DIFFERENT CROPS:

The state level estimates of area under different crops for different crop seasons for the agricultural year 2022-23 has been given below in Table No.-3.2.1.

Table No. –3.2.1 Season wise &Crop wise Estimates of Area for 2022-23

(Area in 000' hec.)

Sl. No.	Crop	2022-23			Total
		Aut.	Win.	Sum.	
1	Paddy	378.78	3349.88	335.51	4064.17
2	Wheat	-	-	0.22	0.22
3	Maize	81.15	0.25	2.89	84.29
4	Ragi	13.2	28.96	0.68	42.84
5	Other cereals	1.51	17.54	0.16	19.21
6	Mung (Greengram)	18.03	101.89	148	267.92
7	Biri (Blackgram)	12.92	57.11	14.99	85.02
8	Kulthi (Horsegram)	-	31.65	0.09	31.74
9	Other pulses	1.15	47.84	1.41	50.4
10	Til	2.13	10.57	7.08	19.78
11	Groundnut	15.83	4.16	23.98	43.97
12	Mustard	-	14.64	-	14.64
13	Niger	-	10.99	-	10.99
14	Other oilseeds	0.08	5.09	2.93	8.10
15	Jute	2.55	-	-	2.55
16	Potato	-	11.31	-	11.31
17	Sugarcane	-	7.33	-	7.33
18	Other crops	37.31	178.96	33.38	249.65
ALL CROPS		564.64	3878.17	571.32	5014.13

The state level estimates of area (Autumn, Winter & Summer combined) under different crops for the years 2013-14 to 2022-23 has been given below in Table No.-3.2.2.

Table No. –3.2.2**Estimates of Area under different crops for 2013-14 to 2022-23**

(Area in Lakh hectares)

Sl.	Crop/Year	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23
1	Paddy	41.80	41.66	39.42	39.63	37.66	38.59	39.41	40.29	39.48	40.64
2	Wheat	0.01	'S'	'S'	'S'	'S'	'S'	'S'	"S"	"S"	"S"
3	Maize	0.95	0.92	0.56	0.72	0.47	0.52	0.65	0.78	1.02	0.84
4	Ragi	0.57	0.51	0.46	0.47	0.43	0.37	0.36	0.41	0.55	0.43
5	Other cereals	0.38	0.37	0.38	0.36	0.36	0.24	0.27	0.22	0.27	0.19
6	Mung	2.52	2.95	2.90	3.26	2.36	2.17	2.40	2.35	2.50	2.68
7	Biri	0.85	0.82	0.74	1.09	0.77	0.58	0.58	0.75	0.92	0.85
8	Kulthi	0.42	0.38	0.33	0.34	0.26	0.24	0.23	0.26	0.42	0.32
9	Other pulses	0.95	0.85	0.64	0.47	0.46	0.44	0.48	0.38	0.69	0.50
10	Til	0.24	0.26	0.2	0.16	0.15	0.15	0.14	0.21	0.24	0.20
11	Groundnut	0.60	0.49	0.51	0.45	0.33	0.28	0.29	0.38	0.46	0.44
12	Mustard	0.13	0.10	0.07	0.10	0.09	0.06	0.07	0.07	0.18	0.15
13	Niger	0.35	0.33	0.22	0.15	0.18	0.19	0.16	0.13	0.18	0.11
14	Other oilseeds	0.08	0.05	0.03	0.05	0.02	0.03	0.08	0.05	0.06	0.08
15	Jute	0.02	0.01	0.01	0.01	0.01	'S'	'S'	0.01	0.03	0.03
16	Potato	0.06	0.08	0.06	0.07	0.04	0.05	0.04	0.06	0.11	0.11
17	Sugarcane	0.14	0.1	0.09	0.05	0.04	0.07	0.09	0.07	0.07	0.07
18	Other crops	1.60	1.84	1.41	1.47	1.38	1.30	1.46	1.75	2.79	2.50
	All crops	51.68	51.73	48.03	48.84	45.02	45.27	46.7	48.19	49.97	50.14

("S" denotes scarce)

It is observed from the above table that area under Paddy remains as the highest, i.e., about 79-85% of the area under all crops and about 95-97% of the area under cereals. There is a declining trend of Crop area till 2017-18, then after the total crop area shows an increasing trend.

In case of Pulses, Mung (Greengram) contributes major share followed by Biri (Blackgram).

Similarly, in case of Oilseeds, Groundnut contributes more area, followed by Til.

The State level estimates of area under different crops for different crop seasons for the agricultural years 2013-14 to 2022-23 has been presented in Table No.-2.0 of the Appendix.

The share of cropped area under cereals, pulses, oilseeds and other crops are 83.98%, 8.68%, 1.94% & 5.40% respectively in 2022-23.


It is further observed that area under Paddy has decreased from 41.80 lakh hectares during 2013-14, the highest during the ten years, to 40.64 lakh hectares during 2022-23.

In case of wheat, during the reporting period, shows a decreasing trend throughout. It has been decreased to 0.22 thousand hectares during 2022-23.

In case of Maize, the estimated area has been decreased to 84.29 thousand hectares during 2022-23, which was 102.44 thousand hectares in the preceding year. However, it is higher over past years, i.e, 2017-18 (46.94).

Similarly, in case of other programmed crops, cereals, pulses, oilseeds, Jute, Potato and sugarcane (except that of other remaining crops), the estimated area during 2022-23 has also been decreased in comparison to the same during 2013-14.

Fig. No.- 3.2.1 Area under Paddy & Yield-rate (from 2013-14 to 2022-23)



District wise and season wise estimates of area under paddy and different programmed minor crops for 2022-23 has been presented in Table No.-5.1 to 5.14 of the Appendix.

Fig. No.- 3.2.2 District-wise Paddy area 2022-23




Figure 3.2.2 indicates that the highest reporting paddy area is Bargarh district (325.96 th. hect.) in 2022-23, followed by Bargarh (319.23), Ganjam (293.56), Kalahandi (243.45) & Balasore (220.14). The least paddy crop area reporting district is Gajapati with 32.09 thousand hect. in 2022-23.

Fig. No.-3.2.3 District-wise crop area under Greengram 2022-23




Figure 3.2.3 shows that top five reporters of crop area under greengram are Ganjam (59824 hectare) followed by Jagatsinghpur (34919), Cuttack (26942), Nayagarh (25854) & Balangir (22637). The lowest greengram area has been reported by Kandhamal (85 hectare) in 2022-23.

Fig. No.- 3.2.4 District-wise crop area under groundnut 2022-23




Figure 3.2.4 indicates that top five crop area reporting districts in Odisha under the crop groundnut are Jajpur (6174 hectare), Bargarh (4608), Malkangiri (3460), Balangir (3358) & Koraput (3022). The least crop area under groundnut has been reported in Bhadrak with 35 hectares.

State level estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other Crops for the years 2013-14 to 2022-23 have been presented in Table No.-6.0 of the Appendix.

District wise and season wise estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other crops for the agricultural years 2022-23 is presented in Table No. - 6.1 of the Appendix.

The state level estimates of area under crops by different broad groups for the year 2022-23 have been presented below.

Table No. –3.2.3 State level estimates of area under crops by different broad groups for 2022-23

(Area in 000' hecets.)

Year	Season	Total cereals	Total pulses	Total oilseeds	Total other crops	All crops (Gross cropped area)
2022-23	Autumn	475	32	18	40	565
	Winter	3397	238	45	198	3878
	Summer	339	165	34	33	571
	TOTAL	4211	435	97	271	5014
		(83.98%)	(8.68%)	(1.93%)	(5.40%)	100%

(Figures in the parenthesis indicate % to gross cropped area)

Fig. No. -3.2.5 State level estimates of Area under all crops by Broad groups, 2022-23




Table No. – 3.2.3 & Fig. No. 3.2.5 describe that percentage contribution of area under cereals to total cropped area is the highest (83.98% during 2022-23) and area under other broad groups (Pulses, Oilseeds & Others) taken together contribute only about 16.02% during 2022-23.

State level estimates of area under different crops by broad groups for the agricultural years from 2013-14 to 2022-23 have been presented in Table No.- 7.0 of the Appendix.

District level estimates of area under different crops by broad groups for the agricultural years 2022-23 have been presented in Table No.-7.1 of the Appendix.

Fig. No. -3.2.6 State level Estimates of Gross Cropped Area in from 2013-14 to 2022-23





Table No. – 3.2.2 & Fig. No. – 3.2.6 depict that gross cropped area (taking all seasons together) was the highest i.e., 5173 thousand hectares during 2014-15 and declined to 4502 thousand hectares during 2017-18. Then it shows an increase to 4527 thousand hectares in 2018-19, 4670 thousand hectares in 2019-20, 4819 thousand hectares in 2020-21, 4998 thousand hectares in 2021-22 & 5014 thousand hectares in 2022-23.

District wise & crop wise estimated gross cropped area for the year 2022-23 has been presented in Table No.- 8.1 of the Appendix.

Top five cropping districts reported during 2022-23 are Ganjam (389 thousand hectares), Bargarh (368), Mayurbhanj (327), Kalahandi (307) & Balangir (279). The lowest gross crop reported district in 2022-23 is Deogarh with 42 thousand hectares only. It is observed that percentage contribution of Paddy in case of Mayurbhanj, Balangir, Nawarangpur, Raygada & Jharsuguda districts is more than 95% of the total cropped area of the respective districts.



Maize is the important cereal next to paddy. It is grown more in the districts of Nawarangpur, Gajapati, Koraput, Balangir, Raygada, & Nuapada. The contribution of only Nawarangpur district is about 56.90% of state total. In case of Ragi, Koraput district shows highest area under ragi cultivation i.e. about 43.53% of state total, followed by Raygada (12.91%) & Malkangiri (12.76%) in agricultural year 2022-23.

Among pulses, Mung (Greengram) is important and is grown in almost all districts. Higher area under cultivation of greengram has been observed in Ganjam, Jagatsinghpur, Cuttack, Nayagarh & Balangir during agricultural year 2022-23.

Area under Groundnut is significant among oilseeds. It is grown more in Jajpur, Bargarh, Malkangiri, Balangir, Koraput, Puri, Nuapada, Ganjam, Dhenkanal & Kalahandi districts. Nizer crop is grown less except in a few districts like Koraput, Rayagada, Malkangiri, Kalahandi, Kandhamal & Keonjhar.

Jute crop is grown only in a very few districts like Jajpur, Balasore, Kendrapada, Keonjhar & Cuttack. The area under this crop is gradually decreasing due to higher cost of cultivation & less market price.

The area under Potato crop is not significant. It is grown in all districts where permanent sources of irrigation are available, except Kalahandi, Malkangiri & Subarnapur.

Sugarcane crop is grown more or less in 19 districts in 2022-23, Nawarangpur with highest crop area reporting district. But its coverage does not show any significant trend.

3.3. ESTIMATES OF YIELD RATE OF DIFFERENT PROGRAMMED CROPS:

Estimates of yield rate of paddy at block, district and state level and that of minor crops at the district and state level are formulated on the basis of crop cutting experiments conducted on different crops.

Number of crop cutting experiments planned and conducted on different crops during 2022-23 has been given as follows.

Table No. –3.3.1 No. of crop cutting experiments planned and conducted for 2022-23.

Crop	Season	2022-23		
		Plan	Conducted	% of achievement
Paddy	Autumn	3432	3432	100%
	Winter	27938	27938	100%
	Summer	6894	6894	100%
	Total	38264	38264	100%
Minor crops	Autumn	7427	7427	100%
	Winter	14864	14864	100%
	Summer	6628	6628	100%
	Total	28919	28919	100%
Total	Autumn	10859	10859	100%
	Winter	42802	42802	100%
	Summer	13522	13522	100%
	Total	67183	67183	100%

Number of crop cutting experiments inspected during 2022-23 has been indicated in Table No.-3.3.2

Table No. –3.3.2 No. of crop cutting experiments inspected during the year 2022-23

Crop	Season	No. of CC. Expts. conducted	2022-23		
			No. of C.C. Expts. Inspected/Attended by		
			Officer and/or Staff of DES	Officer and/or Staff of Agril. Deptt.	NSSO
PADDY	Aut	3432	483	585	203
	Win	27938	1576	8451	733
	Sum	6894	706	852	148
	Total	38264	2765	9888	1084
MINOR CROPS	Aut	7427	686	178	29
	Win	14864	1128	72	69
	Sum	6628	677	37	24
	Total	28919	2491	287	122
All Crops		67183	5256	10175	1206
			(7.82%)	(15.15%)	(1.80%)

N.B-Figures in the parenthesis indicate % to total No. of CCEs.

Season wise numbers of experiments on paddy and other crops at the State/District level for 2022-23 has been presented in Table No.- 19.0 & 19.1 of the Appendix.

State level estimates of yield rate of paddy & other Programmed minor crops season wise for 2022-23 has been given below in Table No.-3.3.3.

Table No. –3.3.3 State level Estimates of Yield-rate of different programmed crops for 2022-23
(Yield rate in Qtls / hect)

Sl. No.	Crop	2022-23			
		Aut.	Win.	Sum.	Total
1	Paddy (with husk)	28.22	45.13	56.39	44.49
	Rice(Without husk)	18.63	29.79	37.22	29.36
2	Wheat	-	-	15.48	15.48
3	Maize	29.99	27.37	24.80	29.81
4	Ragi	7.19	9.47	7.26	8.73
5	Mung(Greengram)	3.05	3.01	4.20	3.67
6	Biri(Blackgram)	2.97	3.86	4.37	3.82
7	Kulthi(Horsegram)	-	4.06	2.81	4.06
8	Til	1.96	3.32	2.15	2.76
9	Groundnut	16.86	17.95	20.24	18.81
10	Mustard	-	3.50	-	3.50
11	Niger	-	3.25	-	3.25
12	Jute	23.33	-	-	23.33
13	Potato	-	101.41	-	101.41
14	Sugarcane	-	537.81	-	537.81


The State level estimates of yield rate (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2013-14 to 2022-23 are given below in Table No.-3.3.4

Table No. –3.3.4 State level Estimates of Yield-rate of different crops for 2013-14 to 2022-23
(Yield rate in quintals/hectare)

Sl	Crop	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23
1	Paddy	27.60	35.80	22.59	37.45	26.36	30.36	37.51	41.36	35.66	44.49
2	Wheat	15.75	16.28	13.47	14.21	21.63	18.15	13.90	16.40	17.05	29.36
3	Maize	27.71	20.53	19.96	28.27	25.13	23.24	29.05	29.08	27.79	15.48
4	Ragi	8.09	7.38	6.20	7.06	7.67	6.90	7.31	7.96	7.94	29.81
5	Mung	3.52	3.56	2.94	4.10	3.88	3.27	3.36	2.46	3.54	8.73
6	Biri	3.11	3.37	3.28	4.54	3.72	3.29	3.68	3.44	3.39	3.67
7	Kulthi	3.57	3.44	2.83	4.36	4.11	3.68	3.96	3.98	3.88	3.82
8	Til	2.38	2.57	2.07	3.06	2.79	2.35	2.91	2.47	2.48	4.06
9	Groundnu	14.49	12.68	10.97	12.29	11.34	12.77	18.60	20.23	19.01	2.76
1	Mustard	2.69	2.44	2.05	3.46	3.26	2.75	2.93	2.80	3.23	18.81
1	Niger	2.98	2.49	1.81	3.07	3.27	2.74	3.58	2.98	3.31	3.50
1	Jute	18.09	16.25	21.74	16.78	24.92	15.60	21.69	24.05	25.44	3.25
1	Potato	115.9	123.2	101.7	125.9	105.4	111.1	106.8	108.8	106.2	23.33
1	Sugarcane	658.9	719.5	644.0	626.7	647.0	616.2	564.2	544.7	563.9	101.4

Fig. No.- 3.3.1 State level Estimated Yield-rate of Paddy from 2013-14 to 2022-23

It is seen from State level estimates of yield rate as presented in Table No.-3.3.4 and Fig. No.-3.3.1 that yield rate of paddy (Autumn, Winter & Summer combined) during 2022-23 was the highest i.e. 44.49 qtls./hect. and it was the lowest i.e. 22.59 qtls./hect. during 2015-16 during the 10 years of period.



In case of all other programmed crops (except wheat, groundnut, nizer, potato, jute & Sugarcane), yield rate for the year 2022-23 have increased from previous years 2021-22.

The State level estimates of yield rate of paddy & other Programmed minor crops for different crop seasons and for the years from 2013-14 to 2022-23 have been presented in Table No.-3.0 of the Appendix.

District wise and season wise estimates of yield rate of different crops for the agricultural years 2022-23 have been presented in Table No.5.1 to 5.14 of the Appendix.




Table No.-5.1 (District wise Area, Yield-rate & Production of Paddy) of the Appendix depicts that yield rate of Paddy (Autumn, Winter, Summer & combined) in case of Bargarh district was the highest i.e. 60.95 qtls./hect, followed by Subarnapur & Keonjhar districts i.e. 56.36 & 52.86 qtls./hect during 2022-23. But in case of Jharsuguda

district the yield-rate was the lowest i.e. 23.88 qtls./hect. during the year 2022-23.

The State level estimates of area, yield rate and production of 14 programmed crops from 1993-94 to 2022-23 have been presented in Table No.-20.1 to 20.14 of the Appendix.

3.4. ESTIMATES OF PRODUCTION OF DIFFERENT CROPS

The estimates of production have been formulated basing on the estimated area & yield rate of corresponding crops. Production of paddy has been formulated at the block, district & state level, whereas the same for 13 programmed minor crops have been formulated at the district & State level.

The State level estimates of production of different crops in different season for 2022-23 has been given below in Table No.-3.4.1.

Table No. –3.4.1 State level estimates of production of programmed crops for 2022-23
(Production in '000 M.T.)

Sl no	Crop	2022-23			
		Autumn	Winter	Summer	Total
1	Paddy	1068.95	15118.81	1891.95	18079.71
	Rice	705.51	9978.41	1248.69	11932.61
2	Wheat	-	-	0.35	0.35
3	Maize	243.38	0.7	7.16	251.24
4	Ragi	9.49	27.41	0.49	37.39
5	Mung	5.5	30.63	62.21	98.34
6	Biri	3.84	22.05	6.55	32.44
7	Kulthi	-	12.86	0.03	12.89
8	Til	0.42	3.51	1.52	5.45
9	Groundnut	26.7	7.47	48.54	82.71
10	Mustard	-	5.12	-	5.12
11	Niger	-	3.57	-	3.57
12	Jute	5.95	-	-	5.95
13	Potato	-	114.66	-	114.66
14	Sugarcane	-	394.38	-	394.38

The estimates of Production (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2013-14 to 2022-23 have been given in Table No.-3.4.2.

Table No. –3.4.2 State level Estimates of Production of different crops for 2013-14 to 2022-23
(Production in Lakh M.T.)

Sl. No.	Crop	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23
1	Paddy	115.3	149.1	89.02	148.4	99.26	117.1	147.8	166.6	140.7	180.8
2	Wheat	0.01	0.01	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'
3	Maize	2.64	1.88	1.11	2.05	1.18	1.21	1.89	2.27	2.85	2.51
4	Ragi	0.46	0.38	0.28	0.33	0.33	0.25	0.26	0.33	0.44	0.37
5	Mung	0.89	1.05	0.85	1.34	0.92	0.71	0.81	0.58	0.88	0.98
6	Biri	0.26	0.28	0.24	0.49	0.29	0.19	0.21	0.26	0.31	0.32
7	Kulthi	0.15	0.13	0.09	0.15	0.11	0.09	0.09	0.11	0.16	0.13
8	Til	0.06	0.07	0.04	0.05	0.04	0.04	0.04	0.05	0.06	0.05
9	Groundnut	0.87	0.62	0.56	0.55	0.38	0.36	0.55	0.78	0.88	0.83
10	Mustard	0.04	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.06	0.05
11	Niger	0.11	0.08	0.04	0.05	0.06	0.05	0.06	0.04	0.06	0.04
12	Jute	0.04	0.02	0.03	0.01	0.02	'S'	'S'	0.02	0.09	0.06
13	Potato	0.71	1.04	0.57	0.82	0.42	0.54	0.47	0.60	1.16	1.15
14	Sugarcane	9.37	7.23	5.77	3.44	2.40	4.18	5.05	3.81	3.98	3.94


NB: 'S' denotes Production less than 0.5 lakh M.Ts.

It is observed from the above Tables & Fig.No.-3.4.1 that the production of Paddy was the lowest of 89.02lakh M.T. in 2015-16 & was highest at 180.80 lakh M.T. in 2022-23 during the reported 10 years.


The State level estimates of production of different crops for different seasons for the years 2013-14 to 2022-23 has been presented in Table No.-4.0 of the Appendix.

The district level estimates of production of different crops for the year 2022-23 has been presented in Table No. - 5.1 to 5.14 of the Appendix.


Fig. No. – 3.4.1 Estimated Production of Paddy from 2013-14 to 2022-23
(Autumn, Winter & Summer Combined) in Lakh MTs.



The district level estimated production data in the appendix presents that Bargarh has the highest production of paddy in 2022-23 (1986.77 th.mts.), followed by Ganjam (1360.61), Mayurbhanj (1322.15), Kalahandi (1123.55) & Balasore (1039.77).




Jharsuguda being a small district, has the lowest production of paddy with 112.42 thousand MTs.



In case of Production of wheat, Bargarh & Sundargarh districts show only an eye-catching production of 1309 & 911 quintals respectively in 2022-23, followed by Sambalpur. In production of maize, Nawarangpur district is the highest contributor with 166.20 thousand MTs. out of state total of 251.24 thousand MTs (around 66%). It is followed by Gajapati, Balangir, Koraput, Balangir & Nuapada.

Ragi has been a prime focus of govt. through its millet mission. At district level, Koraput district contributes the lion's share in production of ragi in the state in 2022-23 with 18.68 thousand mts. with nearly 50% of state's ragi production. It's followed by Malkangiri & Raygada.

In pulses, greengram constitutes the primary one in Odisha. Ganjam district is the largest contributor of greengram with 14.49 ('000' MT). in 2022-23, followed by Jagatsinghpur (12.12), Cuttack (11.48), Kendrapada (9.53), & Nayagarh (9.24).



One more important crop is the groundnut among the oilseeds produced in Odisha. Among the 30 districts of Odisha, Malkangiri reported the highest producer in 2022-23 with 13.03 thousand mts. It's followed by Bargarh (9.03) & Jajpur (8.67).

3.5. STANDARD ERROR OF ESTIMATES

State level estimates of area, yield rate & production of Paddy for the years 2013-14 to 2022-23 along-with percentage standard error has been presented in Table No. - 9.0 of the Appendix.

It is seen that during the 10 years, percentage standard error in case of Area of Paddy lies within 1.15% to 1.66% during autumn season, 0.62% to 0.88% during winter season and 2.59% to 3.93% during summer season. In case of yield rate, percentage standard error lies within 0.66% to 2.88% during autumn season, 0.22% to 0.65% during winter season and 0.26% to 1.63% during summer season. In case of production, it lies between 1.34% to 4.29% during autumn season, 0.74% to 0.98% during winter season and 2.67% to 4.09% in case of summer season.

District level estimates of Area, Yield rate & Production of Paddy for the years 2022-23 along-with percentage standard error has been presented in Table No.-9.1 of the Appendix.

State level estimates of area, yield rate & production of programmed crops for the years 2022-23 along-with percentage standard error has been presented in Table No.-9.2 of the Appendix.

3.6. ANCILLARY INFORMATION

3.6.1 Crop-wise estimates of irrigated area

State level estimates of crop-wise & season-wise irrigated area for the years 2022-23 has been presented below in Table No. -3.6.1.

Table No. -3.6.1 State level estimates of crop-wise irrigated area for 2022-23

(Area in "000 hect.)

Sl. No.	Crop	2022-23			
		Aut	Win	Sum	Total
1	Paddy	16	1098	336	1450
2	Wheat	-	-	S	S
3	Maize	S	S	3	3
4	Ragi	-	S	1	1
5	Other cereals	-	S	S	S
6	Mung	-	S	19	19
7	Biri	-	S	2	2
8	Kulthi	-	S	S	S
9	Other pulses	S	S	S	S
10	Til	-	-	2	2
11	Groundnut	1	1	15	17
12	Mustard	-	5	-	5
13	Niger	-	-	-	-
14	Other oilseeds	-	1	2	3
15	Jute	S	-	-	S
16	Potato	-	11	-	11
17	Sugarcane	-	8	-	8
18	Other crops	7	53	33	93
	ALL CROPS	24	1177	413	1614

("S" denotes area less than 500 hector.)

State level estimates of crop-wise irrigated area (for Autumn, Winter & Summer seasons combined) for the years 2013-14 to 2022-23 has been presented below in Table No.-3.6.1(a).

Table No. –3.6.1(a) State level Estimates of crop-wise Irrigated area from 2013-14 to 2022-23

(Area in “000 hect.)

Sl. No.	Crop	13-14	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23
1	Paddy	1379	1389	1329	1223	1083	1214	1258	1364	1330	1450
2	Wheat	1	1	'S'	'S'	'S'	0	S	'S'	S	S
3	Maize	4	2	3	3	2	3	4	3	5	3
4	Ragi	'S'	'S'	'S'	'S'	'S'	0	S	'S'	S	1
5	Other	'S'	'S'	'S'	'S'	'S'	0	S	'S'	S	S
6	Mung	28	10	16	13	10	30	17	30	14	19
7	Biri	2	1	2	4	3	2	3	2	2	2
8	Kulthi	'S'	-	'S'	'S'	'S'	0	S	'S'	S	S
9	Other pulses	1	'S'	'S'	'S'	1	0	S	'S'	1	S
10	Til	1	2	1	1	1	1	1	2	2	2
11	Groundnut	14	9	13	8	8	7	10	19	17	17
12	Mustard	5	3	3	3	2	1	2	2	7	5
13	Niger	'S'	'S'	'S'	'S'	'S'	0	S	-	S	-
14	Oth.	3	2	2	2	1	1	4	2	2	3
15	Jute	'S'	'S'	'S'	'S'	'S'	0	S	'S'	S	S
16	Potato	6	9	6	7	4	5	4	6	11	11
17	Sugarcane	14	10	9	5	4	7	9	7	7	8
18	Other crops	47	47	50	40	32	42	51	59	96	93
	ALL CROPS	1505	1485	1434	1309	1151	1313	1363	1496	1494	1614

("S" denotes area less than 500 hector.)

Fig. No. – 3.6.1 Estimated Gross Cropped Area Irrigated from 2013-14 to 2022-23





Table No. -3.6.1(a) & Fig. No. – 3.6.1 above indicate that during the last 10 years, gross cropped area irrigated was the highest i.e. 1614 thousand hectares during 2022-23 and lowest at 1151

thousand hectares during 2017-18. After the year 2017-18, the irrigated crop area shows an increasing trend.

Crop wise and season wise estimates of area irrigated for the years 2013-14 to 2022-23 at the state level have been presented in Table No.-10.0 of the Appendix.

District wise and crop wise estimates of area irrigated for the years 2022-23 have been presented in Table No.10.1 of the Appendix.

It is observed from the same Table that Bargarh district constitutes the highest percentage (13.61%) of crop area irrigated to total irrigated area of state during 2022-23 & followed by (13.32%) in Ganjam district. Further, Jharsuguda, Kandhamal & Deogarh districts constitute the lowest percentage (0.21%, 0.19% & 0.13% respectively) of crop area irrigated during the same year in Odisha. On the other hand, the ratio of crop area irrigated to the gross crop area of the district is highest in Puri district with 64.44% of its gross crop area, followed by Subarnapur (60.89%), Bargarh (59.74%), Ganjam (55.38%) & Koraput (54.61%). The lowest ratio of irrigated area is found in Nowrangpur (3.92%).



District wise, crop wise & season wise estimates of area irrigated for the years 2022-23 have been presented in Table No.10.2 of the Appendix.

Season wise State level estimates of area irrigated vrs. Un-irrigated for the years 2013-14 to 2022-23 have been presented in Table No.11.0 of the Appendix.

District wise & season wise estimates of cropped area irrigated vrs. un-irrigated for the year 2022-23 has been presented in Table No.-11.1 of the Appendix.

3.6.2 Cropping Intensity

State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2022-23 has been presented below in Table No.-3.6.2.

Table No. –3.6.2 State level Estimates of Cropping Intensity for 2022-23


(Area in '000hect.)

Area	Item	2022-23
1	2	3
Cropped Area	Gross Cropped Area	5014
	Net Cropped Area	4269
	Cropping Intensity	117.45
Cropped Area Irrigated	Gross Cropped Area Irrigated	1614
	Net Cropped Area Irrigated	1335
	Cropping Intensity	120.90
Cropped Area Un-Irrigated	Gross Cropped Area Un-Irrigated	3400
	Net Cropped Area Un-Irrigated	2934
	Cropping Intensity	115.88

Table No. –3.6.2 (a) State level Estimates of Cropping Intensity & % of area irrigated over Gross & Net Area for 2013-14 to 2022-23

Year	Cropping Intensity	Cropping Intensity Irrigated	Cropping Intensity Un-Irrigated	% of gross cropped area irrigated over Gross cropped area	% of net area irrigated over Net Area Sown
1	2	3	4	5	6
2013-14	114.97	120.88	112.71	29.12	27.70
2014-15	115.62	117.95	114.71	28.71	28.14
2015-16	114.41	116.59	113.51	29.86	29.30
2016-17	119.15	116.67	120.09	26.80	27.37
2017-18	116.54	118.66	115.83	25.57	25.11
2018-19	113.01	120.34	110.26	29.02	27.25
2019-20	113.83	119.90	111.51	29.19	27.72
2020-21	115.31	124.63	111.56	31.04	28.72
2021-22	115.63	120.71	113.59	29.90	28.64
2022-23	117.45	120.90	115.88	32.19	31.27

Fig. No. – 3.6.2 Cropping intensity from 2013-14 to 2022-23




The State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2013-14 to 2022-23 is presented in the Table No.- 12.0 of the Appendix.

It is observed from the said Table and Fig. No.-3.6.2 above that the cropping intensity during 2016-17 was the highest i.e., 119.15 whereas it was the lowest i.e., 113.01 during 2018-19 during the 10 years. However, then after, it shows a rising trend.

District level estimates of gross cropped area, net cropped area & cropping intensity for the years 2022-23 have been presented in Table No. 12.1 of the Appendix.

It is observed from the same tables that cropping intensity in Jagatsinghpur district was the highest i.e. 150.00 during 2022-23, followed by Nayagarh & Subarnapur. It is further observed that cropping intensity was very much low in case of Bhadrak & Malkangiri district with 101.40% & 101.95 respectively in 2022-23.



On further observation, it is seen that cropping intensity irrigated was the highest i.e., 169.09 in case of Subarnapur district during 2022-23, followed by Sambalpur (166.67) & Bargarh (165.41) and very much low in case of Deogarh, Jharsuguda, Kandhamal & Nawarangpur during the year 2022-23.

Fig. No. -3.6.3 % of Gross cropped area irrigated from 2013-14 to 2022-23




Table No. -12.0 of the Appendix & Fig. No.-3.6.3 depicts that percentage of gross cropped area irrigated over gross cropped area has increased from 29.90% to 32.19% from 2021-22 to 2022-23. Over all, it has a rising trend during last 10 years with an exception during 2016-17 & 2017-18.

Fig. No. –3.6.4 % of Net Cropped Area irrigated from 2013-14 to 2022-23




Table No. -12.0 of appendix & Fig. No.-3.6.4 depicts that during the period of last 10 years, percentage of net cropped area irrigated over net cropped area that had reached the highest at 31.27% in 2022-23 and at the lowest at 25.11 in 2017-18, then after it has an increasing trend till the year under report.

3.6.3 Estimates of Gross cropped area irrigated from different sources of irrigation:

State level estimates (season wise) of cropped area irrigated from different sources of irrigation for the years 2022-23 have been presented below in Table No. – 3.6.3.

Table No. –3.6.3 Estimates of Area Irrigated from different sources of irrigation for 2022-23

(Area in “000 Hect.)

Year	Season	Flow irrigation					Lift irrigation				All sources
		Major	Medium	Minor	Pond	Other	With pump set		Without pump set		
							Dug well	Other	Dug well	Other	
1	2	3	4	5	6	7	8	9	10	11	12
2022-23	Aut	8.2	3.52	1.29	0.57	0.44	6.15	2.55	0.82	0.06	23.6
	Win	331.51	398.77	119.32	75.5	104.61	76.2	65.27	2.14	3.98	1177.3
	Sum	169.28	11.03	6	2.18	16.1	59.85	145.54	1.28	2.23	413.49
	Total	508.99	413.32	126.61	78.25	121.15	142.2	213.36	4.24	6.27	1614.39
		(31.53%)	(25.60%)	(7.84%)	(4.85%)	(7.50%)	(8.81%)	(13.22%)	(0.26%)	(0.39%)	(100%)

(Figures in the parenthesis indicate % to total cropped area irrigated)

It may be seen that flow irrigation (77.32%) of the total during the year 2022-23 was the major source of irrigation of the State whereas contribution of lift irrigation was 22.68% during the same Agricultural year constitutes a non-significant portion of irrigated area.

District wise & season-wise estimates of cropped area irrigated from different sources of irrigation for the year 2022-23 have been presented in Table No.-13.1 to 13.4 of the Appendix.

3.6.4 Estimates of Area & Yield rate under HYV & Local varieties.

Three crops i.e., Paddy, Wheat & Maize are considered for analysis in respect of HYV & Local varieties.

Season wise estimates of area under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2022-23 have been given below in Table No.-3.6.4.

Table No. –3.6.4 Season wise Estimates of Area under HYV & Local varieties crop for 2022-23

(Area in '000 hect.)

Crop	Season	2022-23		
		HYV	Local	Total
1	2	3	4	5
Paddy	Autumn	366.80	11.97	378.77
	Winter	3275.54	74.33	3349.87
	Summer	335.51	-	335.51
	Total	3977.85	86.30	4064.15
	(%)	(97.88%)	(2.12%)	(100%)
Wheat	Summer	0.22	"S"	0.22
	(%)	(98.21%)	(1.79%)	(100%)
Maize	Autumn	78.05	3.10	81.15
	Winter	0.24	0.02	0.26
	Summer	2.32	0.57	2.89
	Total	80.61	3.69	84.30
	(%)	(95.62%)	(4.38%)	(100%)

('S' denotes area less than 500 hectare, Figures in bracket indicate % of area to total area under the crop)

Fig. No. – 3.6.4 % of HYV & Local Paddy crop area from 2013-14 to 2022-23




Fig. No. -3.6.4 depicts that cultivation of high yielding varieties of paddy is gradually increasing. It has increased from about 89% during 2013-14 to about 98% during 2022-23.

The estimates of yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the year 2022-23 has been given below in Table No.-3.6.4(a).

Table No. –3.6.4(a) Estimates of yield-rate under HYV & Local Varieties of Paddy, Wheat & Maize for 2022-23

(Yield rate in Qtls / hect.)

Crop	Season	2022-23	
		HYV	Local
Paddy	Autumn	28.27	26.76
	Winter	45.45	30.99
	Summer	56.39	-
Wheat	Summer	15.51	14.50
Maize	Autumn	30.52	16.42
	Winter	27.61	19.74
	Summer	25.74	20.44

From the above Table No.-3.6.4(a) it is evident that the High Yielding Varieties show higher yield rate in comparison to that of local varieties during the agricultural year 2022-23.

The estimates of area & yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2013-14 to 2022-23 have been given in Table No.-14.0 of the Appendix.

District wise estimates of area & yield rate of HYV & Local varieties of Paddy, Wheat & Maize are presented for the years 2022-23 in Table No.- 14.1 to 14.2 of the Appendix.

3.6.5 Yield rate of different crops from Irrigated & Un-irrigated plots

The estimates of yield rate of Paddy based on number of c.c. experiments from irrigated & un-irrigated plots at the State level for the year 2022-23 have been given below.

Table No. –3.6.5 Estimates of Yield-rate of Paddy under irrigated & un-irrigated conditions for 2022-23

(Yield rate in qtls./hect.)

Season	Item	2022-23	
		No. of C.C.E.	Yield rate
Autumn	Irrigated	273	35.97
	Un-irrigated	3159	27.74
Winter	Irrigated	10383	48.91
	Un-irrigated	17555	42.41
Summer	Irrigated	6894	54.77
	Un-irrigated	--	--

The estimates of area & yield rate of paddy based on number of crop cutting experiments from irrigated & un-irrigated plots at the State level for the years 2013-14 to 2022-23 has been presented in Table No- 15.0 of the Appendix.

Fig. No.- 3.6.5 Estimated Yield-rate of Paddy from Irrigated and Un-irrigated plots for 2022-23




Table No.-3.6.5 and Fig. No.-3.6.5 indicate that yield rate of Paddy from irrigated plots is higher than that of un-irrigated plots.

District wise and season wise estimates of yield rate of Paddy (Irrigated & Un-Irrigated plots) for the years 2022-23 have been presented in Table No.-15.1 of the Appendix.

State level estimates of yield rate of programmed minor crops (Irrigated & Un-Irrigated plots) for the year 2022-23 have been presented in Table No.-15.2 of the Appendix.


3.6.6 Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer

The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots applied with fertilizer and not applied with fertilizer. Estimates of Yield rate of Paddy from plots applied with fertilizer and not applied with fertilizer at the State level for the years 2022-23 has been given below in Table No.-3.6.6.

Table No. –3.6.6 Estimates of Yield-rate of paddy applied/not applied with fertilizer & manure'2022-23

		(Yield rate of Paddy in Qtls / hect.)	
Season	Item	2022-23	
		No. of C.C.E	Yield rate
Autumn	Applied with fertilizer	3059	31.53
	Applied with manures	227	28.93
	Not applied with fertilizer & manures	146	23.51
Winter	Applied with fertilizer	26377	43.91
	Applied with manures	894	36.06
	Not applied with fertilizer & manures	667	34.77
Summer	Applied with fertilizer	6721	51.27
	Applied with manures	123	36.50
	Not applied with fertilizer & manures	50	36.93

Fig. No. – 3.6.6 Estimated yield rate of Paddy from plots applied with fertiliser, applied with manure and not applied with fertiliser and manure, 2022-23



It is seen from Table No. – 3.6.6 and Fig. No. – 3.6.6 that yield rate from plots applied with fertilizer is significantly more than that from plots not applied with manure & fertilizer.

The estimates of yield rate of paddy and minor crops applied with fertilizer & manure at the State level for the year 2022-23 have been presented in Table No.-16.0 of the Appendix.

The estimates of yield rate of Paddy at the district level for the years 2022-23 have been presented in Table No. -16.1 of the Appendix.


3.6.7 Yield rate of different crops from different types of Soil

Soil has been classified into five categories i.e. Sandy, Clayey, Loamy, Alluvial & Black cotton. The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots coming under different types of Soil.

Season-wise estimates of yield rate of Paddy at the State level for the years from 2013-14 to 2022-23 have been presented in Table No.-17.0 & of all programmed crops in Table No.17.0.1 of the Appendix.

Season-wise estimates of yield rate of Paddy at the district level from different types of soil for the year 2022-23 have been presented in Table No. - 17.1.1 to 17.1.3 of the Appendix.


Fig. No. – 3.6.7 Yield rate of Paddy from different types of Soil, 2022-23



3.6.8 Yield rate of different crops from different levels of Land:

Level of land has been classified into three categories i.e. High, Medium & Low. The yield rate is formulated on the basis of results of crop cutting experiments conducted in different levels of land.

Fig. No. – 3.6.8 Estimates of Yield rate of Paddy from High, Medium & Low categories of Plots 2022-23



The estimates of yield rate of Paddy from different levels of land at the State level for the years 2013-14 to 2022-23 are presented in Table No. - 18.0 of the Appendix. It is observed that more number of crop cutting experiments have been conducted in medium level land for paddy.

District wise estimates of yield rate of Paddy according to level of land for the year 2022-23 have been presented in Table No. -18.1 of the Appendix.

State level estimates of yield rate of programmed crops according to level of land for the years 2022-23 have been presented in Table No. - 18.0.1 of the Appendix.

3.7 GROWTH-RATE OF AREA & PRODUCTION OF DIFFERENT CROPS

Growth rate in the estimates of area and production of different programmed crops during 2022-23 at the State level has been calculated taking average of estimates of previous 5 years (2017-18 to 2021-22) as the base and presented below in Table No. – 3.7.1.

Table No. –3.7.1 Crop wise growth rate of area & production in 2022-23

Sl No.	Crop	Type of Estimate	Average of Preceding 5 years estimate	(Area in '000 hectares) (Production in '000 M.T.)	
				2022-23	
				Estimate	Growth Rate
1	Paddy	Area (in '000' Hect.)	3908.75	4064.17	3.98%
		Production (in '000'	13272.44	18079.71	36.22%
2	Wheat	Area (in '000' Hect.)	0.14	0.22	57.14%
		Production (in '000'	0.2225	0.35	57.30%
3	Maize	Area (in '000' Hect.)	68.886	84.29	22.36%
		Production (in '000'	163.6325	251.24	53.54%
4	Ragi	Area (in '000' Hect.)	42.286	42.84	1.31%
		Production (in '000'	29.2725	37.39	27.73%
5	Mung (Greengram)	Area (in '000' Hect.)	235.562	267.92	13.74%
		Production (in '000'	75.25	98.34	30.68%
6	Biri (Blackgram)	Area (in '000' Hect.)	71.836	85.02	18.35%
		Production (in '000'	23.6375	32.44	37.24%
7	Kulthi (Horsegram)	Area (in '000' Hect.)	28.152	31.74	12.75%
		Production (in '000'	9.7475	12.89	32.24%
8	Til	Area (in '000' Hect.)	17.88	19.78	10.63%
		Production (in '000'	4.2425	5.45	28.46%
9	Groundnut	Area (in '000' Hect.)	35.05	43.97	25.45%
		Production (in '000'	51.49	82.71	60.63%
10	Mustard	Area (in '000' Hect.)	9.252	14.64	58.24%
		Production (in '000'	2.1075	5.12	142.94%
11	Niger	Area (in '000' Hect.)	16.844	10.99	-34.75%
		Production (in '000'	5.225	3.57	-31.67%
12	Jute	Area (in '000' Hect.)	1.106	2.55	130.56%
		Production (in '000'	1.205	5.95	393.78%
13	Potato	Area (in '000' Hect.)	5.948	11.31	90.15%
		Production (in '000'	50.87	114.66	125.40%
14	Sugarcane	Area (in '000' Hect.)	6.698	7.33	9.44%
		Production (in '000'	386.025	394.38	2.16%

It is observed from Table No.-3.7.1 that estimates of Area & Production under all programmed crops, has increased during 2022-23 except for the crop niger. Although there is positive growth rate of wheat and jute, their area and production are not so significant, and are going to be rare crops in Odisha.



GLOSSARY OF TERMS

Nine-fold Classification of Land

Use: the term Land Use describes the use of land during an agricultural year in agricultural/ non-agricultural activities. It is broadly classified in to 9 folds, i.e, 1) Forest, 2) Land put to non- agricultural uses, 3) Barren and uncultivable land, 4) Permanent pastures and other grazing land, 5) Land under misc. tree crops & grooves not included under net area sown, 6) Cultivable waste, 7) Old fallows, 8) Current fallows & 9) Net area sown.

Yield-rate: Estimated Quantity of Production of a crop in quintal per one hectare of crop area. It is estimated by taking simple average of Crop Cutting Experiment results randomly undertaken & using multiplier of driage ratio & area conversion.

Crop area: Estimated land area in which a crop is sown in a season.

Gross Crop Area: Estimation of crop area sown in all three seasons with recurrence.

Net Crop Area: Estimation of crop area sown in any of three seasons without recurrence.

Crop area irrigated: Estimation of sown area irrigated at least once in a season.

Production of a crop: Estimated quantity by multiplying the yield-rate with crop area.

Cropping intensity: Number of times a land is cultivated during a year in percentage. It is the ratio of Gross Area Sown to the Net Area Sown.

Standard error: It is the square root of the average squared deviations between the population parameter & sample.

Variance: It is the average measurement of the spread between reported data set of sample area/yield from the mean.

APPENDIX

Table No. - 1.0
State Level Estimates of Area under different Classification of Land Uses
(2013-14 to 2022-23)

State :- Odisha

(Area in '000 hect.)

SI No.	Categories of Land uses	2013-14		2014-15		2015-16		2016-17		2017-18	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	9	10	11	12	13	14	15	16	17	18
1	Forest	1916	16.56	1855.82	16.05	1924	16.68	1897	16.44	1925	16.68
2	Land put to non-agricultural uses	1280	11.06	1318.41	11.40	1376	11.92	1405	12.18	1377	11.94
3	Barren & Uncultivable land.	1052	9.09	1078.29	9.33	1054	9.14	1031	8.94	976	8.47
4	Permanent pastures and other grazing land	524	4.53	524.19	4.53	535	4.64	512	4.44	512	4.44
5	Land under misc.tree crops & groves not included under net area sown.	216	1.87	210.96	1.82	217	1.87	254	2.20	276	2.38
6	Cultivable waste	575	4.97	550.29	4.76	550	4.77	567	4.92	613	5.33
7	Old fallows	634	5.48	630.83	5.46	655	5.68	685	5.94	777	6.73
8	Current fallows	877	7.58	917.93	7.94	1028	8.91	1085	9.41	1216	10.54
9	Net area sown	4495	38.86	4473.58	38.70	4198	36.39	4100	35.53	3863	33.49
	Total area under survey (Line 1 to 9)	11569	100	11560.3	100	11537	100	11536	100	11535	100
		(74.30%)		(74.24%)		(74.09%)		(74.09%)		(74.08%)	
	Area not included under survey	4002	-	4011	-	4034	-	4035	-	4036	-
		(25.70%)		(25.76%)		(25.91%)		(25.91%)		(25.92%)	
	Geographical area of the state	15571	-	15571	-	15571	-	15571	-	15571	-

Table No. - 1.0 (concl.d.)
State Level Estimates of Area under different Classification of Land Uses.
(2013-14 to 2022-23)

State :- Odisha

(Area in '000 hect.)

Sl No.	Categories of Land uses	2018-19		2019-20		2020-21		2021-22		2022-23	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	19	20	21	22	23	24	25	26	25	26
1	Forest	1912	16.58	1963	17.02	1850	16.05	1942	16.77	1847	15.96
2	Land put to non-agricultural uses	1403	12.17	1383	12.00	1376	11.94	1361	11.76	1403	12.13
3	Barren & Uncultivable land.	1016	8.81	948	8.22	1109	9.62	978	8.45	1046	9.04
4	Permanent pastures and other grazing land	523	4.54	535	4.64	539	4.68	509	4.40	534	4.61
5	Land under misc.tree crops & groves not included under net area sown.	251	2.18	260	2.26	242	2.10	252	2.18	278	2.40
6	Cultivable waste	591	5.13	577	5.01	575	4.99	577	4.99	582	5.03
7	Old fallows	738	6.40	705	6.12	672	5.83	688	5.95	704	6.08
8	Current fallows	1089	9.45	1055	9.15	986	8.55	943	8.15	908	7.85
9	Net area sown	4006	34.75	4102	35.58	4179	36.25	4322	37.35	4269	36.89
	Total area under survey (Line 1 to 9)	11529	100	11528	100	11528	100	11572	100	11571	100
		(74.04%)		(74.04%)		(74.04%)		(74.32%)		(74.31%)	
	Area not included under survey	4042	-	4043	-	4043	-	3999		4000	
		(25.96%)		(25.96%)		(25.96%)		(25.68%)		(25.69%)	
	Geographical area of the state	15571	-	15571	-	15571	-	15571		15571	

♦♦♦♦♦

Table No. -1.1
District wise Estimates of Area under Different Classification of Land Uses

Year :2022-23

(Area in 000' hect.)

Sl. No.	District	Area under Survey																		% to Geogr- aphical Area	Area not inclu- ded under Survey	Geogra- phical Area of the District	
		Forest		Land put to non-agricul- tural uses		Barren and un-cultivable land		Permanent pastures and other grazing land		Land under Misc. tree crops&groves not included under net area sown		Cultivable Waste		Old fallows		Current fallows		Net Area Sown					Total
		Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	Angul	121	28.67	47	11.14	8	1.90	21	4.98	5	1.18	20	4.74	31	7.35	40	9.48	129	30.57	422	67.74	201	623
2	Bolangir	62	11.38	51	9.36	15	2.75	45	8.26	2	0.37	27	4.95	32	5.87	65	11.93	246	45.14	545	82.95	112	657
3	Balasore	13	3.71	66	18.86	2	0.57	13	3.71	11	3.14	19	5.43	20	5.71	19	5.43	187	53.43	350	96.15	14	364
4	Bargarh	22	4.68	60	12.77	8	1.70	23	4.89	2	0.43	19	4.04	25	5.32	31	6.60	280	59.57	470	80.62	113	583
5	Bhadrak	1	0.42	45	18.83	S'	-	11	4.60	4	1.67	17	7.11	8	3.35	10	4.18	143	59.83	239	89.18	29	268
6	Boudh	28	13.79	27	13.30	7	3.45	23	11.33	S'	-	11	5.42	14	6.90	18	8.87	75	36.95	203	59.01	141	344
7	Cuttack	26	7.81	69	20.72	12	3.60	12	3.60	10	3.00	13	3.90	21	6.31	45	13.51	125	37.54	333	89.28	40	373
8	Deogarh	68	39.77	15	8.77	7	4.09	6	3.51	1	0.58	18	10.53	9	5.26	5	2.92	42	24.56	171	61.51	107	278
9	Dhenkanal	63	18.64	45	13.31	7	2.07	12	3.55	9	2.66	38	11.24	33	9.76	36	10.65	95	28.11	338	73.48	122	460
10	Gajapati	53	17.15	17	5.50	146	47.25	12	3.88	4	1.29	5	1.62	7	2.27	19	6.15	46	14.89	309	80.26	76	385
11	Ganjam	53	8.69	66	10.82	45	7.38	20	3.28	17	2.79	26	4.26	37	6.07	44	7.21	302	49.51	610	70.03	261	871
12	Jagatsinghpur	3	1.74	56	32.56	S'	-	10	5.81	3	1.74	11	6.40	4	2.33	7	4.07	78	45.35	172	87.31	25	197
13	Jajpur	13	4.89	50	18.80	15	5.64	14	5.26	8	3.01	13	4.89	13	4.89	20	7.52	120	45.11	266	92.04	23	289
14	Jharsuguda	36	21.18	25	14.71	7	4.12	12	7.06	1	0.59	12	7.06	16	9.41	20	11.76	41	24.12	170	77.27	50	220
15	Kalahandi	57	9.79	66	11.34	76	13.06	30	5.15	3	0.52	19	3.26	42	7.22	49	8.42	240	41.24	582	69.62	254	836
16	Kandhamal	173	39.32	20	4.55	99	22.50	12	2.73	1	0.23	18	4.09	28	6.36	38	8.64	51	11.59	440	57.52	325	765
17	Kendrapara	3	1.32	46	20.18	S'	-	10	4.39	3	1.32	6	2.63	9	3.95	24	10.53	127	55.70	228	89.41	27	255
18	Keonjhar	133	20.49	66	10.17	95	14.64	28	4.31	7	1.08	39	6.01	44	6.78	52	8.01	185	28.51	649	78.19	181	830
19	Khurda	32	11.68	53	19.34	21	7.66	17	6.20	22	8.03	19	6.93	18	6.57	11	4.01	81	29.56	274	94.81	15	289
20	Koraput	88	14.67	49	8.17	131	21.83	20	3.33	49	8.17	14	2.33	30	5.00	57	9.50	162	27.00	600	75.95	190	790
21	Malkangiri	110	26.00	66	15.60	22	5.20	18	4.26	16	3.78	16	3.78	9	2.13	12	2.84	154	36.41	423	68.34	196	619
22	Mayurbhanj	75	10.73	72	10.30	11	1.57	34	4.86	28	4.01	58	8.30	56	8.01	51	7.30	314	44.92	699	67.08	343	1042
23	Nuapada	37	14.86	24	9.64	9	3.61	14	5.62	1	0.40	7	2.81	13	5.22	25	10.04	119	47.79	249	73.02	92	341
24	Nayagarh	44	17.53	32	12.75	20	7.97	13	5.18	7	2.79	16	6.37	12	4.78	10	3.98	97	38.65	251	59.20	173	424
25	Nowarangpur	96	23.82	40	9.93	12	2.98	16	3.97	19	4.71	6	1.49	12	2.98	19	4.71	183	45.41	403	76.18	126	529
26	Puri	5	1.80	52	18.71	9	3.24	10	3.60	14	5.04	9	3.24	39	14.03	24	8.63	116	41.73	278	91.15	27	305
27	Rayagada	144	25.17	28	4.90	170	29.72	15	2.62	26	4.55	13	2.27	17	2.97	37	6.47	122	21.33	572	75.46	186	758
28	Sambalpur	134	31.68	56	13.24	8	1.89	18	4.26	3	0.71	30	7.09	33	7.80	39	9.22	102	24.11	423	63.13	247	670
29	Subarnapur	9	4.84	27	14.52	3	1.61	7	3.76	S'	-	6	3.23	8	4.30	11	5.91	115	61.83	186	79.15	49	235
30	Sundargarh	145	20.25	67	9.36	81	11.31	38	5.31	2	0.28	57	7.96	64	8.94	70	9.78	192	26.82	716	73.74	255	971
STATE		1847	15.96	1403	12.13	1046	9.04	534	4.61	278	2.40	582	5.03	704	6.08	908	7.85	4269	36.89	11571	74.31	4000	15571

'S' denotes area less than 500 hect.

Table No. - 2.0
State Level Estimates of Area under Different Programmed Crops.
(2013-14 to 2022-23)

Sl. No.	Crop	2013-14				2014-15				2015-16				2016-17				2017-18			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	581.95	3297.72	300.54	4180.21	583.35	3281.66	301.25	4166.26	541.53	3166.58	233.40	3941.51	511.55	3226.45	224.78	3962.78	530.32	3014.13	221.94	3766.39
2	Wheat	-	-	0.68	0.68	-	-	0.40	0.40	-	-	0.37	0.37	-	-	0.06	0.06	-	-	0.07	0.07
3	Maize	91.26	0.28	3.59	95.13	89.22	0.18	2.27	91.67	52.84	0.26	2.49	55.59	68.46	1.34	2.59	72.39	44.44	0.37	2.13	46.94
4	Ragi	15.77	40.63	0.23	56.63	15.25	35.95	0.28	51.48	14.23	31.16	0.30	45.69	14.27	32.62	0.08	46.97	10.04	32.44	0.11	42.59
5	Other cereals	15.13	23.21	0.13	38.47	11.68	25.76	'S'	37.44	13.62	23.96	'S'	37.58	9.86	26.45	0.10	36.41	6.58	29.23	0.06	35.87
6	Mung	24.13	90.62	137.24	251.99	22.01	97.80	175.59	295.40	19.39	70.36	200.04	289.79	40.75	128.06	157.36	326.17	26.25	82.36	127.40	236.01
7	Biri	27.59	54.21	3.01	84.81	22.84	56.12	2.80	81.76	20.28	46.47	7.57	74.32	27.90	65.57	15.27	108.74	20.43	42.76	13.99	77.18
8	Kulthi	-	42.04	0.06	42.10	-	38.24	0.12	38.36	-	33.20	0.16	33.36	-	34.04	0.04	34.08	-	25.84	0.37	26.21
9	Other pulses	2.18	91.01	1.86	95.05	1.63	82.41	0.68	84.72	2.49	60.72	0.55	63.76	2.47	43.80	0.52	46.79	1.48	39.91	4.94	46.33
10	Til	2.74	16.17	4.63	23.54	3.68	17.92	4.26	25.86	2.96	12.44	4.63	20.03	3.57	11.00	1.44	16.01	2.44	10.52	1.85	14.81
11	Groundnut	24.16	1.67	34.06	59.89	20.52	1.92	26.40	48.84	16.98	1.41	32.82	51.21	21.19	4.36	19.39	44.94	14.41	1.82	17.09	33.32
12	Mustard	-	13.44	-	13.44	-	10.12	-	10.12	-	7.31	-	7.31	-	9.70	-	9.70	-	8.65	-	8.65
13	Niger	-	35.38	-	35.38	-	32.76	-	32.76	-	21.91	-	21.91	-	15.02	-	15.02	-	18.35	-	18.35
14	Other oilseeds	0.06	3.31	4.59	7.96	0.05	2.03	2.55	4.63	0.01	0.91	2.10	3.02	0.60	2.44	1.58	4.62	0.08	1.41	0.76	2.25
15	Jute	1.97	-	-	1.97	1.06	-	-	1.06	1.20	-	-	1.20	0.75	-	-	0.75	0.95	-	-	0.95
16	Potato	-	6.15	-	6.15	-	8.45	-	8.45	-	5.63	-	5.63	-	6.52	0.01	6.53	-	3.97	-	3.97
17	Sugarcane	-	14.21	-	14.21	-	10.05	-	10.05	-	8.96	-	8.96	-	5.49	-	5.49	-	3.71	-	3.71
18	Other crops	16.78	124.69	18.58	160.05	19.09	144.52	20.13	183.74	19.61	101.35	20.45	141.41	29.01	105.17	12.67	146.85	27.92	97.48	12.85	138.25
All Crops		803.72	3854.74	509.20	5167.66	790.38	3845.89	536.73	5173.00	705.14	3592.63	504.88	4802.65	730.38	3718.03	435.89	4884.30	685.34	3412.95	403.56	4501.85

Table No. - 2.0 (concl.d.)
State Level Estimates of Area under Different Programmed Crops.
(2013-14 to 2022-23)

(Area in ' 000
hects.)

Sl. No.	Crop	2018-19				2019-20				2020-21				2021-22				2022-23			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	454.36	3130.82	274.23	3859.41	426.08	3222.02	292.61	3940.71	432.39	3257.75	339.35	4029.49	443.06	3205.37	299.32	3947.75	378.78	3349.88	335.51	4064.17
2	Wheat	-	-	0.15	0.15	-	-	0.12	0.12	-	-	0.18	0.18	-	-	0.18	0.18	-	-	0.22	0.22
3	Maize	49.13	0.07	2.86	52.06	61.04	0.10	3.93	65.07	75.25	0.06	2.61	77.92	97.61	1.11	3.72	102.44	81.15	0.25	2.89	84.29
4	Ragi	8.51	27.94	0.21	36.66	9.59	25.92	0.38	35.89	10.16	30.69	0.46	41.31	16.09	38.36	0.53	54.98	13.20	28.96	0.68	42.84
5	Other cereals	5.01	19.01	0.04	24.06	3.38	23.12	0.01	26.51	3.09	19.15	0.19	22.43	4.93	21.88	0.22	27.03	1.51	17.54	0.16	19.21
6	Mung	10.62	62.48	143.55	216.65	10.66	60.12	169.36	240.14	8.12	51.60	175.65	235.37	25.99	72.84	150.81	249.64	18.03	101.89	148.00	267.92
7	Biri	13.72	39.56	4.57	57.85	10.17	38.95	8.52	57.64	13.47	47.27	13.76	74.50	18.38	61.58	12.05	92.01	12.92	57.11	14.99	85.02
8	Kulthi	-	23.57	0.04	23.61	-	22.72	0.04	22.76	-	26.32	0.05	26.37	-	41.64	0.17	41.81	-	31.65	0.09	31.74
9	Other pulses	0.77	41.90	0.86	43.53	0.49	45.57	1.46	47.52	0.60	36.53	1.08	38.21	3.99	64.46	0.97	69.42	1.15	47.84	1.41	50.40
10	Til	1.59	11.06	2.23	14.88	1.94	9.46	2.60	14.00	1.55	14.45	5.33	21.33	5.07	12.59	6.72	24.38	2.13	10.57	7.08	19.78
11	Groundnut	10.97	1.98	14.92	27.87	9.66	1.42	18.35	29.43	7.46	2.44	28.57	38.47	19.13	3.49	23.54	46.16	15.83	4.16	23.98	43.97
12	Mustard	-	6.02	-	6.02	-	6.95	-	6.95	-	6.87	-	6.87	-	17.77	-	17.77	-	14.64	-	14.64
13	Niger	-	18.98	-	18.98	-	15.90	-	15.90	-	13.47	-	13.47	-	17.52	-	17.52	-	10.99	-	10.99
14	Other oilseeds	0.12	2.07	0.94	3.13	0.04	6.85	0.89	7.78	0.21	3.57	1.59	5.37	0.03	4.09	2.10	6.22	0.08	5.09	2.93	8.10
15	Jute	0.20	-	-	0.20	0.15	-	-	0.15	0.76	-	-	0.76	3.47	-	-	3.47	2.55	-	-	2.55
16	Potato	-	4.90	-	4.90	-	4.40	-	4.40	-	5.54	-	5.54	-	10.93	-	10.93	-	11.31	-	11.31
17	Sugarcane	-	6.78	-	6.78	-	8.95	-	8.95	-	7.00	-	7.00	-	7.05	-	7.05	-	7.33	-	7.33
18	Other crops	18.18	94.81	17.26	130.25	20.22	101.08	24.55	145.85	22.17	126.03	26.48	174.68	54.16	189.21	35.29	278.66	37.31	178.96	33.38	249.65
All Crops		573.18	3491.95	461.86	4526.99	553.42	3593.53	522.82	4669.77	575.23	3648.74	595.30	4819.27	691.91	3769.89	535.62	4997.42	564.64	3878.17	571.32	5014.13

'S' : denotes area less than 5 hectares.

Table No. - 3.0
State Level Estimates of Yield rate under Different Programmed Crops.
(2013-14 to 2022-23)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2013-14				2014-15				2015-16				2016-17				2017-18			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	22.16	26.34	51.84	27.60	26.90	36.02	50.64	35.80	10.90	22.50	50.84	22.59	19.48	39.18	53.50	37.45	16.48	26.54	47.48	26.36
2	Wheat	-	-	15.75	15.75	-	-	16.28	16.28	-	-	13.47	13.47	-	-	14.21	14.21	-	-	21.63	21.63
3	Maize	27.70	15.10	29.05	27.71	20.40	16.70	26.11	20.53	19.68	18.02	26.20	19.96	28.54	12.92	29.13	28.27	25.12	14.12	27.21	25.13
4	Ragi	7.32	8.39	8.34	8.09	7.09	7.50	9.10	7.38	6.17	6.19	8.92	6.20	6.38	7.35	6.96	7.06	7.65	7.67	6.86	7.67
5	Mung	3.20	2.69	4.12	3.52	2.23	3.05	4.00	3.56	2.43	2.20	3.25	2.94	4.38	3.26	4.71	4.10	3.19	3.10	4.52	3.88
6	Biri	3.01	3.08	4.46	3.11	2.62	3.64	4.00	3.37	2.47	3.49	4.19	3.28	3.98	4.57	5.44	4.54	3.14	3.58	4.98	3.72
7	Kulthi	-	3.58	3.35	3.57	-	3.44	3.29	3.44	-	2.84	1.70	2.83	-	4.36	3.95	4.36	-	4.12	3.81	4.11
8	Til	2.06	2.37	2.61	2.38	2.26	2.54	3.00	2.57	2.11	1.85	2.63	2.07	2.88	3.12	3.06	3.06	2.45	2.88	2.75	2.79
9	Groundnut	10.93	13.85	17.04	14.49	10.32	10.10	14.71	12.68	8.00	12.90	12.42	10.97	9.45	12.56	15.33	12.29	8.99	13.57	13.08	11.34
10	Mustard	-	2.69	-	2.69	-	2.44	-	2.44	-	2.05	-	2.05	-	3.46	-	3.46	-	3.26	-	3.26
11	Niger	-	2.98	-	2.98	-	2.49	-	2.49	-	1.81	-	1.81	-	3.07	-	3.07	-	3.27	-	3.27
12	Jute	18.09	-	-	18.09	16.25	-	-	16.25	21.74	-	-	21.74	16.78	-	-	16.78	24.92	-	-	24.92
13	Potato	-	115.98	-	115.98	-	123.24	-	123.24	-	101.73	-	101.73	-	125.93	-	125.93	-	105.43	-	105.43
14	Sugarcane	-	658.91	-	658.91	-	719.51	-	719.51	-	644.00	-	644.00	-	626.79	-	626.79	-	647.04	-	647.04

Table No. - 3.0 (concl.d.)
State Level Estimates of Yield rate under Different Programmed Crops.
(2013-14 to 2022-23)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2018-19				2019-20				2020-21				2021-22				2022-23			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	17.59	30.39	51.15	30.36	27.36	37.87	48.31	37.51	30.32	41.11	57.83	41.36	21.76	35.54	57.53	35.66	28.22	45.13	56.39	44.49
2	Wheat	-	-	18.15	18.15	-	-	13.90	13.90	-	-	16.4	16.4	-	-	17.05	17.05	-	-	15.48	15.48
3	Maize	23.07	24.48	26.10	23.24	28.78	23.61	33.33	29.05	29.19	19.92	26.14	29.08	27.84	26.99	26.97	27.79	29.99	27.37	24.80	29.81
4	Ragi	6.84	6.93	6.24	6.90	7.46	7.24	7.57	7.31	7.5	8.13	6.85	7.96	7.35	8.23	5.19	7.94	7.19	9.47	7.26	8.73
5	Mung	2.63	2.76	3.54	3.27	2.95	3.33	3.40	3.36	2.75	3.57	2.12	2.46	3.05	3.08	3.85	3.54	3.05	3.01	4.20	3.67
6	Biri	2.61	3.32	5.11	3.29	2.94	3.86	3.77	3.68	2.6	3.86	2.81	3.44	3.09	3.46	3.51	3.39	2.97	3.86	4.37	3.82
7	Kulthi	-	3.68	3.55	3.68	-	3.96	6.25	3.96	-	3.99	1.92	3.98	-	3.89	2.82	3.88	-	4.06	2.81	4.06
8	Til	3.08	2.32	2.01	2.35	3.06	3.08	2.19	2.91	1.84	2.76	1.85	2.47	2.51	2.65	2.12	2.48	1.96	3.32	2.15	2.76
9	Groundnut	10.24	13.50	14.53	12.77	11.89	15.91	22.35	18.60	14.31	16.72	22.08	20.23	16.24	18.35	21.36	19.01	16.86	17.95	20.24	18.81
10	Mustard	-	2.75	-	2.75	-	2.93	-	2.93	-	2.8	-	2.8	-	3.23	-	3.23	-	3.50	-	3.50
11	Niger	-	2.74	-	2.74	-	3.58	-	3.58	-	2.98	-	2.98	-	3.31	-	3.31	-	3.25	-	3.25
12	Jute	15.60	-	-	15.60	21.69	-	-	21.69	24.05	-	-	24.05	25.44	-	-	25.44	23.33	-	-	23.33
13	Potato	-	111.13	-	111.13	-	106.80	-	106.80	-	108.87	-	108.87	-	106.22	-	106.22	-	101.41	-	101.41
14	Sugarcane	-	616.22	-	616.22	-	564.23	-	564.23	-	544.73	-	544.73	-	563.98	-	563.98	-	537.81	-	537.81

Table No. - 4.0
State Level Estimates of Production under Different Programmed Crops.
(2013-14 to 2022-23)

(Production in "000 M.T.)

Sl. No	Crop	2013-14				2014-15				2015-16			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Paddy	1289.80	8687.64	1558.04	11535.48	1569.13	11821.45	1525.55	14916.13	590.33	7125.09	1186.65	8902.07
2	Wheat	-	-	1.07	1.07	-	-	0.66	0.66	-	-	0.49	0.49
3	Maize	252.78	0.42	10.43	263.63	181.98	0.30	5.92	188.20	104.00	0.46	6.52	110.98
4	Ragi	11.55	34.10	0.19	45.84	10.81	26.95	0.26	38.02	8.78	19.28	0.27	28.33
5	Mung (Greengram)	7.73	24.42	56.54	88.69	4.90	29.85	70.27	105.02	4.72	15.49	65.01	85.22
6	Biri (Blackgram)	8.30	16.69	1.34	26.33	5.98	20.45	1.12	27.55	5.00	16.21	3.17	24.38
7	Kulthi (Horsegram)	-	15.03	0.02	15.05	-	13.17	0.04	13.21	-	9.41	0.03	9.44
8	Til	0.56	3.84	1.21	5.61	0.83	4.55	1.27	6.65	0.62	2.30	1.22	4.14
9	Groundnut	26.41	2.31	58.05	86.77	21.18	1.93	38.84	61.95	13.59	1.81	40.76	56.16
10	Mustard	-	3.62	-	3.62	-	2.47	-	2.47	-	1.50	-	1.50
11	Niger	-	10.53	-	10.53	-	8.14	-	8.14	-	3.97	-	3.97
12	Jute	3.57	-	-	3.57	1.72	-	-	1.72	2.62	-	-	2.62
13	Potato	-	71.34	-	71.34	-	104.08	-	104.08	-	57.23	-	57.23
14	Sugarcane	-	936.51	-	936.51	-	722.89	-	722.89	-	577.16	-	577.16

Table No. -4.0 (contd.)
State Level Estimates of Production under Different Programmed Crops.
(2013-14 to 2022-23)

(Production in "000 M.T.)

Sl. No	Crop	2016-17				2017-18				2018-19			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	15	16	17	18	19	20	21	22	23	24	25	26
1	Paddy	996.25	12641.06	1202.56	14839.87	874.00	7998.67	1053.64	9926.31	799.22	9515.78	1402.74	11717.74
2	Wheat	-	-	0.08	0.08	-	-	0.16	0.16	0.00	0.00	0.27	0.27
3	Maize	195.39	1.74	7.54	204.67	111.62	0.53	5.80	117.95	113.34	0.16	7.45	120.95
4	Ragi	9.10	23.98	0.05	33.13	7.68	24.89	0.08	32.65	5.83	19.36	0.13	25.32
5	Mung (Greengram)	17.85	41.69	74.08	133.62	8.38	25.56	57.57	91.51	2.80	17.22	50.84	70.86
6	Biri (Blackgram)	11.11	29.99	8.31	49.41	6.41	15.32	6.96	28.69	3.58	13.12	2.34	19.04
7	Kulthi (Horsegram)	-	14.83	0.02	14.85	-	10.64	0.14	10.78	0.00	8.68	0.01	8.69
8	Til	1.03	3.43	0.44	4.90	0.60	3.03	0.51	4.13	0.49	2.56	0.45	3.50
9	Groundnut	20.03	5.47	29.73	55.23	12.96	2.46	22.36	37.78	11.24	2.67	21.68	35.59
10	Mustard	-	3.35	-	3.35	-	2.82	-	2.82	0.00	1.66	0.00	1.66
11	Niger	-	4.62	-	4.62	-	5.99	-	5.99	0.00	5.19	0.00	5.19
12	Jute	1.26	-	-	1.26	2.36	-	-	2.36	0.31	0.00	0.00	0.31
13	Potato	-	82.16	-	82.16	-	41.81	-	41.81	0.00	54.45	0.00	54.45
14	Sugarcane	-	344.30	-	344.30	-	240.25	-	240.25	0.00	417.67	0.00	417.67

Table No. - 4.0 (concl.d.)
State Level Estimates of Production under Different Programmed Crops.
(2013-14 to 2022-23)

(Production in "000 M.T.)

Sl. No	Crop	2019-20				2020-21				2021-22				2022-23			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	1165.88	12200.99	1413.50	14780.37	1311.02	13391.78	1962.54	16665.34	963.98	11391.49	1721.95	14077.42	1068.95	15118.81	1891.95	18079.71
2	Wheat	-	-	0.16	0.16	-	-	0.30	0.30	-	-	0.30	0.30	-	-	0.35	0.35
3	Maize	175.67	0.22	13.11	189.00	219.69	0.12	6.82	226.63	271.70	2.99	10.02	284.71	243.38	0.70	7.16	251.24
4	Ragi	7.15	18.78	0.29	26.22	7.62	24.96	0.32	32.90	11.82	31.58	0.27	43.67	9.49	27.41	0.49	37.39
5	Mung (Greengram)	3.14	20.00	57.57	80.71	2.23	18.41	37.28	57.92	7.92	22.44	58.11	88.47	5.50	30.63	62.21	98.34
6	Biri (Blackgram)	2.99	15.02	3.21	21.22	3.50	18.23	3.87	25.60	5.67	21.33	4.23	31.23	3.84	22.05	6.55	32.44
7	Kulthi (Horsegram)	-	9.00	0.02	9.02	-	10.49	0.01	10.50	-	16.18	0.05	16.23	-	12.86	0.03	12.89
8	Til	0.59	2.91	0.57	4.07	0.29	3.99	0.99	5.27	1.28	3.34	1.43	6.05	0.42	3.51	1.52	5.45
9	Groundnut	11.49	2.26	41.01	54.76	10.67	4.08	63.08	77.83	31.05	6.40	50.27	87.72	26.70	7.47	48.54	82.71
10	Mustard	-	2.03	-	2.03	-	1.92	-	1.92	-	5.75	-	5.75	-	5.12	-	5.12
11	Niger	-	5.70	-	5.70	-	4.02	-	4.02	-	5.80	-	5.80	-	3.57	-	3.57
12	Jute	0.32	-	-	0.32	1.83	-	-	1.83	8.83	-	-	8.83	5.95	-	-	5.95
13	Potato	-	46.96	-	46.96	-	60.26	-	60.26	-	116.12	-	116.12	-	114.66	-	114.66
14	Sugarcane	-	504.87	-	504.87	-	381.31	-	381.31	-	397.60	-	397.60	-	394.38	-	394.38

Table No. - 5.0

State level Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in 000' Hect.)

Year : 2022-23

(Yieldrate in Qtls/ha.)

(Production in 000' MT.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	PADDY	378.78	28.22	1068.95	3349.88	45.13	15118.81	335.51	56.39	1891.95	4064.17	44.49	18079.71
1.1	RICE	-	18.63	705.51	-	29.79	9978.41	-	37.22	1248.69	-	29.36	11932.61
2	WHEAT	---	---	---	---	---	---	0.22	15.48	0.35	0.22	15.48	0.35
3	MAIZE	81.15	29.99	243.38	0.25	27.37	0.70	2.89	24.80	7.16	84.29	29.81	251.24
4	RAGI	13.20	7.19	9.49	28.96	9.47	27.41	0.68	7.26	0.49	42.84	8.73	37.39
5	MUNG (GREENGRAM)	18.03	3.05	5.50	101.89	3.01	30.63	148.00	4.20	62.21	267.92	3.67	98.34
6	BIRI (BLACKGRAM)	12.92	2.97	3.84	57.11	3.86	22.05	14.99	4.37	6.55	85.02	3.82	32.44
7	KULTHI (HORSEGRAM)	---	---	---	31.65	4.06	12.86	0.09	2.81	0.03	31.74	4.06	12.89
8	TIL	2.13	1.96	0.42	10.57	3.32	3.51	7.08	2.15	1.52	19.78	2.76	5.45
9	GROUNDNUT	15.83	16.86	26.70	4.16	17.95	7.47	23.98	20.24	48.54	43.97	18.81	82.71
10	MUSTARD	---	---	---	14.64	3.50	5.12	---	---	---	14.64	3.50	5.12
11	NIGER	---	---	---	10.99	3.25	3.57	---	---	---	10.99	3.25	3.57
12	JUTE	2.55	23.33	5.95	-	-	-	-	-	-	2.55	23.33	5.95
13	POTATO	-	-	-	11.31	101.41	114.66	-	-	-	11.31	101.41	114.66
14	SUGARCANE	-	-	-	7.33	537.81	394.38	-	-	-	7.33	537.81	394.38

Table No. - 5.1
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops.

Year :2022-23

Crop-Paddy

(Area in '000 Hect.)

(Yieldrate in Qtls/Hect)

(Production in '000 M.T.)

Sl No	Districts	Autumn					Winter					Summer					Total				
		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production	
			Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	0.74	25.76	17.00	1.90	1.25	117.08	51.33	33.87	600.93	396.62	1.18	48.46	31.98	5.72	3.78	119.00	51.14	33.75	608.55	401.65
2	Balangir	46.15	21.68	14.31	100.03	66.02	127.87	35.25	23.27	450.78	297.50	9.08	50.78	33.51	46.08	30.41	183.10	32.60	21.52	596.89	393.93
3	Balasore	-	-	-	-	-	173.01	44.82	29.58	775.40	511.77	47.13	56.10	37.03	264.37	174.49	220.14	47.23	31.17	1039.77	686.26
4	Bargarh	29.52	45.84	30.25	135.32	89.32	205.71	63.16	41.69	1299.28	857.53	90.73	60.86	40.17	552.17	364.43	325.96	60.95	40.23	1986.77	1311.28
5	Bhadrak	-	-	-	-	-	139.64	43.46	28.68	606.89	400.55	1.42	41.28	27.24	5.88	3.88	141.06	43.44	28.67	612.77	404.43
6	Boudh	3.50	36.19	23.89	12.66	8.36	65.02	51.68	34.11	336.02	221.77	2.23	42.37	27.97	9.44	6.23	70.75	50.62	33.41	358.12	236.36
7	Cuttack	1.32	29.96	19.77	3.96	2.61	109.76	43.76	28.88	480.34	317.02	2.34	55.66	36.73	13.05	8.61	113.42	43.85	28.94	497.35	328.24
8	Deogarh	8.87	25.89	17.09	22.96	15.15	31.27	42.99	28.37	134.44	88.73	0.01	31.60	20.80	0.03	0.02	40.15	39.21	25.88	157.43	103.90
9	Dhenkanal	0.25	32.26	21.29	0.80	0.53	85.97	51.39	33.92	441.80	291.59	0.25	43.20	28.51	1.08	0.71	86.47	51.31	33.86	443.68	292.83
10	Gajapati	S	39.50	26.00	0.01	0.01	31.50	39.19	25.87	123.46	81.49	0.59	28.55	18.84	1.68	1.11	32.09	39.00	25.74	125.15	82.61
11	Ganjam	-	-	-	-	-	293.39	46.35	30.59	1359.83	897.49	0.17	45.54	30.05	0.78	0.51	293.56	46.35	30.59	1360.61	898.00
12	Jagatsinghpur	0.23	16.54	10.92	0.38	0.25	76.03	43.17	28.49	328.21	216.62	0.64	51.99	34.32	3.32	2.19	76.90	43.16	28.49	331.91	219.06
13	Jajpur	11.83	22.17	14.63	26.22	17.30	101.17	37.59	24.81	380.27	250.97	0.77	37.67	24.86	2.91	1.92	113.77	35.98	23.75	409.40	270.19
14	Jharsuguda	21.73	12.39	8.17	26.91	17.76	24.27	32.16	21.23	78.07	51.52	1.08	68.76	45.38	7.44	4.91	47.08	23.88	15.76	112.42	74.19
15	Kalahandi	25.32	25.73	16.98	65.17	43.01	172.46	46.39	30.62	800.04	528.03	45.67	56.57	37.34	258.34	170.50	243.45	46.15	30.46	1123.55	741.54
16	Kandhamal	1.12	23.62	15.59	2.65	1.75	41.19	34.97	23.08	144.04	95.07	0.21	38.18	25.19	0.81	0.54	42.52	34.69	22.89	147.50	97.36
17	Kendrapada	0.57	33.54	22.14	1.90	1.26	120.05	34.41	22.71	413.09	272.65	0.49	59.46	39.24	2.93	1.93	121.11	34.51	22.78	417.92	275.84
18	Keonjhar	17.91	53.78	35.50	96.32	63.57	155.86	52.84	34.87	823.51	543.52	1.38	43.97	29.02	6.06	4.00	175.15	52.86	34.89	925.89	611.09
19	Khurda	0.01	19.54	12.92	0.03	0.02	80.22	44.75	29.53	358.92	236.89	1.86	54.58	36.02	10.12	6.68	82.09	44.96	29.68	369.07	243.59
20	Koraput	15.52	35.75	23.60	55.52	36.64	88.88	50.33	33.22	447.35	295.25	28.10	47.49	31.35	133.48	88.10	132.50	48.02	31.69	636.35	419.99
21	Malkangiri	14.00	25.96	17.13	36.34	23.99	116.32	42.85	28.28	498.38	328.93	0.27	37.74	24.91	1.03	0.68	130.59	41.03	27.08	535.75	353.60
22	Mayurbhanja	15.83	31.95	21.09	50.57	33.38	300.18	41.90	27.66	1257.88	830.19	3.22	42.52	28.06	13.70	9.05	319.23	41.42	27.34	1322.15	872.62
23	Nuapada	31.10	31.62	20.87	98.34	64.90	64.61	39.64	26.17	256.16	169.06	11.15	46.87	30.94	52.27	34.50	106.86	38.06	25.12	406.77	268.46
24	Nayagada	-	-	-	-	-	91.94	41.68	27.51	383.24	252.94	0.05	42.86	28.29	0.22	0.14	91.99	41.69	27.51	383.46	253.08
25	Nawrangpur	21.82	40.55	26.76	88.46	58.38	111.52	51.06	33.70	569.42	375.81	0.43	36.56	24.13	1.57	1.04	133.77	49.30	32.54	659.45	435.23
26	Puri	-	-	-	-	-	85.67	30.20	19.93	258.68	170.73	35.92	52.95	34.95	190.17	125.51	121.59	36.92	24.37	448.85	296.24
27	Raygada	0.05	17.57	11.59	0.08	0.06	48.57	48.94	32.30	237.73	156.90	0.43	36.72	24.23	1.58	1.05	49.05	48.81	32.21	239.39	158.01
28	Sambalpur	38.62	18.69	12.33	72.17	47.63	75.79	48.82	32.22	370.02	244.21	11.40	68.82	45.42	78.45	51.77	125.81	41.38	27.31	520.64	343.61
29	Sonepur	6.98	30.54	20.15	21.31	14.06	105.34	56.42	37.24	594.31	392.25	37.01	61.06	40.30	226.01	149.17	149.33	56.36	37.20	841.63	555.48
30	Sundargarh	65.79	22.64	14.94	148.94	98.30	109.59	28.32	18.69	310.32	204.81	0.30	42.41	28.00	1.26	0.83	175.68	26.21	17.30	460.52	303.94
	STATE	378.78	28.22	18.63	1068.95	705.51	3349.88	45.13	29.79	15118.81	9978.41	335.51	56.39	37.22	1891.95	1248.69	4064.17	44.49	29.36	18079.71	11932.61

Table No. -5.2
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop - Wheat

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	-	-	-	-	-	-	S	28.88	-	S	28.88	-
4	Bargarh	-	-	-	-	-	-	82	15.96	1309	82	15.96	1309
5	Bhadrak	-	-	-	-	-	-	2	8.75	18	2	8.75	18
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	1	12.12	12	1	12.12	12
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	1	7.95	8	1	7.95	8
14	Jharsuguda	-	-	-	-	-	-	S	25.14	-	S	25.14	-
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	-	-	-	-	-	-	-	-	-	-	-	-
18	Keonjhar	-	-	-	-	-	-	-	-	-	-	-	-
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	24	15.26	366	24	15.26	366
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	64	12.93	828	64	12.93	828
29	Subarnpur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	49	18.59	911	49	18.59	911
STATE		-	-	-	-	-	-	223	15.48	3452	223	15.48	3452

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.3
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Maize

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	325	25.34	8235	11	26.42	291	9	23.22	209	345	25.32	8735
2	Balangir	2723	36.42	99159	42	38.02	1597	8	33.49	268	2773	36.43	101024
3	Balasore	-	-	-	-	-	-	5	31.60	158	5	31.60	158
4	Bargarh	71	18.10	1285	10	24.63	246	14	20.00	280	95	19.06	1811
5	Bhadrak	-	-	-	S	25.73	-	1	31.06	31	1	31.00	31
6	Boudh	47	8.28	389	S	7.98	-	S	5.79	-	47	8.28	389
7	Cuttack	-	-	-	8	37.64	301	2	39.10	78	10	37.90	379
8	Deogarh	116	21.12	2450	-	-	-	49	16.37	802	165	19.71	3252
9	Dhenkanal	86	20.72	1782	64	25.08	1605	59	21.53	1270	209	22.28	4657
10	Gajapati	15290	22.75	347846	-	-	-	20	11.43	229	15310	22.74	348075
11	Ganjam	919	19.42	17849	-	-	-	79	20.31	1604	998	19.49	19453
12	Jagatsinghpur	-	-	-	-	-	-	S	22.66	-	S	22.66	-
13	Jajpur	16	44.44	711	-	-	-	3	20.09	60	19	40.58	771
14	Jharsuguda	85	31.76	2700	-	-	-	1	40.47	40	86	31.86	2740
15	Kalahandi	2200	24.57	54055	-	-	-	-	-	-	2200	24.57	54055
16	Kandhamal	978	14.26	13949	8	15.50	124	3	18.43	55	989	14.29	14128
17	Kendrapada	-	-	-	-	-	-	4	22.06	88	4	22.00	88
18	Keonjhar	1338	27.40	36665	5	22.20	111	-	-	-	1343	27.38	36776
19	Khurda	6	8.57	51	-	-	-	2	18.40	37	8	11.00	88
20	Koraput	3288	23.53	77356	-	-	-	739	20.26	14970	4027	22.93	92326
21	Malkangiri	674	16.73	11277	-	-	-	8	23.50	188	682	16.81	11465
22	Mayurbhanja	91	18.62	1694	44	22.64	996	54	21.11	1140	189	20.26	3830
23	Nuapada	2657	21.30	56594	-	-	-	-	-	-	2657	21.30	56594
24	Nayagada	289	25.23	7291	31	39.26	1217	96	33.66	3231	416	28.22	11739
25	Nawarangpur	46343	34.91	1617834	-	-	-	1616	27.35	44198	47959	34.66	1662032
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	2455	17.31	42505	31	14.95	463	73	19.05	1391	2559	17.33	44359
28	Sambalpur	140	20.97	2936	-	-	-	-	-	-	140	20.97	2936
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	1015	28.80	29233	S	28.59	-	42	30.34	1274	1057	28.86	30507
STATE		81152	29.99	2433846	254	27.37	6951	2887	24.80	71601	84293	29.81	2512398

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. -5.4
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Ragi

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	1254	7.18	9004	-	-	-	28	5.48	153	1282	7.14	9157
2	Balangir	454	2.88	1308	-	-	-	-	-	-	454	2.88	1308
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	13	2.52	33	402	2.15	864	60	3.74	224	475	2.36	1121
5	Bhadrak	-	-	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	-	1	3.46	3	1	3.00	3
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	16	6.03	96	-	-	-	28	7.91	221	44	7.20	317
10	Gajapati	1093	9.36	10230	-	-	-	44	11.54	508	1137	9.44	10738
11	Ganjam	1276	9.97	12722	141	10.99	1550	137	10.34	1417	1554	10.10	15689
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	107	7.08	758	22	5.88	129	-	-	-	129	6.88	887
15	Kalahandi	177	5.58	988	906	4.58	4149	-	-	-	1083	4.74	5137
16	Kandhamal	-	-	-	434	6.68	2899	3	4.38	13	437	6.66	2912
17	Kendrapada	1	3.01	3	-	-	-	-	-	-	1	3.00	3
18	Keonjhar	1	2.71	3	383	7.26	2781	29	5.41	157	413	7.12	2941
19	Khurda	-	-	-	S	3.57	-	-	-	-	S	3.57	-
20	Koraput	2925	8.71	25477	15598	10.28	160347	126	7.87	992	18649	10.02	186816
21	Malkangiri	340	8.32	2829	5125	11.71	60014	-	-	-	5465	11.50	62843
22	Mayurbhanja	50	9.79	490	7	7.45	52	15	7.87	118	72	9.17	660
23	Nuapada	1510	6.92	10449	-	-	-	-	-	-	1510	6.92	10449
24	Nayagada	76	10.23	777	40	8.11	324	S	5.99	-	116	9.49	1101
25	Nawarangpur	2363	3.89	9192	1034	3.35	3464	96	2.78	267	3493	3.70	12923
26	Puri	-	-	-	-	-	-	5	7.74	39	5	7.80	39
27	Raygada	804	7.64	6143	4682	7.72	36145	44	8.75	385	5530	7.72	42673
28	Sambalpur	2	6.45	13	-	-	-	-	-	-	2	6.50	13
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	740	5.88	4351	189	7.57	1431	62	6.80	422	991	6.26	6204
STATE		13202	7.19	94866	28963	9.47	274149	678	7.26	4919	42843	8.73	373934

Table No. -5.5
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Mung

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	604	3.77	2277	1039	3.76	3907	163	3.83	624	1806	3.77	6808
2	Balangir	8493	3.34	28367	8263	3.68	30408	5881	4.13	24289	22637	3.67	83064
3	Balasore	-	-	-	-	-	-	955	4.75	4536	955	4.75	4536
4	Bargarh	4185	3.18	13308	129	4.21	543	1564	3.46	5411	5878	3.28	19262
5	Bhadrak	-	-	-	3	4.86	15	1828	4.39	8025	1831	4.39	8040
6	Boudh	144	2.02	291	648	2.42	1568	990	2.90	2871	1782	2.65	4730
7	Cuttack	-	-	-	-	-	-	26942	4.26	114773	26942	4.26	114773
8	Deogarh	87	2.98	259	84	2.97	249	44	3.02	133	215	2.98	641
9	Dhenkanal	84	3.11	261	443	4.41	1954	1400	4.02	5628	1927	4.07	7843
10	Gajapati	-	-	-	1085	2.83	3071	-	-	-	1085	2.83	3071
11	Ganjam	71	2.07	147	59203	2.42	143271	550	2.65	1458	59824	2.42	144876
12	Jagatsinghpur	-	-	-	-	-	-	34919	3.47	121169	34919	3.47	121169
13	Jajpur	-	-	-	-	-	-	4537	2.41	10934	4537	2.41	10934
14	Jharsuguda	-	-	-	14	3.69	52	618	5.78	3572	632	5.73	3624
15	Kalahandi	-	-	-	6682	4.83	32274	7433	7.98	59315	14115	6.49	91589
16	Kandhamal	-	-	-	85	4.00	340	-	-	-	85	4.00	340
17	Kendrapada	-	-	-	S	2.99	-	21956	4.34	95289	21956	4.34	95289
18	Keonjhar	49	4.99	245	293	5.29	1550	230	5.95	1369	572	5.53	3164
19	Khurda	-	-	-	909	7.35	6681	8244	3.61	29761	9153	3.98	36442
20	Koraput	-	-	-	220	2.88	634	145	2.93	425	365	2.90	1059
21	Malkangiri	-	-	-	348	4.52	1573	-	-	-	348	4.52	1573
22	Mayurbhanja	16	3.64	58	20	5.43	109	490	4.40	2156	526	4.42	2323
23	Nuapada	3027	1.51	4571	258	2.47	637	3912	3.06	11971	7197	2.39	17179
24	Nayagada	-	-	-	20968	3.42	71711	4886	4.23	20668	25854	3.57	92379
25	Nawarangpur	-	-	-	-	-	-	190	7.02	1334	190	7.02	1334
26	Puri	-	-	-	-	-	-	18075	4.71	85133	18075	4.71	85133
27	Raygada	-	-	-	433	3.61	1563	21	4.90	103	454	3.67	1666
28	Sambalpur	156	6.57	1025	473	6.84	3235	736	6.41	4718	1365	6.58	8978
29	Subarnapur	360	3.05	1098	265	3.07	814	280	3.33	932	905	3.14	2844
30	Sundargarh	755	4.03	3043	25	4.28	107	1009	5.47	5519	1789	4.85	8669
STATE		18031	3.05	54950	101890	3.01	306266	147998	4.20	622116	267919	3.67	983332

Table No. -5.6
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Biri

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	779	4.15	3233	1437	4.10	5892	28	4.11	115	2244	4.12	9240
2	Balangir	3046	3.22	9808	2981	3.38	10076	808	4.43	3579	6835	3.43	23463
3	Balasore	-	-	-	-	-	-	472	3.91	1846	472	3.91	1846
4	Bargarh	2136	3.42	7305	4	5.13	21	36	3.47	125	2176	3.42	7451
5	Bhadrak	-	-	-	75	4.92	369	116	4.15	481	191	4.45	850
6	Boudh	2	1.69	3	263	2.21	581	19	2.81	53	284	2.24	637
7	Cuttack	-	-	-	3925	4.29	16838	2574	3.95	10167	6499	4.16	27005
8	Deogarh	135	3.43	463	-	-	-	10	3.00	30	145	3.40	493
9	Dhenkanal	6	3.27	20	2369	4.36	10329	104	3.49	363	2479	4.32	10712
10	Gajapati	67	2.64	177	1764	2.72	4798	-	-	-	1831	2.72	4975
11	Ganjam	174	1.88	327	11519	2.30	26494	131	2.66	348	11824	2.30	27169
12	Jagatsinghpur	-	-	-	588	3.80	2234	1241	3.14	3897	1829	3.35	6131
13	Jajpur	-	-	-	4976	2.12	10549	4	1.00	4	4980	2.12	10553
14	Jharsuguda	-	-	-	16	8.06	129	1	3.20	3	17	7.76	132
15	Kalahandi	-	-	-	4519	5.58	25216	62	6.41	397	4581	5.59	25613
16	Kandhamal	1	4.18	4	802	5.04	4042	S	2.23	-	803	5.04	4046
17	Kendrapada	-	-	-	2911	3.63	10567	1319	3.59	4735	4230	3.62	15302
18	Keonjhar	1272	3.89	4948	270	3.83	1034	91	5.47	498	1633	3.97	6480
19	Khurda	-	-	-	43	2.76	119	1029	4.53	4661	1072	4.46	4780
20	Koraput	-	-	-	1448	3.07	4445	-	-	-	1448	3.07	4445
21	Malkangiri	-	-	-	4871	5.69	27716	-	-	-	4871	5.69	27716
22	Mayurbhanja	105	4.06	426	18	3.66	66	26	4.37	114	149	4.07	606
23	Nuapada	3950	1.68	6636	147	1.58	232	-	-	-	4097	1.68	6868
24	Nayagada	-	-	-	2514	3.39	8522	1475	4.46	6579	3989	3.79	15101
25	Nawarangpur	-	-	-	4163	7.46	31056	-	-	-	4163	7.46	31056
26	Puri	-	-	-	1225	5.23	6407	5305	5.05	26790	6530	5.08	33197
27	Raygada	2	2.68	5	3823	2.77	10590	64	3.79	243	3889	2.79	10838
28	Sambalpur	172	4.54	781	262	6.11	1601	51	6.59	336	485	5.60	2718
29	Subarnapur	-	-	-	67	3.31	222	-	-	-	67	3.31	222
30	Sundargarh	1074	3.96	4253	113	3.01	340	28	5.81	163	1215	3.91	4756
STATE		12921	2.97	38389	57113	3.86	220485	14994	4.37	65527	85028	3.82	324401

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. -5.7
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Kulthi

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	1124	4.29	4822	-	-	-	1124	4.29	4822
2	Balangir	-	-	-	3328	3.82	12713	-	-	-	3328	3.82	12713
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	357	3.55	1267	-	-	-	357	3.55	1267
5	Bhadrak	-	-	-	S	6.40	-	-	-	-	S	6.40	-
6	Boudh	-	-	-	471	2.33	1097	-	-	-	471	2.33	1097
7	Cuttack	-	-	-	1035	4.70	4865	24	4.08	98	1059	4.69	4963
8	Deogarh	-	-	-	148	3.53	522	-	-	-	148	3.53	522
9	Dhenkanal	-	-	-	759	3.92	2975	-	-	-	759	3.92	2975
10	Gajapati	-	-	-	440	2.92	1285	-	-	-	440	2.92	1285
11	Ganjam	-	-	-	1514	2.51	3800	-	-	-	1514	2.51	3800
12	Jagatsinghpur	-	-	-	256	3.75	960	2	3.77	8	258	3.75	968
13	Jajpur	-	-	-	500	2.07	1035	-	-	-	500	2.07	1035
14	Jharsuguda	-	-	-	127	3.24	411	-	-	-	127	3.24	411
15	Kalahandi	-	-	-	3765	4.73	17808	-	-	-	3765	4.73	17808
16	Kandhamal	-	-	-	608	4.62	2809	-	-	-	608	4.62	2809
17	Kendrapada	-	-	-	316	3.80	1201	S	4.12	-	316	3.80	1201
18	Keonjhar	-	-	-	1075	4.11	4418	39	2.53	99	1114	4.05	4517
19	Khurda	-	-	-	32	4.22	135	29	2.03	59	61	3.18	194
20	Koraput	-	-	-	1948	3.37	6565	-	-	-	1948	3.37	6565
21	Malkangiri	-	-	-	1553	5.69	8837	-	-	-	1553	5.69	8837
22	Mayurbhanja	-	-	-	72	4.76	343	-	-	-	72	4.76	343
23	Nuapada	-	-	-	2834	1.60	4534	-	-	-	2834	1.60	4534
24	Nayagada	-	-	-	754	3.73	2812	-	-	-	754	3.73	2812
25	Nawarangpur	-	-	-	3427	6.48	22207	-	-	-	3427	6.48	22207
26	Puri	-	-	-	663	3.96	2625	-	-	-	663	3.96	2625
27	Raygada	-	-	-	1992	3.31	6594	-	-	-	1992	3.31	6594
28	Sambalpur	-	-	-	1005	5.60	5628	-	-	-	1005	5.60	5628
29	Subarnapur	-	-	-	227	2.57	583	-	-	-	227	2.57	583
30	Sundargarh	-	-	-	1323	4.32	5715	-	-	-	1323	4.32	5715
STATE		-	-	-	31653	4.06	128566	94	2.81	264	31747	4.06	128830

N.B.- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. -5.8
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Til

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	308	2.79	859	612	1.73	1059	41	2.18	89	961	2.09	2007
2	Balangir	557	2.10	1170	68	3.17	216	37	2.13	79	662	2.21	1465
3	Balasore	1	1.69	2	-	-	-	334	2.93	979	335	2.93	981
4	Bargarh	122	1.57	192	168	3.09	519	49	2.80	137	339	2.50	848
5	Bhadrak	-	-	-	-	-	-	29	2.16	63	29	2.17	63
6	Boudh	-	-	-	35	1.66	58	-	-	-	35	1.66	58
7	Cuttack	-	-	-	-	-	-	5	3.00	15	5	3.00	15
8	Deogarh	87	2.28	198	160	2.09	334	43	2.29	98	290	2.17	630
9	Dhenkanal	8	2.12	17	93	2.65	246	15	2.25	34	116	2.56	297
10	Gajapati	-	-	-	-	-	-	2401	2.43	5834	2401	2.43	5834
11	Ganjam	3	1.55	5	68	1.28	87	3670	1.70	6239	3741	1.69	6331
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	208	2.88	599	-	-	-	208	2.88	599
15	Kalahandi	-	-	-	227	2.06	468	-	-	-	227	2.06	468
16	Kandhamal	-	-	-	4	2.87	11	-	-	-	4	2.75	11
17	Kendrapada	-	-	-	S	-	-	29	3.72	108	29	3.72	108
18	Keonjhar	112	3.92	439	13	1.28	17	-	-	-	125	3.65	456
19	Khurda	-	-	-	-	-	-	8	3.02	24	8	3.00	24
20	Koraput	-	-	-	173	1.84	318	-	-	-	173	1.84	318
21	Malkangiri	-	-	-	4706	3.84	18071	-	-	-	4706	3.84	18071
22	Mayurbhanja	5	2.15	11	S	3.28	-	41	3.56	146	46	3.41	157
23	Nuapada	833	1.20	1000	115	1.10	127	-	-	-	948	1.19	1127
24	Nayagada	-	-	-	20	2.30	46	51	4.36	222	71	3.77	268
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	120	3.33	400	120	3.33	400
27	Raygada	-	-	-	2027	2.83	5736	144	3.90	562	2171	2.90	6298
28	Sambalpur	20	3.04	61	577	3.67	2118	-	-	-	597	3.65	2179
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	78	2.86	223	1293	3.92	5069	61	3.21	196	1432	3.83	5488
STATE		2134	1.96	4177	10567	3.32	35099	7078	2.15	15225	19779	2.76	54501

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.9
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Groundnut

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	489	16.26	7951	-	-	-	884	17.19	15196	1373	16.86	23147
2	Balangir	3007	21.04	63267	112	20.22	2265	239	23.24	5554	3358	21.17	71086
3	Balasore	-	-	-	-	-	-	1559	15.00	23385	1559	15.00	23385
4	Bargarh	3528	19.41	68478	-	-	-	1080	25.91	27983	4608	20.93	96461
5	Bhadrak	-	-	-	-	-	-	217	12.57	2728	217	12.57	2728
6	Boudh	1	6.48	6	34	11.02	375	-	-	-	35	10.89	381
7	Cuttack	39	7.59	296	-	-	-	630	18.67	11762	669	18.02	12058
8	Deogarh	84	29.58	2485	-	-	-	54	30.58	1651	138	29.97	4136
9	Dhenkanal	76	19.28	1465	2292	20.46	46894	141	21.14	2981	2509	20.46	51340
10	Gajapati	20	17.28	346	12	13.16	158	226	18.80	4249	258	18.42	4753
11	Ganjam	563	15.12	8513	9	20.00	180	1989	17.97	35742	2561	17.35	44435
12	Jagatsinghpur	-	-	-	-	-	-	346	18.15	6280	346	18.15	6280
13	Jajpur	10	10.97	110	-	-	-	6164	14.05	86604	6174	14.05	86714
14	Jharsuguda	75	16.02	1202	-	-	-	64	20.96	1341	139	18.29	2543
15	Kalahandi	1165	12.16	14166	285	14.03	3999	1018	14.37	14629	2468	13.29	32794
16	Kandhamal	100	11.25	1125	43	20.38	876	-	-	-	143	13.99	2001
17	Kendrapada	-	-	-	-	-	-	344	19.03	6546	344	19.03	6546
18	Keonjhar	179	12.92	2313	55	19.94	1097	177	22.62	4004	411	18.04	7414
19	Khurda	-	-	-	-	-	-	58	17.02	987	58	17.02	987
20	Koraput	2080	17.67	36754	772	16.06	12398	170	15.57	2647	3022	17.14	51799
21	Malkangiri	-	-	-	-	-	-	3460	37.67	130338	3460	37.67	130338
22	Mayurbhanja	14	17.84	250	33	24.07	794	585	24.69	14444	632	24.51	15488
23	Nuapada	2385	13.88	33104	-	-	-	492	20.29	9983	2877	14.98	43087
24	Nayagada	147	11.91	1751	13	17.87	232	61	14.11	861	221	12.87	2844
25	Nawarangpur	355	8.97	3184	-	-	-	38	9.20	350	393	8.99	3534
26	Puri	-	-	-	-	-	-	2943	19.79	58242	2943	19.79	58242
27	Raygada	62	13.08	811	479	11.21	5370	3	17.42	52	544	11.46	6233
28	Sambalpur	31	10.25	318	3	8.13	24	341	8.84	3014	375	8.95	3356
29	Subarnapur	-	-	-	-	-	-	194	23.07	4476	194	23.07	4476
30	Sundargarh	1423	13.41	19082	19	2.32	44	500	18.76	9380	1942	14.68	28506
STATE		15833	16.86	266977	4161	17.95	74706	23977	20.24	485409	43971	18.81	827092

Table No. - 5.10
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Mustard

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	734	1.61	1182	-	-	-	734	1.61	1182
2	Balangir	-	-	-	1429	1.83	2615	-	-	-	1429	1.83	2615
3	Balasore	-	-	-	1241	3.26	4046	-	-	-	1241	3.26	4046
4	Bargarh	-	-	-	1046	3.37	3525	-	-	-	1046	3.37	3525
5	Bhadrak	-	-	-	147	5.26	773	-	-	-	147	5.26	773
6	Boudh	-	-	-	140	1.21	169	-	-	-	140	1.21	169
7	Cuttack	-	-	-	29	2.30	67	-	-	-	29	2.30	67
8	Deogarh	-	-	-	189	2.35	444	-	-	-	189	2.35	444
9	Dhenkanal	-	-	-	254	1.87	475	-	-	-	254	1.87	475
10	Gajapati	-	-	-	70	1.64	115	-	-	-	70	1.64	115
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	63	2.55	161	-	-	-	63	2.55	161
13	Jajpur	-	-	-	419	0.95	398	-	-	-	419	0.95	398
14	Jharsuguda	-	-	-	276	2.90	800	-	-	-	276	2.90	800
15	Kalahandi	-	-	-	1293	2.64	3414	-	-	-	1293	2.64	3414
16	Kandhamal	-	-	-	612	2.25	1377	-	-	-	612	2.25	1377
17	Kendrapada	-	-	-	221	2.24	495	-	-	-	221	2.24	495
18	Keonjhar	-	-	-	713	3.86	2752	-	-	-	713	3.86	2752
19	Khurda	-	-	-	6	1.57	9	-	-	-	6	1.57	9
20	Koraput	-	-	-	227	1.88	427	-	-	-	227	1.88	427
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	411	3.67	1508	-	-	-	411	3.67	1508
23	Nuapada	-	-	-	999	1.07	1069	-	-	-	999	1.07	1069
24	Nayagada	-	-	-	331	2.02	669	-	-	-	331	2.02	669
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	41	2.92	120	-	-	-	41	2.92	120
27	Raygada	-	-	-	542	1.94	1051	-	-	-	542	1.94	1051
28	Sambalpur	-	-	-	1056	8.98	9483	-	-	-	1056	8.98	9483
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	2152	6.55	14096	-	-	-	2152	6.55	14096
STATE		-	-	-	14641	3.50	51240	-	-	-	14641	3.50	51240

Table No. - 5.11
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop - Nizer

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	2	3.18	6	-	-	-	2	3.18	6
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	-	-	-	-	-	-
10	Gajapati	-	-	-	5	1.76	9	-	-	-	5	1.76	9
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	726	3.13	2272	-	-	-	726	3.13	2272
16	Kandhamal	-	-	-	330	2.31	762	-	-	-	330	2.31	762
17	Kendrapada	-	-	-	-	-	-	-	-	-	-	-	-
18	Keonjhar	-	-	-	295	2.76	814	-	-	-	295	2.76	814
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	6012	2.88	17315	-	-	-	6012	2.88	17315
21	Malkangiri	-	-	-	1298	6.18	8022	-	-	-	1298	6.18	8022
22	Mayurbhanja	-	-	-	12	1.96	24	-	-	-	12	1.96	24
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	43	3.34	144	-	-	-	43	3.34	144
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	2162	2.80	6054	-	-	-	2162	2.80	6054
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	106	2.85	302	-	-	-	106	2.85	302
STATE		-	-	-	10991	3.25	35724	-	-	-	10991	3.25	35724

Table No. - 5.12
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Jute

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	733	25.69	18831	-	-	-	-	-	-	733	25.69	18831
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	51	17.72	904	-	-	-	-	-	-	51	17.72	904
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	93	3.83	356	-	-	-	-	-	-	93	3.83	356
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	11	20.63	227	-	-	-	-	-	-	11	20.63	227
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	S	11.92	-	-	-	-	-	-	-	S	11.92	-
13	Jajpur	891	24.51	21838	-	-	-	-	-	-	891	24.51	21838
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	493	19.76	9742	-	-	-	-	-	-	493	19.76	9742
18	Keonjhar	232	28.47	6605	-	-	-	-	-	-	232	28.47	6605
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	48	21.77	1045	-	-	-	-	-	-	48	21.77	1045
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	-	-	-	-	-	-
STATE		2552	23.33	59548	-	-	-	-	-	-	2552	23.33	59548

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.13
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Potato

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	1240	134.85	167214	-	-	-	1240	134.85	167214
2	Balangir	-	-	-	141	116.21	16386	-	-	-	141	116.21	16386
3	Balasore	-	-	-	123	155.75	19157	-	-	-	123	155.75	19157
4	Bargarh	-	-	-	1245	85.04	105875	-	-	-	1245	85.04	105875
5	Bhadrak	-	-	-	38	105.80	4020	-	-	-	38	105.80	4020
6	Boudh	-	-	-	58	57.36	3327	-	-	-	58	57.36	3327
7	Cuttack	-	-	-	420	144.92	60866	-	-	-	420	144.92	60866
8	Deogarh	-	-	-	170	83.04	14117	-	-	-	170	83.04	14117
9	Dhenkanal	-	-	-	473	134.92	63817	-	-	-	473	134.92	63817
10	Gajapati	-	-	-	5	149.42	747	-	-	-	5	149.42	747
11	Ganjam	-	-	-	42	139.62	5864	-	-	-	42	139.62	5864
12	Jagatsinghpur	-	-	-	148	145.19	21488	-	-	-	148	145.19	21488
13	Jajpur	-	-	-	503	94.68	47624	-	-	-	503	94.68	47624
14	Jharsuguda	-	-	-	99	105.35	10430	-	-	-	99	105.35	10430
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	529	71.86	38014	-	-	-	529	71.86	38014
17	Kendrapada	-	-	-	168	98.03	16469	-	-	-	168	98.03	16469
18	Keonjhar	-	-	-	809	100.26	81110	-	-	-	809	100.26	81110
19	Khurda	-	-	-	123	152.34	18738	-	-	-	123	152.34	18738
20	Koraput	-	-	-	1424	72.15	102742	-	-	-	1424	72.15	102742
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	266	92.68	24653	-	-	-	266	92.68	24653
23	Nuapada	-	-	-	634	43.76	27744	-	-	-	634	43.76	27744
24	Nayagada	-	-	-	32	115.90	3709	-	-	-	32	115.90	3709
25	Nawarangpur	-	-	-	164	97.65	16015	-	-	-	164	97.65	16015
26	Puri	-	-	-	165	139.86	23077	-	-	-	165	139.86	23077
27	Raygada	-	-	-	56	118.22	6620	-	-	-	56	118.22	6620
28	Sambalpur	-	-	-	1162	113.23	131573	-	-	-	1162	113.23	131573
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	1070	107.68	115218	-	-	-	1070	107.68	115218
STATE		-	-	-	11307	101.41	1146614	-	-	-	11307	101.41	1146614

Table No. - 5.14
District and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops

(Area in Hect.)

Year : 2022-23

Crop -Sugarcane

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	55	522.67	28747	-	-	-	55	522.67	28747
2	Balangir	-	-	-	122	460.00	56120	-	-	-	122	460.00	56120
3	Balasore	-	-	-	S	364.00	-	-	-	-	S	364.00	-
4	Bargarh	-	-	-	43	916.80	39422	-	-	-	43	916.80	39422
5	Bhadrak	-	-	-	44	318.67	14021	-	-	-	44	318.67	14021
6	Boudh	-	-	-	1	770.00	770	-	-	-	1	770.00	770
7	Cuttack	-	-	-	489	648.97	317346	-	-	-	489	648.97	317346
8	Deogarh	-	-	-	23	489.52	11259	-	-	-	23	489.52	11259
9	Dhenkanal	-	-	-	1024	611.11	625777	-	-	-	1024	611.11	625777
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	129	619.78	79952	-	-	-	129	619.78	79952
12	Jagatsinghpur	-	-	-	542	543.76	294718	-	-	-	542	543.76	294718
13	Jajpur	-	-	-	917	484.11	443929	-	-	-	917	484.11	443929
14	Jharsuguda	-	-	-	16	963.33	15413	-	-	-	16	963.33	15413
15	Kalahandi	-	-	-	125	668.00	83500	-	-	-	125	668.00	83500
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	-	-	-	28	517.71	14496	-	-	-	28	517.71	14496
18	Keonjhar	-	-	-	-	-	-	-	-	-	-	-	-
19	Khurda	-	-	-	314	558.00	175212	-	-	-	314	558.00	175212
20	Koraput	-	-	-	573	533.13	305483	-	-	-	573	533.13	305483
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	-	-	-	46	447.56	20588	-	-	-	46	447.56	20588
24	Nayagada	-	-	-	233	694.57	161835	-	-	-	233	694.57	161835
25	Nawarangpur	-	-	-	2552	469.93	1199261	-	-	-	2552	469.93	1199261
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	57	980.80	55906	-	-	-	57	980.80	55906
STATE		-	-	-	7333	537.81	3943755	-	-	-	7333	537.81	3943755

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No.- 6.0
State Level Estimates of Area under Other Crops by Broad Groups
(2013-14 to 2022-23)

State :- Odisha

(Area in hect.)

Sl. No.	Year	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	2013-14	15129	23210	130	38469	2180	91006	1864	95050	62	3304	4589	7955	16775	124690	18582	160047
2	2014-15	11681	25768	1	37450	1627	82423	681	84731	51	2032	2546	4629	19100	144517	20128	183745
3	2015-16	13612	23960	4	37576	2480	60730	553	63763	11	919	2105	3035	19611	101347	20453	141411
4	2016-17	9860	26448	100	36408	2471	43799	517	46787	595	2438	1580	4613	29010	105167	12672	146849
5	2017-18	6580	29227	42	35849	1482	39905	4942	46329	77	1408	757	2242	27924	97475	12845	138244
6	2018-19	5006	19007	41	24054	772	41902	863	43537	116	2077	943	3136	18185	94813	17256	130254
7	2019-20	3380	23119	10	26509	486	45568	1464	47518	38	6849	893	7780	20220	101082	24546	145848
8	2020-21	3091	19149	187	22427	603	36525	1084	38212	210	3570	1586	5366	22171	126029	26477	174677
9	2021-22	4927	21882	217	27026	3994	64462	968	69424	31	4086	2103	6220	54159	189207	35291	278657
10	2022-23	1512	17542	162	19216	1151	47842	1407	50400	75	5089	2934	8098	37306	178961	33383	249650



Table No.- 6.1
District wise Estimates of Area under Other Crops by Broad Groups

Year : 2022-23

(Area in hect.)

Sl. No.	District	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Angul	-	-	-	-	-	1152	-	1152	-	2	1	3	922	2334	642	3898
2	Bolangir	336	541	-	877	423	3120	61	3604	9	74	26	109	3869	42884	3007	49760
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-	637	2366	1035	4038
4	Bargarh	-	-	12	12	299	3196	72	3567	-	-	55	55	6058	11539	4194	21791
5	Bhadrak	-	-	-	-	-	-	-	-	-	1	10	11	346	783	693	1822
6	Boudh	-	-	-	-	-	1462	-	1462	-	-	-	-	121	2417	105	2643
7	Cuttack	-	-	-	-	-	218	-	218	-	-	29	29	3007	4503	2339	9849
8	Deogarh	-	-	-	-	-	77	-	77	-	18	23	41	98	210	108	416
9	Dhenkanal	-	4	-	4	-	879	-	879	-	9	1	10	936	2484	797	4217
10	Gajapati	376	1396	-	1772	107	805	-	912	-	-	531	531	489	347	129	965
11	Ganjam	-	5	-	5	2	4623	-	4625	-	-	9	9	2053	3580	2688	8321
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	263	1067	257	1587
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-	802	1968	884	3654
14	Jharsuguda	-	-	-	-	-	-	-	-	-	19	-	19	657	721	575	1953
15	Kalahandi	-	29	11	40	-	10682	739	11421	51	311	150	512	1131	18607	1381	21119
16	Kandhamal	-	22	-	22	1	748	-	749	-	48	9	57	550	3192	113	3855
17	Kendrapara	-	2	-	2	-	-	-	-	-	-	236	236	511	1003	721	2235
18	Keonjhar	-	-	3	3	97	375	62	534	-	27	194	221	3109	3071	1433	7613
19	Khurda	-	1	-	1	-	62	-	62	-	-	3	3	529	663	693	1885
20	Koraput	95	9794	-	9889	-	2322	110	2432	15	599	669	1283	1369	16393	2819	20581
21	Malkangiri	-	2292	-	2292	-	159	-	159	-	14	3	17	172	1132	582	1886
22	Mayurbhanj	4	-	2	6	-	80	47	127	-	32	61	93	1528	2964	1106	5598
23	Nuapada	561	-	-	561	9	5372	-	5381	-	158	103	261	953	7199	1061	9213
24	Nayagarh	2	-	-	2	6	2225	-	2231	-	69	141	210	1573	1639	931	4143
25	Nowarangpur	-	-	-	-	-	1064	-	1064	-	2	-	2	524	1922	860	3306
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-	307	1377	887	2571
27	Rayagada	138	3355	3	3496	207	8107	5	8319	-	3488	507	3995	1347	38307	324	39978
28	Sambalpur	-	-	125	125	-	-	-	-	-	-	159	159	534	886	887	2307
29	Subarnapur	-	-	6	6	-	-	-	-	-	-	-	-	1240	1059	639	2938
30	Sundargarh	-	101	-	101	-	1114	311	1425	-	218	14	232	1671	2344	1493	5508
STATE		1512	17542	162	19216	1151	47842	1407	50400	75	5089	2934	8098	37306	178961	33383	249650

Table No. - 7.0
State Level Estimates of Area under All Crops by Broad Groups.
(2013-14 to 2022-23)

State :- Odisha

(Area in '000 hect.)

Sl. No.	Year	Total Cereals				Total Pulses				Total Oilseeds				Total other crops				All crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2013-14	704	3362	305	4371	54	278	142	474	27	70	43	140	19	145	19	183	804	3855	509	5168
2	2014-15	700	3343	304	4347	46	275	179	500	24	65	33	122	20	163	21	204	790	3846	537	5173
3	2015-16	622	3222	237	4081	42	211	208	461	20	44	40	104	21	116	20	157	705	3593	505	4803
4	2016-17	604	3287	228	4119	71	271	173	516	25	43	22	90	30	117	13	160	730	3718	436	4884
5	2017-18	591	3076	224	3892	48	191	147	386	17	41	20	77	29	105	13	147	685	3413	404	4502
6	2018-19	517	3178	277	3972	25	168	149	342	13	40	18	71	18	107	17	142	573	3493	461	4527
7	2019-20	500	3271	297	4068	21	167	180	368	12	41	22	75	20	114	25	159	553	3593	524	4670
8	2020-21	521	3308	343	4172	22	162	191	375	9	41	35	85	23	138	26	187	575	3649	595	4819
9	2021-22	562	3267	304	4133	48	241	165	454	24	55	32	111	58	207	35	300	692	3770	536	4998
10	2022-23	475	3397	339	4211	32	238	165	435	18	45	34	97	40	198	33	271	565	3878	571	5014



Table No.- 7.1
District wise Estimates of Area under all Crops by Broad Groups.

Year : 2022-23

(Area in hect.)

Sl. No.	District	Total Cereals				Total Pulses				Total Oilseeds				Total Other Crops				All Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	2316	117094	1218	120628	1383	4752	191	6326	797	1348	926	3071	922	3629	642	5193	5418	126823	2977	135218
2	Bolangir	49664	128448	9083	187195	11962	17692	6750	36404	3573	1685	302	5560	3869	43147	3007	50023	69068	190972	19142	279182
3	Balasore	-	173012	47131	220143	-	-	1427	1427	1	1241	1893	3135	1370	2489	1035	4894	1371	176742	51486	229599
4	Bargarh	29609	206123	90892	326624	6620	3686	1672	11978	3650	1214	1184	6048	6058	12827	4194	23079	45937	223850	97942	367729
5	Bhadrak	-	139642	1427	141069	-	78	1944	2022	-	148	256	404	397	865	693	1955	397	140733	4320	145450
6	Boudh	3545	65016	2228	70789	146	2844	1009	3999	1	209	-	210	121	2476	105	2702	3813	70545	3342	77700
7	Cuttack	1321	109764	2346	113431	-	5178	29540	34718	39	29	664	732	3100	5412	2339	10851	4460	120383	34889	159732
8	Deogarh	8984	31273	59	40316	222	309	54	585	171	367	120	658	98	403	108	609	9475	32352	341	42168
9	Dhenkanal	351	86043	338	86732	90	4450	1504	6044	84	2648	157	2889	947	3981	797	5725	1472	97122	2796	101390
10	Gajapati	16761	32896	651	50308	174	4094	-	4268	20	87	3158	3265	489	352	129	970	17444	37429	3938	58811
11	Ganjam	2195	293536	387	296118	247	76859	681	77787	566	77	5668	6311	2053	3751	2688	8492	5061	374223	9424	388708
12	Jagatsinghpur	227	76029	638	76894	-	844	36162	37006	-	63	346	409	263	1757	257	2277	490	78693	37403	116586
13	Jajpur	11841	101168	777	113786	-	5476	4541	10017	10	419	6164	6593	1693	3388	884	5965	13544	110451	12366	136361
14	Jharsuguda	21923	24295	1083	47301	-	157	619	776	75	503	64	642	657	836	575	2068	22655	25791	2341	50787
15	Kalahandi	27701	173400	45678	246779	-	25648	8234	33882	1216	2842	1168	5226	1131	18732	1381	21244	30048	220622	56461	307131
16	Kandhamal	2100	41656	219	43975	2	2243	-	2245	100	1037	9	1146	550	3721	113	4384	2752	48657	341	51750
17	Kendrapara	569	120048	496	121113	-	3227	23275	26502	-	221	609	830	1004	1199	721	2924	1573	124695	25101	151369
18	Keonjhar	19249	156245	1410	176904	1418	2013	422	3853	291	1103	371	1765	3341	3880	1433	8654	24299	163241	3636	191176
19	Khurda	19	80215	1857	82091	-	1046	9302	10348	-	6	69	75	529	1100	693	2322	548	82367	11921	94836
20	Koraput	21836	114278	28969	165083	-	5938	255	6193	2095	7783	839	10717	1369	18390	2819	22578	25300	146389	32882	204571
21	Malkangiri	15014	123732	282	139028	-	6931	-	6931	-	6018	3463	9481	172	1132	582	1886	15186	137813	4327	157326
22	Mayurbhanj	15973	300230	3318	319521	121	190	563	874	19	488	687	1194	1528	3230	1106	5864	17641	304138	5674	327453
23	Nuapada	35826	64613	11152	111591	6986	8611	3912	19509	3218	1272	595	5085	1001	7879	1061	9941	47031	82375	16720	146126
24	Nayagarh	367	92010	147	92524	6	26461	6361	32828	147	433	253	833	1573	1904	931	4408	2093	120808	7692	130593
25	Nowarangpur	70522	112549	2142	185213	-	8654	190	8844	355	45	38	438	524	4638	860	6022	71401	125886	3230	200517
26	Puri	-	85668	35920	121588	-	1888	23380	25268	-	41	3063	3104	307	1542	887	2736	307	89139	63250	152696
27	Rayagada	3441	56642	551	60634	209	14355	90	14654	62	8698	654	9414	1347	38363	324	40034	5059	118058	1619	124736
28	Sambalpur	38763	75789	11587	126139	328	1740	787	2855	51	1636	500	2187	534	2048	887	3469	39676	81213	13761	134650
29	Sonepur	6977	105341	37019	149337	360	559	280	1199	-	-	194	194	1240	1059	639	2938	8577	106959	38132	153668
30	Sundargarh	67549	109879	450	177878	1829	2575	1348	5752	1501	3788	575	5864	1671	3471	1493	6635	72550	119713	3866	196129
STATE		474643	3396634	339455	4210732	32103	238498	164493	435094	18042	45449	33989	97480	39858	197601	33383	270842	564646	3878182	571320	5014148

❖❖❖❖❖

Table No. -8.0
District wise and Crop wise Estimates of Gross Cropped Area

Year : 2022-23

Area in hect.																				
Sl. No.	Name of the district	Paddy	Wheat	Maize	Ragi	Other Cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground nut	Mustard	Niger	Other Oilseeds	Jute	Potato	Sugar cane	All other crops	All Crops
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Angul	119001	-	345	1282	-	1806	2244	1124	1152	961	1373	734	-	3	-	1240	55	3898	135218
2	Bolangir	183091	-	2773	454	877	22637	6835	3328	3604	662	3358	1429	2	109	-	141	122	49760	279182
3	Balasore	220138	-	5	-	-	955	472	-	-	335	1559	1241	-	-	733	123	-	4038	229599
4	Bargarh	325960	82	95	475	12	5878	2176	357	3567	339	4608	1046	-	55	-	1245	43	21791	367729
5	Bhadrak	141066	2	1	-	-	1831	191	-	-	29	217	147	-	11	51	38	44	1822	145450
6	Boudh	70741	-	47	1	-	1782	284	471	1462	35	35	140	-	-	-	58	1	2643	77700
7	Cuttack	113421	-	10	-	-	26942	6499	1059	218	5	669	29	-	29	93	420	489	9849	159732
8	Deogarh	40151	-	165	-	-	215	145	148	77	290	138	189	-	41	-	170	23	416	42168
9	Dhenkanal	86474	1	209	44	4	1927	2479	759	879	116	2509	254	-	10	11	473	1024	4217	101390
10	Gajapati	32089	-	15310	1137	1772	1085	1831	440	912	2401	258	70	5	531	-	5	-	965	58811
11	Ganjam	293561	-	998	1554	5	59824	11824	1514	4625	3741	2561	-	-	9	-	42	129	8321	388708
12	Jagatsinghpur	76894	-	-	-	-	34919	1829	258	-	-	346	63	-	-	-	148	542	1587	116586
13	Jajpur	113766	1	19	-	-	4537	4980	500	-	-	6174	419	-	-	891	503	917	3654	136361
14	Jharsuguda	47086	-	86	129	-	632	17	127	-	208	139	276	-	19	-	99	16	1953	50787
15	Kalahandi	243456	-	2200	1083	40	14115	4581	3765	11421	227	2468	1293	726	512	-	-	125	21119	307131
16	Kandhamal	42527	-	989	437	22	85	803	608	749	4	143	612	330	57	-	529	-	3855	51750
17	Kendrapara	121106	-	4	1	2	21956	4230	316	-	29	344	221	-	236	493	168	28	2235	151369
18	Keonjhar	175145	-	1343	413	3	572	1633	1114	534	125	411	713	295	221	232	809	-	7613	191176
19	Khurda	82082	-	8	-	1	9153	1072	61	62	8	58	6	-	3	-	123	314	1885	94836
20	Koraput	132518	-	4027	18649	9889	365	1448	1948	2432	173	3022	227	6012	1283	-	1424	573	20581	204571
21	Malkangiri	130589	-	682	5465	2292	348	4871	1553	159	4706	3460	-	1298	17	-	-	-	1886	157326
22	Mayurbhanj	319230	24	189	72	6	526	149	72	127	46	632	411	12	93	-	266	-	5598	327453
23	Nuapada	106863	-	2657	1510	561	7197	4097	2834	5381	948	2877	999	-	261	48	634	46	9213	146126
24	Nayagarh	91990	-	416	116	2	25854	3989	754	2231	71	221	331	-	210	-	32	233	4143	130593
25	Nawarangpur	133761	-	47959	3493	-	190	4163	3427	1064	-	393	-	43	2	-	164	2552	3306	200517
26	Puri	121583	-	-	5	-	18075	6530	663	-	120	2943	41	-	-	-	165	-	2571	152696
27	Rayagada	49049	-	2559	5530	3496	454	3889	1992	8319	2171	544	542	2162	3995	-	56	-	39978	124736
28	Sambalpur	125808	64	140	2	125	1365	485	1005	-	597	375	1056	-	159	-	1162	-	2307	134650
29	Subarnapur	149331	-	-	-	6	905	67	227	-	-	194	-	-	-	-	-	-	2938	153668
30	Sundargarh	175680	49	1057	991	101	1789	1215	1323	1425	1432	1942	2152	106	232	-	1070	57	5508	196129
State		4064157	223	84293	42843	19216	267919	85028	31747	50400	19779	43971	14641	10991	8098	2552	11307	7333	249650	5014148

N.B.-: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 8.1
District wise, Crop wise and Season wise Estimates of Gross Cropped Area

Year- 2022-23

Sl. No.	District	Paddy				Wheat Summer	Maize				Ragi				(Area in hect.) Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	737	117083	1181	119001	-	325	11	9	345	1254	-	28	1282	-	-	-	-
2	Bolangir	46151	127865	9075	183091	-	2723	42	8	2773	454	-	-	454	336	541	-	877
3	Balasore	-	173012	47126	220138	-	-	-	5	5	-	-	-	-	-	-	-	-
4	Baragarh	29525	205711	90724	325960	82	71	10	14	95	13	402	60	475	-	-	12	12
5	Bhadrak	-	139642	1424	141066	2	-	-	1	1	-	-	-	-	-	-	-	-
6	Boudh	3498	65016	2227	70741	-	47	-	-	47	-	-	1	1	-	-	-	-
7	Cuttack	1321	109756	2344	113421	-	-	8	2	10	-	-	-	-	-	-	-	-
8	Deogarh	8868	31273	10	40151	-	116	-	49	165	-	-	-	-	-	-	-	-
9	Dhenkanal	249	85975	250	86474	1	86	64	59	209	16	-	28	44	-	4	-	4
10	Gajapati	2	31500	587	32089	-	15290	-	20	15310	1093	-	44	1137	376	1396	-	1772
11	Ganjam	-	293390	171	293561	-	919	-	79	998	1276	141	137	1554	-	5	-	5
12	Jagatsinghpur	227	76029	638	76894	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	11825	101168	773	113766	1	16	-	3	19	-	-	-	-	-	-	-	-
14	Jharsuguda	21731	24273	1082	47086	-	85	-	1	86	107	22	-	129	-	-	-	-
15	Kalahandi	25324	172465	45667	243456	-	2200	-	-	2200	177	906	-	1083	-	29	11	40
16	Kandhamal	1122	41192	213	42527	-	978	8	3	989	-	434	3	437	-	22	-	22
17	Kendrapara	568	120046	492	121106	-	-	-	4	4	1	-	-	1	-	2	-	2
18	Keonjhar	17910	155857	1378	175145	-	1338	5	-	1343	1	383	29	413	-	-	3	3
19	Khurda	13	80214	1855	82082	-	6	-	2	8	-	-	-	-	-	1	-	1
20	Koraput	15528	88886	28104	132518	-	3288	-	739	4027	2925	15598	126	18649	95	9794	-	9889
21	Malkangiri	14000	116315	274	130589	-	674	-	8	682	340	5125	-	5465	-	2292	-	2292
22	Mayurbhanj	15828	300179	3223	319230	24	91	44	54	189	50	7	15	72	4	-	2	6
23	Nuapada	31098	64613	11152	106863	-	2657	-	-	2657	1510	-	-	1510	561	-	-	561
24	Nayagarh	-	91939	51	91990	-	289	31	96	416	76	40	-	116	2	-	-	2
25	Nowarangpur	21816	111515	430	133761	-	46343	-	1616	47959	2363	1034	96	3493	-	-	-	-
26	Puri	-	85668	35915	121583	-	-	-	-	-	-	-	5	5	-	-	-	-
27	Rayagada	44	48574	431	49049	-	2455	31	73	2559	804	4682	44	5530	138	3355	3	3496
28	Sambalpur	38621	75789	11398	125808	64	140	-	-	140	2	-	-	2	-	-	125	125
29	Subarnapur	6977	105341	37013	149331	-	-	-	-	-	-	-	-	-	-	-	6	6
30	Sundargarh	65794	109589	297	175680	49	1015	-	42	1057	740	189	62	991	-	101	-	101
STATE		378777	3349875	335505	4064157	223	81152	254	2887	84293	13202	28963	678	42843	1512	17542	162	19216

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area

Year- 2022-23

(Area in hect.)

Sl. No.	District	Mung				Biri				Kulthi			Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	604	1039	163	1806	779	1437	28	2244	1124	-	1124	-	1152	-	1152
2	Bolangir	8493	8263	5881	22637	3046	2981	808	6835	3328	-	3328	423	3120	61	3604
3	Balasore	-	-	955	955	-	-	472	472	-	-	-	-	-	-	-
4	Baragarh	4185	129	1564	5878	2136	4	36	2176	357	-	357	299	3196	72	3567
5	Bhadrak	-	3	1828	1831	-	75	116	191	-	-	-	-	-	-	-
6	Boudh	144	648	990	1782	2	263	19	284	471	-	471	-	1462	-	1462
7	Cuttack	-	-	26942	26942	-	3925	2574	6499	1035	24	1059	-	218	-	218
8	Deogarh	87	84	44	215	135	-	10	145	148	-	148	-	77	-	77
9	Dhenkanal	84	443	1400	1927	6	2369	104	2479	759	-	759	-	879	-	879
10	Gajapati	-	1085	-	1085	67	1764	-	1831	440	-	440	107	805	-	912
11	Ganjam	71	59203	550	59824	174	11519	131	11824	1514	-	1514	2	4623	-	4625
12	Jagatsinghpur	-	-	34919	34919	-	588	1241	1829	256	2	258	-	-	-	-
13	Jajpur	-	-	4537	4537	-	4976	4	4980	500	-	500	-	-	-	-
14	Jharsuguda	-	14	618	632	-	16	1	17	127	-	127	-	-	-	-
15	Kalahandi	-	6682	7433	14115	-	4519	62	4581	3765	-	3765	-	10682	739	11421
16	Kandhamal	-	85	-	85	1	802	-	803	608	-	608	1	748	-	749
17	Kendrapara	-	-	21956	21956	-	2911	1319	4230	316	-	316	-	-	-	-
18	Keonjhar	49	293	230	572	1272	270	91	1633	1075	39	1114	97	375	62	534
19	Khurda	-	909	8244	9153	-	43	1029	1072	32	29	61	-	62	-	62
20	Koraput	-	220	145	365	-	1448	-	1448	1948	-	1948	-	2322	110	2432
21	Malkangiri	-	348	-	348	-	4871	-	4871	1553	-	1553	-	159	-	159
22	Mayurbhanj	16	20	490	526	105	18	26	149	72	-	72	-	80	47	127
23	Nuapada	3027	258	3912	7197	3950	147	-	4097	2834	-	2834	9	5372	-	5381
24	Nayagarh	-	20968	4886	25854	-	2514	1475	3989	754	-	754	6	2225	-	2231
25	Nowarangpur	-	-	190	190	-	4163	-	4163	3427	-	3427	-	1064	-	1064
26	Puri	-	-	18075	18075	-	1225	5305	6530	663	-	663	-	-	-	-
27	Rayagada	-	433	21	454	2	3823	64	3889	1992	-	1992	207	8107	5	8319
28	Sambalpur	156	473	736	1365	172	262	51	485	1005	-	1005	-	-	-	-
29	Subarnapur	360	265	280	905	-	67	-	67	227	-	227	-	-	-	-
30	Sundargarh	755	25	1009	1789	1074	113	28	1215	1323	-	1323	-	1114	311	1425
STATE		18031	101890	147998	267919	12921	57113	14994	85028	31653	94	31747	1151	47842	1407	50400

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area

Year- 2022-23

Sl. No.	District	Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	308	612	41	961	489	-	884	1373	734	-	-	2	1	3
2	Bolangir	557	68	37	662	3007	112	239	3358	1429	2	9	74	26	109
3	Balasore	1	-	334	335	-	-	1559	1559	1241	-	-	-	-	-
4	Baragarh	122	168	49	339	3528	-	1080	4608	1046	-	-	-	55	55
5	Bhadrak	-	-	29	29	-	-	217	217	147	-	-	1	10	11
6	Boudh	-	35	-	35	1	34	-	35	140	-	-	-	-	-
7	Cuttack	-	-	5	5	39	-	630	669	29	-	-	-	29	29
8	Deogarh	87	160	43	290	84	-	54	138	189	-	-	18	23	41
9	Dhenkanal	8	93	15	116	76	2292	141	2509	254	-	-	9	1	10
10	Gajapati	-	-	2401	2401	20	12	226	258	70	5	-	-	531	531
11	Ganjam	3	68	3670	3741	563	9	1989	2561	-	-	-	-	9	9
12	Jagatsinghpur	-	-	-	-	-	-	346	346	63	-	-	-	-	-
13	Jajpur	-	-	-	-	10	-	6164	6174	419	-	-	-	-	-
14	Jharsuguda	-	208	-	208	75	-	64	139	276	-	-	19	-	19
15	Kalahandi	-	227	-	227	1165	285	1018	2468	1293	726	51	311	150	512
16	Kandhamal	-	4	-	4	100	43	-	143	612	330	-	48	9	57
17	Kendrapara	-	-	29	29	-	-	344	344	221	-	-	-	236	236
18	Keonjhar	112	13	-	125	179	55	177	411	713	295	-	27	194	221
19	Khurda	-	-	8	8	-	-	58	58	6	-	-	-	3	3
20	Koraput	-	173	-	173	2080	772	170	3022	227	6012	15	599	669	1283
21	Malkangiri	-	4706	-	4706	-	-	3460	3460	-	1298	-	14	3	17
22	Mayurbhanj	5	-	41	46	14	33	585	632	411	12	-	32	61	93
23	Nuapada	833	115	-	948	2385	-	492	2877	999	-	-	158	103	261
24	Nayagarh	-	20	51	71	147	13	61	221	331	-	-	69	141	210
25	Nowrangpur	-	-	-	-	355	-	38	393	-	43	-	2	-	2
26	Puri	-	-	120	120	-	-	2943	2943	41	-	-	-	-	-
27	Rayagada	-	2027	144	2171	62	479	3	544	542	2162	-	3488	507	3995
28	Sambalpur	20	577	-	597	31	3	341	375	1056	-	-	-	159	159
29	Subarnapur	-	-	-	-	-	-	194	194	-	-	-	-	-	-
30	Sundargarh	78	1293	61	1432	1423	19	500	1942	2152	106	-	218	14	232
STATE		2134	10567	7078	19779	15833	4161	23977	43971	14641	10991	75	5089	2934	8098

(Contd.)

Table No. - 8.1 (concl.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area

Year- 2022-23

Sl. No.	District	Jute Autumn	Potato Winter	Sugarcane Winter	Other Crops				All Crops			
					Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	1240	55	922	2334	642	3898	5418	126823	2977	135218
2	Bolangir	-	141	122	3869	42884	3007	49760	69068	190972	19142	279182
3	Balasore	733	123	-	637	2366	1035	4038	1371	176742	51486	229599
4	Baragarh	-	1245	43	6058	11539	4194	21791	45937	223850	97942	367729
5	Bhadrak	51	38	44	346	783	693	1822	397	140733	4320	145450
6	Boudh	-	58	1	121	2417	105	2643	3813	70545	3342	77700
7	Cuttack	93	420	489	3007	4503	2339	9849	4460	120383	34889	159732
8	Deogarh	-	170	23	98	210	108	416	9475	32352	341	42168
9	Dhenkanal	11	473	1024	936	2484	797	4217	1472	97122	2796	101390
10	Gajapati	-	5	-	489	347	129	965	17444	37429	3938	58811
11	Ganjam	-	42	129	2053	3580	2688	8321	5061	374223	9424	388708
12	Jagatsinghpur	-	148	542	263	1067	257	1587	490	78693	37403	116586
13	Jajpur	891	503	917	802	1968	884	3654	13544	110451	12366	136361
14	Jharsuguda	-	99	16	657	721	575	1953	22655	25791	2341	50787
15	Kalahandi	-	-	125	1131	18607	1381	21119	30048	220622	56461	307131
16	Kandhamal	-	529	-	550	3192	113	3855	2752	48657	341	51750
17	Kendrapara	493	168	28	511	1003	721	2235	1573	124695	25101	151369
18	Keonjhar	232	809	-	3109	3071	1433	7613	24299	163241	3636	191176
19	Khurda	-	123	314	529	663	693	1885	548	82367	11921	94836
20	Koraput	-	1424	573	1369	16393	2819	20581	25300	146389	32882	204571
21	Malkangiri	-	-	-	172	1132	582	1886	15186	137813	4327	157326
22	Mayurbhanj	-	266	-	1528	2964	1106	5598	17641	304138	5674	327453
23	Nuapada	48	634	46	953	7199	1061	9213	47031	82375	16720	146126
24	Nayagarh	-	32	233	1573	1639	931	4143	2093	120808	7692	130593
25	Nowarangpur	-	164	2552	524	1922	860	3306	71401	125886	3230	200517
26	Puri	-	165	-	307	1377	887	2571	307	89139	63250	152696
27	Rayagada	-	56	-	1347	38307	324	39978	5059	118058	1619	124736
28	Sambalpur	-	1162	-	534	886	887	2307	39676	81213	13761	134650
29	Subarnapur	-	-	-	1240	1059	639	2938	8577	106959	38132	153668
30	Sundargarh	-	1070	57	1671	2344	1493	5508	72550	119713	3866	196129
STATE		2552	11307	7333	37306	178961	33383	249650	564646	3878182	571320	5014148

❖❖❖❖❖

Table No.- 9.0
State Level Percentage Standard Error of estimated Area, Yieldrate & Production.
(2013-14 to 2022-23)

State :- Odisha

Crop:- PADDY

(Area in ' 000 hect.)

(Yield rate in Qtl. / Hect.)

(Production in ' 000 MT.)

Sl. No.	Year	AUTUMN						WINTER						SUMMER					
		Area		Yieldrate		Production		Area		Yieldrate		Production		Area		Yieldrate		Production	
		Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2013-14	582	1.15	22.16	0.73	1290	1.35	3298	0.71	26.34	0.52	8687	0.81	300	3.01	51.84	0.26	1558	2.92
2	2014-15	583	1.20	26.90	0.66	1569	1.34	3282	0.69	36.02	0.32	11822	0.75	301	3.27	50.64	1.15	1525	3.36
3	2015-16	541	1.32	10.90	1.29	590	1.88	3167	0.71	22.5	0.65	7125	0.96	234	3.62	50.84	1.48	1187	3.85
4	2016-17	512	1.66	19.48	1.15	996	2.06	3227	0.78	39.18	0.31	12641	0.83	225	3.83	53.5	1.17	1203	3.97
5	2017-18	530	1.66	16.48	1.30	874	2.20	3014	0.88	26.54	0.44	7998.7	0.98	222	3.93	47.48	1.63	1054	4.09
6	2018-19	454	1.56	17.59	1.62	799	2.16	3131	0.7	30.39	0.35	9516	0.78	274	3.07	51.15	0.86	1403	3.08
7	2019-20	426	1.27	27.36	2.88	1166	4.29	3222	0.68	37.87	0.27	12201	0.75	293	3.09	48.31	0.67	1414	3.18
8	2020-21	432	1.40	30.32	1.01	1311	1.71	3258	0.71	41.11	0.25	13392	0.74	339	2.85	57.83	0.64	1963	2.86
9	2021-22	443	1.42	21.76	1.45	964	2.06	3205	0.77	35.54	0.35	11391	0.85	299	2.85	57.53	0.55	1722	2.82
10	2022-23	379	1.29	28.22	1.85	1069	2.21	3350	0.62	45.13	0.22	15119	0.65	336	2.59	56.39	0.51	1892	2.67



Table No.-9.1
District wise Percentage Standard Error of estimated Area, Yieldrate & Production.

Year : 2022-23

Crop :- PADDY

(Area in' 000 Hect.,Yieldrate in Qtls/Hect & Production in' 000 M.T)

Sl. No.	District	AUTUMN						WINTER						SUMMER					
		Area		Yieldrate		Production		Area		Yieldrate		Production		Area		Yieldrate		Production	
		Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error	Esti- mate	% Stand- ard Error
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Anugul	1	31.65	25.76	1.82	2	30.99	117	3.05	51.33	0.86	601	3.25	1	41.77	48.46	1.87	6	41.80
2	Bolangir	46	2.73	21.68	3.94	100	4.74	128	2.19	35.25	1.58	451	2.65	9	13.88	50.78	2.25	46	14.19
3	Balasore	-	-	-	-	-	-	173	3.38	44.82	0.82	775	3.58	47	5.17	56.10	0.87	264	5.27
4	Baragarh	30	3.06	45.84	3.01	135	4.25	206	1.64	63.16	0.88	1299	1.87	91	4.34	60.86	1.17	552	4.44
5	Bhadrak	-	-	-	-	-	-	140	1.97	43.46	1.08	607	2.13	2	22.72	41.28	1.54	6	22.72
6	Boudh	3	8.97	36.19	1.65	13	9.10	65	5.19	51.68	0.80	336	5.20	2	25.10	42.37	3.16	9	24.10
7	Cuttack	1	35.50	29.96	5.08	4	36.44	110	2.95	43.76	1.18	480	2.95	2	27.97	55.66	2.54	13	27.29
8	Deogarh	9	8.73	25.89	8.17	23	12.32	31	5.08	42.99	1.92	135	5.46	S	46.58	31.60	4.12	S	47.09
9	Dhenkanal	S	28.60	32.26	4.47	1	29.59	86	4.71	51.39	0.67	442	4.64	S	44.58	43.20	8.35	1	46.48
10	Gajapati	S	-	39.50	7.03	S	7.03	31	8.65	39.19	1.22	124	8.95	1	30.40	28.55	2.73	2	31.39
11	Ganjam	-	-	-	-	-	-	293	2.73	46.35	0.48	1360	2.74	S	32.20	45.54	2.17	1	33.29
12	Jagatsinghpur	S	45.49	16.54	31.47	S	31.72	76	4.03	43.17	1.41	328	3.44	1	26.18	51.99	2.27	3	26.40
13	Jajpur	12	11.48	22.17	3.66	26	11.62	101	4.12	37.59	1.24	380	4.26	1	25.20	37.67	3.00	3	25.18
14	Jharsuguda	22	6.49	12.39	18.32	27	19.04	24	7.49	32.16	5.65	78	10.83	1	33.54	68.76	6.83	7	30.10
15	Kalahandi	25	5.73	25.73	3.31	65	7.06	172	2.27	46.39	1.22	800	2.60	46	10.96	56.57	1.27	258	11.03
16	Kandhamal	1	11.49	23.62	5.06	3	11.99	41	3.33	34.97	1.34	144	3.56	S	26.71	38.18	5.66	1	25.41
17	Kendrapara	1	26.61	33.54	3.48	2	27.19	120	3.23	34.41	1.13	413	3.35	1	38.77	59.46	7.06	3	42.22
18	Keonjhar	18	7.47	53.78	3.53	96	9.23	156	2.35	52.84	0.75	824	2.53	1	44.84	43.97	4.30	6	47.15
19	Khurda	S	77.60	19.54	14.83	S	77.35	80	4.98	44.75	0.86	359	5.09	2	26.14	54.58	3.30	10	26.20
20	Koraput	15	5.44	35.75	1.57	56	5.55	89	4.67	50.33	0.99	447	5.13	28	8.94	47.49	1.19	134	9.15
21	Malakangiri	14	5.73	25.96	2.33	36	6.23	116	4.77	42.85	1.96	498	4.92	S	31.28	37.74	4.29	1	32.35
22	Mayurbhanja	16	3.92	31.95	1.24	51	4.26	300	1.55	41.90	0.59	1258	1.66	3	12.30	42.52	2.33	14	12.76
23	Nuapada	31	3.72	31.62	2.35	98	4.41	65	3.24	39.64	1.45	256	3.59	11	14.74	46.87	2.22	52	14.58
24	Nayagarh	-	-	-	-	-	-	92	5.00	41.68	0.94	383	4.93	S	90.72	42.86	9.07	S	90.72
25	Nowrangapur	22	3.85	40.55	1.52	89	4.12	112	3.41	51.06	0.66	570	3.52	1	16.32	36.56	2.06	2	17.55
26	Puri	-	-	-	-	-	-	86	2.38	30.20	2.36	259	2.71	36	5.81	52.95	1.00	190	5.88
27	Rayagada	S	32.56	17.57	7.44	S	26.64	49	5.48	48.94	0.97	238	5.83	1	21.18	36.72	2.67	2	19.07
28	Sambalpur	39	4.56	18.69	10.93	72	11.97	76	4.80	48.82	2.02	370	5.44	11	23.09	68.82	1.45	79	23.29
29	Subarnapur	7	12.29	30.54	12.90	21	18.07	105	2.47	56.42	0.90	594	2.52	37	5.67	61.06	1.38	226	5.85
30	Sundergarh	66	3.43	22.64	9.33	149	9.92	110	3.01	28.32	1.85	310	3.58	S	30.83	42.41	3.11	1	31.63
STATE		379	1.29	28.22	1.85	1069	2.21	3350	0.62	45.13	0.22	15119	0.65	336	2.59	56.39	0.51	1892	2.67

" S " denotes area less than 500 hect. / production less than 500 M.T.

Table No.- 9.2
State level Percentage Standard Error of estimated Area, Yieldrate & Production in respect of Programmed Crops.
Year : 2022-23

State :- Odisha

Area in ' 000 hect.

Yieldrate in Qtl./Hect.

Production in ' 000 MT.

Sl. No.	Crop	AUTUMN						WINTER						SUMMER					
		Area		Yieldrate		Production		Area		Yieldrate		Production		Area		Yieldrate		Production	
		Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error	Esti- mate	% Stan- dard Error
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	378.78	1.29	28.22	1.85	1068.95	2.21	3349.88	0.62	45.13	0.22	15118.81	0.65	335.51	2.59	56.39	0.51	1891.95	2.67
2	Wheat	-		---		---		---		---		---		0.22	20.87	15.48	4.6	0.35	21.40
3	Maize	81.15	3.47	29.99	1.15	243.38	3.77	0.25	20.68	27.37	4.86	0.70	20.02	2.89	6.28	24.80	1.21	7.16	6.29
4	Ragi	13.20	3.35	7.19	1.23	9.49	3.59	28.96	3.72	9.47	1.79	27.41	4.37	0.68	9.36	7.26	4.01	0.49	10.73
5	Mung	18.03	2.67	3.05	1.57	5.50	3.03	101.89	2.91	3.01	1.41	30.63	3.17	148.00	2.51	4.20	1.02	62.21	2.67
6	Biri	12.92	3.09	2.97	1.57	3.84	3.13	57.11	3.56	3.86	1.58	22.05	3.62	14.99	5.7	4.37	1.38	6.55	6.23
7	Kuluthi	---		---		---		31.65	2.08	4.06	1.14	12.86	2.44	0.09	25.72	2.81	8.5	0.03	25.17
8	Til	2.13	5.54	1.96	3.41	0.42	6.67	10.57	19.3	3.32	4.25	3.51	22.41	7.08	8.43	2.15	2.38	1.52	8.99
9	Groundnut	15.83	3.36	16.86	1.13	26.70	3.34	4.16	16.41	17.95	3.34	7.47	18.57	23.98	7.05	20.24	2.67	48.54	7.13
10	Mustard	-	-	-	-	-	-	14.64	3.34	3.50	2.09	5.12	4.2	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	10.99	4.83	3.25	2.07	3.57	5.26	-	-	-	-	-	-
12	Jute	2.55	17.54	23.33	3.31	5.95	18.96	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	11.31	7.51	101.41	2.42	114.66	6.91	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	7.33	11.68	537.81	1.77	394.38	11.37	-	-	-	-	-	-

◆◆◆◆◆

Table No. - 10.0
State Level Estimates of Crop wise & Season wise Irrigated Area
(2013-14 to 2022-23)

State :- Odisha

(Area in '000 hect.)

Sl. No.	Crop	2013-14				2014-15				2015-16				2016-17				2017-18			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	26	1052	301	1379	26	1062	301	1389	24	1071	234	1329	19	979	225	1223	26	835	222	1083
2	Wheat	-	-	1	1	-	-	1	1	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'
3	Maize	-	'S'	4	4	'S'	'S'	2	2	'S'	'S'	3	3	'S'	'S'	3	3	'S'	'S'	2	2
4	Ragi	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'
5	Other Cereals	-	'S'	'S'	'S'	-	'S'	'S'	'S'	-	'S'	'S'	'S'	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'
6	Mung	'S'	'S'	28	28	-	'S'	10	10	-	'S'	16	16	'S'	'S'	12	13	'S'	1	9	10
7	Biri	-	1	1	2	-	'S'	1	1	-	'S'	2	2	'S'	'S'	4	4	-	'S'	3	3
8	Kulthi	-	'S'	'S'	'S'	-	-	-	-	-	'S'	-	'S'	'S'	'S'	'S'	'S'	-	'S'	-	'S'
9	Other Pulses	-	'S'	1	1	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	1	1
10	Til	-	-	1	1	-	'S'	2	2	-	-	1	1	'S'	'S'	1	1	'S'	'S'	1	1
11	Groundnut	-	'S'	14	14	-	'S'	9	9	'S'	1	12	13	'S'	1	7	8	'S'	'S'	8	8
12	Mustard	-	5	-	5	-	3	-	3	-	3	-	3	-	3	-	3	-	2	-	2
13	Niger	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'
14	Other Oilseeds	-	'S'	3	3	-	'S'	2	2	-	'S'	2	2	'S'	1	1	2	-	'S'	1	1
15	Jute	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'
16	Potato	-	6	-	6	-	9	-	9	-	6	-	6	-	7	-	7	-	4	-	4
17	Sugarcane	-	14	-	14	-	10	-	10	-	9	-	9	-	5	-	5	-	4	-	4
18	Other Crops	1	28	18	47	1	26	20	47	2	28	20	50	2	26	13	40	1	18	13	32
All crops		27	1106	372	1505	27	1110	348	1485	26	1118	290	1434	21	1022	266	1309	27	864	260	1151

'S' denotes Area less than 500 hect.



Contd..

Table No. - 10.0 (concl.d.)
State Level Estimates of Crop wise & Season wise Irrigated Area
(2013-14 to 2022-23)

State :- Odisha

Sl. No.	Crop	2018-19				2019-20				2020-21				2021-22				2022-23			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	11	929	274	1214	9	956	293	1258	17	1007	340	1364	19	1012	299	1330	16	1098	336	1450
2	Wheat	-	-	'S'	0	-	-	S	S	-	-	'S'	'S'	-	-	S	S	0	0	S	S
3	Maize	'S'	'S'	3	3	S	S	4	4	-	-	3	3	S	1	4	5	S	S	3	3
4	Ragi	'S'	-	'S'	0	-	-	S	S	-	-	'S'	'S'	-	-	S	S	0	S	1	1
5	Other Cereals	-	'S'	'S'	0	-	S	-	S	-	'S'	'S'	'S'	-	S	S	S	0	S	S	S
6	Mung	-	'S'	30	30	-	1	16	17	'S'	'S'	29	30	S	S	13	14	0	S	19	19
7	Biri	-	'S'	2	2	-	1	2	3	-	'S'	2	2	-	S	2	2	0	S	2	2
8	Kulthi	-	'S'	-	0	-	S	-	S	-	'S'	'S'	'S'	-	S	S	S	0	S	S	S
9	Other Pulses	'S'	'S'	'S'	0	-	S	S	S	-	'S'	'S'	'S'	S	S	S	1	S	S	S	S
10	Til	-	'S'	1	1	-	S	1	1	-	'S'	2	2	-	S	2	2	0	0	2	2
11	Groundnut	'S'	2	5	7	-	1	9	10	'S'	2	17	19	S	1	16	17	1	1	15	17
12	Mustard	-	1	-	1	-	2	-	2	-	2	-	2	-	7	-	7	0	5	0	5
13	Niger	-	'S'	-	0	-	S	-	S	-	-	-	-	-	S	-	S	0	0	0	0
14	Other Oilseeds	-	'S'	1	1	-	3	1	4	-	'S'	1	2	-	S	2	2	0	1	2	3
15	Jute	'S'	-	-	0	S	-	-	S	'S'	-	-	'S'	S	-	-	S	S	0	0	S
16	Potato	-	5	-	5	-	4	-	4	-	6	-	6	-	11	-	11	0	11	0	11
17	Sugarcane	-	7	-	7	-	9	-	9	-	7	-	7	-	7	-	7	0	8	0	8
18	Other Crops	1	24	17	42	1	26	24	51	2	31	26	59	5	55	35	96	7	53	33	93
All crops		12	968	333	1313	10	1002	351	1363	20	1055	421	1496	25	1096	373	1494	24	1177	413	1614

'S' denotes Area less than 500 hec.



Table No. - 10.1
District wise and Crop wise Estimates of Irrigated Area

Year - 2022-23

(Area in Hect)

Sl No.	Name of the District	Paddy	Wheat	Maize	Ragi	Other cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground-nut	Mustard	Niger	Other Oil seeds	Jute	Potato	Sugar cane	Other crops	All Crops	% to total irrigated area
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	12331	-	20	28	-	146	28	-	-	41	353	67	-	3	-	1240	55	2959	17271	1.07
2	Bolangir	12371	-	94	-	-	1068	5	-	41	37	318	-	-	42	-	141	122	5849	20088	1.24
3	Balasore	65265	-	5	-	-	955	472	-	-	334	1559	1241	-	-	-	123	-	3040	72994	4.52
4	Baragarh	199071	82	44	101	12	1666	40	4	242	49	1102	889	-	55	-	1245	43	15029	219674	13.61
5	Bhadrak	75365	2	1	-	-	1830	116	-	-	29	217	147	-	11	-	38	44	1351	79151	4.90
6	Boudh	30496	-	-	1	-	58	-	-	-	-	2	-	-	-	-	58	1	469	31085	1.93
7	Cuttack	55513	-	10	-	-	476	110	6	-	-	550	5	-	29	8	420	489	6954	64570	4.00
8	Deogarh	1192	-	49	-	-	44	10	-	-	43	54	189	-	41	-	170	23	318	2133	0.13
9	Dhenkanal	22268	1	123	28	2	113	21	-	-	12	59	8	-	1	-	473	1024	3125	27258	1.69
10	Gajapati	28593	-	21	44	-	-	-	-	-	-	230	-	-	4	-	5	-	171	29068	1.80
11	Ganjam	205259	-	122	134	5	-	-	-	-	1156	2078	-	-	9	-	42	129	6344	215278	13.32
12	Jagatsinghpur	54746	-	-	-	-	-	-	-	-	-	140	-	-	-	-	148	542	1212	56788	3.52
13	Jajpur	26272	1	3	-	-	203	-	-	-	-	376	-	-	-	-	503	917	2817	31092	1.93
14	Jharsuguda	1103	-	1	-	-	618	1	-	-	-	64	276	-	-	-	99	16	1277	3455	0.21
15	Kalahandi	141519	-	-	-	11	25	-	-	35	-	14	-	-	97	-	-	125	2906	144732	8.97
16	Kandhamal	1424	-	10	4	-	-	-	-	-	-	-	-	-	48	-	529	-	1002	3017	0.19
17	Kendrapara	30871	-	4	-	2	9019	645	1	-	23	342	1	-	236	36	168	28	1501	42877	2.66
18	Keonjhar	19994	-	-	254	3	230	91	39	62	-	29	98	-	221	-	809	-	3391	25221	1.56
19	Khurda	19397	-	2	-	1	-	-	-	-	-	58	-	-	3	-	123	314	1439	21337	1.32
20	Koraput	97844	-	739	126	-	205	-	-	21	-	886	-	-	685	-	1424	573	9204	111707	6.92
21	Malkangiri	12097	-	8	-	-	-	-	-	-	-	3460	-	-	3	-	-	-	1092	16660	1.03
22	Mayurbhanj	45193	24	87	15	2	413	31	10	14	41	617	397	-	12	-	266	-	3546	50668	3.14
23	Nuapada	27283	-	-	-	-	7	-	-	-	-	352	-	-	99	-	634	46	2084	30505	1.89
24	Nayagarh	3258	-	136	-	-	-	-	-	-	2	73	-	-	141	-	32	233	3138	7013	0.43
25	Nowarangpur	430	-	1616	96	-	190	-	-	-	-	38	-	-	2	-	164	2552	2776	7864	0.49
26	Puri	93709	-	-	5	-	-	24	-	-	1	2460	1	-	-	-	165	-	2025	98390	6.09
27	Rayagada	37582	-	73	44	3	21	64	-	5	144	3	-	-	656	-	56	-	836	39487	2.45
28	Sambalpur	29876	64	1	-	125	858	101	1	-	-	341	335	-	159	-	1162	-	1772	34795	2.16
29	Subarnapur	91629	-	-	-	2	171	-	-	-	-	194	-	-	-	-	-	-	1567	93563	5.80
30	Sundargarh	7918	49	42	62	-	1013	28	11	302	61	519	1628	-	42	-	1070	57	3843	16645	1.03
STATE		1449869	223	3211	942	168	19329	1787	72	722	1973	16488	5282	-	2599	44	11307	7333	93037	1614386	100.00

S' denotes Area less than 0.5 hect.

Table No. -10.2
District wise, Crop wise and Season wise Estimates of Irrigated Area

Year - 2022-23

Sl. No.	District	Paddy				Wheat Summer	Maize				Ragi				Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	-	11150	1181	12331	-	-	11	9	20	-	-	28	28	-	-	-	-
2	Bolangir	1752	1544	9075	12371	-	44	42	8	94	-	-	-	-	-	-	-	-
3	Balasore	-	18139	47126	65265	-	-	-	5	5	-	-	-	-	-	-	-	-
4	Baragarh	2663	105684	90724	199071	82	20	10	14	44	-	41	60	101	-	-	12	12
5	Bhadrak	-	73941	1424	75365	2	-	-	1	1	-	-	-	-	-	-	-	-
6	Boudh	-	28269	2227	30496	-	-	-	-	-	-	-	1	1	-	-	-	-
7	Cuttack	472	52697	2344	55513	-	-	8	2	10	-	-	-	-	-	-	-	-
8	Deogarh	-	1182	10	1192	-	-	-	49	49	-	-	-	-	-	-	-	-
9	Dhenkanal	4	22014	250	22268	1	-	64	59	123	-	-	28	28	-	2	-	2
10	Gajapati	-	28006	587	28593	-	1	-	20	21	-	-	44	44	-	-	-	-
11	Ganjam	-	205088	171	205259	-	43	-	79	122	-	5	129	134	-	5	-	5
12	Jagatsinghpur	17	54091	638	54746	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	25499	773	26272	1	-	-	3	3	-	-	-	-	-	-	-	-
14	Jharsuguda	-	21	1082	1103	-	-	-	1	1	-	-	-	-	-	-	-	-
15	Kalahandi	2980	92872	45667	141519	-	-	-	-	-	-	-	-	-	-	-	11	11
16	Kandhamal	1	1210	213	1424	-	-	7	3	10	-	1	3	4	-	-	-	-
17	Kendrapara	2	30377	492	30871	-	-	-	4	4	-	-	-	-	-	2	-	2
18	Keonjhar	857	17759	1378	19994	-	-	-	-	-	-	225	29	254	-	-	3	3
19	Khurda	-	17542	1855	19397	-	-	-	2	2	-	-	-	-	-	1	-	1
20	Koraput	1354	68386	28104	97844	-	-	-	739	739	-	-	126	126	-	-	-	-
21	Malkangiri	167	11656	274	12097	-	-	-	8	8	-	-	-	-	-	-	-	-
22	Mayurbhanj	80	41890	3223	45193	24	-	33	54	87	-	-	15	15	-	-	2	2
23	Nuapada	2316	13815	11152	27283	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	-	3207	51	3258	-	9	31	96	136	-	-	-	-	-	-	-	-
25	Nowarangpur	-	-	430	430	-	-	-	1616	1616	-	-	96	96	-	-	-	-
26	Puri	-	57794	35915	93709	-	-	-	-	-	-	-	5	5	-	-	-	-
27	Rayagada	-	37151	431	37582	-	-	-	73	73	-	-	44	44	-	-	3	3
28	Sambalpur	2577	15901	11398	29876	64	1	-	-	1	-	-	-	-	-	-	125	125
29	Subarnapur	162	54454	37013	91629	-	-	-	-	-	-	-	-	-	-	-	2	2
30	Sundargarh	836	6785	297	7918	49	-	-	42	42	-	-	62	62	-	-	-	-
STATE		16240	1098124	335505	1449869	223	118	206	2887	3211	-	272	670	942	-	10	158	168

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area

Year - 2022-23

Sl. No.	District	Mung				Biri				Kulthi			(Area in hect.) Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	-	-	146	146	-	-	28	28	-	-	-	-	-	-	-
2	Bolangir	-	-	1068	1068	-	-	5	5	-	-	-	-	-	41	41
3	Balasore	-	-	955	955	-	-	472	472	-	-	-	-	-	-	-
4	Baragarh	-	102	1564	1666	-	4	36	40	4	-	4	2	168	72	242
5	Bhadrak	-	2	1828	1830	-	-	116	116	-	-	-	-	-	-	-
6	Boudh	-	-	58	58	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	476	476	-	38	72	110	6	-	6	-	-	-	-
8	Deogarh	-	-	44	44	-	-	10	10	-	-	-	-	-	-	-
9	Dhenkanal	-	3	110	113	-	5	16	21	-	-	-	-	-	-	-
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	203	203	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	618	618	-	-	1	1	-	-	-	-	-	-	-
15	Kalahandi	-	-	25	25	-	-	-	-	-	-	-	-	-	35	35
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapara	-	-	9019	9019	-	105	540	645	1	-	1	-	-	-	-
18	Keonjhar	-	-	230	230	-	-	91	91	-	39	39	-	-	62	62
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	76	129	205	-	-	-	-	-	-	-	-	21	-	21
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanj	-	2	411	413	-	5	26	31	10	-	10	-	13	1	14
23	Nuapada	-	-	7	7	-	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Nowarangpur	-	-	190	190	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-
27	Rayagada	-	-	21	21	-	-	64	64	-	-	-	-	-	5	5
28	Sambalpur	-	122	736	858	-	50	51	101	1	-	1	-	-	-	-
29	Subarnapur	-	-	171	171	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	4	1009	1013	-	-	28	28	11	-	11	-	73	229	302
STATE		-	311	19018	19329	-	207	1580	1787	33	39	72	2	275	445	722

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. - 10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area

Year - 2022-23

(Area in hect.)

Sl. No.	District	Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	-	-	41	41	-	-	353	353	67	-	-	2	1	3
2	Bolangir	-	-	37	37	-	79	239	318	-	-	-	16	26	42
3	Balasore	-	-	334	334	-	-	1559	1559	1241	-	-	-	-	-
4	Baragarh	-	-	49	49	22	-	1080	1102	889	-	-	-	55	55
5	Bhadrak	-	-	29	29	-	-	217	217	147	-	-	1	10	11
6	Boudh	-	-	-	-	-	2	-	2	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	550	550	5	-	-	-	29	29
8	Deogarh	-	-	43	43	-	-	54	54	189	-	-	18	23	41
9	Dhenkanal	-	-	12	12	-	32	27	59	8	-	-	-	1	1
10	Gajapati	-	-	-	-	4	-	226	230	-	-	-	-	4	4
11	Ganjam	-	-	1156	1156	89	9	1980	2078	-	-	-	-	9	9
12	Jagatsinghpur	-	-	-	-	-	-	140	140	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	376	376	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	64	64	276	-	-	-	-	-
15	Kalahandi	-	-	-	-	-	-	14	14	-	-	-	-	97	97
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	39	9	48
17	Kendrapara	-	-	23	23	-	-	342	342	1	-	-	-	236	236
18	Keonjhar	-	-	-	-	-	25	4	29	98	-	-	27	194	221
19	Khurda	-	-	-	-	-	-	58	58	-	-	-	-	3	3
20	Koraput	-	-	-	-	-	716	170	886	-	-	-	16	669	685
21	Malkangiri	-	-	-	-	-	-	3460	3460	-	-	-	-	3	3
22	Mayurbhanj	-	-	41	41	-	32	585	617	397	-	-	1	11	12
23	Nuapada	-	-	-	-	-	-	352	352	-	-	-	-	99	99
24	Nayagarh	-	-	2	2	-	13	60	73	-	-	-	-	141	141
25	Nowrangpur	-	-	-	-	-	-	38	38	-	-	-	2	-	2
26	Puri	-	-	1	1	-	-	2460	2460	1	-	-	-	-	-
27	Rayagada	-	-	144	144	-	-	3	3	-	-	-	149	507	656
28	Sambalpur	-	-	-	-	-	-	341	341	335	-	-	-	159	159
29	Subarnapur	-	-	-	-	-	-	194	194	-	-	-	-	-	-
30	Sundargarh	-	-	61	61	-	19	500	519	1628	-	-	28	14	42
STATE		-	-	1973	1973	115	927	15446	16488	5282	-	-	299	2300	2599

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. - 10.2 (concl.)
District wise, Crop wise and Season wise Estimates of Irrigated Area

Year - 2022-23

(Area in hect.)

Sl. No.	District	Jute Autumn	Potato Winter	Sugarcane Winter	Other Crops				All Crops			
					Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	1240	55	-	2317	642	2959	-	14842	2429	17271
2	Bolangir	-	141	122	-	2842	3007	5849	1796	4786	13506	20088
3	Balasore	-	123	-	-	2005	1035	3040	-	21508	51486	72994
4	Baragarh	-	1245	43	4680	6155	4194	15029	7387	114345	97942	219674
5	Bhadrak	-	38	44	-	658	693	1351	-	74831	4320	79151
6	Boudh	-	58	1	2	362	105	469	2	28692	2391	31085
7	Cuttack	8	420	489	178	4437	2339	6954	658	58100	5812	64570
8	Deogarh	-	170	23	-	210	108	318	-	1792	341	2133
9	Dhenkanal	-	473	1024	-	2373	752	3125	4	25998	1256	27258
10	Gajapati	-	5	-	-	94	77	171	5	28105	958	29068
11	Ganjam	-	42	129	79	3577	2688	6344	211	208855	6212	215278
12	Jagatsinghpur	-	148	542	-	963	249	1212	17	55744	1027	56788
13	Jajpur	-	503	917	-	1933	884	2817	-	28852	2240	31092
14	Jharsuguda	-	99	16	126	576	575	1277	126	988	2341	3455
15	Kalahandi	-	-	125	520	1006	1380	2906	3500	94003	47229	144732
16	Kandhamal	-	529	-	-	889	113	1002	1	2675	341	3017
17	Kendrapara	36	168	28	-	780	721	1501	38	31462	11377	42877
18	Keonjhar	-	809	-	41	1918	1432	3391	898	20861	3462	25221
19	Khurda	-	123	314	121	625	693	1439	121	18605	2611	21337
20	Koraput	-	1424	573	66	6319	2819	9204	1420	77531	32756	111707
21	Malkangiri	-	-	-	-	510	582	1092	167	12166	4327	16660
22	Mayurbhanj	-	266	-	22	2418	1106	3546	102	45067	5499	50668
23	Nuapada	-	634	46	44	979	1061	2084	2360	15474	12671	30505
24	Nayagarh	-	32	233	818	1421	899	3138	827	4937	1249	7013
25	Nowarangpur	-	164	2552	-	1916	860	2776	-	4634	3230	7864
26	Puri	-	165	-	-	1138	887	2025	-	59098	39292	98390
27	Rayagada	-	56	-	3	509	324	836	3	37865	1619	39487
28	Sambalpur	-	1162	-	60	825	887	1772	2638	18396	13761	34795
29	Subarnapur	-	-	-	182	746	639	1567	344	55200	38019	93563
30	Sundargarh	-	1070	57	130	2220	1493	3843	966	11895	3784	16645
STATE		44	11307	7333	7072	52721	33244	93037	23591	1177307	413488	1614386

Table No. -11.0
State Level Estimates of Gross cropped Area irrigated vrs un-irrigated
(2013-14 to 2022-23)

State :- Odisha

(Area in ' 000 hect.)

Sl. No.	Year	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	2013-14	27	777	804	1107	2748	3855	371	138	509	1505	3663	5168
2	2014-15	27	763	790	1110	2736	3846	348	189	537	1485	3688	5173
3	2015-16	26	679	705	1118	2475	3593	290	215	505	1434	3369	4803
4	2016-17	21	709	730	1022	2696	3718	266	170	436	1309	3575	4884
5	2017-18	27	658	685	865	2548	3413	259	145	404	1151	3351	4502
6	2018-19	13	561	564	969	2523	3492	331	127	458	1313	3211	4524
7	2019-20	10	543	553	1002	2592	3594	351	172	523	1363	3307	4670
8	2020-21	19	556	575	1056	2593	3649	421	174	595	1496	3323	4819
9	2021-22	25	667	692	1096	2674	3770	374	162	536	1495	3503	4998
10	2022-23	24	541	565	1177	2701	3878	413	158	571	1614	3400	5014

❖❖❖❖❖

Table No. - 11.1
District wise Estimates of Gross cropped Area, Irrigated vrs. Un-irrigated

Year - 2022-23

(Area in ' hect.)

Sl. No.	District	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	5418	5418	14842	111981	126823	2429	548	2977	17271	117947	135218
2	Bolangir	1796	67272	69068	4786	186186	190972	13506	5636	19142	20088	259094	279182
3	Balasore	-	1371	1371	21508	155234	176742	51486	-	51486	72994	156605	229599
4	Bargarh	7387	38550	45937	114345	109505	223850	97942	-	97942	219674	148055	367729
5	Bhadrak	-	397	397	74831	65902	140733	4320	-	4320	79151	66299	145450
6	Boudh	2	3811	3813	28692	41853	70545	2391	951	3342	31085	46615	77700
7	Cuttack	658	3802	4460	58100	62283	120383	5812	29077	34889	64570	95162	159732
8	Deogarh	-	9475	9475	1792	30560	32352	341	-	341	2133	40035	42168
9	Dhenkanal	4	1468	1472	25998	71124	97122	1256	1540	2796	27258	74132	101390
10	Gajapati	5	17439	17444	28105	9324	37429	958	2980	3938	29068	29743	58811
11	Ganjam	211	4850	5061	208855	165368	374223	6212	3212	9424	215278	173430	388708
12	Jagatsinghpur	17	473	490	55744	22949	78693	1027	36376	37403	56788	59798	116586
13	Jajpur	-	13544	13544	28852	81599	110451	2240	10126	12366	31092	105269	136361
14	Jharsuguda	126	22529	22655	988	24803	25791	2341	-	2341	3455	47332	50787
15	Kalahandi	3500	26548	30048	94003	126619	220622	47229	9232	56461	144732	162399	307131
16	Kandhamal	1	2751	2752	2675	45982	48657	341	-	341	3017	48733	51750
17	Kendrapara	38	1535	1573	31462	93233	124695	11377	13724	25101	42877	108492	151369
18	Keonjhar	898	23401	24299	20861	142380	163241	3462	174	3636	25221	165955	191176
19	Khurda	121	427	548	18605	63762	82367	2611	9310	11921	21337	73499	94836
20	Koraput	1420	23880	25300	77531	68858	146389	32756	126	32882	111707	92864	204571
21	Malkangiri	167	15019	15186	12166	125647	137813	4327	-	4327	16660	140666	157326
22	Mayurbhanj	102	17539	17641	45067	259071	304138	5499	175	5674	50668	276785	327453
23	Nuapada	2360	44671	47031	15474	66901	82375	12671	4049	16720	30505	115621	146126
24	Nayagarh	827	1266	2093	4937	115871	120808	1249	6443	7692	7013	123580	130593
25	Nawarangpur	-	71401	71401	4634	121252	125886	3230	-	3230	7864	192653	200517
26	Puri	-	307	307	59098	30041	89139	39292	23958	63250	98390	54306	152696
27	Rayagada	3	5056	5059	37865	80193	118058	1619	-	1619	39487	85249	124736
28	Sambalpur	2638	37038	39676	18396	62817	81213	13761	-	13761	34795	99855	134650
29	Subarnapur	344	8233	8577	55200	51759	106959	38019	113	38132	93563	60105	153668
30	Sundargarh	966	71584	72550	11895	107818	119713	3784	82	3866	16645	179484	196129
STATE		23591	541055	564646	1177307	2700875	3878182	413488	157832	571320	1614386	3399762	5014148



Table No. - 12.0

**State Level Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity
(2013-14 to 2022-23)**

State :- Odisha

(Area in ' 000 hecets.)

Sl. No.	Year	Gross cropped area	Net cropped area	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13
1	2013-14	5168	4495	114.97	1505	1245	120.88	3663	3250	112.71	29.12	27.70
2	2014-15	5173	4474	115.62	1485	1259	117.95	3688	3215	114.71	28.71	28.14
3	2015-16	4803	4198	114.41	1434	1230	116.59	3369	2968	113.51	29.86	29.30
4	2016-17	4884	4099	119.15	1309	1122	116.67	3575	2977	120.09	26.80	27.37
5	2017-18	4502	3863	116.54	1151	970	118.66	3351	2893	115.83	25.57	25.11
6	2018-19	4527	4006	113.01	1314	1092	120.34	3213	2914	110.26	29.02	27.25
7	2019- 20	4670	4102	113.83	1363	1137	119.90	3307	2965	111.51	29.19	27.72
8	2020- 21	4819	4179	115.31	1496	1200	124.63	3323	2979	111.56	31.04	28.72
9	2021- 22	4998	4322	115.63	1494	1238	120.71	3503	3084	113.59	29.90	28.64
10	2022-23	5014	4269	117.45	1614	1335	120.90	3400	2934	115.88	32.19	31.27

♦♦♦♦♦

Table No. - 12.1
District wise Estimates of Gross cropped area, Net area sown & Cropping intensity

Year - 2022-23

(Area in '000 hec.)

Sl. No.	Year	Gross cropped area	Net cropped area	Area sown more than once	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	135	129	6	104.65	17	16	106.25	118	114	103.51	12.59	12.40
2	Bolangir	279	245	34	113.88	20	18	111.11	259	228	113.60	7.17	7.35
3	Balasore	230	187	43	122.99	73	70	104.29	157	117	134.19	31.74	37.43
4	Baragarh	368	281	87	130.96	220	133	165.41	148	147	100.68	59.78	47.33
5	Bhadrak	145	143	2	101.40	79	77	102.60	66	66	100.00	54.48	53.85
6	Boudh	78	75	3	104.00	31	30	103.33	47	45	104.44	39.74	40.00
7	Cuttack	160	124	36	129.03	65	55	118.18	95	70	135.71	40.63	44.35
8	Deogarh	42	41	1	102.44	2	2	100.00	40	39	102.56	4.76	4.88
9	Dhenkanal	101	96	5	105.21	27	26	103.85	74	69	107.25	26.73	27.08
10	Gajapati	59	45	14	131.11	29	27	107.41	30	19	157.89	49.15	60.00
11	Ganjam	389	302	87	128.81	215	204	105.39	173	98	176.53	55.27	67.55
12	Jagatsingpur	117	78	39	150.00	57	55	103.64	60	22	272.73	48.72	70.51
13	Jajpur	136	120	16	113.33	31	30	103.33	105	90	116.67	22.79	25.00
14	Jharsuguda	51	41	10	124.39	3	3	100.00	47	38	123.68	5.88	7.32
15	Kalahandi	307	240	67	127.92	145	104	139.42	162	136	119.12	47.23	43.33
16	Kandhamal	52	51	1	101.96	3	3	100.00	49	48	102.08	5.77	5.88
17	Kendrapara	151	128	23	117.97	43	37	116.22	108	90	120.00	28.48	28.91
18	Keonjhar	191	186	5	102.69	25	24	104.17	166	162	102.47	13.09	12.90
19	Khurda	95	81	14	117.28	21	19	110.53	73	62	117.74	22.11	23.46
20	Koraput	204	162	42	125.93	112	81	138.27	93	81	114.81	54.90	50.00
21	Malkangiri	157	154	3	101.95	17	16	106.25	141	138	102.17	10.83	10.39
22	Mayurbhanj	327	314	13	104.14	51	49	104.08	277	265	104.53	15.60	15.61
23	Nuapada	146	120	26	121.67	31	22	140.91	116	97	119.59	21.23	18.33
24	Nayagarh	130	97	33	134.02	7	6	116.67	124	91	136.26	5.38	6.19
25	Nawarangpur	201	182	19	110.44	8	8	100.00	193	175	110.29	3.98	4.40
26	Puri	153	116	37	131.90	98	90	108.89	54	26	207.69	64.05	77.59
27	Rayagada	125	122	3	102.46	39	38	102.63	85	84	101.19	31.20	31.15
28	Sambalpur	135	102	33	132.35	35	21	166.67	100	81	123.46	25.93	20.59
29	Subarnapur	154	115	39	133.91	93	55	169.09	60	60	100.00	60.39	47.83
30	Sundargarh	196	192	4	102.08	17	16	106.25	180	176	102.27	8.67	8.33
STATE		5014	4269	745	117.45	1614	1335	120.90	3400	2934	115.88	32.19	31.27

"S" denotes area less than 500 hect.

Table No. - 13.1
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation
Season-Autumn

Year - 2022-23

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	-	-	-	-	-	-	-	-	-
2	Bolangir	630	119	68	196	312	251	220	-	-	1796
3	Balasore	-	-	-	-	-	-	-	-	-	-
4	Baragarh	2852	32	205	62	5	4139	92	-	-	7387
5	Bhadrak	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	2	-	-	-	2
7	Cuttack	-	3	5	-	-	-	650	-	-	658
8	Deogarh	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	4	-	-	4
10	Gajapati	-	-	-	-	5	-	-	-	-	5
11	Ganjam	-	-	22	-	-	88	101	-	-	211
12	Jagatsinghpur	-	-	-	-	-	-	17	-	-	17
13	Jajpur	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	126	-	-	-	126
15	Kalahandi	1942	546	221	38	59	592	66	7	29	3500
16	Kandhamal	-	-	-	-	1	-	-	-	-	1
17	Kendrapara	-	-	-	-	-	-	38	-	-	38
18	Keonjhar	-	-	-	-	6	16	876	-	-	898
19	Khurda	-	-	-	-	-	121	-	-	-	121
20	Koraput	839	153	374	20	34	-	-	-	-	1420
21	Malakangiri	-	167	-	-	-	-	-	-	-	167
22	Mayurbhanja	-	-	-	26	-	62	13	-	1	102
23	Nuapada	-	1616	161	34	-	273	276	-	-	2360
24	Nayagarh	-	12	-	-	9	-	-	806	-	827
25	Nowrangapur	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	-	-	3	-	-	-	-	3
28	Sambalpur	1932	478	-	-	-	228	-	-	-	2638
29	Subarnapur	-	-	-	-	-	187	157	-	-	344
30	Sundergarh	-	390	234	198	2	66	40	4	32	966
STATE		8195	3516	1290	574	436	6151	2550	817	62	23591

(Contd.)

Table No. - 13.2
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation
Season-Winter

Year - 2022-23

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	180	3406	5694	546	812	3382	795	17	10	14842
2	Bolangir	-	-	1224	-	4	3219	339	-	-	4786
3	Balasore	-	18180	-	-	-	1	3327	-	-	21508
4	Baragarh	76147	-	3140	376	-	33141	1481	60	-	114345
5	Bhadrak	76	73844	-	-	-	-	749	-	162	74831
6	Boudh	1834	15447	6269	917	-	1404	2821	-	-	28692
7	Cuttack	38	51001	1252	408	52	824	4306	36	183	58100
8	Deogarh	-	608	486	-	-	-	698	-	-	1792
9	Dhenkanal	8920	10896	283	456	-	1241	4143	46	13	25998
10	Gajapati	-	-	2435	1612	21795	195	2068	-	-	28105
11	Ganjam	2002	76986	58234	49579	11458	6651	3493	81	371	208855
12	Jagatsinghpur	53633	-	-	-	-	-	1335	-	776	55744
13	Jajpur	4137	5329	-	-	14867	1549	2892	74	4	28852
14	Jharsuguda	-	-	-	-	-	219	769	-	-	988
15	Kalahandi	73483	13095	532	178	902	608	4916	257	32	94003
16	Kandhamal	-	459	650	164	87	850	304	23	138	2675
17	Kendrapara	29634	-	-	2	-	28	1767	-	31	31462
18	Keonjhar	-	-	928	3874	1	6391	8648	500	519	20861
19	Khurda	4058	13888	117	174	3	287	77	-	1	18605
20	Koraput	18888	-	25247	-	31096	1488	812	-	-	77531
21	Malakangiri	-	9742	-	-	874	453	1080	5	12	12166
22	Mayurbhanja	1039	21327	6899	7158	387	2007	5410	6	834	45067
23	Nuapada	176	8068	2705	53	12	3073	1317	70	-	15474
24	Nayagarh	-	2622	88	567	14	154	454	820	218	4937
25	Nowrangapur	-	-	-	-	5	268	4144	13	204	4634
26	Puri	-	57785	-	-	-	-	1312	1	-	59098
27	Rayagada	-	1073	1602	9302	21988	3645	255	-	-	37865
28	Sambalpur	13328	-	815	-	-	2868	1306	77	2	18396
29	Subarnapur	43941	9140	-	-	-	2	2109	1	7	55200
30	Sundergarh	-	5873	720	132	252	2255	2142	54	467	11895
STATE		331514	398769	119320	75498	104609	76203	65269	2141	3984	1177307

(Contd.)

Table No. - 13.3
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation
Season-Summer
Year - 2022-23
(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	118	1281	44	-	575	400	11	-	2429
2	Bolangir	-	-	230	325	44	10526	2379	-	2	13506
3	Balasore	-	-	-	-	-	-	51486	-	-	51486
4	Baragarh	69923	-	623	-	135	27261	-	-	-	97942
5	Bhadrak	-	-	-	-	-	236	4025	-	59	4320
6	Boudh	4	571	8	176	-	437	1195	-	-	2391
7	Cuttack	141	276	23	41	1	1363	3044	4	919	5812
8	Deogarh	-	-	-	-	-	-	341	-	-	341
9	Dhenkanal	-	-	52	142	17	494	541	6	4	1256
10	Gajapati	-	-	-	-	938	14	6	-	-	958
11	Ganjam	-	116	822	532	1368	1523	1805	19	27	6212
12	Jagatsinghpur	-	-	-	-	-	3	1024	-	-	1027
13	Jajpur	-	-	7	-	3	39	2181	-	10	2240
14	Jharsuguda	-	-	-	-	-	192	2149	-	-	2341
15	Kalahandi	36360	412	553	17	1159	1053	7560	81	34	47229
16	Kandhamal	-	12	37	43	136	58	43	-	12	341
17	Kendrapara	1789	-	-	-	-	-	9556	-	32	11377
18	Keonjhar	-	-	152	77	31	921	1671	242	368	3462
19	Khurda	-	58	-	-	2	1799	730	20	2	2611
20	Koraput	17954	1967	-	13	10323	98	2339	14	48	32756
21	Malakangiri	-	867	825	-	-	96	2383	-	156	4327
22	Mayurbhanja	-	25	18	64	150	1977	2958	92	215	5499
23	Nuapada	-	3827	810	252	-	6896	797	89	-	12671
24	Nayagarh	-	-	51	-	87	560	540	-	11	1249
25	Nowrangapur	-	-	-	-	27	123	2978	47	55	3230
26	Puri	-	-	-	-	-	-	39292	-	-	39292
27	Rayagada	-	-	67	344	649	559	-	-	-	1619
28	Sambalpur	10004	49	347	-	687	1537	600	537	-	13761
29	Subarnapur	33092	2701	-	73	54	259	1837	3	-	38019
30	Sundergarh	16	27	91	39	288	1250	1677	116	280	3784
STATE		169283	11026	5997	2182	16099	59849	145537	1281	2234	413488

(Contd.)

Table No. - 13.4
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation
(Autumn, Winter & Summer Combined)

Year - 2022-23

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	180	3524	6975	590	812	3957	1195	28	10	17271
2	Bolangir	630	119	1522	521	360	13996	2938	-	2	20088
3	Balasore	-	18180	-	-	-	1	54813	-	-	72994
4	Baragarh	148922	32	3968	438	140	64541	1573	60	-	219674
5	Bhadrak	76	73844	-	-	-	236	4774	-	221	79151
6	Boudh	1838	16018	6277	1093	-	1843	4016	-	-	31085
7	Cuttack	179	51280	1280	449	53	2187	8000	40	1102	64570
8	Deogarh	-	608	486	-	-	-	1039	-	-	2133
9	Dhenkanal	8920	10896	335	598	17	1735	4688	52	17	27258
10	Gajapati	-	-	2435	1612	22738	209	2074	-	-	29068
11	Ganjam	2002	77102	59078	50111	12826	8262	5399	100	398	215278
12	Jagatsinghpur	53633	-	-	-	-	3	2376	-	776	56788
13	Jajpur	4137	5329	7	-	14870	1588	5073	74	14	31092
14	Jharsuguda	-	-	-	-	-	537	2918	-	-	3455
15	Kalahandi	111785	14053	1306	233	2120	2253	12542	345	95	144732
16	Kandhamal	-	471	687	207	224	908	347	23	150	3017
17	Kendrapara	31423	-	-	2	-	28	11361	-	63	42877
18	Keonjhar	-	-	1080	3951	38	7328	11195	742	887	25221
19	Khurda	4058	13946	117	174	5	2207	807	20	3	21337
20	Koraput	37681	2120	25621	33	41453	1586	3151	14	48	111707
21	Malakangiri	-	10776	825	-	874	549	3463	5	168	16660
22	Mayurbhanja	1039	21352	6917	7248	537	4046	8381	98	1050	50668
23	Nuapada	176	13511	3676	339	12	10242	2390	159	-	30505
24	Nayagarh	-	2634	139	567	110	714	994	1626	229	7013
25	Nowrangapur	-	-	-	-	32	391	7122	60	259	7864
26	Puri	-	57785	-	-	-	-	40604	1	-	98390
27	Rayagada	-	1073	1669	9646	22640	4204	255	-	-	39487
28	Sambalpur	25264	527	1162	-	687	4633	1906	614	2	34795
29	Subarnapur	77033	11841	-	73	54	448	4103	4	7	93563
30	Sundergarh	16	6290	1045	369	542	3571	3859	174	779	16645
STATE		508992	413311	126607	78254	121144	142203	213356	4239	6280	1614386

♦♦♦♦♦

Table No. - 14.0
State Level Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy, Wheat & Maize
(2013-14 to 2022-23)

State :- Odisha

Sl No	Year	Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
Crop -Paddy (Area in " 000 hect. & Yield-rate in Qtls./Hect.)													
1	2013-14	489	23.14	93	17.05	2922	27.72	376	15.67	300	51.84	-	-
2	2014-15	505	28.16	78	18.80	2987	37.16	295	24.53	301	50.64	-	-
3	2015-16	485	11.17	56	8.58	2916	23.31	251	13.06	234	50.84	-	-
4	2016-17	445	20.03	66	15.77	3024	39.87	203	28.93	225	53.50	-	-
5	2017-18	480	16.31	51	18.08	2875	26.85	139	20.12	222	47.48	-	-
6	2018-19	398	17.84	57	15.80	2980	30.74	151	23.55	274	51.15	-	-
7	2019-20	384	28.20	42	19.69	3071	38.40	151	26.98	293	48.31	-	-
8	2020-21	410	30.62	23	24.92	3145	41.45	112	31.59	339	57.83	-	-
9	2021-22	421	21.60	23	24.78	3118	35.69	87	30.20	299	57.53	-	-
10	2022-23	367	28.27	12	26.76	3276	45.45	74	30.99	336	56.39	-	-
Crop - Wheat (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2013-14	-	-	-	-	-	-	-	-	665	15.80	13	13.00
2	2014-15	-	-	-	-	-	-	-	-	374	16.54	29	12.83
3	2015-16	-	-	-	-	-	-	-	-	326	13.18	41	15.76
4	2016-17	-	-	-	-	-	-	-	-	56	14.30	1	9.00
5	2017-18	-	-	-	-	-	-	-	-	68	22.24	5	13.40
6	2018-19	-	-	-	-	-	-	-	-	142	18.42	5	10.40
7	2019-20	-	-	-	-	-	-	-	-	113	13.83	5	15.20
8	2020-21	-	-	-	-	-	-	-	-	177	16.42	5	15.40
9	2021-22	-	-	-	-	-	-	-	-	161	20.25	16	23.22
10	2022-23	-	-	-	-	-	-	-	-	219	15.51	4	14.50
Crop - Maize (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2013-14	83595	29.22	7666	11.22	185	15.37	93	11.23	3503	29.29	88	19.64
2	2014-15	82248	21.14	6970	11.46	162	16.83	18	15.50	2266	26.11	-	-
3	2015-16	46923	20.75	5920	11.25	244	17.67	11	11.09	2482	26.25	7	13.57
4	2016-17	57940	31.04	10517	14.77	958	13.53	386	12.84	2579	29.21	10	10.10
5	2017-18	38409	27.03	6027	12.92	206	14.30	168	13.89	240	27.23	3	13.67
6	2018-19	43434	24.45	5692	12.47	67	24.47	-	-	2849	26.11	6	21.83
7	2019-20	55286	30.08	5755	16.18	73	25.49	22	17.50	3922	33.33	12	16.42
8	2020-21	71905	29.74	3349	17.29	61	25.38	1	41.00	2534	26.48	76	15.16
9	2021-22	92177	24.23	5434	17.15	1059	25.57	50	14.14	3704	26.08	11	23.26
10	2022-23	78053	30.52	3099	16.42	238	27.61	16	19.74	2319	25.74	568	20.44

♦♦♦♦♦

Table No. -14.1

District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy

Year : 2022-23

Sl No	District	(Area in hect. & Yield-rate in Qtls./Hect.)											
		Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Anugul	737	25.76	-	-	117083	51.33	-	-	1181	48.46	-	-
2	Bolangir	46151	21.68	-	-	127739	35.26	126	30.56	9075	50.78	-	-
3	Balasore	-	-	-	-	173012	44.82	-	-	47126	56.10	-	-
4	Baragarh	29465	45.82	60	52.58	205711	63.16	-	-	90724	60.86	-	-
5	Bhadrak	-	-	-	-	139642	43.46	-	-	1424	41.28	-	-
6	Boudh	3498	36.19	-	-	65016	51.68	-	-	2227	42.37	-	-
7	Cuttack	1321	29.96	-	-	107622	43.89	2134	37.42	2344	55.66	-	-
8	Deogarh	8868	25.89	-	-	31273	42.99	-	-	10	31.60	-	-
9	Dhenkanal	249	32.26	-	-	85975	51.39	-	-	250	43.20	-	-
10	Gajapati	2	39.50	-	-	31461	39.21	39	26.41	587	28.55	-	-
11	Ganjam	-	-	-	-	293390	46.35	-	-	171	45.54	-	-
12	Jagatsinghpur	227	16.54	-	-	76029	43.17	-	-	638	51.99	-	-
13	Jajpur	11348	22.26	477	20.05	101106	37.60	62	12.21	773	37.67	-	-
14	Jharsuguda	21731	12.39	-	-	24273	32.16	-	-	1082	68.76	-	-
15	Kalahandi	25324	25.73	-	-	172465	46.39	-	-	45667	56.57	-	-
16	Kandhamal	231	33.13	891	21.15	26680	36.99	14512	31.25	213	38.18	-	-
17	Kendrapara	568	33.54	-	-	112687	35.31	7359	20.60	492	59.46	-	-
18	Keonjhar	17524	53.82	386	51.98	155829	52.84	28	46.96	1378	43.97	-	-
19	Khurda	13	19.54	-	-	80196	44.75	18	35.94	1855	54.58	-	-
20	Koraput	13983	35.08	1545	41.85	88344	50.42	542	35.27	28104	47.49	-	-
21	Malakangiri	8765	26.85	5235	24.46	98675	44.91	17640	31.30	274	37.74	-	-
22	Mayurbhanja	15397	31.86	431	35.23	278106	42.42	22073	35.35	3223	42.52	-	-
23	Nuapada	31098	31.62	-	-	64331	39.68	282	31.77	11152	46.87	-	-
24	Nayagarh	-	-	-	-	91626	41.72	313	30.73	51	42.86	-	-
25	Nowrangapur	21816	40.55	-	-	111515	51.06	-	-	430	36.56	-	-
26	Puri	-	-	-	-	84322	30.44	1346	15.17	35915	52.95	-	-
27	Rayagada	7	34.57	37	14.35	48574	48.94	-	-	431	36.72	-	-
28	Sambalpur	38621	18.69	-	-	75789	48.82	-	-	11398	68.82	-	-
29	Subarnapur	6977	30.54	-	-	105341	56.42	-	-	37013	61.06	-	-
30	Sundergarh	62882	22.73	2912	20.73	101731	28.34	7858	28.00	297	42.41	-	-
STATE		366803	28.27	11974	26.76	3275543	45.45	74332	30.99	335505	56.39	-	-

"S" - denotes area less than 500 hect.

Table No. - 14.2

District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Wheat & Maize Crop

Year : 2022-23

(Area in hect. & Yield-rate in Qtls./Hect.)

SI No	District	Wheat (Summer)				Maize											
						Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Anugul	-	-	-	-	323	25.35	2	23.28	11	26.42	-	-	9	22.84	-	24.44
2	Bolangir	-	-	-	-	2708	36.42	15	35.62	42	38.02	-	-	8	33.49	-	-
3	Balasore	S	28.88	-	-	-	-	-	-	-	-	-	-	4	30.80	1	34.78
4	Baragarh	83	15.96	-	-	40	20.77	31	14.63	10	24.63	-	-	14	20.00	S	16.81
5	Bhadrak	2	8.75	-	-	-	-	-	-	S	25.73	-	-	1	31.06	S	30.69
6	Boudh	-	-	-	-	1	6.96	46	8.31	S	7.98	S	7.81	S	5.79	-	-
7	Cuttack	-	-	-	-	-	-	-	-	8	37.64	-	-	2	39.10	-	-
8	Deogarh	-	-	-	-	116	21.12	-	-	-	-	-	-	49	16.37	-	-
9	Dhenkanal	1	12.12	-	-	86	20.72	-	-	64	25.08	-	-	59	21.53	-	-
10	Gajapati	-	-	-	-	15107	22.86	183	13.66	-	-	-	-	20	11.43	-	-
11	Ganjam	-	-	-	-	589	19.95	330	18.48	-	-	-	-	79	20.31	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	S	22.66	-	-
13	Jajpur	1	7.95	-	-	16	44.44	-	-	-	-	-	-	3	20.09	-	-
14	Jharsuguda	S	25.14	-	-	85	31.76	-	-	-	-	-	-	1	40.47	-	-
15	Kalahandi	-	-	-	-	2043	25.64	157	10.65	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	518	16.75	460	11.46	7	16.21	1	11.39	3	18.43	-	-
17	Kendrapara	-	-	-	-	-	-	-	-	-	-	-	-	4	22.06	-	-
18	Keonjhar	-	-	-	-	1110	27.51	228	26.88	2	34.76	3	13.71	-	-	-	-
19	Khurda	-	-	-	-	6	8.57	-	-	-	-	-	-	2	18.40	-	-
20	Koraput	-	-	-	-	3014	24.00	275	18.32	-	-	-	-	201	20.25	538	20.26
21	Malakangiri	-	-	-	-	10	28.07	664	16.56	-	-	-	-	3	22.31	5	24.25
22	Mayurbhanja	24	15.26	-	-	63	20.17	28	15.09	32	23.48	12	20.42	52	21.26	2	16.87
23	Nuapada	-	-	-	-	2657	21.30	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	-	-	-	-	211	27.06	78	20.27	28	40.69	3	25.98	74	36.72	22	23.35
25	Nowrangapur	-	-	-	-	46343	34.91	-	-	-	-	-	-	1616	27.35	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	-	-	1901	17.74	555	15.85	31	14.95	-	-	73	19.05	-	-
28	Sambalpur	63	12.93	-	-	-	20.97	-	20.38	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundergarh	45	18.96	4	14.50	968	29.18	47	20.99	S	28.59	-	-	42	30.34	-	-
STATE		219	15.51	4	14.50	78053	30.52	3099	16.42	238	27.61	16	19.74	2319	25.74	568	20.44

"S" - denotes area less than 0.5 hect

Table No. - 15.0
State Level Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots
(2013-14 to 2022-23)

State :- Odisha

Area in ' 000 hec.

Yieldrate in Qtls / Hects.

Sl. No.	Year	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-
			C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2013-14	26	455	31.38	556	6647	21.88	1052	3611	27.35	2246	7580	25.72	300	4611	51.84	-	-	-
2	2014-15	26	358	30.92	557	6492	26.84	1062	3459	38.36	2220	7101	34.6	301	4662	50.64	-	-	-
3	2015-16	24	468	26.03	517	6238	10.21	1072	3646	33.45	2095	7042	16.43	234	3781	50.84	-	-	-
4	2016-17	19	489	30.41	492	6838	19.41	979	5461	45.53	2247	11038	35.75	225	3525	53.5	-	-	-
5	2017-18	26	367	22.68	504	7024	16.16	835	4833	29.01	2179	12611	25.59	222	3425	47.48	-	-	-
6	2018-19	11	421	23.37	444	2940	17.73	929	9811	33.96	2201	17563	27.77	274	4673	51.15	-	-	-
7	2019-20	9	400	34.7	417	5437	27	956	9293	40.46	2267	18710	35.69	293	6188	48.31	-	-	-
8	2020-21	17	452	40.57	415	5174	29.93	1007	9479	44.62	2250	18091	38.38	339	6756	54.57	-	-	-
9	2021-22	19	414	33.09	424	4252	21.18	1012	9868	38.53	2193	17220	32.26	299	6573	54.53	-	-	-
10	2022-23	16	273	35.97	363	3159	27.74	1098	10383	48.91	2252	17555	42.41	336	6894	54.77	-	-	-



Table No. - 15.1
District wise Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots

Year - 2022-23

(Area in hect. & Yieldrate in Qtls / Hect.)

Sl. No.	District	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Anugul	-	-	-	737	38	28.79	11150	177	54.79	105933	797	50.79	1181	16	48.53	-	-	-
2	Bolangir	1752	28	31.73	44399	329	20.98	1544	251	36.83	126321	1015	35.24	9075	511	51.70	-	-	-
3	Balasore	-	-	-	-	-	-	18139	199	48.38	154873	1262	43.63	47126	727	54.54	-	-	-
4	Baragarh	2663	82	44.27	26862	176	46.73	105684	705	64.63	100027	339	59.31	90724	1036	59.81	-	-	-
5	Bhadrak	-	-	-	-	2	-	73941	614	47.76	65701	289	35.64	1424	156	41.33	-	-	-
6	Boudh	-	-	-	3498	113	36.07	28269	197	52.10	36747	257	51.36	2227	83	43.98	-	-	-
7	Cuttack	472	2	30.84	849	22	27.31	52697	879	48.95	57059	614	37.18	2344	102	56.12	-	-	-
8	Deogarh	-	-	-	8868	16	23.48	1182	44	45.17	30091	240	42.03	10	10	31.20	-	-	-
9	Dhenkanal	4	3	31.75	245	43	32.04	22014	242	51.70	63961	615	51.03	250	40	42.09	-	-	-
10	Gajapati	-	-	-	2	4	39.50	28006	357	38.47	3494	245	37.58	587	147	28.06	-	-	-
11	Ganjam	-	-	-	-	-	-	205088	1626	46.85	88302	372	44.56	171	20	41.00	-	-	-
12	Jagatsinghpur	17	8	40.06	210	25	21.67	54091	522	47.21	21938	279	37.76	638	102	49.02	-	-	-
13	Jajpur	-	-	-	11825	132	22.44	25499	348	37.73	75669	894	32.68	773	114	38.07	-	-	-
14	Jharsuguda	-	-	-	21731	20	13.25	21	26	50.86	24252	297	35.22	1082	54	71.54	-	-	-
15	Kalahandi	2980	21	32.45	22344	233	22.95	92872	647	53.66	79593	938	37.93	45667	662	53.54	-	-	-
16	Kandhamal	1	2	19.00	1121	181	25.82	1210	56	38.42	39982	636	34.49	213	50	39.68	-	-	-
17	Kendrapara	2	7	41.00	566	42	31.26	30377	414	39.18	89669	602	31.16	492	125	52.22	-	-	-
18	Keonjhar	857	3	49.74	17053	195	46.05	17759	171	56.81	138098	1041	51.90	1378	48	48.56	-	-	-
19	Khurda	-	-	-	13	4	19.54	17542	194	48.64	62672	566	43.63	1855	165	54.96	-	-	-
20	Koraput	1354	50	46.16	14174	301	33.88	68386	525	48.09	20500	469	46.46	28104	651	43.76	-	-	-
21	Malakangiri	167	12	25.66	13833	194	25.18	11656	54	40.24	104659	406	43.77	274	42	37.40	-	-	-
22	Mayurbhanja	80	13	39.30	15748	398	30.52	41890	314	44.31	258289	1364	41.12	3223	290	39.74	-	-	-
23	Nuapada	2316	28	35.57	28782	131	30.86	13815	109	44.19	50798	423	38.45	11152	173	47.18	-	-	-
24	Nayagarh	-	-	-	-	-	-	3207	125	44.82	88732	675	40.97	51	4	42.86	-	-	-
25	Nowrangapur	-	-	-	21816	219	40.52	-	22	-	111515	689	50.70	430	114	36.89	-	-	-
26	Puri	-	-	-	-	-	-	57794	437	31.56	27874	470	23.27	35915	750	48.70	-	-	-
27	Rayagada	-	-	-	44	20	17.57	37151	501	48.91	11423	245	44.59	431	60	35.54	-	-	-
28	Sambalpur	2577	6	30.47	36044	44	20.97	15901	217	55.12	59888	339	46.19	11398	156	67.48	-	-	-
29	Subarnapur	162	6	42.28	6815	22	31.98	54454	334	57.75	50887	119	50.11	37013	410	61.75	-	-	-
30	Sundergarh	836	2	21.67	64958	255	23.47	6785	76	36.63	102804	1058	28.32	297	76	41.75	-	-	-
STATE		16240	273	35.97	362537	3159	27.74	1098124	10383	48.91	2251751	17555	42.41	335505	6894	54.77	-	-	-

S - denotes area less than 0.5 hect. & No. of CCEs with no crop area denotes the CCEs conducted in non-sample villages under PMFBY

Table No. - 15.2
State Level Estimates of Area, Yield-rate of Programmed Crops
from Irrigated & Un-irrigated Plots

Year - 2022-23

(Area in hect.)

(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	16240	273	35.97	362537	3159	27.74	1098124	10383	48.91	2251751	17555	42.41	335505	6894	54.77	-	-	-
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	223	67	15.48	-	-	-
3	Maize	118	70	26.15	81034	3089	30.02	206	88	29.82	48	16	16.77	2887	504	24.8	-	-	-
4	Ragi	-	-	-	13202	1053	7.19	272	13	5.05	28691	906	9.5	670	164	7.3	8	3	8.38
5	Mung	-	-	-	18031	700	3.05	311	72	4.74	101579	1392	3	19018	962	4.61	128980	1583	4.15
6	Biri	-	-	-	12921	818	2.97	207	18	4.47	56906	2363	3.86	1580	282	3.99	13414	682	4.44
7	Kulthi	-	-	-	-	-	-	33	23	4.45	31620	2762	4.06	39	9	2.54	55	12	3
8	Til	-	-	-	2134	264	1.96	S	2	-	10567	763	3.32	1973	283	2.2	5105	228	2.12
9	Groundnut	115	52	14.24	15718	1245	16.88	927	108	16.42	3234	176	18.58	15446	1405	23.56	8531	444	14.66
10	Mustard	-	-	-	-	-	-	5282	971	4.74	9359	1630	2.8	-	-	-	-	-	-
11	Nizer	-	-	-	-	-	-	-	-	-	10991	659	3.25	-	-	-	-	-	-
12	Jute	44	13	18.41	2508	123	23.35	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	11307	2550	101.41	-	-	-	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	7333	352	537.81	-	-	-	-	-	-	-	-	-

'S' - denotes area less than 0.5 hect.



Table No. - 16.0
State Level Estimates of Yield-rate of Programmed Crops
from plots applied with fertiliser / manure & not applied with fertiliser / manure.

Year -2022-23

(Yieldrate in Qtls/Hect)

Sl. No.	Crop	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	3059	31.53	227	28.93	146	23.51	26377	43.91	894	36.06	667	34.77	6721	51.27	123	36.50	50	36.93
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	66	16.02	1	30	-	-
3	Maize	1867	25.95	647	17.92	645	18.89	76	29.18	9	19.87	19	16.04	375	24.38	96	18.65	33	21.34
4	Ragi	285	8.39	321	8.59	447	6.65	181	8.45	240	9.35	498	6.47	46	6.71	52	8.39	69	5.21
5	Mung	258	3.46	55	3.70	387	3.08	252	4.06	210	2.87	1002	3.49	769	4.56	216	3.88	1560	4.33
6	Biri	298	3.66	82	3.60	438	3.37	184	4.08	372	3.57	1825	3.84	256	4.50	79	4.16	629	3.79
7	Kulthi	-	-	-	-	-	-	275	4.18	435	4.09	2075	3.81	9	2.53	-	-	12	3.62
8	Til	78	2.68	35	2.24	151	1.85	181	3.19	112	3.01	472	2.47	173	2.90	98	2.03	240	2.30
9	Groundnut	938	17.13	120	13.28	239	16.42	110	17.48	71	15.71	103	13.65	1495	20.16	95	18.22	259	16.80
10	Mustard	-	-	-	-	-	-	1103	4.79	406	2.42	1092	2.01	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	18	2.43	184	3.23	457	2.78	-	-	-	-	-	-
12	Jute	128	18.52	5	12.97	3	21.70	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	2445	110.61	64	78.28	41	77.62	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	325	590.92	14	574.86	13	493.85	-	-	-	-	-	-

❖❖❖❖❖

Table No. - 16.1

District wise Estimates of Yield rate of Paddy from plots applied with fertiliser / manure & not applied with fertiliser / manure .
Year - 2022-23

(Yieldrate in Qtls/Hect)

Sl. No.	Districts	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	34	27.88	-	-	4	36.53	970	51.60	4	32.17	-	-	16	48.53	-	-	-	-
2	Bolangir	353	21.94	1	12.40	3	11.03	1247	35.73	2	46.79	17	20.92	507	51.60	-	-	4	64.44
3	Balasore	-	-	-	-	-	-	1443	44.58	3	37.80	15	16.62	727	54.54	-	-	-	-
4	Baragarh	258	45.97	-	-	-	-	1043	62.90	1	59.46	-	-	1036	59.81	-	-	-	-
5	Bhadrak	2	34.21	-	-	-	-	903	43.88	-	-	-	-	156	41.33	-	-	-	-
6	Boudh	90	35.70	5	34.31	18	38.40	438	51.94	13	44.43	3	44.68	83	43.98	-	-	-	-
7	Cuttack	24	27.60	-	-	-	-	1462	44.21	20	41.59	11	35.07	102	56.12	-	-	-	-
8	Deogarh	16	23.48	-	-	-	-	283	42.52	-	-	1	39.73	10	31.21	-	-	-	-
9	Dhenkanal	42	31.69	4	35.59	-	-	846	51.20	10	53.11	1	47.83	40	42.09	-	-	-	-
10	Gajapati	4	39.74	-	-	-	-	453	38.39	115	36.33	34	39.64	102	27.91	45	28.38	-	-
11	Ganjam	-	-	-	-	-	-	1959	46.42	22	47.75	17	44.99	20	41.00	-	-	-	-
12	Jagatsinghpur	27	31.93	-	-	6	-	795	43.88	1	49.27	5	49.40	102	49.02	-	-	-	-
13	Jajpur	131	22.72	1	48.40	-	-	1242	33.82	-	-	-	-	114	38.07	-	-	-	-
14	Jharasuguda	20	13.25	-	-	-	-	322	36.50	-	-	1	30.41	54	71.54	-	-	-	-
15	Kalahandi	216	23.17	24	29.60	14	22.50	1433	45.19	86	37.63	66	34.99	654	53.73	1	44.29	7	37.02
16	Kandhamal	32	31.25	87	28.81	64	24.25	156	36.44	311	34.39	225	33.61	32	43.05	15	33.18	3	36.14
17	Kendrapara	49	32.62	-	-	-	-	980	34.43	14	26.28	22	29.72	125	52.22	-	-	-	-
18	Keunjhor	196	45.37	2	35.77	-	-	1174	52.56	7	38.81	31	47.89	46	48.98	2	38.79	-	-
19	Khurda	3	17.71	1	25.00	-	-	711	45.13	30	38.51	19	42.71	165	54.96	-	-	-	-
20	Koraput	294	35.79	46	38.46	11	18.09	902	47.99	33	39.29	59	38.20	598	43.62	48	45.67	5	41.43
21	Malkanagiri	177	25.96	15	21.37	14	20.26	431	44.15	10	46.77	19	35.98	42	37.40	-	-	-	-
22	Mayurbhanja	400	30.83	10	29.64	1	16.18	1644	41.34	32	37.53	2	54.53	290	39.75	-	-	-	-
23	Nuapara	158	31.70	-	-	1	30.36	518	39.26	6	37.84	8	36.51	173	47.18	-	-	-	-
24	Nayagarh	-	-	-	-	-	-	754	41.70	40	38.18	6	47.59	4	42.87	-	-	-	-
25	Nawarangpur	218	40.60	-	-	1	21.89	708	50.69	3	56.59	-	-	114	36.89	-	-	-	-
26	Puri	-	-	-	-	-	-	880	27.97	12	9.70	15	12.37	749	48.70	-	-	1	44.63
27	Rayagarh	-	-	16	14.29	4	24.71	635	48.33	63	41.25	48	44.53	18	43.26	12	32.61	30	32.07
28	Sambalpur	50	22.11	-	-	-	-	554	49.81	1	14.02	1	13.51	156	67.48	-	-	-	-
29	Subarnapur	28	34.19	-	-	-	-	453	55.74	-	-	-	-	410	61.75	-	-	-	-
30	Sundergarh	237	23.79	15	19.55	5	15.21	1038	29.57	55	25.40	41	21.06	76	41.75	-	-	-	-
STATE		3059	31.53	227	28.93	146	23.51	26377	43.91	894	36.06	667	34.77	6721	51.27	123	36.50	50	36.93

Table No. - 17.0
State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil
(2013-14 to 2022-23)

State :- Odisha

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2013-14	Autumn	4090	20.05	2035	21.74	952	19.58	13	18.83	12	29.91
	Winter	2961	27.57	5406	22.87	2704	24.16	97	17.99	23	25.10
	Summer	1448	41.41	2135	43.26	948	42.28	64	43.22	16	36.61
	Total	8499		9576		4604		174		51	
2014-15	Autumn	3934	24.77	2016	25.70	861	23.97	16	23.41	23	22.67
	Winter	2636	36.83	5081	34.02	2702	34.54	96	34.91	45	32.37
	Summer	1406	42.64	2135	40.67	1038	41.76	68	42.15	15	49.51
	Total	7976		9232		4601		180		83	
2015-16	Autumn	3957	12.06	1983	12.99	733	14.83	17	9.48	16	7.41
	Winter	2940	19.52	5111	21.19	2559	24.46	50	19.14	28	13.90
	Summer	1158	40.49	1763	40.51	809	38.37	39	44.74	12	33.73
	Total	8055		8857		4101		106		56	
2016-17	Autumn	3554	19.27	2377	21.67	1265	25.09	34	30.29	97	18.47
	Winter	3226	36.19	8197	38.75	4844	40.54	150	39.84	82	38.91
	Summer	849	40.96	1596	44.73	1035	43.56	42	49.18	3	39.78
	Total	7629		12170		7144		226		182	
2017-18	Autumn	3336	17.66	2583	18.77	1400	20.29	34	13.53	38	12.22
	Winter	3369	26.75	8592	25.20	5227	29.23	151	24.86	105	20.58
	Summer	700	42.53	1568	42.71	1093	43.55	41	45.62	23	39.97
	Total	7405		12743		7720		226		166	

Contd...

Table No. - 17.0 (concl.)
State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil
(2013-14 to 2022-23)

State :- Odisha

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2018-19	Autumn	1235	19.58	1335	20.31	734	21.15	27	19.8	30	22.42
	Winter	4596	28.29	15131	29.80	7057	31.50	328	29.24	262	28.92
	Summer	971	43.44	2275	44.31	1358	45.01	41	46.20	28	49.69
	Total	6802		18741		9149		396		320	
2019-20	Autumn	2029	26.7	2480	28.06	1210	30.01	55	33.72	63	28.78
	Winter	4346	36.79	15765	37.25	7176	38.96	428	38.29	288	42.15
	Summer	1117	41.61	3170	45.94	1810	43.16	54	43.33	37	58.61
	Total	7492		21415		10196		537		388	
2020-21	Autumn	1947	30.79	2411	32.83	1185	32.29	52	26.75	31	26.22
	Winter	4187	40.78	15260	39.46	7268	41.06	553	40.07	302	39.67
	Summer	1053	47.34	3725	49.16	1840	50.18	98	56.09	40	51.24
	Total	7187		21396		10293		703		373	
2021-22	Autumn	1706	24.15	2058	25.99	843	25.8	25	32.21	34	26.56
	Winter	4288	34.47	15031	33.58	7095	34.7	495	37.6	179	34.56
	Summer	1180	45.7	3411	48.93	1781	47.66	162	48.88	39	50.41
	Total	7174		20500		9719		682		252	
2022-23	Autumn	1127	30.56	1595	30.90	637	31.94	47	37.04	26	24.39
	Winter	3928	43.36	15628	43.31	7566	43.64	501	44.91	315	44.00
	Summer	1132	51.29	3909	50.66	1706	50.67	86	56.91	61	57.69
	Total	6187		21132		9909		634		402	

❖❖❖❖❖

Table No. - 17.0.1
State Level Estimates of Yieldrate of Programmed Crops According to different Types of Soil
Year - 2022-23 (Yield rate in Qtls./Hect.)

Sl. No.	Crop	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
Season : Autumn											
1	Paddy	1127	30.56	1595	30.90	637	31.94	47	37.04	26	24.39
2	Maize	1489	21.38	1223	24.43	418	23.48	29	23.72	-	-
3	Ragi	470	7.67	447	7.69	125	7.83	9	9.44	2	7.67
4	Mung	301	3.15	292	3.21	106	3.76	1	1.35	-	-
5	Biri	399	3.44	312	3.41	107	3.96	-	-	-	-
6	Til	111	1.86	109	2.09	44	3.03	-	-	-	-
7	Groundnut	685	16.28	453	16.48	159	18.65	-	-	-	-
8	Jute	7	19.81	75	17.86	54	18.92	-	-	-	-
Season : Winter											
1	Paddy	3928	43.36	15628	43.31	7566	43.64	501	44.91	315	44.00
2	Maize	40	25.55	51	25.56	11	28.29	2	32.29	-	-
3	Ragi	479	7.20	339	8.19	96	7.58	5	8.95	-	-
4	Mung	369	3.84	893	3.43	198	3.21	1	5.13	3	1.80
5	Biri	630	3.94	1359	3.77	376	3.76	13	3.89	3	5.93
6	Kulthi	1082	3.87	1386	3.88	300	3.97	15	3.93	2	7.24
7	Til	353	2.75	344	2.71	67	2.54	-	-	1	2.40
8	Groundnut	145	16.33	98	14.66	36	15.32	5	17.56	-	-
9	Mustard	977	3.25	1298	3.21	321	3.44	5	3.82	-	-
10	Niger	311	2.67	275	3.20	72	2.69	1	2.65	-	-
11	Potato	1097	106.84	965	109.16	455	116.54	33	93.81	-	-
12	Sugarcane	78	617.18	187	593.58	79	550.99	8	511.00	-	-
Season : Summer											
1	Paddy	1132	51.29	3909	50.66	1706	50.67	86	56.91	61	57.69
2	Wheat	22	16.14	41	16.11	4	17.82	-	-	-	-
3	Maize	160	22.09	236	24.25	108	22.02	-	-	-	-
4	Ragi	29	6.65	75	6.55	63	6.68	-	-	-	-
5	Mung	360	4.73	1557	4.37	618	4.11	8	4.55	2	9.29
6	Biri	95	3.95	598	4.07	271	3.89	-	-	-	-
7	Kulthi	1	2.05	9	3.13	11	3.27	-	-	-	-
8	Til	112	2.55	273	2.17	126	2.98	-	-	-	-
9	Groundnut	770	20.30	666	19.25	413	18.82	-	-	-	-



Table No. - 17.1.1
District wise Estimates of Yieldrate of Paddy according to different types of Soil

Year - 2022-23

Season : Autumn

(Yield rate in Qtls./Hect.)											
Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	38	28.79	-	-	-	-	-	-
2	Bolangir	93	24.49	159	19.55	77	23.30	4	10.73	24	23.59
3	Balasore	-	-	-	-	-	-	-	-	-	-
4	Bargarh	51	40.87	149	47.43	58	46.70	-	-	-	-
5	Bhadrak	2	34.21	-	-	-	-	-	-	-	-
6	Boudh	72	36.55	35	34.76	4	36.67	-	-	2	40.62
7	Cuttack	2	29.76	15	27.68	7	26.81	-	-	-	-
8	Deogarh	-	-	16	23.48	-	-	-	-	-	-
9	Dhenkanal	8	24.56	34	33.37	4	35.54	-	-	-	-
10	Gajapati	-	-	4	39.74	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	25	25.75	8	27.30	-	-	-	-
13	Jajpur	16	27.13	64	22.54	52	22.08	-	-	-	-
14	Jharsuguda	4	3.31	16	15.73	-	-	-	-	-	-
15	Kalahandi	45	21.09	203	24.39	6	21.66	-	-	-	-
16	Kandhamal	90	29.92	40	27.20	46	23.60	7	27.44	-	-
17	Kendrapara	1	20.59	2	27.02	46	33.12	-	-	-	-
18	Keonjhar	70	52.44	123	40.79	2	37.17	3	67.03	-	-
19	Khurda	4	19.53	-	-	-	-	-	-	-	-
20	Koraput	200	33.40	60	31.59	72	41.59	19	48.44	-	-
21	Malkangiri	144	25.51	18	23.15	44	25.22	-	-	-	-
22	Mayurbhanj	141	27.65	208	32.84	59	31.47	3	19.89	-	-
23	Nuapada	45	29.96	90	32.68	23	31.09	1	34.18	-	-
24	Nayagarh	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	7	45.16	104	41.04	101	39.82	7	38.13	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	12	14.77	8	18.79	-	-	-	-	-	-
28	Sambalpur	16	22.49	30	21.52	4	25.02	-	-	-	-
29	Subarnapur	5	40.52	21	32.14	2	39.86	-	-	-	-
30	Sundargarh	99	24.97	133	23.03	22	20.43	3	7.8	-	-
STATE		1127	30.56	1595	30.90	637	31.94	47	37.04	26	24.39

(Contd.)

Table No. - 17.1.2
District wise Estimates of Yieldrate of Paddy according to different types of Soil
Year - 2022-23 **Season : Winter**

Sl. No.	District	(Yield rate in Qtls./Hect.)									
		Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	75	51.46	684	50.55	180	54.68	25	48.83	10	67.98
2	Bolangir	151	37.57	518	33.51	463	37.48	57	37.66	77	32.17
3	Balasore	227	40.73	669	44.46	565	45.49	-	-	-	-
4	Bargarh	199	61.26	506	63.22	295	64.38	35	62.76	9	33.18
5	Bhadrak	183	43.33	627	44.23	86	44.42	7	21.00	-	-
6	Boudh	145	50.91	231	51.76	69	53.20	3	65.72	6	42.47
7	Cuttack	80	48.50	841	45.37	547	42.19	25	29.73	-	-
8	Deogarh	30	47.04	193	41.51	61	43.47	-	-	-	-
9	Dhenkanal	96	49.08	633	51.64	118	51.33	7	39.48	3	54.01
10	Gajapati	96	35.52	298	38.25	184	38.53	19	40.44	5	49.91
11	Ganjam	218	45.85	1247	46.12	469	47.12	61	49.23	3	47.78
12	Jagatsinghpur	25	42.06	428	44.50	343	43.39	5	39.77	-	-
13	Jajpur	45	38.40	593	36.09	571	31.44	33	28.06	-	-
14	Jharsuguda	47	29.82	190	38.42	75	31.68	11	64.13	-	-
15	Kalahandi	274	50.84	832	41.37	339	44.76	41	50.33	99	47.60
16	Kandhamal	205	34.79	254	35.05	183	32.96	43	37.02	7	40.71
17	Kendrapara	16	34.41	705	31.41	294	40.96	1	29.88	-	-
18	Keonjhar	206	50.69	761	52.61	228	52.35	16	62.59	1	44.26
19	Khurda	33	42.83	296	45.89	416	44.31	5	37.91	10	43.56
20	Koraput	166	50.07	468	45.63	343	47.76	11	43.28	6	52.69
21	Malkangiri	188	43.14	105	44.49	133	43.22	17	49.62	17	47.58
22	Mayurbhanj	388	38.16	962	41.90	325	43.21	3	42.29	-	-
23	Nuapada	54	37.49	310	38.55	133	39.76	6	34.62	29	47.82
24	Nayagarh	35	43.69	598	41.02	161	42.98	4	48.67	2	38.05
25	Nawarangpur	58	51.03	364	50.87	250	50.13	37	52.74	2	46.27
26	Puri	73	10.49	716	27.35	115	39.04	3	25.09	-	-
27	Rayagada	191	47.05	349	47.93	191	46.86	8	45.65	7	57.31
28	Sambalpur	159	43.98	317	52.89	77	47.56	2	72.11	1	53.48
29	Subarnapur	48	56.26	277	55.75	112	55.77	7	54.91	9	53.01
30	Sundargarh	217	24.83	656	29.43	240	31.63	9	34.49	12	29.88
STATE		3928	43.36	15628	43.31	7566	43.64	501	44.91	315	44.00

(Contd.)

Table No. -17.1.3
District wise Estimates of Yieldrate of Paddy according to different types of Soil

Year - 2022-23

Season : Summer

Sl. No.	District	(Yield rate in Qtls./Hect.)									
		Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	16	48.53	-	-	-	-	-	-
2	Bolangir	67	53.14	278	49.61	147	55.11	9	56.65	10	45.64
3	Balasore	120	53.52	362	56.08	243	52.72	2	59.89	-	-
4	Bargarh	155	61.24	570	61.00	287	56.43	20	59.02	4	80.48
5	Bhadrak	44	42.22	102	40.48	10	46.03	-	-	-	-
6	Boudh	39	38.27	28	50.62	16	46.27	-	-	-	-
7	Cuttack	2	71.42	45	55.87	47	55.02	8	60.12	-	-
8	Deogarh	-	-	10	31.21	-	-	-	-	-	-
9	Dhenkanal	8	50.65	24	42.18	8	33.25	-	-	-	-
10	Gajapati	22	23.63	61	30.24	64	27.50	-	-	-	-
11	Ganjam	-	-	16	37.82	4	53.73	-	-	-	-
12	Jagatsinghpur	-	-	42	43.68	60	52.76	-	-	-	-
13	Jajpur	-	-	58	35.06	47	40.90	8	41.65	1	51.07
14	Jharsuguda	7	64.10	30	75.29	17	67.99	-	-	-	-
15	Kalahandi	172	56.96	299	49.62	139	54.82	22	61.27	30	61.31
16	Kandhamal	6	47.43	11	43.94	31	36.69	2	39.17	-	-
17	Kendrapara	-	-	70	56.43	45	46.68	-	-	10	47.72
18	Keonjhar	2	39.15	41	48.05	5	56.49	-	-	-	-
19	Khurda	2	36.87	40	59.01	123	53.94	-	-	-	-
20	Koraput	208	45.27	282	42.38	151	43.66	10	52.64	-	-
21	Malkangiri	16	41.22	22	36.56	4	26.74	-	-	-	-
22	Mayurbhanj	90	35.28	156	40.67	44	45.59	-	-	-	-
23	Nuapada	25	46.82	122	47.10	20	45.91	2	67.35	4	48.48
24	Nayagarh	-	-	4	42.87	-	-	-	-	-	-
25	Nawarangpur	-	-	22	40.36	92	36.06	-	-	-	-
26	Puri	15	55.70	715	48.25	20	59.47	-	-	-	-
27	Rayagada	12	40.49	48	34.30	-	-	-	-	-	-
28	Sambalpur	49	70.27	83	65.33	24	69.20	-	-	-	-
29	Subarnapur	55	63.75	294	60.27	56	66.76	3	63.65	2	81.46
30	Sundargarh	16	39.90	58	42.27	2	41.68	-	-	-	-
STATE		1132	51.29	3909	50.66	1706	50.67	86	56.91	61	57.69



Table No. - 18.0

**State level Estimates of Yield rate of Paddy according to Levels of Land
(2013-14 to 2022-23)**

State :- Odisha

(Yield rate in Qtls./Hect.)

Sl. No.	Year	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2013-14	4239	18.74	2845	23.09	18	20.22	251	24.43	6815	22.08	4125	28.21	97	47.61	2587	43.82	1927	40.36
2	2014-15	4181	22.59	2654	28.64	15	21.33	82	26.26	6663	33.44	3815	37.51	126	44.39	2715	43.41	1821	38.59
3	2015-16	4059	12.26	2638	13.11	9	28.42	97	13.73	7008	22.40	3583	19.9	63	34.75	2246	42.17	1472	37.13
4	2016-17	4781	20.24	2540	22.69	6	25.6	301	34.88	11082	39.84	5116	36.73	119	45.45	2236	46.09	1170	38.44
5	2017-18	4315	18.52	3044	18.39	32	25.69	371	27.94	11709	27.12	5364	25.62	143	47.66	2158	45.21	1124	38.03
6	2018-19	1466	19.72	1739	20.51	156	22.02	878	27.82	19366	31.00	7130	27.43	258	49.27	3067	45.52	1348	40.84
7	2019-20	2252	25.13	3427	29.74	158	33.13	1005	37.08	20033	37.61	6965	37.97	266	43.52	4181	45.36	1741	42.21
8	2020-21	2227	31.00	3333	32.44	66	36.07	1133	39.30	19454	40.28	6983	39.72	228	52.19	4625	50.91	1903	44.93
9	2021-22	1914	24.31	2619	25.77	133	31.01	1374	34.03	19525	34.28	6189	33.54	215	51.31	4404	49.46	1954	44.38
10	2022-23	1365	30.42	2028	31.37	39	33.3	1339	42.86	20664	43.78	5935	42.4	180	53.46	4909	51.87	1805	48.04

◆◆◆◆◆

Table No. - 18.0.1

State level Estimates of Yieldrate of Programmed Crops according to Levels of Land

Year : 2022-23

(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	1365	30.42	2028	31.37	39	33.30	1339	42.86	20664	43.78	5935	42.40	180	53.46	4909	51.87	1805	48.04
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	21	16.03	45	16.23	1	19.78
3	Maize	2475	23.32	662	21.26	22	19.52	61	24.88	40	24.88	3	29.62	122	23.99	303	22.47	79	24.06
4	Ragi	692	7.10	347	8.93	14	7.55	619	6.83	297	6.83	3	7.11	23	6.13	111	7.49	33	4.01
5	Mung	597	3.29	103	3.13	-	-	485	3.89	851	3.89	128	3.35	218	4.83	1919	4.24	408	4.70
6	Biri	744	3.52	74	3.27	-	-	970	4.38	1286	4.38	125	3.24	59	4.73	833	3.92	72	4.49
7	Kulthi	-	-	-	-	-	-	1652	4.08	1085	4.08	48	3.44	-	-	21	3.15	-	-
8	Til	242	2.12	21	2.38	1	3.70	490	2.70	268	2.70	7	3.74	29	2.62	435	2.44	47	2.49
9	Groundnut	1050	16.75	246	16.18	1	15.48	116	16.64	164	16.64	4	21.61	303	19.62	1372	19.81	174	17.77
10	Mustard	-	-	-	-	-	-	1083	3.15	1398	3.15	120	2.98	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	449	2.81	206	2.81	4	2.35	-	-	-	-	-	-
12	Jute	19	22.09	109	18.41	8	9.17	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	865	99.82	1589	114.76	96	103.12	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	45	691.29	273	571.78	34	568.00	-	-	-	-	-	-



Table No. - 18.1
District wise Estimates of Yield rate of Paddy according to Levels of Land

Year - 2022-23

(Yield rate in Qtls./Hect.)

Sl. No.	District	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	30	29.66	8	25.55	-	-	54	53.98	752	50.53	168	55.16	-	-	10	47.59	6	50.10
2	Bolangir	73	24.91	280	21.08	4	17.21	49	29.16	439	33.47	778	37.13	4	57.16	241	50.89	266	52.35
3	Balasore	-	-	-	-	-	-	35	43.60	1384	44.52	42	36.88	2	80.08	720	54.37	5	69.51
4	Bargarh	81	46.34	174	45.65	3	54.18	86	59.12	670	63.83	288	61.87	55	54.45	791	60.65	190	57.86
5	Bhadrak	-	-	2	34.21	-	-	82	40.04	768	45.18	53	31.07	-	-	152	41.41	4	38.30
6	Boudh	97	36.76	16	31.87	-	-	35	53.11	361	51.27	58	53.37	6	44.60	69	45.07	8	34.11
7	Cuttack	4	29.75	20	27.17	-	-	44	46.38	1335	44.52	114	38.35	-	-	85	54.52	17	64.10
8	Deogarh	3	17.85	13	24.78	-	-	5	45.53	190	43.25	89	40.76	-	-	-	-	10	31.21
9	Dhenkanal	31	30.27	15	35.65	-	-	22	47.01	623	51.21	212	51.67	-	-	14	44.06	26	41.03
10	Gajapati	-	-	4	39.74	-	-	35	34.47	517	38.10	50	40.20	4	25.03	103	27.42	40	30.00
11	Ganjam	-	-	-	-	-	-	73	42.64	1678	46.67	247	45.86	-	-	20	41.00	-	-
12	Jagatsinghpur	25	32.03	8	7.69	-	-	7	42.05	682	45.22	112	36.13	-	-	99	48.73	3	58.89
13	Jajpur	6	21.04	116	23.09	10	21.99	29	37.19	1098	34.90	115	22.67	-	-	106	38.19	8	36.48
14	Jharsuguda	7	7.87	13	16.15	-	-	39	20.78	186	34.05	98	47.33	-	-	46	71.93	8	69.32
15	Kalahandi	35	20.56	209	23.33	10	43.33	97	45.11	685	45.44	803	43.33	15	55.70	356	54.79	291	51.89
16	Kandhamal	126	28.34	57	26.11	-	-	21	32.67	385	34.62	286	34.72	-	-	5	51.23	45	38.39
17	Kendrapara	18	29.94	31	34.18	-	-	10	35.95	941	34.46	65	30.50	-	-	100	52.34	25	51.75
18	Keonjhar	133	38.35	65	59.43	-	-	113	46.87	954	53.09	145	51.82	4	49.29	37	45.23	7	65.71
19	Khurda	4	19.53	-	-	-	-	16	43.22	661	45.41	83	40.32	-	-	164	55.03	1	44.58
20	Koraput	157	28.51	194	41.31	-	-	44	48.97	707	48.20	243	43.65	27	49.69	199	47.10	425	41.82
21	Malkangiri	118	23.61	87	27.54	1	17.74	22	37.69	378	44.00	60	45.37	-	-	28	36.55	14	39.09
22	Mayurbhanj	186	29.34	220	31.92	5	33.11	50	40.02	1289	41.10	339	42.18	2	42.97	228	39.27	60	41.44
23	Nuapada	9	28.51	149	31.83	1	38.80	14	39.85	189	38.04	329	39.84	8	41.37	84	48.24	81	46.67
24	Nayagarh	-	-	-	-	-	-	37	41.32	686	41.36	77	43.49	-	-	4	42.87	-	-
25	Nawarangpur	68	41.70	151	39.99	-	-	56	52.31	462	50.86	193	49.88	-	-	21	40.52	93	36.07
26	Puri	-	-	-	-	-	-	4	46.28	836	28.83	67	9.33	7	47.61	725	48.67	18	50.35
27	Rayagada	18	14.35	2	34.58	-	-	69	42.95	521	48.45	156	46.32	-	-	12	40.93	48	34.19
28	Sambalpur	33	22.94	17	20.49	-	-	60	41.42	380	50.67	116	50.70	26	64.83	105	67.56	25	69.89
29	Subarnapur	8	42.53	20	30.85	-	-	28	58.81	294	56.21	131	54.04	16	59.89	329	61.16	65	65.20
30	Sundargarh	95	21.69	157	23.96	5	37.13	103	25.56	613	29.12	418	29.84	4	37.51	56	42.66	16	39.64
STATE		1365	30.42	2028	31.37	39	33.30	1339	42.86	20664	43.78	5935	42.40	180	53.46	4909	51.87	1805	48.04

❖❖❖❖❖

Table No. - 19.0**State level No. of Crop Cutting experiments conducted on Programmed Crops****Year - 2022-23**

Sl. No.	Crop	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Paddy	3432	3432	27938	27938	6894	6894	38264	38264
2	Wheat	-	-	-	-	67	67	67	67
3	Maize	3159	3159	104	104	504	504	3767	3767
4	Ragi	1053	1053	919	919	167	167	2139	2139
5	Mung	700	700	1464	1464	2545	2545	4709	4709
6	Biri	818	818	2381	2381	964	964	4163	4163
7	Kulthi	-	-	2785	2785	21	21	2806	2806
8	Til	264	264	765	765	511	511	1540	1540
9	Groungnut	1297	1297	284	284	1849	1849	3430	3430
10	Mustard	-	-	2601	2601	-	-	2601	2601
11	Niger	-	-	659	659	-	-	659	659
12	Jute	136	136	-	-	-	-	136	136
13	Potato	-	-	2550	2550	-	-	2550	2550
14	Sugarcane	-	-	352	352	-	-	352	352
Total		10859	10859	42802	42802	13846	13846	67183	67183

Table No. - 19.1
District wise No. of Crop Cutting experiments conducted on PADDY

Year - 2022-23

Sl. No.	District	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Angul	38	38	974	974	16	16	1028	1028
2	Bolangir	357	357	1266	1266	511	511	2134	2134
3	Balasore	-	-	1461	1461	727	727	2188	2188
4	Baragarh	258	258	1044	1044	1036	1036	2338	2338
5	Bhadrak	2	2	903	903	156	156	1061	1061
6	Boudh	113	113	454	454	83	83	650	650
7	Cuttack	24	24	1493	1493	102	102	1619	1619
8	Deogarh	16	16	284	284	10	10	310	310
9	Dhenkanal	46	46	857	857	40	40	943	943
10	Gajapati	4	4	602	602	147	147	753	753
11	Ganjam	-	-	1998	1998	20	20	2018	2018
12	J.Singhpur	33	33	801	801	102	102	936	936
13	Jajpur	132	132	1242	1242	114	114	1488	1488
14	Jharasuguda	20	20	323	323	54	54	397	397
15	Kalahandi	254	254	1585	1585	662	662	2501	2501
16	Kandhamal	183	183	692	692	50	50	925	925
17	Kendrapara	49	49	1016	1016	125	125	1190	1190
18	Keunjhor	198	198	1212	1212	48	48	1458	1458
19	Khurda	4	4	760	760	165	165	929	929
20	Koraput	351	351	994	994	651	651	1996	1996
21	Malkanagiri	206	206	460	460	42	42	708	708
22	Mayurbhanja	411	411	1678	1678	290	290	2379	2379
23	Nuapara	159	159	532	532	173	173	864	864
24	Nayagarh	-	-	800	800	4	4	804	804
25	Nawarangpur	219	219	711	711	114	114	1044	1044
26	Puri	-	-	907	907	750	750	1657	1657
27	Rayagarh	20	20	746	746	60	60	826	826
28	Sambalpur	50	50	556	556	156	156	762	762
29	Subarnapur	28	28	453	453	410	410	891	891
30	Sundergarh	257	257	1134	1134	76	76	1467	1467
STATE		3432	3432	27938	27938	6894	6894	38264	38264

❖❖❖❖❖

Table No. - 20.1
State Level Estimates of Area, Yield rate & Production of Programmed crops.(1993-94 to 2022-23)
CROP : PADDY

Sl. No	Year	Area (in ' 000 hect.)				Yield rate in (qtls/hect.)								Production (in ' 000 M.T.)							
						Paddy				Rice				Paddy				Rice			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	1993-94	883	3428	244	4555	13.64	23.45	31.96	22.01	9.00	15.48	21.09	14.52	1205	8040	781	10026	795	5306	515	6616
2	1994-95	838	3349	269	4456	14.94	22.65	29.45	21.61	9.86	14.95	19.44	14.26	1251	7584	791	9626	826	5005	522	6353
3	1995-96	854	3400	275	4529	14.41	21.55	31.86	20.83	9.51	14.22	21.03	13.75	1230	7327	876	9433	812	4836	578	6226
4	1996-97	822	3378	269	4469	8.27	15.16	34.35	15.05	5.46	10.00	22.67	9.93	680	5120	925	6725	449	3379	610	4438
5	1997-98	827	3434	236	4497	14.89	21.79	29.15	20.90	9.83	14.38	19.24	13.80	1232	7482	687	9401	813	4938	454	6205
6	1998-99	820	3359	268	4447	9.27	19.77	28.62	18.37	6.12	13.05	18.89	12.12	760	6642	767	8169	501	4384	506	5391
7	1999-00	797	3423	382	4602	14.13	15.63	36.19	17.08	6.32	10.32	23.89	11.27	1126	5351	1382	7859	743	3532	912	5187
8	2000-01	855	3372	207	4434	8.23	16.66	32.36	15.77	5.43	10.99	21.36	10.41	703	5618	669	6990	464	3708	442	4614
9	2001-02	853	3375	272	4500	15.15	25.67	32.22	24.07	10.00	16.94	21.27	15.89	1291	8664	876	10831	852	5718	578	7148
10	2002-03	808	3287	178	4273	5.54	11.66	35.64	11.50	3.66	7.70	23.52	7.59	448	3834	633	4915	296	2530	418	3244
11	2003-04	861	3386	254	4501	14.88	23.95	33.99	22.67	9.82	15.81	21.12	14.96	1282	8110	811	10203	846	5353	535	6734
12	2004-05	824	3375	293	4492	12.46	23.38	33.79	22.08	8.22	15.43	22.30	14.55	1027	7889	989	9905	677	5207	653	6537
13	2005-06	781	3373	325	4479	13.22	24.59	32.72	23.20	8.72	16.23	21.60	15.31	1032	8296	1065	10393	681	5475	703	6859
14	2006-07	757	3379	315	4451	15.31	23.94	34.75	23.24	10.11	15.80	22.93	15.34	1159	8089	1093	10341	765	5338	722	6825
15	2007-08	742	3376	334	4452	16.63	26.52	37.08	25.66	10.97	17.50	24.47	16.94	1233	8955	1238	11426	814	5910	817	7541
16	2008-09	707	3417	331	4455	15.76	23.35	37.14	23.17	10.40	15.41	24.51	15.29	1114	7979	1229	10322	735	5266	812	6813
17	2009-10	687	3413	265	4365	13.63	24.77	41.11	24.01	9.00	16.35	27.13	15.85	937	8456	1088	10481	618	5581	718	6917
18	2010-11	678	3255	293	4226	12.59	25.13	44.84	24.48	8.31	16.58	29.59	16.16	853	8178	1314	10345	563	5398	867	6828
19	2011-12	536	3233	236	4005	11.79	21.72	48.69	21.97	7.78	14.33	32.13	14.50	633	7020	1146	8799	418	4633	756	5807
20	2012-13	561	3188	274	4023	26.24	36.40	47.95	35.77	17.32	24.02	31.65	23.61	1471	11603	1315	14389	971	7658	868	9497
21	2013-14	582	3298	300	4180	22.16	26.34	51.84	27.60	14.63	17.39	34.22	18.21	1290	8687	1558	11535	851	5734	1028	7613
22	2014-15	583	3282	301	4166	26.90	36.02	50.64	35.80	17.75	23.78	33.42	23.63	1569	11822	1525	14916	1036	7802	1007	9845
23	2015-16	541	3167	234	3942	10.90	22.50	50.84	22.59	7.19	14.85	33.56	14.91	590	7125	1187	8902	390	4702	783	5875
24	2016-17	512	3226	225	3963	19.48	39.18	53.50	37.45	12.85	25.86	35.31	24.72	996	12641	1203	14840	658	8343	794	9795
25	2017-18	530	3014	222	3766	16.48	26.54	47.48	26.36	10.88	17.51	31.33	17.39	874	7999	1054	9927	577	5279	695	6551
26	2018-19	454	3131	274	3859	17.59	30.39	51.15	30.36	11.61	20.06	33.76	20.04	799	9516	1403	11718	527	6280	926	7733
27	2019-20	426	3222	293	3941	27.36	37.87	48.31	37.51	18.06	24.99	31.88	24.75	1166	12201	1414	14781	769	8053	933	9755
28	2020-21	432	3258	339	4029	30.32	41.11	57.83	41.36	20.01	27.13	38.17	27.30	1311	13392	1962	16665	865	8839	1295	10999
29	2021-22	443	3205	300	3948	21.76	35.54	57.53	35.66	14.36	23.46	37.97	23.54	964	11391	1722	14077	636	7518	1137	9291
30	2022-23	379	3350	336	4065	28.22	45.13	56.39	44.49	18.63	29.79	37.22	29.36	1069	15119	1892	18080	706	9978	1249	11933

Table No. - 20.2
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : WHEAT

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)				
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	
1	1993-94	--	--		3907	3907	--	--	12.83	12.83	--	--	50142	50142
2	1994-95	--	--		4941	4941	--	--	13.49	13.49	--	--	66651	66651
3	1995-96	--	--		4890	4890	--	--	12.41	12.41	--	--	60678	60678
4	1996-97	--	--		5039	5039	--	--	13.11	13.11	--	--	66064	66064
5	1997-98	--	--		6078	6078	--	--	9.98	9.98	--	--	60647	60647
6	1998-99	--	--		3860	3860	--	--	11.50	11.50	--	--	44408	44408
7	1999-00	--	--		5917	5917	--	--	12.96	12.96	--	--	76697	76697
8	2000-01	--	--		8819	8819	--	--	14.63	14.63	--	--	129029	129029
9	2001-02	--	--		6976	6976	--	--	15.15	15.15	--	--	105669	105669
10	2002-03	--	--		4627	4627	--	--	12.47	12.47	--	--	57681	57681
11	2003-04	--	--		5129	5129	--	--	14.65	14.65	--	--	75156	75156
12	2004-05	--	--		4054	4054	--	--	13.10	13.10	--	--	53125	53125
13	2005-06	--	--		3276	3276	--	--	13.69	13.69	--	--	44843	44843
14	2006-07	--	--		3913	3913	--	--	14.83	14.83	--	--	58023	58023
15	2007-08	--	--		5548	5548	--	--	15.72	15.72	--	--	87225	87225
16	2008-09	--	--		5267	5267	--	--	14.02	14.02	--	--	73850	73850
17	2009-10	--	--		3994	3994	--	--	14.48	14.48	--	--	57824	57824
18	2010-11	--	--		2857	2857	--	--	14.61	14.61	--	--	41740	41740
19	2011-12	--	--		1461	1461	--	--	16.40	16.40	--	--	23967	23967
20	2012-13	--	--		1039	1039	--	--	19.00	19.00	--	--	19744	19744
21	2013-14	--	--		678	678	--	--	15.75	15.75	--	--	10676	10676
22	2014-15	--	--		403	403	--	--	16.28	16.28	--	--	6561	6561
23	2015-16	--	--		367	367	--	--	13.47	13.47	--	--	4944	4944
24	2016-17	--	--		57	57	--	--	14.21	14.21	--	--	810	810
25	2017-18	--	--		73	73	--	--	21.63	21.63	--	--	1579	1579
26	2018-19	--	--		147	147	--	--	18.15	18.15	--	--	2668	2668
27	2019-20	--	--		118	118	--	--	13.90	13.90	--	--	1640	1640
28	2020-21	--	--		182	182	--	--	16.40	16.40	--	--	2984	2984
29	2021-22	--	--		177	177	--	--	17.05	17.05	--	--	3018	3018
30	2022-23	--	--		223	223	--	--	15.48	15.48	--	--	3452	3452

Table No. - 20.3
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : MAIZE

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	60274	96	483	60853	10.18	10.11	10.59	10.19	613827	971	5115	619913
2	1994-95	46073	77	638	46788	7.49	8.12	9.71	7.52	345136	625	6193	351954
3	1995-96	43247	141	744	44132	10.55	7.09	10.28	10.53	456152	1000	7652	464804
4	1996-97	57618	201	494	58313	12.46	5.81	9.67	12.41	717736	1167	4778	723681
5	1997-98	51349	247	1164	52760	12.33	8.04	8.40	12.23	633307	1986	9779	645072
6	1998-99	50230	417	276	50923	13.11	5.91	8.71	13.03	658656	2465	2404	663525
7	1999-00	53318	55	1050	54423	14.91	6.95	11.84	14.85	795146	382	12431	807959
8	2000-01	53209	214	948	54371	12.69	7.57	12.22	12.67	675445	1620	11587	688652
9	2001-02	50772	154	502	51428	9.00	9.88	15.61	9.07	457190	1521	7834	466545
10	2002-03	41852	161	1087	43100	9.67	12.67	15.92	9.84	404654	2040	17300	423994
11	2003-04	51743	1343	2463	55549	13.85	16.20	19.81	14.18	716888	21755	48804	787447
12	2004-05	58692	1575	2071	62338	16.18	19.72	20.40	16.41	949521	31057	42251	1022829
13	2005-06	56216	5786	1585	63587	15.23	22.19	21.79	16.03	856057	128404	34536	1018997
14	2006-07	53460	5894	1916	61270	15.50	26.25	23.47	16.78	828698	154694	44963	1028355
15	2007-08	64690	6505	2874	74069	18.99	27.36	22.59	19.87	1228786	177948	64932	1471666
16	2008-09	64461	307	2249	67017	19.87	22.00	26.49	20.10	1280533	6753	59582	1346868
17	2009-10	78682	211	2265	81158	21.56	14.30	22.29	21.56	1696593	3017	50490	1750100
18	2010-11	111982	740	4454	117176	25.43	20.65	28.15	25.50	2847435	15280	125391	2988106
19	2011-12	98714	177	3971	102862	20.47	12.85	24.96	20.63	2020482	2274	99118	2121874
20	2012-13	90572	331	3578	94481	23.96	14.59	27.94	24.08	2169873	4828	99984	2274685
21	2013-14	91261	278	3591	95130	27.70	15.10	29.05	27.71	2527769	4198	104303	2636270
22	2014-15	89218	180	2266	91664	20.40	16.70	26.11	20.53	1819812	3006	59173	1881991
23	2015-16	52843	255	2489	55587	19.68	18.02	26.20	19.96	1039966	4594	65209	1109769
24	2016-17	68457	1344	2589	72390	28.54	12.92	29.13	28.27	1953873	17366	75421	2046660
25	2017-18	44436	374	2132	46942	25.12	14.12	27.21	25.13	1116188	5280	58018	1179486
26	2018-19	49126	67	2855	52048	23.07	24.48	26.10	23.24	1133406	1640	74522	1209568
27	2019-20	61041	95	3934	65070	28.78	23.61	33.33	29.05	1756733	2243	131136	1890112
28	2020-21	75254	62	2610	77926	29.19	19.92	26.14	29.08	2196922	1235	68234	2266391
29	2021-22	97611	1109	3715	102435	27.84	26.99	26.97	27.79	2717047	29932	100181	2847160
30	2022-23	81152	254	2887	84293	29.99	27.37	24.80	29.81	2433846	6951	71601	2512398

Table No. - 20.4
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : RAGI

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	47981	36003	1189	85173	6.61	6.10	8.26	6.42	317249	219731	9824	546804
2	1994-95	43998	35699	1252	80949	6.35	5.30	7.34	5.90	279213	189262	9185	477660
3	1995-96	39232	31347	872	71451	6.55	5.55	7.30	6.12	257109	173831	6364	437304
4	1996-97	39613	41032	722	81367	6.11	5.92	6.84	6.02	241847	242789	4939	489575
5	1997-98	41987	37192	603	79782	6.40	5.29	7.11	5.89	268847	196926	4286	470059
6	1998-99	41039	39112	861	81012	6.58	6.21	6.92	6.40	270150	242714	5962	518826
7	1999-00	39107	41661	984	81752	6.91	6.02	7.99	6.47	270365	250828	7858	529051
8	2000-01	37927	45807	247	83981	6.47	4.77	7.27	5.54	245300	218419	1796	465515
9	2001-02	30797	45059	406	76262	6.03	5.81	7.80	5.91	185602	261990	3166	450758
10	2002-03	31355	45467	273	77095	4.96	4.35	6.92	4.60	155376	197752	1888	355016
11	2003-04	30067	40074	349	70490	5.94	6.60	7.61	6.32	178502	264584	2655	445741
12	2004-05	24161	39385	261	63807	6.54	6.30	8.16	6.40	158119	248188	2130	408437
13	2005-06	26366	38975	226	65567	6.23	6.09	7.91	6.15	164176	237181	1787	403144
14	2006-07	24822	39905	274	65001	6.21	6.88	7.29	6.63	154177	274628	1997	430802
15	2007-08	26217	40826	484	67527	6.62	7.10	8.87	6.93	173552	289908	4291	467751
16	2008-09	26091	39333	289	65713	6.66	5.96	7.86	6.24	173687	234383	2272	410342
17	2009-10	21856	36949	225	59030	6.28	6.42	9.06	6.38	137190	237290	2039	376519
18	2010-11	27570	38276	328	66174	7.04	7.11	8.38	7.09	194223	272066	2749	469038
19	2011-12	20228	34666	114	55008	6.36	5.18	7.14	5.62	128693	179594	814	309101
20	2012-13	17502	39551	119	57172	7.20	7.92	7.82	7.70	126003	313350	931	440284
21	2013-14	15768	40637	229	56634	7.32	8.39	8.34	8.09	115477	341013	1911	458401
22	2014-15	15247	35945	286	51478	7.09	7.50	9.10	7.38	108054	269497	2603	380154
23	2015-16	14230	31166	297	45693	6.17	6.19	8.92	6.20	87800	192811	2649	283260
24	2016-17	14266	32617	78	46961	6.38	7.35	6.96	7.06	91047	239795	543	331385
25	2017-18	10042	32440	110	42592	7.65	7.67	6.86	7.67	76779	248935	755	326469
26	2018-19	8511	27944	212	36667	6.84	6.93	6.24	6.90	58254	193560	1323	253137
27	2019-20	9588	25919	381	35888	7.46	7.24	7.57	7.31	71534	187774	2885	262193
28	2020-21	10164	30685	464	41313	7.50	8.13	6.85	7.96	76198	249585	3180	328963
29	2021-22	16090	38355	529	54974	7.35	8.23	5.19	7.94	118224	315754	2746	436724
30	2022-23	13202	28963	678	42843	7.19	9.47	7.26	8.73	94866	274149	4919	373934

Table No. - 20.5
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : MUNG

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	23008	122562	100620	246190	2.62	2.33	2.53	2.44	60260	285144	255020	600424
2	1994-95	17531	119372	93632	230535	2.06	2.58	2.69	2.58	36067	308093	251722	595882
3	1995-96	19589	107271	97960	224820	2.93	2.53	3.24	2.88	57414	271421	317709	646544
4	1996-97	28616	66733	107320	202669	2.71	1.57	2.07	2.00	77687	104881	221879	404447
5	1997-98	25625	116564	86561	228750	2.53	2.00	1.90	2.02	64866	233046	164140	462052
6	1998-99	21845	106933	92720	221498	2.35	1.64	2.38	2.02	51233	175370	220771	447374
7	1999-00	23621	106218	61198	191037	2.61	1.77	2.28	2.04	61604	188254	139749	389607
8	2000-01	24128	74508	48804	147440	2.10	1.50	2.68	1.99	50674	111662	130563	292899
9	2001-02	17274	113615	81622	212511	1.68	2.16	2.89	2.40	29089	245708	236138	510935
10	2002-03	20236	68877	79192	168305	1.98	1.47	3.06	2.28	40010	101148	242299	383457
11	2003-04	22115	110561	124585	257261	1.89	2.21	2.52	2.34	41818	244608	314362	600788
12	2004-05	18750	82486	111395	212631	2.33	2.00	3.17	2.64	43718	165141	352583	561442
13	2005-06	20063	104909	132266	257238	2.16	1.84	3.21	2.57	43435	193158	425070	661663
14	2006-07	22715	85385	127125	235225	2.29	2.07	2.70	2.43	52002	176725	343122	571849
15	2007-08	23687	86079	148138	257904	2.50	2.11	2.63	2.45	59292	181845	389834	630971
16	2008-09	22676	85557	125260	233493	2.34	2.20	2.91	2.60	52993	188520	365108	606621
17	2009-10	21731	120690	147688	290109	2.28	2.26	3.15	2.71	49511	272526	464901	786938
18	2010-11	25378	78502	184234	288114	2.55	2.21	3.32	2.95	64792	173786	612484	851062
19	2011-12	24786	41861	147141	213788	2.12	2.03	3.23	2.87	52523	84953	475848	613324
20	2012-13	21882	99426	159285	280593	2.74	2.76	3.41	3.13	60002	274413	543392	877807
21	2013-14	24135	90618	137237	251990	3.20	2.69	4.12	3.52	77285	244210	565437	886932
22	2014-15	22009	97798	175592	295399	2.23	3.05	4.00	3.56	49051	298459	702703	1050213
23	2015-16	19391	70356	200039	289786	2.43	2.20	3.25	2.94	47153	154934	650138	852225
24	2016-17	40753	128055	157356	326164	4.38	3.26	4.71	4.10	178458	416941	740834	1336233
25	2017-18	26254	82357	127403	236014	3.19	3.10	4.52	3.88	83809	255572	575676	915057
26	2018-19	10615	62479	143548	216642	2.63	2.76	3.54	3.27	27966	172208	508427	708601
27	2019-20	10656	60116	169358	240130	2.95	3.33	3.40	3.36	31430	199993	575671	807094
28	2020-21	8120	51598	175651	235369	2.75	3.57	2.12	2.46	22318	184054	372780	579152
29	2021-22	25988	72839	150811	249638	3.05	3.08	3.85	3.54	79223	224351	581113	884687
30	2022-23	18031	101890	147998	267919	3.05	3.01	4.20	3.67	54950	306266	622116	983332

Table No. - 20.6
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : BIRI

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	32616	123854	4389	160859	2.71	3.95	2.12	3.65	88456	488614	9293	586363
2	1994-95	21497	136260	2913	160670	2.16	3.78	2.49	3.54	46453	515681	7262	569396
3	1995-96	31902	94774	2246	128922	3.10	2.97	3.74	3.01	98973	281216	8394	388583
4	1996-97	34991	83356	4777	123124	2.49	2.69	2.87	2.64	87274	224316	13724	325314
5	1997-98	32117	118618	2083	152818	2.66	3.25	2.30	3.12	85362	386098	4796	476256
6	1998-99	35494	100561	2544	138599	2.54	2.84	2.08	2.75	90300	285773	5287	381360
7	1999-00	28379	81607	2085	112071	3.96	2.19	1.70	2.63	112445	178328	3552	294325
8	2000-01	30520	77621	960	109101	2.20	2.61	2.85	2.50	67274	202547	2735	272556
9	2001-02	34652	112342	1940	148934	2.05	3.28	3.07	2.99	71160	368412	5955	445527
10	2002-03	26458	88788	2047	117293	1.71	2.45	3.79	2.31	45308	217603	7767	270678
11	2003-04	29490	102856	3648	135994	1.81	2.94	3.30	2.71	53444	302417	12048	367909
12	2004-05	27222	92216	4605	124043	2.15	2.70	4.09	2.63	58659	249147	18855	326661
13	2005-06	27147	100077	6116	133340	1.99	2.58	4.02	2.52	54083	257707	24575	336365
14	2006-07	27628	92126	6118	125872	2.17	3.10	3.53	2.91	59915	285296	21621	366832
15	2007-08	32628	106962	9397	148987	2.29	3.30	3.80	3.11	74561	352974	35664	463199
16	2008-09	28830	90687	9669	129186	2.37	2.94	3.87	2.88	68223	266690	37445	372358
17	2009-10	29523	93222	7333	130078	2.21	3.25	3.37	3.02	65124	302688	24747	392559
18	2010-11	35912	89773	8014	133699	2.37	3.13	3.72	2.96	85140	281318	29800	396258
19	2011-12	29714	76386	5980	112080	2.03	2.88	3.46	2.68	60315	219724	20695	300734
20	2012-13	27091	79881	5021	111993	2.93	3.45	3.79	3.34	79391	275424	19021	373836
21	2013-14	27587	54210	3008	84805	3.01	3.08	4.46	3.11	82980	166940	13421	263341
22	2014-15	22843	56121	2800	81764	2.62	3.64	4.00	3.37	59779	204528	11210	275517
23	2015-16	20281	46473	7564	74318	2.47	3.49	4.19	3.28	50044	162053	31714	243811
24	2016-17	27899	65569	15269	108737	3.98	4.57	5.44	4.54	111148	299927	83097	494172
25	2017-18	20431	42760	13987	77178	3.14	3.58	4.98	3.72	64105	153183	69600	286888
26	2018-19	13720	39560	4571	57851	2.61	3.32	5.11	3.29	35844	131219	23365	190428
27	2019-20	10170	38948	8522	57640	2.94	3.86	3.77	3.68	29856	150176	32101	212133
28	2020-21	13465	47268	13762	74495	2.60	3.86	2.81	3.44	34982	182320	38720	256022
29	2021-22	18379	61580	12054	92013	3.09	3.46	3.51	3.39	56739	213271	42297	312307
30	2022-23	12921	57113	14994	85028	2.97	3.86	4.37	3.82	38389	220485	65527	324401

Table No. - 20.7
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : KULTHI

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	--	126452	720	127172	--	3.41	2.98	3.41	--	431047	2143	433190
2	1994-95	--	120407	382	120789	--	3.52	2.80	3.52	--	424178	1070	425248
3	1995-96	--	107453	344	107797	--	3.58	3.15	3.58	--	385090	1085	386175
4	1996-97	--	101472	606	102078	--	2.14	2.20	2.14	--	216854	1332	218186
5	1997-98	--	114835	956	115791	--	2.86	2.64	2.86	--	328090	2527	330617
6	1998-99	--	96407	528	96935	--	2.47	1.54	2.47	--	238382	813	239195
7	1999-00	--	89180	599	89779	--	2.55	2.61	2.55	--	227210	1566	228776
8	2000-01	--	75812	184	75996	--	1.92	2.91	1.92	--	145378	535	145913
9	2001-02	--	90933	238	91171	--	3.08	2.18	3.07	--	279642	519	280161
10	2002-03	--	75923	29	75952	--	1.88	4.28	1.89	--	143082	124	143206
11	2003-04	--	87525	301	87826	--	2.82	2.72	2.82	--	246685	820	247505
12	2004-05	--	78105	240	78345	--	2.66	2.56	2.66	--	207930	614	208544
13	2005-06	--	75000	439	75439	--	2.79	1.92	2.78	--	209024	841	209865
14	2006-07	--	73305	197	73502	--	2.88	1.29	2.88	--	211396	254	211650
15	2007-08	--	71956	152	72108	--	2.93	2.76	2.93	--	210846	419	211265
16	2008-09	--	58696	94	58790	--	2.74	2.61	2.74	--	160893	245	161138
17	2009-10	--	64317	276	64593	--	3.09	2.70	3.09	--	198529	745	199274
18	2010-11	--	69005	404	69409	--	3.20	2.95	3.20	--	220907	1191	222098
19	2011-12	--	44164	90	44254	--	2.42	3.04	2.42	--	106679	274	106953
20	2012-13	--	48249	61	48310	--	3.62	3.15	3.62	--	174658	192	174850
21	2013-14	--	42038	62	42100	--	3.58	3.35	3.57	--	150294	208	150502
22	2014-15	--	38245	118	38363	--	3.44	3.29	3.44	--	131745	388	132133
23	2015-16	--	33206	156	33362	--	2.84	1.70	2.83	--	94162	265	94427
24	2016-17	--	34046	40	34086	--	4.36	3.95	4.36	--	148336	158	148494
25	2017-18	--	25841	373	26214	--	4.12	3.81	4.11	--	106391	1421	107812
26	2018-19	--	23569	38	23607	--	3.68	3.55	3.68	--	86790	135	86925
27	2019-20	--	22722	36	22758	--	3.96	6.25	3.96	--	89976	225	90201
28	2020-21	--	26322	53	26375	--	3.99	1.92	3.98	--	104928	102	105030
29	2021-22	--	41635	165	41800	--	3.89	2.82	3.88	--	161823	466	162289
30	2022-23	--	31653	94	31747	--	4.06	2.81	4.06	--	128566	264	128830

Table No. - 20.8
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : TIL

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	12496	70142	14070	96708	1.97	3.00	2.60	2.81	24590	210418	36651	271659
2	1994-95	4350	50270	17339	71959	1.55	2.35	2.01	2.22	6744	118194	34825	159763
3	1995-96	4314	49225	9821	63360	1.54	2.32	2.31	2.27	6640	114206	22702	143548
4	1996-97	6460	63305	7814	77579	1.62	1.73	2.71	1.82	10482	109646	21160	141288
5	1997-98	7295	48551	16107	71953	2.23	1.71	2.52	1.95	16259	83159	40650	140068
6	1998-99	7694	37995	7864	53553	1.65	1.76	2.14	1.80	12693	66688	16830	96211
7	1999-00	7637	35267	10001	52905	2.28	1.78	2.15	1.93	17433	62897	21543	101873
8	2000-01	10770	35944	3788	50502	1.30	1.21	2.65	1.33	14001	43336	10036	67373
9	2001-02	6878	38242	6453	51573	1.45	2.23	2.81	2.20	9992	85291	18110	113393
10	2002-03	7082	28610	7779	43471	1.57	1.42	2.36	1.61	11104	40722	18373	70199
11	2003-04	3141	27089	7486	37716	1.50	2.09	2.18	2.06	4725	56712	16314	77751
12	2004-05	4001	36428	8284	48713	2.44	2.12	2.64	2.23	9774	77183	21846	108803
13	2005-06	3014	41341	10331	54686	1.38	2.38	2.70	2.38	4161	98361	27866	130388
14	2006-07	3320	37416	9607	50343	1.84	2.04	2.52	2.12	6100	76349	24170	106619
15	2007-08	4528	30132	13819	48479	1.69	2.06	2.30	2.10	7662	62197	31791	101650
16	2008-09	3550	28319	5755	37624	1.37	1.87	2.52	1.93	4854	53082	14521	72457
17	2009-10	4560	31783	9198	45541	1.72	2.27	2.71	2.30	7852	72140	24925	104917
18	2010-11	6354	37563	7833	51750	2.01	2.19	2.67	2.24	12793	82197	20924	115914
19	2011-12	4517	16749	5247	26513	1.65	1.50	2.95	1.81	7452	25068	15480	48000
20	2012-13	3270	15445	3008	21723	1.78	2.44	3.21	2.45	5811	37735	9649	53195
21	2013-14	2737	16171	4631	23539	2.06	2.37	2.61	2.38	5646	38375	12076	56097
22	2014-15	3679	17919	4255	25853	2.26	2.54	3.00	2.57	8328	45442	12753	66523
23	2015-16	2959	12434	4633	20026	2.11	1.85	2.63	2.07	6235	22984	12177	41396
24	2016-17	3571	11000	1435	16006	2.88	3.12	3.06	3.06	10273	34286	4396	48955
25	2017-18	2441	10515	1848	14804	2.45	2.88	2.75	2.79	5980	30282	5085	41347
26	2018-19	1592	11056	2229	14877	3.08	2.32	2.01	2.35	4898	25634	4491	35023
27	2019-20	1935	9457	2603	13995	3.06	3.08	2.19	2.91	5928	29144	5701	40773
28	2020-21	1551	14453	5328	21332	1.84	2.76	1.85	2.47	2855	39894	9865	52614
29	2021-22	5073	12593	6716	24382	2.51	2.65	2.12	2.48	12750	33367	14254	60371
30	2022-23	2134	10567	7078	19779	1.96	3.32	2.15	2.76	4177	35099	15225	54501

Table No. - 20.9
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : GROUNDNUT

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	40764	14116	45216	100096	7.92	15.46	13.24	11.39	322980	218263	598548	1139791
2	1994-95	34392	9750	43158	87300	8.21	12.38	13.41	11.25	282473	120749	578552	981774
3	1995-96	32393	4735	53962	91090	9.35	9.03	10.69	10.13	302937	42768	577059	922764
4	1996-97	38166	9399	49009	96574	6.40	8.74	9.42	8.16	244174	82193	461656	788023
5	1997-98	37465	8175	39729	85369	9.19	10.91	12.29	10.79	344343	89045	488154	921542
6	1998-99	32001	5987	45581	83569	8.45	8.66	8.76	8.63	270509	51844	399118	721471
7	1999-00	32485	3191	34459	70135	8.98	9.39	12.45	10.70	291601	29956	429023	750580
8	2000-01	33702	3375	35280	72357	6.23	9.25	9.45	7.94	210007	31227	333511	574745
9	2001-02	27920	3081	30066	61067	7.26	11.11	12.04	9.81	202637	34245	362142	599024
10	2002-03	24125	3113	28899	56137	6.71	8.02	10.43	8.70	161891	24968	301488	488347
11	2003-04	28516	2613	46047	77176	8.44	10.67	14.39	12.07	240817	27884	662633	931334
12	2004-05	30494	3187	54029	87710	8.24	11.05	13.71	11.71	251145	35207	740738	1027090
13	2005-06	34909	3171	52720	90800	8.30	8.92	14.14	11.71	289798	28283	745243	1063324
14	2006-07	32928	3535	42429	78892	8.75	11.47	12.92	11.11	287957	40532	547983	876472
15	2007-08	31474	2094	50530	84098	9.73	11.49	13.76	12.20	306318	24060	695423	1025801
16	2008-09	32265	2065	49116	83446	9.73	11.07	12.78	11.56	314065	22857	627884	964806
17	2009-10	30731	3685	41875	76291	9.40	12.04	13.35	11.69	288742	44385	558894	892021
18	2010-11	32004	3074	37698	72776	9.60	11.72	13.62	11.77	307281	36035	513329	856645
19	2011-12	27791	2140	36351	66282	8.12	10.62	14.86	11.89	225551	22736	540076	788363
20	2012-13	25179	2487	38683	66349	10.52	12.60	13.45	12.31	264909	31345	520280	816534
21	2013-14	24161	1669	34063	59893	10.93	13.85	17.04	14.49	264099	23109	580460	867668
22	2014-15	20519	1916	26407	48842	10.32	10.10	14.71	12.68	211777	19357	388399	619533
23	2015-16	16983	1404	32819	51206	8.00	12.90	12.42	10.97	135935	18110	407567	561612
24	2016-17	21190	4355	19389	44934	9.45	12.56	15.33	12.29	200290	54679	297327	552296
25	2017-18	14414	1817	17089	33320	8.99	13.57	13.08	11.34	129574	24649	223553	377776
26	2018-19	10974	1977	14924	27875	10.24	13.50	14.53	12.77	112362	26697	216836	355895
27	2019-20	9663	1422	18352	29437	11.89	15.91	22.35	18.60	114862	22626	410134	547622
28	2020-21	7455	2441	28571	38467	14.31	16.72	22.08	20.23	106704	40805	630843	778352
29	2021-22	19125	3486	23539	46150	16.24	18.35	21.36	19.01	310518	63960	502705	877183
30	2022-23	15833	4161	23977	43971	16.86	17.95	20.24	18.81	266977	74706	485409	827092

Table No. - 20.10
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : MUSTARD

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	--	33521	182	33703	--	1.88	1.79	1.88	--	62987	326	63313
2	1994-95	--	29707	111	29818	--	1.95	1.16	1.95	--	57894	129	58023
3	1995-96	--	22913	102	23015	--	1.69	1.74	1.69	--	38800	177	38977
4	1996-97	--	19148	240	19388	--	1.47	2.17	1.47	--	28071	521	28592
5	1997-98	--	19810	78	19888	--	1.62	1.95	1.62	--	32149	152	32301
6	1998-99	--	19020	--	19020	--	1.25	--	1.25	--	23764	--	23764
7	1999-00	--	17061	--	17061	--	1.53	--	1.53	--	26019	--	26019
8	2000-01	--	12395	--	12395	--	1.33	--	1.33	--	16483	--	16483
9	2001-02	--	14159	--	14159	--	1.57	--	1.57	--	22200	--	22200
10	2002-03	--	12193	--	12193	--	1.32	--	1.32	--	16049	--	16049
11	2003-04	--	15907	--	15907	--	1.93	--	1.93	--	30651	--	30651
12	2004-05	--	15863	--	15863	--	1.91	--	1.91	--	30294	--	30294
13	2005-06	--	17401	--	17401	--	1.91	--	1.91	--	33304	--	33304
14	2006-07	--	15161	--	15161	--	1.70	--	1.70	--	25771	--	25771
15	2007-08	--	15884	--	15884	--	2.03	--	2.03	--	32314	--	32314
16	2008-09	--	13736	--	13736	--	1.84	--	1.84	--	25252	--	25252
17	2009-10	--	12841	--	12841	--	2.13	--	2.13	--	27354	--	27354
18	2010-11	--	15925	--	15925	--	2.10	--	2.10	--	33433	--	33433
19	2011-12	--	10335	--	10335	--	2.12	--	2.12	--	21922	--	21922
20	2012-13	--	14631	--	14631	--	2.75	--	2.75	--	40297	--	40297
21	2013-14	--	13442	--	13442	--	2.69	--	2.69	--	36199	--	36199
22	2014-15	--	10119	--	10119	--	2.44	--	2.44	--	24702	--	24702
23	2015-16	--	7308	--	7308	--	2.05	--	2.05	--	14966	--	14966
24	2016-17	--	9698	--	9698	--	3.46	--	3.46	--	33522	--	33522
25	2017-18	--	8650	--	8650	--	3.26	--	3.26	--	28169	--	28169
26	2018-19	--	6019	--	6019	--	2.75	--	2.75	--	16553	--	16553
27	2019-20	--	6952	--	6952	--	2.93	--	2.93	--	20348	--	20348
28	2020-21	--	6868	--	6868	--	2.80	--	2.80	--	19231	--	19231
29	2021-22	--	17768	--	17768	--	3.23	--	3.23	--	57469	--	57469
30	2022-23	--	14641	--	14641	--	3.50	--	3.50	--	51240	--	51240

Table No. - 20.11
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : NIZER

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	--	--	--	--	--	--	--	--	--	--	--	--
2	1994-95	--	--	--	--	--	--	--	--	--	--	--	--
3	1995-96	--	--	--	--	--	--	--	--	--	--	--	--
4	1996-97	--	--	--	--	--	--	--	--	--	--	--	--
5	1997-98	--	--	--	--	--	--	--	--	--	--	--	--
6	1998-99	--	--	--	--	--	--	--	--	--	--	--	--
7	1999-00	--	--	--	--	--	--	--	--	--	--	--	--
8	2000-01	--	--	--	--	--	--	--	--	--	--	--	--
9	2001-02	--	--	--	--	--	--	--	--	--	--	--	--
10	2002-03	--	42909	--	42909	--	1.50	--	1.50	--	64384	--	64384
11	2003-04	--	54026	--	54026	--	2.49	--	2.49	--	134431	--	134431
12	2004-05	--	59606	--	59606	--	2.11	--	2.11	--	125822	--	125822
13	2005-06	--	58300	--	58300	--	2.30	--	2.30	--	134167	--	134167
14	2006-07	--	54942	--	54942	--	2.33	--	2.33	--	128104	--	128104
15	2007-08	--	50442	--	50442	--	2.57	--	2.57	--	129798	--	129798
16	2008-09	--	48165	--	48165	--	1.89	--	1.89	--	91172	--	91172
17	2009-10	--	44401	--	44401	--	2.16	--	2.16	--	96015	--	96015
18	2010-11	--	46998	--	46998	--	2.40	--	2.40	--	112754	--	112754
19	2011-12	--	31844	--	31844	--	1.50	--	1.50	--	47689	--	47689
20	2012-13	--	35285	--	35285	--	2.22	--	2.22	--	78242	--	78242
21	2013-14	--	35383	--	35383	--	2.98	--	2.98	--	105306	--	105306
22	2014-15	--	32757	--	32757	--	2.49	--	2.49	--	81428	--	81428
23	2015-16	--	21910	--	21910	--	1.81	--	1.81	--	39665	--	39665
24	2016-17	--	15018	--	15018	--	3.07	--	3.07	--	46164	--	46164
25	2017-18	--	18348	--	18348	--	3.27	--	3.27	--	59910	--	59910
26	2018-19	--	18987	--	18987	--	2.74	--	2.74	--	51943	--	51943
27	2019-20	--	15898	--	15898	--	3.58	--	3.58	--	56989	--	56989
28	2020-21	--	13471	--	13471	--	2.98	--	2.98	--	40170	--	40170
29	2021-22	--	17517	--	17517	--	3.31	--	3.31	--	57958	--	57958
30	2022-23	--	10991	--	10991	--	3.25	--	3.25	--	35724	--	35724

N.B:Nizer has been estimated under EARAS since 2002-23.

Table No. - 20.12
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : JUTE

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	3841	--	--	3841	12.69	--	--	12.69	48751	--	--	48751
2	1994-95	7355	--	--	7355	11.33	--	--	11.33	83344	--	--	83344
3	1995-96	8420	--	--	8420	15.49	--	--	15.49	130414	--	--	130414
4	1996-97	12041	--	--	12041	15.99	--	--	15.99	192542	--	--	192542
5	1997-98	9201	--	--	9201	13.39	--	--	13.39	123211	--	--	123211
6	1998-99	5313	--	--	5313	14.09	--	--	14.09	74865	--	--	74865
7	1999-00	4114	--	--	4114	17.18	--	--	17.18	70674	--	--	70674
8	2000-01	3896	--	--	3896	16.87	--	--	16.87	65729	--	--	65729
9	2001-02	4612	--	--	4612	14.74	--	--	14.74	67996	--	--	67996
10	2002-03	5610	--	--	5610	16.43	--	--	16.43	92178	--	--	92178
11	2003-04	2590	--	--	2590	12.61	--	--	12.61	32670	--	--	32670
12	2004-05	2520	--	--	2520	17.66	--	--	17.66	44513	--	--	44513
13	2005-06	2724	--	--	2724	16.28	--	--	16.28	44359	--	--	44359
14	2006-07	4858	--	--	4858	17.72	--	--	17.72	86103	--	--	86103
15	2007-08	5818	--	--	5818	15.42	--	--	15.42	89708	--	--	89708
16	2008-09	2429	--	--	2429	14.74	--	--	14.74	35807	--	--	35807
17	2009-10	2935	--	--	2935	18.62	--	--	18.62	54663	--	--	54663
18	2010-11	3181	--	--	3181	20.56	--	--	20.56	65407	--	--	65407
19	2011-12	3910	--	--	3910	14.77	--	--	14.77	57751	--	--	57751
20	2012-13	1776	--	--	1776	17.52	--	--	17.52	31121	--	--	31121
21	2013-14	1971	--	--	1971	18.09	--	--	18.09	35665	--	--	35665
22	2014-15	1057	--	--	1057	16.25	--	--	16.25	17174	--	--	17174
23	2015-16	1204	--	--	1204	21.74	--	--	21.74	26169	--	--	26169
24	2016-17	753	--	--	753	16.78	--	--	16.78	12638	--	--	12638
25	2017-18	947	--	--	947	24.92	--	--	24.92	23603	--	--	23603
26	2018-19	200	--	--	200	15.60	--	--	15.60	3121	--	--	3121
27	2019-20	147	--	--	147	21.69	--	--	21.69	3189	--	--	3189
28	2020-21	759	--	--	759	24.05	--	--	24.05	18253	--	--	18253
29	2021-22	3471	--	--	3471	25.44	--	--	25.44	88311	--	--	88311
30	2022-23	2552	--	--	2552	23.33	--	--	23.33	59548	--	--	59548

Table No. - 20.13
State Level Estimates of Area,Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : POTATO

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	--	10404	--	10404	--	112.51	--	112.51	--	1170576	--	1170576
2	1994-95	--	9655	--	9655	--	111.74	--	111.74	--	1078855	--	1078855
3	1995-96	--	8939	--	8939	--	96.95	--	96.95	--	866593	--	866593
4	1996-97	--	10080	--	10080	--	114.80	--	114.80	--	1157223	--	1157223
5	1997-98	--	8887	--	8887	--	98.36	--	98.36	--	874125	--	874125
6	1998-99	--	7955	--	7955	--	116.43	--	116.43	--	926240	--	926240
7	1999-00	--	8738	--	8738	--	104.25	--	104.25	--	910916	--	910916
8	2000-01	--	8251	--	8251	--	104.07	--	104.07	--	858709	--	858709
9	2001-02	--	7580	--	7580	--	102.97	--	102.97	--	780483	--	780483
10	2002-03	--	7076	--	7076	--	99.37	--	99.37	--	703173	--	703173
11	2003-04	--	7303	--	7303	--	103.82	--	103.82	--	758223	--	758223
12	2004-05	--	8506	--	8506	--	94.96	--	94.96	--	807695	--	807695
13	2005-06	--	8305	--	8305	--	90.40	--	90.40	--	750775	--	750775
14	2006-07	--	8176	--	8176	--	97.01	--	97.01	--	793177	--	793177
15	2007-08	--	8514	--	8514	--	110.70	--	110.70	--	942538	--	942538
16	2008-09	--	7315	--	7315	--	103.32	--	103.32	--	755758	--	755758
17	2009-10	--	7877	--	7877	--	123.14	--	123.14	--	969968	--	969968
18	2010-11	--	6528	--	6528	--	116.74	--	116.74	--	762056	--	762056
19	2011-12	--	5779	--	5779	--	109.03	--	109.03	--	630061	--	630061
20	2012-13	--	5324	--	5324	--	122.12	--	122.12	--	650153	--	650153
21	2013-14	--	6151	--	6151	--	115.98	--	115.98	--	713407	--	713407
22	2014-15	--	8445	--	8445	--	123.24	--	123.24	--	1040801	--	1040801
23	2015-16	--	5626	--	5626	--	101.73	--	101.73	--	572336	--	572336
24	2016-17	--	6524	--	6524	--	125.93	--	125.93	--	821580	--	821580
25	2017-18	--	3966	--	3966	--	105.43	--	105.43	--	418117	--	418117
26	2018-19	--	4900	--	4900	--	111.13	--	111.13	--	544547	--	544547
27	2019-20	--	4397	--	4397	--	106.80	--	106.80	--	469586	--	469586
28	2020-21	--	5535	--	5535	--	108.87	--	108.87	--	602614	--	602614
29	2021-22	--	10932	--	10932	--	106.22	--	106.22	--	1161223	--	1161223
30	2022-23	--	11307	--	11307	--	101.41	--	101.41	--	1146614	--	1146614

Table No. - 20.14
State Level Estimates of Area, Yield rate & Production of Programmed crops. (1993-94 to 2022-23)
CROP : SUGARCANE

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1993-94	--	13410	--	13410	--	582.39	--	582.39	--	7809814	--	7809814
2	1994-95	--	20320	--	20320	--	589.87	--	589.87	--	11986205	--	11986205
3	1995-96	--	27302	--	27302	--	583.90	--	583.90	--	15941597	--	15941597
4	1996-97	--	23518	--	23518	--	566.41	--	566.41	--	13320831	--	13320831
5	1997-98	--	18698	--	18698	--	612.21	--	612.21	--	11447180	--	11447180
6	1998-99	--	22325	--	22325	--	658.24	--	658.24	--	14695287	--	14695287
7	1999-00	--	20653	--	20653	--	579.31	--	579.31	--	11964546	--	11964546
8	2000-01	--	16775	--	16775	--	574.61	--	574.61	--	9639152	--	9639152
9	2001-02	--	10988	--	10988	--	586.10	--	586.10	--	6440051	--	6440051
10	2002-03	--	14177	--	14177	--	531.28	--	531.28	--	7531932	--	7531932
11	2003-04	--	14565	--	14565	--	589.15	--	589.15	--	8580944	--	8580944
12	2004-05	--	14486	--	14486	--	639.30	--	639.30	--	9260853	--	9260853
13	2005-06	--	16332	--	16332	--	657.00	--	657.00	--	10730083	--	10730083
14	2006-07	--	20095	--	20095	--	634.17	--	634.17	--	12743706	--	12743706
15	2007-08	--	19819	--	19819	--	539.50	--	539.50	--	10692274	--	10692274
16	2008-09	--	10763	--	10763	--	600.43	--	600.43	--	6462437	--	6462437
17	2009-10	--	7968	--	7968	--	614.88	--	614.88	--	4899401	--	4899401
18	2010-11	--	13142	--	13142	--	686.88	--	686.88	--	9026973	--	9026973
19	2011-12	--	14499	--	14499	--	610.19	--	610.19	--	8847131	--	8847131
20	2012-13	--	14530	--	14530	--	655.45	--	655.45	--	9523669	--	9523669
21	2013-14	--	14213	--	14213	--	658.91	--	658.91	--	9365122	--	9365122
22	2014-15	--	10047	--	10047	--	719.51	--	719.51	--	7228906	--	7228906
23	2015-16	--	8962	--	8962	--	644.00	--	644.00	--	5771572	--	5771572
24	2016-17	--	5493	--	5493	--	626.79	--	626.79	--	3442953	--	3442953
25	2017-18	--	3713	--	3713	--	647.04	--	647.04	--	2402455	--	2402455
26	2018-19	--	6778	--	6778	--	616.22	--	616.22	--	4176730	--	4176730
27	2019-20	--	8948	--	8948	--	564.23	--	564.23	--	5048705	--	5048705
28	2020-21	--	7000	--	7000	--	544.73	--	544.73	--	3813094	--	3813094
29	2021-22	--	7050	--	7050	--	563.98	--	563.98	--	3976048	--	3976048
30	2022-23	--	7333	--	7333	--	537.81	--	537.81	--	3943755	--	3943755

