



TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2023-24



AGRICULTURAL STATISTICS DIVISION
DIRECTORATE OF ECONOMICS AND STATISTICS
ODISHA, BHUBANESWAR



GOVERNMENT OF ODISHA

TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2023-24

AGRICULTURAL STATISTICS DIVISION
DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA
BHUBANESWAR



Dr. Bijay Bhusan Nanda
Director
Economics & Statistics, Odisha

Arthaniti 'O' ParisankhyanBhawan
HOD Campus, Unit-V
Bhubaneswar – 751005, Odisha
Phone: 0674 – 2391295
e-mail: desbbsr@nic.in

Foreword

Agriculture continues to be the backbone of rural livelihoods and food security, playing a vital role in economic growth and social stability. Understanding the Production system of agriculture is essential for planning and effective policy decisions. The Scheme “EARAS” (Establishment of an Agency for Reporting Agricultural Statistics) is in operation in the state since 1976-77 & the “Technical Report on EARAS – 2023-24” is the 27th one in the series of its kind. This report is intended to serve as a practical reference for planners, researchers, administrators, and development practitioners. The findings will support better program design, targeted interventions, and resource allocation to strengthen agricultural resilience and enhance farmers’ incomes.

It encompasses Land Utilisation Survey & Crop Cutting Experiments by the Statistical Field Surveyors at district level and Area & Yield Estimation at State Headquarter level.

Under Land Utilisation Survey, the scheme covers all the survey numbers of the sample villages & it covers only Paddy & other thirteen minor crops, viz. Wheat, Maize, Ragi, Greengram, (Mung), Blackgram (Biri), Horsegram (Kulthi), Sesamum(Til), Groundnut, Mustard, Niger, Jute, Potato & Sugarcane to conduct Crop Cutting Experiments for the purpose of yield estimation. The report comprehends the estimates of area, yield rate and production of the programmed crops along with some ancillary information like soil & seed type, levels of land, application of fertiliser and manure, etc.

The arduous efforts made by the field workers at district/block level is intently accredited who furnish the primary data with a scanty of manpower & in a time bound manner.

I would like to record my appreciation for the efforts made by the officers and staff of Agriculture Statistics Division of this Directorate for bringing out the estimates & developing the tables & reports.

All-out effort has been made to produce this report as comprehensive, informative and useful document for decision-makers, researchers, planners, economists and other beneficiaries at large. Suggestions will, however, be welcome for its further improvement.

(Dr. B.B. Nanda)

Bhubaneswar

Date: March' 2026

Sri Laxmidhar Biswal

Joint Director

Directorate of Economics & Statistics,
Odisha



P r e f a c e

There has been an enormous increase in the importance of Agricultural Statistics in the present era. Agriculture is the back bone of an agrarian economy like Odisha, which provides livelihood to the mass & significantly contributes to state's Gross Domestic Product.

In order to strengthen the agrarian sector, Government of Odisha have given much more importance to agriculture sector during previous years. Directorate of Economics & Statistics, Odisha, at the instance of Ministry of Agriculture and Farmers Welfare, Govt. of India is collecting Crop statistics under the scheme EARAS. "Technical Report on EARAS" is a publication of DE&S, Odisha comprising of land utilization survey and yield estimation survey. It contains data relating to land use, area under different crops, production, use of fertilizer, irrigation facility etc. It mainly focuses on area, yield rate and production of paddy and thirteen minor crops.

The present publication is the 27th issue in its series of publication. The current publication is a gigantic task and has been successfully prepared with the co-operation of Officers and Staff of Agriculture Statistics Division of DE&S.

I express my deep gratitude to Dr. B.B. Nanda, Director, Economics & Statistics, Odisha for his valuable suggestions and constant guidance in preparation of this report.

My heartiest thanks to all Officers and staff of A.S. Division for their team efforts in bringing out this valuable publication in time.

I hope the report would be very much useful to research & analysis on agriculture sector.

Any suggestion for further improvement of the publication is most welcome.

(Laxmidhar Biswal)

Bhubaneswar

Date: March' 2026

Officers and Staff Associated

Dr. Bijay Bhusan Nanda

Director

Sri Laxmidhar Biswal

Joint Director

Sri Rankanidhi Nayak

Assistant Director

Sri Madan Mohan Panda

Assistant Director

Sri Susant Kumar Sahoo

Statistical Officer

Ms. Khushi Aggrawal



Statistical Officer

HIGHLIGHTS




- ❖ *Number of sample villages selected & surveyed under the scheme EARAS 2023-24 is 9951(Rural) only.*
- ❖ *No. of Crop Cutting Experiments conducted for Paddy under EARAS 2023-24 is 17986.*
- ❖ *Similarly, 27183 crop cutting experiments on programmed minor crops have been conducted during 2023-24.*
- ❖ *During 2023-24, about 14%, 0.3% & 1% of the crop cutting experiments conducted on paddy & minor crops together have been inspected/ attended by the officers and staff of Directorate of Economics & Statistics, Agriculture Department & NSO, GoI respectively.*
- ❖ *The area under Paddy, estimated at 4087.05 thousand hectares during 2023-24 have shown an increase of 0.56% from 2022-23.*
- ❖ *The estimates of gross crop area during 2023-24 (5168.44 th. hect.) have shown an increase of 3.08% over the previous year 2022-23.*
- ❖ *The yield-rate of Paddy has declined to 42.78 qntl./hect. in 2023-24 from 44.49 qntl./hect. in 2022-23. This may be due to a combination of delayed monsoon, prolonged dryspell & unseasonal heavy rainfall.*
- ❖ *The production of paddy in 2023-24 (174.83lakh MTs) shows a decrease by (-)3.30% from 2022-23 (180.80 lakh MT) as there is decline in yield-rate.*
- ❖ *During 2023-24, net area sown (4308 thousand hectares) show an increase by 0.91% from 2022-23 (4269 thousand hectares) as there is decline in area under cultivable waste, oldfallow & current fallow.*
- ❖ *There is a little decline in current fallow land in 2023-24 (903 thousand hectares) from 2022-23 (908 thousand hectares).*
- ❖ *During the agricultural year 2023-24, estimated gross crop area was 5168 thousand hectares against net crop area of 4308 thousand hectares with a cropping intensity of 119.99%.*
- ❖ *Estimated irrigated gross crop area is 1667 thousand hectares against net crop irrigated 1315 thousand hectares showing a cropping intensity of irrigated crop area at 126.77 in 2023-24.*
- ❖ *In case of un-irrigated crop area, cropping intensity is 117.01% with a gross crop un-irrigated area of 3502 thousand hectares to net crop un-irrigated 2993 thousand hectares in 2023-24.*
- ❖ *Crop area of Paddy of HYV Variety has been increased to 98.90 % in 2023-24, which was 97.88% in 2022-23 of the total crop coverage.*
- ❖ *Growth rate of Paddy production in 2023-24 stands at 16.06% taking average of last five years average as base.*

HIGHLIGHTS

Land Use




Paddy-Estimates




TOP-FIVES


Top five districts in estimates of paddy area 2023-24




Top five districts in productivity of Paddy 2023-24



Top-Five Paddy Producing districts 2023-24




Top five districts with Paddy density to total crop area 2023-24




Top Five districts with estimated Gross Crop Area 2023-24




Top Five districts with estimated Irrigated Crop Area 2023-24



Top Five districts with Cropping intensity 2023-24



Top Five districts with Cropping Density to total area 2023-24



Contents

CHAPTER 1. INTRODUCTION	1
1.1. FUNDING PATTERN:	1
1.2. STAFFING PATTERN:	1
1.3. METHODOLOGY:	2
CHAPTER 2. ESTIMATION PROCEDURE	5
2.1. ESTIMATES OF AREA (ALL CROPS):	5
2.2. ESTIMATES OF YIELD RATE:	5
2.3. ESTIMATE OF PRODUCTION:	7
2.4. VARIANCE OF ESTIMATED YIELD RATE:	8
2.5. % STANDARD ERROR (YIELDRATE):	8
CHAPTER 3. RESULTS OF THE SURVEY	9
3.1. Land Utilization Survey:	9
3.2. Estimates of area under different crops:	12
3.3. Estimates of yield rate of different programmed crops:	20
3.4. Estimates of production of different Programmed crops	24
3.5. Standard Error of Estimates	27
3.6. ANCILLARY INFORMATION	27
3.6.1. Crop-wise estimates of irrigated area	27
3.6.2. Cropping Intensity	30
3.6.3. Estimates of Gross cropped area irrigated from different sources of irrigation: .	32
3.6.4. Estimates of Area & Yield rate under HYV & Local varieties	33
3.6.5. Yield rate of different crops from Irrigated & Un-irrigated plots	35
3.6.6. Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer	36
3.6.7. Yield rate of different crops from different types of Soil 2023-24	37
3.6.8. Yield rate of different crops from different levels of Land:	38
3.7. Growth-rate of Area & Production of different crops	38
GLOSSARY OF TERMS	41
APPENDIX	43
Table No. - 1.0 State Level Estimates of Area under different Classification of Land Uses	45
Table No. -1.1 District wise Estimates of Area under Different Classification of Land Uses	47
Table No. - 2.0 State Level Estimates of Area under Different Programmed Crops	48
Table No. - 3.0 State Level Estimates of Yield rate under Different Programmed Crops	50
Table No. - 4.0 State Level Estimates of Production under Different Programmed Crops	52

Table No. - 5.0 Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24.....	55
Table No.- 6.0 Estimates of Area under Other Crops by Broad Groups	70
Table No. - 7.0 Estimates of Area under All Crops by Broad Groups	72
Table No. -8.0 Estimates of Gross Cropped Area 2023-24	74
Table No.- 9.0 Percentage Standard Error of estimated Yieldrate	79
Table No. - 10.0 Estimates of Crop wise & Season wise Irrigated Area	82
Table No. -11.0 Estimates of Gross cropped Area irrigated vrs un-irrigated	89
Table No. - 12.0 Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity	91
Table No. - 13.1 Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24 .	93
Table No. - 14.0 Estimates of Area & Yieldrate of HYV & Local varieties (Paddy, Wheat & Maize)	97
Table No. - 15.0 Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots	100
Table No. - 16.0 Estimates of Yield-rate of Programmed Crops from plots applied with fertiliser / manure & not applied with fertiliser / manure 2023-24	103
Table No. - 17.0 Estimates of Yieldrate according to different types of Soil	105
Table No. - 18.0 Estimates of Yieldrate of Programmed Crops according to Levels of Land	111
Table No. - 19.0 No. of Crop Cutting experiments conducted on Programmed Crops 2023-24	114
Table No. - 20.1 State Level Estimates of Area,Yield rate & Production of Programmed crops (1994- 95 to 2023-24).....	116

CHAPTER 1.

INTRODUCTION:

Since 1959-60, State Economics & Statistics Bureau, Odisha was estimating the production and yield of some important crops like paddy, potato & jute through sample survey by trained field surveyors. The Scheme “Establishment of an Agency for Reporting Agricultural Statistics” (EARAS) is in operation in the state through Directorate of Economics & Statistics since 1976-77. The primary objective of the scheme is to formulate estimates of area, yield rate and production of 14 different programmed crops on the basis of data collected through sample surveys under Land Utilization Survey (LUS) and General Crop Estimation Surveys (GCES). In each agricultural year, 20% of total revenue villages of the State are covered for conducting sample surveys under the scheme on non-overlapping basis with effect from 1981-82. As such, all revenue villages of the State are covered under the scope of the survey within a period of 5 years in one round. The Agricultural year of 2023-24 is the 3rd year of the 9th round of the survey.

1.1. FUNDING PATTERN:

The scheme is 100% funded by Central Government w.e.f. the financial year 2007-08. The financial position during 2023-24 are given below in Table No.- 1.1

Table 1.1.1 Funding Pattern in 2023-24

(Rupees in lakh)					
Year	Opening Balance as on 1 st April	Funds released by Govt. of India during the year	Funds Available During the year	Expenditure during the year	Balance to be adjusted during next year
2023-24	(-) 670.00	2764.00	2094.00	4316.34	(-) 2222.34

1.2. STAFFING PATTERN:

In view of execution of the scheme at field level, supervision of field work and overall monitoring, following posts (Table No.-1.2) have been sanctioned by Government of India and State Government as well.

Table 1.2.1 Staffing Pattern under EARAS

Sl. No.	Category of Post	No. of Posts sanctioned		
		EARAS	Crop Survey (State Non-plan scheme)	Total
For Headquarter of the Directorate				
1	Joint Director	1	--	1
2.	Deputy Director	2	1	3
3.	Asst. Director	5	1	6
4.	Statistical Officer	12	2	14
5.	Assistant Statistical Officer	40	10	50
For District Offices				
1	Deputy Director	8	---	8
2	Asst. Director	4	--	4
3	Statistical Officer	48	13	61
4	Assistant Statistical Officer	71	--	71
5	Senior Statistical Field Inspector	84	--	84
6	Statistical Field Inspector	101	44	145
7	Statistical Field Surveyor	1113	211	1324

* No. of sanctioned posts include only technical staff

1.3. METHODOLOGY:

SAMPLING DESIGN

Stratified sampling design, single stage for area estimation and three stage for yield estimation is adopted. For area estimation, Ratio method of estimation is used taking geographical area as the auxiliary variable.

A stratified three stage Random Sampling Design is adopted for yield estimation survey taking Block as the stratum, sample village as the 1st stage sampling unit, selected survey number/plot as the 2nd and experimental field of size 5mt.x5mts. as 3rd stage of the sampling units respectively.

First Stage: For yield estimation survey, a sub sample of 40% and 50% villages is selected out of total number of sample villages for crop cutting experiments on paddy and minor crops respectively. But, during summer season, slight deviation is adopted due to inadequate cultivation of crops. Thus, all sample villages are taken for conducting crop cutting experiments in summer season.

Second Stage: For the purpose of selecting plot(s) for conducting c.c. experiment in cadastral surveyed villages a list of survey numbers/plots growing crops is prepared separately for each programmed crop. In case of un-surveyed villages, the list of households cultivating the crop is prepared separately for each crop. From the above list, number of plot(s) is selected according to

plan/target by Simple Random Sampling method for conducting crop cutting experiments on different crops.

Third Stage: In the selected plot(s) an experimental field of size 5mts.x 5mts. is randomly identified with the help of a pair of imaginary co-ordinates for conducting c.c. experiments on all programmed crops (except potato) and weight of the harvested produce obtained from the experimental field is considered for yield estimation. In case of potato crop, the experimental field forms the shape of a trapezium of size 5mts. height and 8 rows in length.

➤ **STRATUM FORMATION**

Each C.D. block of the state is taken as a stratum.

➤ **SAMPLE SIZE**

Initially, the sample size was 6% and increased to 20% in phases w.e.f. the agricultural year 1981-82 with a view to cover all revenue villages of the state within a period of 5 years i.e. one round of survey.

➤ **FRAME FOR THE SURVEY**

All revenue villages of the C.D. block constitute the sampling frame at the Stratum level. The areas covered under irrigation projects, submerged under sea/river/lakes, transferred to developmental projects, transferred to Forest Department are excluded from the frame.

➤ **SAMPLE SELECTION**

From each stratum (C.D. Block), 5 sets of samples each constituting 20% of revenue villages is drawn by the method of Simple Random Sampling without Replacement with a view to cover one set during each agricultural year.

➤ **COVERAGE**

For the purpose of formulation of estimates, Paddy and 12 minor crops i.e. Wheat, Maize, Ragi, Mung(Greengram), Biri(Blackgram), Kulthi(Horsegram), Til, Groundnut, Mustard, Jute, Potato and sugarcane were covered as programmed crops. Niger crop has also been included w.e.f. 2002-03.

➤ **PERIOD OF SURVEY**

For the purpose of sample surveys under this scheme an agriculture year has been divided into three crop seasons i.e. Autumn, Winter & Summer keeping in view the harvesting period of different crops. Autumn season extends from July to October, Winter season from November to February and Summer season from March to June.

➤ **FIELD OPERATION**

Field operation consists of two phases

i) Land Utilization Survey

Land utilization / Area enumeration is done by visiting each survey No./plot of each sample village with the help of maps & R.O.Rs during each crop season (Autumn, Winter and Summer) of an agricultural year in order to collect primary data on area under different crops and other types of land uses pertaining to the same agricultural year. In case of un-surveyed villages for which maps and R.O.Rs are not available, area enumeration is conducted on the basis of household enquiry methods along with their particulars on land possessed/land cultivated.

ii) Yield Estimation Survey

Under Yield Estimation Survey, crop cutting experiments on paddy and 13 minor crops i.e., wheat, maize, ragi, mung, biri, kulthi, til, groundnut, mustard, nizer, jute, potato and sugarcane are conducted.

➤ **SELECTION OF PLOT/SURVEY NUMBER FOR CROP CUTTING EXPERIMENTS**

(i) FOR PADDY

As regards crop cutting experiments, 2-4 experiments are conducted on paddy in each sample village selected for yield estimation in each season. For minor crops, one crop cutting experiment is conducted during 3 crop seasons in each village selected for yield estimation according to its availability.

Block-wise allocation of Crop cutting experiments separately for 3 crop seasons has been done giving due weightage to estimated area under the crop of the block. Accordingly, 2-4 are conducted in each crop cutting village in each crop season according to availability. Selection of plots is done on the basis of Simple Random Sampling without replacement. Proportional representation of plots under both varieties (H.Y.V./Local) and Irrigated & Un-Irrigated plots is also considered at the time of selection of plot.

(ii) FOR MINOR CROPS

One crop cutting experiment for each programmed minor crop is conducted in each crop cutting village and during each crop season according to availability.

CHAPTER 2. (ESTIMATION PROCEDURE)

2.1. ESTIMATES OF AREA (ALL CROPS):

The Estimates of area under a particular crop in any stratum X_s is obtained by :

i)

$$\bar{X}_s = A_s \times \frac{\sum_{i=1}^{n_s} u_{si}}{\sum_{i=1}^{n_s} v_{si}}$$

where,

$\bar{X}_s$ = The estimated area under the crop in the 'S' th stratum (Block)

A_s = Total geographical area of the revenue villages of the 'S' th stratum (Block)

u_{si} = Area under the crop in the i-th sample village

v_{si} = Geographical area of the i-th sample village

n_s = Number of sample villages in the s-th stratum for area enumeration

The estimated area under the crop in the district ($\bar{X}_D$) and State level ($\bar{X}$) are formulated by adding up the estimates of all the constituent strata (Block) and districts respectively.

$$\text{ii) } \bar{X}_D = \sum_{s=1}^L \bar{X}_s$$

$$\text{iii) } \bar{X} = \sum_{D=1}^M \bar{X}_D$$

2.2. ESTIMATES OF YIELD RATE:

i) FOR PADDY

- The estimate of yield rate for a stratum is obtained by :

$$\bar{Y}_s = \frac{K}{\sum_{i=1}^{m_s} n_c} \times \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right] \times DR$$

Where,

$\bar{Y}_S$ = The estimate of yield rate of the crop in S-th Stratum.

K = Conversion factor from grams per cut to quintals per hectare (0.004).

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

n_c = Number of crop cutting experiments conducted in the i-th village.

m_s = Number of crop cutting villages in the S-th stratum.

DR= Driage Ratio.

***Estimate of yield rate at the district level is obtained by:**

$$\bar{Y}_D = \frac{\sum_{S=1}^L \bar{X}_S \times \bar{Y}_S}{\sum_{S=1}^L \bar{X}_S}$$

Where,

$\bar{X}_S$ =The estimated area under the crop in S-th stratum.

L = Number of strata in the district.

$\bar{Y}_S$ = The estimated yield rate of the crop in S-th stratum.

ii) FOR MINOR CROPS

- Estimate of yield rate of a particular minor crop at the district level is obtained by:

$$\bar{Y}_D = \frac{K}{\sum_{s=1}^{m_D} n_s} \times \sum_{i=1}^{m_D} \sum_{j=1}^{n_s} Y_{ij}$$

Where,

$\bar{Y}_D$ = The estimated yield rate of the district.

m_D = No. of Strata in D-th district.

n_s = No. of CC experiments conducted in S-th Stratum.

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

- The estimated yield rate (both for Paddy & MC) for the State is obtained by :

$$\bar{Y} = \frac{\sum_{D=1}^m \bar{X}_D \times \bar{Y}_D}{\sum_{D=1}^m \bar{X}_D}$$

Where,

$\bar{Y}$ = The estimated average yield of the crop for the State.

$\bar{X}_D$ = The estimated area under the crop in the D-th district.

M = Number of districts in the State.

2.3. ESTIMATE OF PRODUCTION:

i) FOR PADDY

Production at the Stratum level is obtained by:

$$\bar{P}_S = \bar{X}_S \times \bar{Y}_S$$

Production at the District level is obtained by:

$$\bar{P}_D = \sum_{S=1}^L \bar{P}_S$$

ii) FOR MINOR CROPS

Production at the District level is obtained by:

$$\bar{P}_D = \bar{X}_D \times \bar{Y}_D$$

- The estimated Production (both for Paddy & MC) for the State is obtained by:

$$\bar{P} = \sum_{D=1}^m \bar{P}_D$$

2.4. VARIANCE OF ESTIMATED YIELD RATE:

AT STRATUM LEVEL

$$\hat{V}(\bar{Y}_s) = \frac{K^2}{n_c(n_c - 1)} \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij}^2 - \frac{1}{n_c} \left(\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right)^2 \right]$$

AT DISTRICT LEVEL

$$\hat{V}(\bar{Y}_D) = \frac{\bar{P}_D^2 - \hat{V}(P_D)}{\bar{X}_D^2 - \hat{V}(X_D)} \left[\frac{\hat{V}(P_D)}{\bar{P}_D^2 - \hat{V}(P_D)} + \frac{\hat{V}(X_D)}{\bar{X}_D^2 - \hat{V}(X_D)} - \frac{2CO\hat{V}(P_D X_D)}{\bar{P}_D \bar{X}_D - CO\hat{V}(P_D X_D)} \right]$$

Where,

$$\hat{V}(P_D) = \sum_{s=I}^L \hat{V}(P_s) \quad , \quad CO\hat{V}(P_D X_D) = \sum_{s=I}^L \bar{Y}_s \hat{V}(X_s)$$

$$\bar{P}_D = \sum_{s=I}^L \bar{P}_s \quad , \quad \bar{P}_s = \bar{X}_s \bar{Y}_s \quad \bar{X}_D = \sum_{s=I}^L \bar{X}_s$$

AT STATE LEVEL

$$\hat{V}(\bar{Y}) = \frac{\bar{P}^2 - \hat{V}(P)}{\bar{X}^2 - \hat{V}(X)} \left[\frac{\hat{V}(P)}{\bar{P}^2 - \hat{V}(P)} + \frac{\hat{V}(X)}{\bar{X}^2 - \hat{V}(X)} - \frac{2CO\hat{V}(PX)}{\bar{P}\bar{X} - CO\hat{V}(PX)} \right]$$

Where,

$$CO\hat{V}(PX) = \sum_{D=I}^m \bar{Y}_D \hat{V}(X_D)$$

2.5. % STANDARD ERROR (YIELDRATE):

AT DISTRICT LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y}_D)}}{\bar{Y}_D} \times 100$$

AT STATE LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y})}}{\bar{Y}} \times 100$$

CHAPTER 3. (RESULTS OF THE SURVEY)

3.1. Land Utilization Survey:

The sample size for Land Utilization Survey for the agricultural years 2023-24 has been given below.

Table 3.1.1 Sample size for Land Utilization Survey for the years 2023-24

Year	Total revenue village of the state	No. of sample villages selected for L.U.S.	No. of sample villages covered under the survey	% of achievement
2023-24	50047 (Rural)	9951 (Rural)	9951 (Rural)	100%

The estimates of area under different classification of land uses have been formulated on the basis of sample surveys conducted in the rural sample villages during 2023-24 & Urban ratio. The state level estimates of area under different classification of land uses for the agricultural years 2023-24 has been given below.

Table 3.1.2 Estimates of Area under different classification of land uses for 2023-24

Table 5.12 Estimates of Area under different classification of land uses for 1907-1911 (Area in 000'hects.)													
Year		Classification of land uses									TOTAL AREA UNDER SURVEY	Area not included under survey	Geographical area of the state
		Forest (Revenue)	Land put to non- agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown			
2023-24	Area	1907	1379	1024	537	247	565	701	903	4308	11571	3995	15571
	(%)	(16.47%)	(11.91%)	(8.85%)	(4.64%)	(2.13%)	(4.88%)	(6.06%)	(7.82%)	(37.24%)	(*74.34%)	(*25.66%)	

- N.B. i) Figures in the parenthesis indicate % to total area under survey.
ii) * indicates % to total geographical area of the state.

It is seen from the above Table No.-3.1.2 that about 74.34% of the Geographical area of the State has been covered under the survey during agricultural year 2023-24.

Further, contribution of net area sown to the total area under survey is 37.24% as per the Table No.-3.1.2 & Table No.-1.0 of the Appendix and Fig No.-3.1.1 during the agricultural year 2023-24, which is much higher than that of any other classification of land uses.

The district wise estimates of area under different classification of land uses for the agricultural year 2023-24 have been presented in Table No.-1.1 of the Appendix.

It is observed from district-wise estimates presented in Table No.- 1.1 of the Appendix that; percentage of net area sown to the area under survey was the highest (61.00%) in case of Bhadrak district whereas it was the lowest (10.68%) in case of Kandhamal district during the year under report.

Pictographically, Fig. No.-3.1.1 depicts the estimates of different classification of land uses for agricultural year 2023-24.

Fig. No.-3.1.1 Estimates of Area under different classification of land uses 2023-24

(in % to area under survey)





Table 3.1.3 Estimates of Area under different classification of land uses from 2014-15 to 2023-24

(Area in 000'hects.)												
Year	Categories of land uses									Total Cultivable Area	Total Area under Survey	% of Net Area Sown to cultivable Area
	Forest (Revenue)	Land put to non-agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown			
1	2	3	4	5	6	7	8	9	10	11	12	13
2014-15	1856	1318	1078	524	211	550	631	918	4474	6784	11560	65.95
2015-16	1924	1376	1054	535	217	550	655	1028	4198	6648	11537	63.15
2016-17	1897	1405	1031	512	254	567	685	1085	4100	6691	11536	61.28
2017-18	1925	1377	976	512	276	613	777	1216	3863	6745	11535	57.27
2018-19	1912	1403	1016	523	251	591	738	1089	4006	6675	11529	60.01
2019-20	1963	1383	948	535	260	577	705	1055	4102	6699	11528	61.23
2020-21	1850	1376	1109	539	242	575	672	986	4179	6654	11528	62.80
2021-22	1942	1361	978	509	252	577	688	943	4322	6782	11572	63.73
2022-23	1847	1403	1046	534	278	582	704	908	4269	6741	11571	63.33
2023-24	1907	1379	1024	537	247	565	701	903	4308	6724	11571	64.07

The Table No. 3.1.3 & Table No. 1.0 of the Appendix depicts the land use pattern during the period from 2014-15 to 2023-24 under 9-fold classification of Land uses in the State. It reveals that, (i) Land put to non-agricultural uses, (ii) Cultivable waste, (iii) Old fallow, (iv) Current fallow, have an increasing trend, whereas the land under net area sown has a declining trend till 2017-18. Then after, the estimates depict an increase in net area sown to that of preceding year and Current fallow for those years have declined.


Further, the Table No. 3.1.3 shows the cultivable area and net area sown during 2014-15 to 2023-24. The percentage of Net Area Sown to total Cultivable Area has been declined from 66% to 64% during the period of 10 years.

Figure 3:1.2 Regression Analysis of Net area sown from 2014-15 to 2023-24



Pictographically, Fig. No.-3.1.3 depicts the estimates of cultivable area and net area sown from the agricultural year 2014-15 to 2023-24.

Fig. No.- 3.1.3 Estimates of Cultivable Area & Net Area from 2014-15 to 2023-24.



3.2. Estimates of area under different crops:

The state level estimates of area under different crops for different crop seasons for the agricultural year 2023-24 has been given below in Table No.-3.2.1.

Table 3.2.1 Season wise &Crop wise Estimates of Area for 2023-24

(Area in 000' hecets.)					
Sl. No.	Crop	2023-24			
		Aut.	Win.	Sum.	Total
1	Paddy	318.42	3382.32	386.31	4087.05
2	Wheat	-	-	0.25	0.25
3	Maize	81.75	0.94	8.14	90.83
4	Ragi	13.92	50.30	1.29	65.51
5	Other cereals	1.00	22.43	0.11	23.54
6	Mung (Greengram)	12.78	86.31	211.53	310.62
7	Biri (Blackgram)	8.50	74.97	19.79	103.26
8	Kulthi (Horsegram)	-	40.39	0.18	40.57
9	Other pulses	1.16	50.67	4.18	56.01
10	Til	1.81	9.64	11.58	23.03
11	Groundnut	12.63	3.20	28.49	44.32
12	Mustard	-	21.21	-	21.21
13	Niger	-	13.70	-	13.70
14	Other oilseeds	0.01	3.72	2.70	6.43
15	Jute	2.78	-	-	2.78
16	Potato	-	12.17	-	12.17
17	Sugarcane	-	7.18	-	7.18
18	Other crops	37.00	183.02	39.96	259.98
	ALL CROPS	491.76	3962.17	714.51	5168.44

The state level estimates of area (Autumn, Winter & Summer combined) under different crops for the years 2014-15 to 2023-24 has been given below in Table No.-3.2.2.

Table 3.2.2 Estimates of Area under different crops for 2014-15 to 2023-24

(Area in Lakh hectares)											
Sl.	Crop/Year	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
1	Paddy	41.66	39.42	39.63	37.66	38.59	39.41	40.29	39.48	40.64	40.87
2	Wheat	'S'	'S'	'S'	'S'	'S'	'S'	"S"	"S"	"S"	"S"
3	Maize	0.92	0.56	0.72	0.47	0.52	0.65	0.78	1.02	0.84	0.91
4	Ragi	0.51	0.46	0.47	0.43	0.37	0.36	0.41	0.55	0.43	0.66
5	Other cereals	0.37	0.38	0.36	0.36	0.24	0.27	0.22	0.27	0.19	0.24
6	Mung	2.95	2.90	3.26	2.36	2.17	2.40	2.35	2.50	2.68	3.11
7	Biri	0.82	0.74	1.09	0.77	0.58	0.58	0.75	0.92	0.85	1.03
8	Kulthi	0.38	0.33	0.34	0.26	0.24	0.23	0.26	0.42	0.32	0.41
9	Other pulses	0.85	0.64	0.47	0.46	0.44	0.48	0.38	0.69	0.50	0.56
10	Til	0.26	0.20	0.16	0.15	0.15	0.14	0.21	0.24	0.20	0.23
11	Groundnut	0.49	0.51	0.45	0.33	0.28	0.29	0.38	0.46	0.44	0.44
12	Mustard	0.10	0.07	0.10	0.09	0.06	0.07	0.07	0.18	0.15	0.21
13	Niger	0.33	0.22	0.15	0.18	0.19	0.16	0.13	0.18	0.11	0.14
14	Other oilseeds	0.05	0.03	0.05	0.02	0.03	0.08	0.05	0.06	0.08	0.06
15	Jute	0.01	0.01	0.01	0.01	'S'	'S'	0.01	0.03	0.03	0.03
16	Potato	0.08	0.06	0.07	0.04	0.05	0.04	0.06	0.11	0.11	0.12
17	Sugarcane	0.10	0.09	0.05	0.04	0.07	0.09	0.07	0.07	0.07	0.07
18	Other crops	1.84	1.41	1.47	1.38	1.30	1.46	1.75	2.79	2.50	2.60
	All crops	51.73	48.03	48.84	45.02	45.27	46.7	48.19	49.97	50.14	51.68

("S" denotes area less than 0.01 lakh hect.)

It is observed from the above table that area under Paddy remains as the highest, and remains in between 38 to 41 lakh hectare during last ten years. There is a declining trend of Crop area till 2019-20, then after the total crop area shows an increasing trend.

In case of Pulses, Mung (Greengram) contributes major share followed by Biri (Blackgram).

Similarly, in case of Oilseeds, Groundnut contributes more area, followed by Til.

The State level estimates of area under different crops for different crop seasons for the agricultural years 2014-15 to 2023-24 has been presented in Table No.-2.0 of the Appendix.

The share of cropped area under cereals, pulses, oilseeds and other crops are 82.56%, 9.88%, 2.10% & 5.46% respectively in 2023-24.


It is further observed that area under Paddy has decreased from 41.66 lakh hectares in 2014-15, the highest during the ten years, to 37.66 in 2017-18, then increased to 40.87 lakh hectares in 2023-24.

In case of wheat, during the ten years, shows a scarce figure. It is only to 0.25 thousand hectares in 2023-24.

In case of Maize, the estimated area was highest (102.44 thousand hectare) in 2021-22, has been decreased to 90.83 thousand hectares during 2023-24. However, it is higher to the preceding year, i.e, 2022-23 (84.29).

Similarly, in case of other programmed crops, other cereals and other pulses shows a declining tendency during the ten years. However, other commercial crops shows an increasing trend with a sign of crop diversification during the ten years.

Fig. No.- 3.2.1 Area under Paddy & Yield-rate (from 2014-15 to 2023-24)



District wise and season wise estimates of area under paddy and different programmed minor crops for 2023-24 has been presented in Table No.-5.1 to 5.14 of the Appendix.

Fig. No.- 3.2.2 District-wise Paddy area 2023-24





Figure 3.2.2 indicates that the highest reporting paddy area is Bargarh district (350.97 th. hect.) in 2023-24, followed by Mayurbhanj (301.11), Ganjam (289.21), Kalahandi (255.76) & Balasore (231.30). The least paddy crop area reporting district is Kandhamal with 36.68 thousand hect. in 2023-24.

Fig. No.-3.2.3 District-wise crop area under Greengram 2023-24




Figure 3.2.3 shows that top five reporters of crop area under greengram are Ganjam (61372 hectare) followed by Nayagarh (44042), Jagatsinghpur (37080), Cuttack (28875), & Kendrapada (22265). The lowest greengram area has been reported by Kandhamal (50 hectare) in 2023-24.

Fig. No.- 3.2.4 District-wise crop area under groundnut 2023-24




Figure 3.2.4 indicates that top five crop area reporting districts in Odisha under the crop groundnut are Jajpur (8994 hectare), Bargarh (6845), Balangir (3011), Puri (2384) & Malkangiri (2342). The least crop area under groundnut has been reported in Bhadrak with 22 hectares.

State level estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other Crops for the years 2014-15 to 2023-24 have been presented in Table No.-6.0 of the Appendix.

District wise and season wise estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other crops for the agricultural years 2023-24 is presented in Table No. - 6.1 of the Appendix.

The state level estimates of area under crops by different broad groups for the year 2023-24 have been presented below.

Table 3.2.3 State level estimates of area under crops by different broad groups for 2023-24

(Area in '000' hectcs.)						
Year	Season	Total cereals	Total pulses	Total oilseeds	Total other crops	All crops (Gross cropped area)
2023-24	Autumn	415	22	14	40	491
	Winter	3456	252	52	202	3962
	Summer	396	236	43	40	715
	TOTAL	4267	510	109	282	5168
		(82.56%)	(9.87%)	(2.11%)	(5.46%)	100%

(Figures in the parenthesis indicate % to gross cropped area)

Fig. No. -3.2.5 State level estimates of Area under all crops by Broad groups, 2023-24




Table No. – 3.2.3 & Fig. No. 3.2.5 describe that percentage contribution of area under cereals to total cropped area is the highest (83% during 2023-24) and area under other broad groups (Pulses, Oilseeds & Others) taken together contribute only about 17% during 2023-24.

State level estimates of area under different crops by broad groups for the agricultural years from 2014-15 to 2023-24

have been presented in Table No.- 7.0 of the Appendix.

District level estimates of area under different crops by broad groups for the agricultural years 2023-24 have been presented in Table No.-7.1 of the Appendix.

Fig. No. -3.2.6 State level Estimates of Gross Cropped Area in from 2014-15 to 2023-24




Table No. – 3.2.2 & Fig. No. – 3.2.6 depict that gross cropped area (taking all seasons together) was the highest i.e., 51.73 lakh hectares during 2014-15 and declined to 45.02 lakh hectares during 2017-18. Then it shows an increase to 45.27 lakh hectares in 2018-19, 46.70 lakh hectares in 2019-20, 48.19 lakh hectares in 2020-21, 49.98 lakh hectares in 2021-22, 50.14 lakh hectares in 2022-23 & 51.68 lakh hectares in 2023-24.

Figure 3:2.6 State level estimates of Crop Area under Four Broad Groups from 2014-15 to 2023-24 in percentage






Figure 3:2.7 Regression Analysis of Estimated area under Commercial Crops from 2014-15 to 2023-24




The figure no.3.2.6 depicts that the percentage of crop area under cereals has a declining trend, may not be constantly, whereas, the crop area under commercial crops, has an increasing trend.

District wise & crop wise estimated gross cropped area for the year 2023-24 has been presented in Table No.- 8.1 of the Appendix.

Top five cropping districts reported during 2023-24 are Bargarh (401 thousand hectare), Ganjam (391 thousand hectares), Kalahandi (321), Mayurbhanj (317) & Balangir (290). The lowest gross crop reported district in 2023-24 is Deogarh with 43 thousand hectares only (Appendix Table 8.1).





It is observed that Paddy crop density to gross crop area is highest in Bhadrak (97%), Followed by Sonepur & Mayurbhanj with more than 95% of gross crop area. Followed by Sambalpur (94.87%) & Balasore (94.55%).

Maize is the important cereal next to paddy. It is grown more in the districts of Nawarangpur, Gajapati, Koraput, Keonjhar, Raygada, Kalahandi

& Balangir. The contribution of only Nawrangpur district is about 64.20% of state total. In case of Ragi, Koraput district shows highest area under ragi cultivation i.e. about 40.90% of state total, followed by Raygada (17.79%) & Nabarangpur (7.45%) in agricultural year 2023-24.

Among pulses, Mung (Greengram) is important and is grown in almost all districts. Higher area under cultivation of greengram has been observed in Ganjam, Nayagarh, Jagatsinghpur, Cuttack & Kendrapada during agricultural year 2023-24.

Area under Groundnut is significant among oilseeds. It is grown more in Jajpur, Bargarh, Balangir, Puri, Malkangiri, Nuapada, Ganjam & Mayurbhanj. Nizer crop is grown less except in a few districts like Koraput, Raygada, Keonjhar, Kalahandi, Kandhamal, Malkangiri & Nabarangpur in 2023-24.

Jute crop is grown only in a very few districts like Balasore, Jajpur, Keonjhar, Kendrapada & Cuttack. The area under this crop is gradually decreasing due to higher cost of cultivation & less market price.

The area under Potato crop is not significant. It is grown in all districts where permanent sources of irrigation are available, except Kalahandi, Malkangiri & Subarnapur.

Sugarcane crop is grown more or less in 24 districts in 2023-24, Nawarangpur with highest crop area reporting district under sugarcane (2530 hect.) followed by Jajpur (1102 hect.). But its coverage does not show any significant trend.

3.3. Estimates of yield rate of different programmed crops:

Estimates of yield rate of paddy at block, district and state level and that of minor crops at the district and state level are formulated on the basis of crop cutting experiments conducted on different crops.

Number of crop cutting experiments planned and conducted on different crops during 2023-24 has been given as follows.

Table 3.3.1 No. of crop cutting experiments planned and conducted for 2023-24.

Crop	Season	2023-24		
		Plan	Conducted	% of achievement
Paddy	Autumn	4346	4346	100%
	Winter	9374	9374	100%
	Summer	4266	4266	100%
	Total	17986	17986	100%
Minor crops	Autumn	6345	6345	100%
	Winter	14899	14899	100%
	Summer	5939	5939	100%
	Total	27183	27183	100%
Total	Autumn	10691	10691	100%
	Winter	24273	24273	100%
	Summer	10205	10205	100%
	Total	45169	45169	100%

Number of crop-cutting experiments inspected during 2023-24 has been indicated in Table No.-3.3.2

Table 3.3.2 No. of crop cutting experiments inspected during the year 2023-24

Crop	Season	No. of CC. Expts. conducted	2023-24		
			No. of C.C. Expts. Inspected/Attended by		
			Officer and/or Staff of DES	Officer and/or Staff of Agril. Deptt.	NSSO
PADDY	Aut	4346	764	24	201
	Win	9374	1449	15	201
	Sum	4266	766	9	112
	Total	17986	2979	48	514
MINOR CROPS	Aut	6345	802	44	24
	Win	14899	1380	46	80
	Sum	5939	1066	9	30
	Total	27183	3248	99	134
All Crops		45169	6227	147	648
			(13.79%)	(0.33%)	(1.43%)

N.B-Figures in the parenthesis indicate % to total No. of CCEs.

Season wise number of experiments on paddy and other crops at the State/District level for 2023-24 has been presented in Table No.- 19.0 & 19.1 of the Appendix.

State level estimates of yield rate of paddy & other Programmed minor crops season wise for 2023-24 has been given below in Table No.-3.3.3.

Table 3.3.3 State level Estimates of Yield-rate of different programmed crops for 2023-24


Sl. No.	Crop	(Yield rate in Qtls / hect)			
		2023-24			
		Aut.	Win.	Sum.	Total
1	Paddy (with husk)	29.92	43.04	51.08	42.78
	Rice (Without husk)	19.75	28.41	33.71	28.23
2	Wheat	-	-	18.94	18.94
3	Maize	34.93	25.84	34.45	34.79
4	Ragi	7.25	8.93	6.63	8.53
5	Mung (Greengram)	3.23	2.98	4.49	4.02
6	Biri (Blackgram)	3.29	4.15	4.30	4.11
7	Kulthi (Horsegram)	-	4.49	4.20	4.49
8	Til	2.02	2.81	2.07	2.38
9	Groundnut	16.69	20.49	21.24	19.89
10	Mustard	-	3.63	-	3.63
11	Niger	-	3.03	-	3.03
12	Jute	26.20	-	-	26.20
13	Potato	-	119.19	-	119.19
14	Sugarcane	-	574.02	-	574.02

The State level estimates of yield rate (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2014-15 to 2023-24 are given below in Table No.-3.3.4

Table 3.3.4 State level Estimates of Yield-rate of different crops for 2014-15 to 2023-24

Sl	Crop	(Yield rate in quintals/hectare)									
		14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
1	Paddy	35.80	22.59	37.45	26.36	30.36	37.51	41.36	35.66	44.49	42.78
2	Wheat	16.28	13.47	14.21	21.63	18.15	13.90	16.40	17.05	29.36	18.94
3	Maize	20.53	19.96	28.27	25.13	23.24	29.05	29.08	27.79	15.48	34.79
4	Ragi	7.38	6.20	7.06	7.67	6.90	7.31	7.96	7.94	29.81	8.53
5	Mung	3.56	2.94	4.10	3.88	3.27	3.36	2.46	3.54	8.73	4.02
6	Biri	3.37	3.28	4.54	3.72	3.29	3.68	3.44	3.39	3.67	4.11
7	Kulthi	3.44	2.83	4.36	4.11	3.68	3.96	3.98	3.88	3.82	4.49
8	Til	2.57	2.07	3.06	2.79	2.35	2.91	2.47	2.48	4.06	2.38
9	Groundnut	12.68	10.97	12.29	11.34	12.77	18.60	20.23	19.01	2.76	19.89
10	Mustard	2.44	2.05	3.46	3.26	2.75	2.93	2.80	3.23	18.81	3.63
11	Niger	2.49	1.81	3.07	3.27	2.74	3.58	2.98	3.31	3.50	3.03
12	Jute	16.25	21.74	16.78	24.92	15.60	21.69	24.05	25.44	3.25	26.20
13	Potato	123.24	101.73	125.93	105.43	111.13	106.80	108.87	106.22	23.33	119.19
14	Sugarcane	719.51	644.00	626.79	647.04	616.22	564.23	544.73	563.98	101.41	574.02

Fig. No.- 3.3.1 State level Estimated Yield-rate of Paddy from 2014-15 to 2023-24




It is seen from State level estimates of yield rate as presented in Table No.-3.3.4 and Fig. No.- 3.3.1 that yield rate of paddy (Autumn, Winter & Summer combined) during 2022-23 was the highest i.e. 44.49 qtl./hect. and it was the lowest i.e. 22.59 qtls./hect. during 2015-16 during the 10 years of period.

In case of all other programmed crops (except potato & Sugarcane), yield rate for the period of 10 years from 2014-15 to 2023-24, shows an increasing trend.

The State level estimates of yield rate of paddy & other Programmed minor crops for different crop seasons and for the years from 2014-15 to 2023-24 have been presented in Table No.-3.0 of the Appendix.

District wise and season wise estimates of yield rate of different crops for the agricultural years 2023-24 have been presented in Table No.5.1 to 5.14 of the Appendix.



the yield-rate was the lowest i.e. 29.76 qtls./hect. during the year 2023-24.

Table No.-5.1 (District wise Area, Yield-rate & Production of Paddy) of the Appendix depicts that yield rate of Paddy (Autumn, Winter & Summer combined) in case of Sonepur district was the highest i.e. 53.77 qtls./hect, followed by Dhenkanal & Bargarh districts i.e. 52.92 & 50.33 qtls./hect during 2023-24. On the otherhand, in case of Kandhamal district

The State level estimates of area, yield rate and production of 14 programmed crops from 1994-95 to 2023-24 have been presented in Table No.-20.1 to 20.14 of the Appendix.

3.4. Estimates of production of different Programmed crops

The estimates of production have been formulated based on the estimated area & yield rate of corresponding crops. Production of paddy has been formulated at the block, district & state level, whereas the same for 13 programmed minor crops have been formulated at the district & State level.

The State level estimates of production of different crops in different season for 2023-24 has been given below in Table No.-3.4.1.

Table 3.4.1 State level estimates of production of programmed crops for 2023-24

(Production in '000 M.T.)					
Sl no	Crop	2023-24			
		Autumn	Winter	Summer	Total
1	Paddy	952.72	14556.92	1973.24	17482.88
	Rice	628.79	9607.57	1302.34	11538.70
2	Wheat	-	-	0.47	0.47
3	Maize	285.54	2.42	28.04	316.01
4	Ragi	10.10	44.93	0.86	55.89
5	Mung	4.13	25.70	94.95	124.78
6	Biri	2.80	31.12	8.51	42.43
7	Kulthi	-	18.13	0.08	18.21
8	Til	0.37	2.71	2.40	5.48
9	Groundnut	21.07	6.56	60.50	88.13
10	Mustard	-	7.70	-	7.70
11	Niger	-	4.16	-	4.16
12	Jute	7.28	-	-	7.28
13	Potato	-	145.02	-	145.02
14	Sugarcane	-	411.86	-	411.86

The estimates of Production (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2014-15 to 2023-24 have been given in Table No.-3.4.2.

Table 3.4.2 State level Estimates of Production of different crops for 2014-15 to 2023-24

(Production in Lakh M.T.)											
Sl. No.	Crop	14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
1	Paddy	149.16	89.02	148.40	99.26	117.18	147.80	166.65	140.77	180.80	174.83
2	Wheat	0.01	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'
3	Maize	1.88	1.11	2.05	1.18	1.21	1.89	2.27	2.85	2.51	3.16
4	Ragi	0.38	0.28	0.33	0.33	0.25	0.26	0.33	0.44	0.37	0.56
5	Mung	1.05	0.85	1.34	0.92	0.71	0.81	0.58	0.88	0.98	1.25
6	Biri	0.28	0.24	0.49	0.29	0.19	0.21	0.26	0.31	0.32	0.42
7	Kulthi	0.13	0.09	0.15	0.11	0.09	0.09	0.11	0.16	0.13	0.18
8	Til	0.07	0.04	0.05	0.04	0.04	0.04	0.05	0.06	0.05	0.05
9	Groundnut	0.62	0.56	0.55	0.38	0.36	0.55	0.78	0.88	0.83	0.88
10	Mustard	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.06	0.05	0.08
11	Niger	0.08	0.04	0.05	0.06	0.05	0.06	0.04	0.06	0.04	0.04
12	Jute	0.02	0.03	0.01	0.02	'S'	'S'	0.02	0.09	0.06	0.07
13	Potato	1.04	0.57	0.82	0.42	0.54	0.47	0.60	1.16	1.15	1.45
14	Sugarcane	7.23	5.77	3.44	2.40	4.18	5.05	3.81	3.98	3.94	4.12


NB: 'S' denotes Production less than 0.5 lakh M.Ts.

It is observed from the above Tables & Fig.No.-3.4.1 that the production of Paddy was the lowest of 89.02lakh M.T. in 2015-16 & was highest at 180.80 lakh M.T. in 2022-23 during the reported 10 years.

The State level estimates of production of different crops for different seasons for the years 2014-15 to 2023-24 has been presented in Table No.-4.0 of the Appendix.


The district level estimates of production of different crops for the year 2023-24 has been presented in Table No. - 5.1 to 5.14 of the Appendix.

Fig. No. – 3.4.1 Estimated Production of Paddy from 2014-15 to 2023-24 (Autumn, Winter & Summer Combined)




The production of paddy was lowest in 2015-16 due to severe drought and erratic rainfall especially during kharif. It has reached highest in 2022-23 during the ten years from 2014-15 to 2023-24. In 2023-24, the production declined as compared to the preceding year due to erratic monsoon pattern and delayed rainfall, especially in June & July.

The district level estimated production data in the appendix presents that Bargarh has the highest production of paddy in 2023-24 (1766.54 th.mts.), followed by Kalahandi (1169.86), Mayurbhanj (1150.43), Ganjam (1104.80) & Balasore (1020.70). Kandhamal with low crop area, has the lowest production of paddy with 109.13 thousand MTs.



In case of Production of wheat, Mayurbhanj, Dhenkanal, Bargarh & Sundargarh districts show only an eye-catching production of 2381, 870, 747 & 551 quintals respectively in 2023-24.




In production of maize, Nawarangpur district is the highest contributor with 233.00 thousand MTs. out of state total of 316.01 thousand MTs (around 74%). It is followed by Gajapati, Keonjhar, Koraput & Balangir. State level Production of maize has significantly increased in 2023-24 to 3.16 lakh MT from 2.51 lakh in preceding year as Mukhyamantri makka mission was implemented in the state.

Ragi has been a prime focus of govt. through its millet mission. At district level, Koraput district contributes the lion's share in production of ragi in the state in 2023-24 with 28.67 thousand mts. with nearly 51% of state's ragi production. It's followed by Raygada & Malkangiri.

In pulses, greengram constitutes the primary one in Odisha. Nayagarh district is the largest contributor of greengram with 18.47 ('000' MT). in 2023-24, followed by Jagatsinghpur (16.76), Ganjam (15.71) & Cuttack (14.70).

One more important crop is the groundnut among the oilseeds produced in Odisha. Among the 30 districts of Odisha, Jajpur reported the highest producer in 2023-24 with 17.76 thousand mts. It's followed by Bargarh (13.25) & Malkaangiri (7.12).



3.5. Standard Error of Estimates

State level estimates of yield rate of Paddy for the years 2014-15 to 2023-24 along-with percentage standard error has been presented in Table No. - 9.0 of the Appendix.

It is seen that during the 10 years, percentage standard error in case of yield rate of paddy, percentage standard error lies within 0.52% to 2.88% during autumn season, 0.22% to 0.65% during winter season and 0.40% to 1.63% during summer season.

District level estimates of Yield rate of Paddy for the years 2023-24 along-with percentage standard error has been presented in Table No.-9.1 of the Appendix. State-level percentage of standard error is lowest during winter 2023-24 (0.29%) & highest in Autumn (0.52%). During Autumn 2023-24, Nabarangpur has the lowest percentage of standard error of Yield-rate of paddy (0.94%), & highest is observed in Khurda (11.31%). During Winter, the highest is in Jharsuguda (4.29%) & lowest in Mayurbhanj (0.68%). Similarly in Summer, highest is in Deogarh (8.19%) & lowest in Koraput (0.78%).

State level estimates of yield rate of programmed crops for the years 2023-24 along-with percentage standard error has been presented in Table No.-9.2 of the Appendix.

3.6. ANCILLARY INFORMATION

3.6.1. Crop-wise estimates of irrigated area

State level estimates of crop-wise & season-wise irrigated area for the years 2023-24 has been presented below in Table No. -3.6.1.

Table 3.6.1 State level estimates of crop-wise irrigated area for 2023-24

Sl. No.	Crop	(Area in “000 hect.)			
		2023-24			
		Aut	Win	Sum	Total
1	Paddy	8	1069	387	1464
2	Wheat	-	-	S	S
3	Maize	S	1	8	9
4	Ragi	S	1	1	2
5	Other cereals	-	S	S	S
6	Mung	S	S	26	26
7	Biri	-	1	4	5
8	Kulthi	-	S	S	S
9	Other pulses	-	1	2	3
10	Til	-	S	2	2
11	Groundnut	S	1	17	18
12	Mustard	-	11	-	11
13	Niger	-	2	-	2
14	Other oilseeds	-	S	2	2
15	Jute	S	-	-	S
16	Potato	-	12	-	12
17	Sugarcane	-	7	-	7
18	Other crops	4	59	40	103
	ALL CROPS	12	1165	489	1666

("S" denotes area less than 500 hector.)

State level estimates of crop-wise irrigated area (for Autumn, Winter & Summer seasons combined) for the years 2014-15 to 2023-24 has been presented below in Table No.-3.6.2.

Table 3.6.2 State level Estimates of crop-wise Irrigated area from 2014-15 to 2023-24

Sl. No.	Crop	(Area in “000 hect.)									
		14-15	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24
1	Paddy	1389	1329	1223	1083	1214	1258	1364	1330	1450	1464
2	Wheat	1	'S'	'S'	'S'	0	S	'S'	S	S	S
3	Maize	2	3	3	2	3	4	3	5	3	9
4	Ragi	'S'	'S'	'S'	'S'	0	S	'S'	S	1	2
5	Other	'S'	'S'	'S'	'S'	0	S	'S'	S	S	S
6	Mung	10	16	13	10	30	17	30	14	19	26
7	Biri	1	2	4	3	2	3	2	2	2	5
8	Kulthi	-	'S'	'S'	'S'	0	S	'S'	S	S	S
9	Other	'S'	'S'	'S'	1	0	S	'S'	1	S	3
10	Til	2	1	1	1	1	1	2	2	2	2
11	Groundnut	9	13	8	8	7	10	19	17	17	18
12	Mustard	3	3	3	2	1	2	2	7	5	11
13	Niger	'S'	'S'	'S'	'S'	0	S	-	S	-	2
14	Oth.	2	2	2	1	1	4	2	2	3	2
15	Jute	'S'	'S'	'S'	'S'	0	S	'S'	S	S	S
16	Potato	9	6	7	4	5	4	6	11	11	12
17	Sugarcane	10	9	5	4	7	9	7	7	8	7
18	Other crops	47	50	40	32	42	51	59	96	93	103
		1485	1434	1309	1151	1313	1363	1496	1494	1614	1666

("S" denotes area less than 500 hector.)

Fig. No. – 3.6.1 Estimated Gross Cropped Area Irrigated from 2014-15 to 2023-24





Table No. -3.6.2 & Fig. No. – 3.6.1 above indicate that during the last 10 years, gross cropped area irrigated was the highest i.e. 1666 thousand hectares during 2023-24 and lowest at 1151 thousand hectares during 2017-18. After the year 2017-18, the irrigated crop area shows an increasing trend.

Crop wise and season wise estimates of area irrigated for the years 2014-15 to 2023-24 at the state level have been presented in Table No.-10.0 of the Appendix.

District wise and crop wise estimates of area irrigated for the years 2023-24 have been presented in Table No.10.1 of the Appendix.

It is observed from the Appendix Table that Bargarh district constitutes the highest percentage (15.29%) of crop area irrigated to total irrigated area of state during 2023-24 & followed by Ganjam district (12.56%) & Kalahandi (10.83%). Further, Deogarh, Malkangiri & Kandhamal districts constitute the lowest percentage of total irrigated area of the state (0.21%, 0.25% & 0.25% respectively) in the agriculture year 2023-24.

On the other hand, the ratio of irrigated crop area to the gross crop area of the district is highest in Bargarh (63.57%), followed by Subarnapur (59.89%), Puri (57.23%), Kalahandi (56.14%) & Ganjam (53.57%). The lowest ratio of irrigated area is found in Malkangiri (3.07%).



District wise, crop wise & season wise estimates of area irrigated for the years 2023-24 have been presented in Table No.10.2 of the Appendix.

Season wise State level estimates of area irrigated vrs. Un-irrigated for the years 2014-15 to 2023-24 have been presented in Table No.11.0 of the Appendix.

District wise & season wise estimates of cropped area irrigated vrs. un-irrigated for the year 2023-24 has been presented in Table No.-11.1 of the Appendix.

3.6.2. Cropping Intensity

State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2023-24 has been presented below in Table No.–3.6.3.


Table 3.6.3 State level Estimates of Cropping Intensity for 2023-24

(Area in '000hect.)		
Area	Item	2023-24
1	2	3
Cropped Area	Gross Cropped Area	5168
	Net Cropped Area	4307
	Cropping Intensity	119.99
Cropped Area Irrigated	Gross Cropped Area Irrigated	1666
	Net Cropped Area Irrigated	1315
	Cropping Intensity	126.77
Cropped Area Un-Irrigated	Gross Cropped Area Un-Irrigated	3502
	Net Cropped Area Un-Irrigated	2992
	Cropping Intensity	117.01

Table 3.6.4 State level Estimates of Cropping Intensity & % of area irrigated over Gross & Net Area for 2014-15 to 2023-24

Year	Cropping Intensity	Cropping Intensity Irrigated	Cropping Intensity Un-Irrigated	% of gross cropped area irrigated over Gross cropped area	% of net area irrigated over Net Area Sown
1	2	3	4	5	6
2014-15	115.62	117.95	114.71	28.71	28.14
2015-16	114.41	116.59	113.51	29.86	29.30
2016-17	119.15	116.67	120.09	26.80	27.37
2017-18	116.54	118.66	115.83	25.57	25.11
2018-19	113.01	120.34	110.26	29.02	27.25
2019-20	113.83	119.90	111.51	29.19	27.72
2020-21	115.31	124.63	111.56	31.04	28.72
2021-22	115.63	120.71	113.59	29.90	28.64
2022-23	117.45	120.90	115.88	32.19	31.27
2023-24	119.99	126.77	117.01	32.25	30.52


Fig. No. – 3.6.2 Cropping intensity from 2014-15 to 2023-24



The State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2014-15 to 2023-24 is presented in the Table No.- 12.0 of the Appendix.

It is observed from the said Table and Fig. No.-3.6.2 above that the cropping intensity during the 10 years is highest in 2023-24 (119.99%) & it was the lowest in 2018-19 (113.01%). Since after 2018-19, the cropping intensity in the state shows an increasing trend.

District level estimates of gross cropped area, net cropped area & cropping intensity for the years 2023-24 have been presented in Table No. 12.1 of the Appendix.



It is observed from the same tables that cropping intensity in Nayagarh district was the highest i.e. 158.97 in 2023-24, followed by Puri & Jagatsingpur. It is further observed that cropping intensity was very much low in case of Sundargarh & Kandhamal district with 101.54% & 102.02 respectively in 2023-24.

On further observation, it is seen that cropping intensity irrigated was the highest i.e., 192.84 in case of Subarnapur district in 2023-24, followed by Bargarh (182.70) & Sambalpur (156.24) and very much low in case of Malkangiri, Jagatsingpur & Keonjhar in the year 2023-24.

Fig. No. -3.6.3 % of Gross cropped area irrigated from 2014-15 to 2023-24




Table No. -12.0 of the Appendix & Fig. No.-3.6.3 depicts that percentage of gross cropped area irrigated over gross cropped area has increased from 25.57% in 2017-18 to 32.25 % in 2023-24. Over all, it has a rising trend during last 10 years with an exception during 2016-17 & 2017-18.

Fig. No. -3.6.4 % of Net Cropped Area irrigated from 2014-15 to 2023-24




Table No. -12.0 of appendix & Fig. No.-3.6.4 depicts that during the period of last 10 years, percentage of net cropped area irrigated over net cropped area that had reached the highest at 31.27% in 2022-23 and at the lowest at 25.11 in 2017-18. In the year 2023-24, it has declined a bit to 30.52% from the preceding year 2022-23 (31.27%).

3.6.3. Estimates of Gross cropped area irrigated from different sources of irrigation:

State level estimates (season wise) of cropped area irrigated from different sources of irrigation for the years 2023-24 have been presented below in Table No. – 3.6.5.

Table 3.6.5 Estimates of Area Irrigated from different sources of irrigation for 2023-24

(Area in “000 Hect.)											
Year	Season	Flow irrigation					Lift irrigation				All sources
		Major	Medium	Minor	Pond	Other	With pump set		Without pump set		
							Dug well	Other	Dug well	Other	
1	2	3	4	5	6	7	8	9	10	11	12
2023-24	Aut	4.17	2	0.59	0.08	0.6	3.12	2.18	0.42	0.01	13.17
	Win	334.5	335.68	123.69	74.04	107.38	104.23	72.54	1.95	10.21	1164.22
	Sum	185.61	23.27	4.49	4.46	12.44	80.74	171.76	2.12	4.28	489.17
	Total	524.28	360.95	128.77	78.58	120.42	188.09	246.48	4.49	14.5	1666.56
		31.46%	21.66%	7.73%	4.72%	7.23%	11.29%	14.79%	0.27%	0.87%	100.00%

(Figures in the parenthesis indicate % to total cropped area irrigated)

It may be seen that flow irrigation (72.78%) of the total during the year 2023-24 was the major source of irrigation of the State whereas contribution of lift irrigation was 27.22% , constitutes a non-significant portion of irrigated area.

District wise & season-wise estimates of cropped area irrigated from different sources of irrigation for the year 2023-24 have been presented in Table No.-13.1 to 13.4 of the Appendix.

3.6.4. Estimates of Area & Yield rate under HYV & Local varieties.

Three crops i.e., Paddy, Wheat & Maize are considered for analysis in respect of HYV & Local varieties.

Season wise estimates of area under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2023-24 have been given below in Table No.-3.6.6.

Table 3.6.6 Season wise Estimates of Area under HYV & Local varieties crop for 2023-24

(Area in '000 hect.)				
Crop	Season	2023-24		
		HYV	Local	Total
1	2	3	4	5
Paddy	Autumn	309.40	9.02	318.42
	Winter	3346.05	36.27	3382.32
	Summer	386.31	-	386.31
	Total	4041.76	45.29	4087.05
	(%)	98.89%	1.11%	100.00%
Wheat	Summer	0.19	0.06	0.25
	(%)	76.00%	24.00%	100.00%
Maize	Autumn	79.88	1.87	81.75
	Winter	0.92	0.01	0.93
	Summer	8.1	0.04	8.14
	Total	88.9	1.92	90.82
	(%)	97.89%	2.11%	100.00%

('S' denotes area less than 500 hectare, Figures in bracket indicate % of area to total area under the crop)

Fig. No. – 3.6.4 % of HYV & Local Paddy crop area from 2014-15 to 2023-24




Fig. No. -3.6.4 depicts that cultivation of high yielding varieties of paddy is gradually increasing. It has increased from about 91% during 2014-15 to about 99% during 2023-24.

The estimates of yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the year 2023-24 has been given below in Table No.-3.6.7.

Table 3.6.7 Estimates of yield-rate under HYV & Local Varieties of Paddy, Wheat & Maize for 2023-24

(Yield rate in Qtls / hect.)			
Crop	Season	2023-24	
		HYV	Local
Paddy	Autumn	30.01	26.78
	Winter	43.16	31.56
	Summer	51.08	-
Wheat	Summer	18.48	20.27
Maize	Autumn	35.27	22.03
	Winter	26.01	16.29
	Summer	34.58	11.14

From the above Table No.-3.6.4(a) it is evident that the High Yielding Varieties show higher yield rate in comparison to that of local varieties during the agricultural year 2023-24 except that of wheat, which is scantily sown in Odisha.

The estimates of area & yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2014-15 to 2023-24 have been given in Table No.-14.0 of the Appendix.

District wise estimates of area & yield rate of HYV & Local varieties of Paddy, Wheat & Maize are presented for the years 2023-24 in Table No.- 14.1 to 14.2 of the Appendix.

3.6.5. Yield rate of different crops from Irrigated & Un-irrigated plots

The estimates of yield rate of Paddy based on number of c.c. experiments from irrigated & un-irrigated plots at the State level for the year 2023-24 have been given below.

Table 3.6.8 Estimates of Yield-rate of Paddy under irrigated & un-irrigated conditions for 2023-24

(Yield rate in qtls./hect.)			
Season	Item	2023-24	
		No. of C.C.E.	Yield rate
Autumn	Irrigated	177	32.74
	Un-irrigated	4169	29.78
Winter	Irrigated	2919	46.17
	Un-irrigated	6455	41.17
Summer	Irrigated	4266	49.69
	Un-irrigated	--	--

The estimates of area & yield rate of paddy based on number of crop cutting experiments from irrigated & un-irrigated plots at the State level for the years 2014-15 to 2023-24 has been presented in Table No- 15.0 of the Appendix. Generally irrigated plots give higher yield than the un-irrigated plots. However, during Autumn & Winter, most of the paddy plots are found un-irrigated.

Fig. No.- 3.6.5 Estimated Yield-rate of Paddy from Irrigated and Un-irrigated plots for 2023-24




Table No.-3.6.5 and Fig. No.-3.6.5 indicate that yield rate of Paddy from irrigated plots is higher than that of un-irrigated plots. In Summer, almost all crops under paddy are found in irrigated plots only.

District wise and season wise estimates of yield rate of Paddy (Irrigated & Un-Irrigated plots) for the years 2023-24 have been presented in Table No.-15.1 of the Appendix.

State level estimates of yield rate of programmed minor crops (Irrigated & Un-Irrigated plots) for the year 2023-24 have been presented in Table No.-15.2 of the Appendix.


3.6.6. Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer

The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots applied with fertilizer, applied with manure and not applied with fertilizer & manure. Estimates of Yield rate of Paddy from plots applied with fertilizer and not applied with fertilizer at the State level for the years 2023-24 has been given below in Table No.-3.6.9. In 2023-24, plots applied with fertilizer gives highest yield, i.e, 31.51, 41.47, 46.16 qtl./hect. In autumn, winter & summer respectively. Whereas, plots applied with only manure have the yield-rate of 23.67, 29.19, 32.54 qtl./hect. In autumn, winter & summer respectively & plots without fertilizer and manure has the lowest yield in each season.

Table 3.6.9 Yield-rate of paddy applied/not applied with fertilizer & manure 2023-24

(Yield rate of Paddy in Qtls / hect.)			
Season	Item	2023-24	
		No. of C.C.E	Yield rate
Autumn	Applied with fertilizer	3942	31.51
	Applied with manures	241	23.67
	Not applied with fertilizer & manures	163	20.03
Winter	Applied with fertilizer	8735	41.47
	Applied with manures	349	29.19
	Not applied with fertilizer & manures	290	29.59
Summer	Applied with fertilizer	4123	46.16
	Applied with manures	90	32.54
	Not applied with fertilizer & manures	53	30.38

Fig. No. – 3.6.6 Yield rate of Paddy from plots applied with fertiliser, applied with manure and not applied with fertiliser and manure 2023-24



It is seen from Table No. – 3.6.6 and Fig. No. – 3.6.6 that yield rate from plots applied with fertilizer is significantly more than that from plots not applied with manure & fertilizer.

The estimates of yield rate of paddy and minor crops applied with fertilizer & manure at the State level for the year 2023-24 have been presented in Table No.-16.0 of the Appendix.

The estimates of yield rate of Paddy applied with fertilizer & manure at the district level for the years 2023-24 have been presented in Table No. -16.1 of the Appendix.


3.6.7. Yield rate of different crops from different types of Soil 2023-24

Soil has been classified into five categories i.e. Sandy, Clayey, Loamy, Alluvial & Black cotton. The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots coming under different types of Soil.

Season-wise estimates of yield rate of Paddy at the State level for the years from 2014-15 to 2023-24 have been presented in Table No.-17.0 & of all programmed crops in Table No.17.1 of the Appendix.

Season-wise estimates of yield rate of Paddy at the district level from different types of soil for the year 2023-24 have been presented in Table No. - 17.2 of the Appendix.


Fig. No. – 3.6.7 Yield rate of Paddy from different types of Soil, 2023-24



3.6.8. Yield rate of different crops from different levels of Land:

Level of land has been classified into three categories i.e. High, Medium & Low. The yield rate is formulated on the basis of results of crop cutting experiments conducted in different levels of land.

Fig. No. – 3.6.8 Yield rate of Paddy from High, Medium & Low level of land 2023-24



The estimates of yield rate of Paddy from different levels of land at the State level for the years 2014-15 to 2023-24 are presented in Table No. - 18.0 of the Appendix. It is observed that more number of crop cutting experiments have been conducted in medium level land for paddy.

District wise estimates of yield rate of Paddy according to level of land for the year 2023-24 have been presented in Table No. -18.1 of the Appendix.

State level estimates of yield rate of programmed crops according to level of land for the years 2023-24 have been presented in Table No. - 18.0.1 of the Appendix.

3.7. Growth-rate of Area & Production of different crops

Growth rate in the estimates of area and production of different programmed crops during 2023-24 at the State level has been calculated taking average of estimates of previous 5 years (2018-19 to 2022-23) as the base and presented below in Table No. – 3.7.1.

Table 3.7.1 Crop wise growth rate of area & production in 2023-24

Sl No.	Crop	Type of Estimate	(Area in '000 hectares & Production in '000 M.T.)		
			Average of Preceding 5 years estimate	2023-24	
				Estimate	Growth Rate
1	Paddy	Area (in '000' Hect.)	3968.31	4087.05	2.99%
		Production (in '000' MT)	15064.12	17482.88	16.06%
2	Wheat	Area (in '000' Hect.)	0.17	0.25	47.06%
		Production (in '000' MT)	0.28	0.47	70.29%
3	Maize	Area (in '000' Hect.)	76.36	90.83	18.96%
		Production (in '000' MT)	214.51	316.01	47.32%
4	Ragi	Area (in '000' Hect.)	42.34	65.51	54.74%
		Production (in '000' MT)	33.10	55.89	68.85%
5	Mung (Greengram)	Area (in '000' Hect.)	241.94	310.62	28.39%
		Production (in '000' MT)	79.26	124.78	57.43%
6	Biri (Blackgram)	Area (in '000' Hect.)	73.40	103.26	40.67%
		Production (in '000' MT)	25.91	42.43	63.78%
7	Kulthi (Horsegram)	Area (in '000' Hect.)	29.26	40.57	38.66%
		Production (in '000' MT)	11.47	18.21	58.82%
8	Til	Area (in '000' Hect.)	18.87	23.03	22.02%
		Production (in '000' MT)	4.87	5.48	12.57%
9	Groundnut	Area (in '000' Hect.)	37.18	44.32	19.20%
		Production (in '000' MT)	67.72	88.13	30.13%
10	Mustard	Area (in '000' Hect.)	10.45	21.21	102.97%
		Production (in '000' MT)	3.30	7.70	133.62%
11	Niger	Area (in '000' Hect.)	15.37	13.70	-10.88%
		Production (in '000' MT)	4.86	4.16	-14.33%
12	Jute	Area (in '000' Hect.)	1.43	2.78	94.95%
		Production (in '000' MT)	3.45	7.28	111.14%
13	Potato	Area (in '000' Hect.)	7.42	12.17	64.10%
		Production (in '000' MT)	78.49	145.02	84.76%
14	Sugarcane	Area (in '000' Hect.)	7.42	7.18	-3.26%
		Production (in '000' MT)	419.17	411.86	-1.74%

It is observed from Table No.-3.7.1 that estimates of Area & Production under all programmed crops, has increased during 2023-24 except for the crop niger & sugarcane. Although there is positive growth rate of wheat and jute, their area and production are not so significant, and are scantily grown in Odisha.



GLOSSARY OF TERMS

Nine-fold Classification of Land

Use: the term Land Use describes the use of land during an agricultural year in agricultural/ non-agricultural activities. It is broadly classified in to 9 folds, i.e, 1) Forest, 2) Land put to non- agricultural uses, 3) Barren and uncultivable land, 4) Permanent pastures and other grazing land, 5) Land under misc. tree crops & grooves not included under net area sown, 6) Cultivable waste, 7) Old fallows, 8) Current fallows & 9) Net area sown.

Yield-rate: Estimated Quantity of Production of a crop in quintal per one hectare of crop area. It is estimated by taking simple average of Crop Cutting Experiment results randomly undertaken & using multiplier of driage ratio & area conversion.

Crop area: Estimated land area in which a crop is sown in a season.

Gross Crop Area: Estimation of crop area sown in all three seasons with recurrence.

Net Crop Area: Estimation of crop area sown in any of three seasons without recurrence.

Crop area irrigated: Estimation of sown area irrigated at least once in a season.

Production of a crop: Estimated quantity by multiplying the yield-rate with crop area.

Cropping intensity: Number of times a land is cultivated during a year in percentage. It is the ratio of Gross Area Sown to the Net Area Sown.

Standard error: It is the square root of the average squared deviations between the population parameter & sample.

Variance: It is the average measurement of the spread between reported data set of sample area/yield from the mean.

Cropping Density: Ratio of estimated cropping area (net crop area) to total area.

APPENDIX

Table No. - 1.0
State Level Estimates of Area under different Classification of Land Uses
(2014-15 to 2023-24)

State :- Odisha

(Area in '000 hect.)

SI No.	Categories of Land uses	2014-15		2015-16		2016-17		2017-18		2018-19	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	9	10	11	12	13	14	15	16	17	18
1	Forest	1856	16.05	1924	16.68	1897	16.44	1925	16.68	1912	16.58
2	Land put to non-agricultural uses	1318	11.40	1376	11.92	1405	12.18	1377	11.94	1403	12.17
3	Barren & Uncultivable land.	1078	9.33	1054	9.14	1031	8.94	976	8.47	1016	8.81
4	Permanent pastures and other grazing land	524	4.53	535	4.64	512	4.44	512	4.44	523	4.54
5	Land under misc.tree crops & groves not included under net area sown.	211	1.82	217	1.87	254	2.20	276	2.38	251	2.18
6	Cultivable waste	550	4.76	550	4.77	567	4.92	613	5.33	591	5.13
7	Old fallows	631	5.46	655	5.68	685	5.94	777	6.73	738	6.40
8	Current fallows	918	7.94	1028	8.91	1085	9.41	1216	10.54	1089	9.45
9	Net area sown	4474	38.70	4198	36.39	4100	35.53	3863	33.49	4006	34.75
	Total area under survey (Line 1 to 9)	11560	100	11537	100	11536	100	11535	100	11529	100
		(74.24%)		(74.09%)		(74.09%)		(74.08%)		(74.04%)	
	Area not included under survey	4011	-	4034	-	4035	-	4036	-	4042	-
		(25.76%)		(25.91%)		(25.91%)		(25.92%)		(25.96%)	
	Geographical area of the state	15571	-	15571	-	15571	-	15571	-	15571	-

Table No. - 1.0 (concl.)
State Level Estimates of Area under different Classification of Land Uses
(2014-15 to 2023-24)

State :- Odisha

(Area in '000 hect.)

Sl No.	Categories of Land uses	2019-20		2020-21		2021-22		2022-23		2023-24	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	19	20	21	22	23	24	25	26	25	26
1	Forest	1963	17.02	1850	16.05	1942	16.77	1847	15.96	1907	16.47
2	Land put to non-agricultural uses	1383	12.00	1376	11.94	1361	11.76	1403	12.13	1379	11.91
3	Barren & Uncultivable land.	948	8.22	1109	9.62	978	8.45	1046	9.04	1024	8.85
4	Permanent pastures and other grazing land	535	4.64	539	4.68	509	4.40	534	4.61	537	4.64
5	Land under misc.tree crops & groves not included under net area sown.	260	2.26	242	2.10	252	2.18	278	2.40	247	2.13
6	Cultivable waste	577	5.01	575	4.99	577	4.99	582	5.03	565	4.88
7	Old fallows	705	6.12	672	5.83	688	5.95	704	6.08	701	6.06
8	Current fallows	1055	9.15	986	8.55	943	8.15	908	7.86	903	7.82
9	Net area sown	4102	35.58	4179	36.25	4322	37.35	4269	36.89	4308	37.24
	Total area under survey (Line 1 to 9)	11528	100	11528	100	11572	100	11571	100	11571	100
		(74.04%)		(74.04%)		(74.32%)		(74.31%)		(74.34%)	
	Area not included under survey	4043	-	4043	-	3999		4000		3995	
		(25.96%)		(25.96%)		(25.68%)		(25.69%)		(25.66%)	
	Geographical area of the state	15571	-	15571	-	15571		15571		15571	

◆◆◆◆◆

Table No. -1.1
District wise Estimates of Area under Different Classification of Land Uses

Year :2023-24

(Area in 000' hect.)

Sl. No.	District	Area under Survey																			% to	Area	Geogra-
		Forest		Land put to non-agricul- tural uses		Barren and un-cultivable land		Permanent pastures and other grazing land		Land under Misc. tree crops&groves not included under net area sown		Cultivable Waste		Old fallows		Current fallows		Net Area Sown		Total	Geogr- aphical Area	Area not inclu- ded under Survey	phical Area of the District
		Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	Angul	120	28.44	39	9.24	11	2.61	22	5.21	5	1.18	26	6.16	36	8.53	44	10.43	119	28.20	422	67.74	201	623
2	Bolangir	62	11.38	55	10.09	19	3.49	41	7.52	2	0.37	23	4.22	31	5.69	64	11.74	248	45.50	545	82.95	112	657
3	Balasore	7	2.01	59	16.95	5	1.44	17	4.89	10	2.87	22	6.32	15	4.31	23	6.61	190	54.60	348	95.60	16	364
4	Bargarh	21	4.48	58	12.37	8	1.71	22	4.69	1	0.21	17	3.62	33	7.04	26	5.54	283	60.34	469	80.45	114	583
5	Bhadrak	2	0.83	34	14.11	1	0.41	13	5.39	5	2.07	16	6.64	12	4.98	10	4.56	147	61.00	240	89.93	27	268
6	Boudh	31	15.20	24	11.76	8	3.92	18	8.82	1	0.49	22	10.78	16	7.84	14	6.86	70	34.31	204	59.30	140	344
7	Cuttack	25	7.51	71	21.32	6	1.80	13	3.90	7	2.10	13	3.90	21	6.31	46	14.11	130	39.04	332	89.28	40	373
8	Deogarh	75	43.86	12	7.02	7	4.09	5	2.92	1	0.58	12	7.02	9	5.26	9	5.26	41	23.98	171	61.51	107	278
9	Dhenkanal	67	19.88	43	12.76	11	3.26	13	3.86	11	3.26	32	9.50	33	9.79	29	8.61	98	29.08	337	73.26	123	460
10	Gajapati	61	19.81	18	5.84	130	42.21	13	4.22	4	1.30	7	2.27	9	2.92	12	3.90	54	17.53	308	80.00	77	385
11	Ganjam	40	6.57	70	11.49	77	12.64	15	2.46	15	2.46	21	3.45	30	4.93	42	6.90	299	49.10	609	69.92	262	871
12	Jagatsinghpur	4	2.33	52	30.23	0	0.00	8	4.65	3	1.74	10	5.81	5	2.91	8	4.65	82	47.67	172	87.31	25	197
13	Jajpur	13	4.91	50	18.87	9	3.40	13	4.91	4	1.51	11	4.15	11	4.15	13	4.91	141	53.21	265	91.70	24	289
14	Jharsuguda	23	13.45	33	19.30	5	2.92	13	7.60	1	0.58	14	8.19	21	12.28	22	12.87	39	22.81	171	77.73	49	220
15	Kalahandi	104	17.84	79	13.55	21	3.60	25	4.29	2	0.34	23	3.95	41	7.03	45	7.72	243	41.68	583	69.74	253	836
16	Kandhamal	160	36.36	20	4.55	107	24.32	14	3.18	1	0.23	10	2.27	38	8.64	43	9.77	46	10.68	439	57.52	325	765
17	Kendrapara	9	3.90	48	20.78	1	0.43	9	3.90	3	1.30	3	1.30	7	3.03	20	8.66	131	56.71	231	90.59	24	255
18	Keonjhar	143	22.00	60	9.23	102	15.69	29	4.46	6	0.92	39	6.00	48	7.38	45	6.92	177	27.38	649	78.31	180	830
19	Khurda	29	10.51	50	18.12	22	7.97	18	6.52	18	6.52	23	8.33	17	6.16	11	3.99	88	31.88	276	95.50	13	289
20	Koraput	82	13.67	42	7.00	143	23.83	20	3.33	36	6.00	17	2.83	30	5.00	56	9.33	174	29.00	600	75.95	190	790
21	Malkangiri	173	40.80	40	9.43	23	5.42	19	4.48	6	1.42	7	1.65	14	3.30	18	4.25	123	29.25	423	68.50	195	619
22	Mayurbhanj	64	9.16	90	12.88	16	2.29	33	4.72	24	3.43	56	8.01	53	7.58	54	7.73	309	44.21	699	67.08	343	1042
23	Nuapada	32	12.96	29	11.74	7	2.83	12	4.86	1	0.40	4	1.62	9	3.64	22	8.91	131	53.04	247	72.43	94	341
24	Nayagarh	42	16.73	39	15.54	13	5.18	14	5.58	8	3.19	18	7.17	13	5.18	9	3.59	95	37.85	251	59.20	173	424
25	Nowarangpur	82	20.40	33	8.21	22	5.47	20	4.98	16	3.98	10	2.49	11	2.74	12	2.99	196	48.76	402	75.99	127	529
26	Puri	10	3.58	58	20.79	6	2.15	12	4.30	24	8.60	9	3.23	23	8.24	33	11.83	104	37.28	279	91.48	26	305
27	Rayagada	127	22.24	31	5.43	157	27.50	16	2.80	26	4.55	22	3.85	22	3.85	39	6.83	131	22.94	571	75.33	187	758
28	Sambalpur	135	31.91	33	7.80	11	2.60	24	5.67	3	0.71	26	6.15	32	7.57	49	11.58	110	26.00	423	63.13	247	670
29	Subarnapur	12	6.35	27	14.29	4	2.12	10	5.29	1	0.53	8	4.23	10	5.29	10	5.29	107	56.61	189	80.43	46	235
30	Sundargarh	152	21.23	82	11.45	72	10.06	36	5.03	2	0.28	44	6.15	51	7.12	75	10.47	202	28.21	716	73.74	255	971
STATE		1907	16.47	1379	11.91	1024	8.85	537	4.64	247	2.13	565	4.88	701	6.06	903	7.82	4308	37.24	11571	74.34	3995	15571

'S' denotes area less than 500 hect.

Table No. - 2.0
State Level Estimates of Area under Different Programmed Crops
(2014-15 to 2023-24)

<i>(Area in ' 000 hecets.)</i>																					
Sl. No.	Crop	2014-15				2015-16				2016-17				2017-18				2018-19			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	583.35	3281.66	301.25	4166.26	541.53	3166.58	233.40	3941.51	511.55	3226.45	224.78	3962.78	530.32	3014.13	221.94	3766.39	454.36	3130.82	274.23	3859.41
2	Wheat	-	-	0.40	0.40	-	-	0.37	0.37	-	-	0.06	0.06	-	-	0.07	0.07	-	-	0.15	0.15
3	Maize	89.22	0.18	2.27	91.67	52.84	0.26	2.49	55.59	68.46	1.34	2.59	72.39	44.44	0.37	2.13	46.94	49.13	0.07	2.86	52.06
4	Ragi	15.25	35.95	0.28	51.48	14.23	31.16	0.30	45.69	14.27	32.62	0.08	46.97	10.04	32.44	0.11	42.59	8.51	27.94	0.21	36.66
5	Other cereals	11.68	25.76	'S'	37.44	13.62	23.96	'S'	37.58	9.86	26.45	0.10	36.41	6.58	29.23	0.06	35.87	5.01	19.01	0.04	24.06
6	Mung	22.01	97.80	175.59	295.40	19.39	70.36	200.04	289.79	40.75	128.06	157.36	326.17	26.25	82.36	127.40	236.01	10.62	62.48	143.55	216.65
7	Biri	22.84	56.12	2.80	81.76	20.28	46.47	7.57	74.32	27.90	65.57	15.27	108.74	20.43	42.76	13.99	77.18	13.72	39.56	4.57	57.85
8	Kulthi	-	38.24	0.12	38.36	-	33.20	0.16	33.36	-	34.04	0.04	34.08	-	25.84	0.37	26.21	-	23.57	0.04	23.61
9	Other pulses	1.63	82.41	0.68	84.72	2.49	60.72	0.55	63.76	2.47	43.80	0.52	46.79	1.48	39.91	4.94	46.33	0.77	41.90	0.86	43.53
10	Til	3.68	17.92	4.26	25.86	2.96	12.44	4.63	20.03	3.57	11.00	1.44	16.01	2.44	10.52	1.85	14.81	1.59	11.06	2.23	14.88
11	Groundnut	20.52	1.92	26.40	48.84	16.98	1.41	32.82	51.21	21.19	4.36	19.39	44.94	14.41	1.82	17.09	33.32	10.97	1.98	14.92	27.87
12	Mustard	-	10.12	-	10.12	-	7.31	-	7.31	-	9.70	-	9.70	-	8.65	-	8.65	-	6.02	-	6.02
13	Niger	-	32.76	-	32.76	-	21.91	-	21.91	-	15.02	-	15.02	-	18.35	-	18.35	-	18.98	-	18.98
14	Other oilseeds	0.05	2.03	2.55	4.63	0.01	0.91	2.10	3.02	0.60	2.44	1.58	4.62	0.08	1.41	0.76	2.25	0.12	2.07	0.94	3.13
15	Jute	1.06	-	-	1.06	1.20	-	-	1.20	0.75	-	-	0.75	0.95	-	-	0.95	0.20	-	-	0.20
16	Potato	-	8.45	-	8.45	-	5.63	-	5.63	-	6.52	0.01	6.53	-	3.97	-	3.97	-	4.90	-	4.90
17	Sugarcane	-	10.05	-	10.05	-	8.96	-	8.96	-	5.49	-	5.49	-	3.71	-	3.71	-	6.78	-	6.78
18	Other crops	19.09	144.52	20.13	183.74	19.61	101.35	20.45	141.41	29.01	105.17	12.67	146.85	27.92	97.48	12.85	138.25	18.18	94.81	17.26	130.25
All Crops		790.38	3845.89	536.73	5173.00	705.14	3592.63	504.88	4802.65	730.38	3718.03	435.89	4884.30	685.34	3412.95	403.56	4501.85	573.18	3491.95	461.86	4526.99

'S' : denotes area less than 5 hectares.

Table No. - 2.0 (concl.d.)
State Level Estimates of Area under Different Programmed Crops
(2014-15 to 2023-24)

(Area in ' 000 hecets.)

Sl. No.	Crop	2019-20				2020-21				2021-22				2022-23				2023-24			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	426.08	3222.02	292.61	3940.71	432.39	3257.75	339.35	4029.49	443.06	3205.37	299.32	3947.75	378.78	3349.88	335.51	4064.17	318.42	3382.32	386.31	4087.05
2	Wheat	-	-	0.12	0.12	-	-	0.18	0.18	-	-	0.18	0.18	-	-	0.22	0.22	-	-	0.25	0.25
3	Maize	61.04	0.10	3.93	65.07	75.25	0.06	2.61	77.92	97.61	1.11	3.72	102.44	81.15	0.25	2.89	84.29	81.75	0.94	8.14	90.83
4	Ragi	9.59	25.92	0.38	35.89	10.16	30.69	0.46	41.31	16.09	38.36	0.53	54.98	13.20	28.96	0.68	42.84	13.92	50.30	1.29	65.51
5	Other cereals	3.38	23.12	0.01	26.51	3.09	19.15	0.19	22.43	4.93	21.88	0.22	27.03	1.51	17.54	0.16	19.21	1.00	22.43	0.11	23.54
6	Mung	10.66	60.12	169.36	240.14	8.12	51.60	175.65	235.37	25.99	72.84	150.81	249.64	18.03	101.89	148.00	267.92	12.78	86.31	211.53	310.62
7	Biri	10.17	38.95	8.52	57.64	13.47	47.27	13.76	74.50	18.38	61.58	12.05	92.01	12.92	57.11	14.99	85.02	8.50	74.97	19.79	103.26
8	Kulthi	-	22.72	0.04	22.76	-	26.32	0.05	26.37	-	41.64	0.17	41.81	-	31.65	0.09	31.74	-	40.39	0.18	40.57
9	Other pulses	0.49	45.57	1.46	47.52	0.60	36.53	1.08	38.21	3.99	64.46	0.97	69.42	1.15	47.84	1.41	50.40	1.16	50.67	4.18	56.01
10	Til	1.94	9.46	2.60	14.00	1.55	14.45	5.33	21.33	5.07	12.59	6.72	24.38	2.13	10.57	7.08	19.78	1.81	9.64	11.58	23.03
11	Groundnut	9.66	1.42	18.35	29.43	7.46	2.44	28.57	38.47	19.13	3.49	23.54	46.16	15.83	4.16	23.98	43.97	12.63	3.20	28.49	44.32
12	Mustard	-	6.95	-	6.95	-	6.87	-	6.87	-	17.77	-	17.77	-	14.64	-	14.64	-	21.21	-	21.21
13	Niger	-	15.90	-	15.90	-	13.47	-	13.47	-	17.52	-	17.52	-	10.99	-	10.99	-	13.70	-	13.70
14	Other oilseeds	0.04	6.85	0.89	7.78	0.21	3.57	1.59	5.37	0.03	4.09	2.10	6.22	0.08	5.09	2.93	8.10	0.01	3.72	2.70	6.43
15	Jute	0.15	-	-	0.15	0.76	-	-	0.76	3.47	-	-	3.47	2.55	-	-	2.55	2.78	-	-	2.78
16	Potato	-	4.40	-	4.40	-	5.54	-	5.54	-	10.93	-	10.93	-	11.31	-	11.31	-	12.17	-	12.17
17	Sugarcane	-	8.95	-	8.95	-	7.00	-	7.00	-	7.05	-	7.05	-	7.33	-	7.33	-	7.18	-	7.18
18	Other crops	20.22	101.08	24.55	145.85	22.17	126.03	26.48	174.68	54.16	189.21	35.29	278.66	37.31	178.96	33.38	249.65	37.00	183.02	39.96	259.98
All Crops		553.42	3593.53	522.82	4669.77	575.23	3648.74	595.30	4819.27	691.91	3769.89	535.62	4997.42	564.64	3878.17	571.32	5014.13	491.76	3962.17	714.51	5168.44

'S' : denotes area less than 5 hectares.

Table No. - 3.0
State Level Estimates of Yield rate under Different Programmed Crops
(2014-15 to 2023-24)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2014-15				2015-16				2016-17				2017-18				2018-19			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	26.90	36.02	50.64	35.80	10.90	22.50	50.84	22.59	19.48	39.18	53.50	37.45	16.48	26.54	47.48	26.36	17.59	30.39	51.15	30.36
2	Wheat	-	-	16.28	16.28	-	-	13.47	13.47	-	-	14.21	14.21	-	-	21.63	21.63	-	-	18.15	18.15
3	Maize	20.40	16.70	26.11	20.53	19.68	18.02	26.20	19.96	28.54	12.92	29.13	28.27	25.12	14.12	27.21	25.13	23.07	24.48	26.10	23.24
4	Ragi	7.09	7.50	9.10	7.38	6.17	6.19	8.92	6.20	6.38	7.35	6.96	7.06	7.65	7.67	6.86	7.67	6.84	6.93	6.24	6.90
5	Mung	2.23	3.05	4.00	3.56	2.43	2.20	3.25	2.94	4.38	3.26	4.71	4.10	3.19	3.10	4.52	3.88	2.63	2.76	3.54	3.27
6	Biri	2.62	3.64	4.00	3.37	2.47	3.49	4.19	3.28	3.98	4.57	5.44	4.54	3.14	3.58	4.98	3.72	2.61	3.32	5.11	3.29
7	Kulthi	-	3.44	3.29	3.44	-	2.84	1.70	2.83	-	4.36	3.95	4.36	-	4.12	3.81	4.11	-	3.68	3.55	3.68
8	Til	2.26	2.54	3.00	2.57	2.11	1.85	2.63	2.07	2.88	3.12	3.06	3.06	2.45	2.88	2.75	2.79	3.08	2.32	2.01	2.35
9	Groundnut	10.32	10.10	14.71	12.68	8.00	12.90	12.42	10.97	9.45	12.56	15.33	12.29	8.99	13.57	13.08	11.34	10.24	13.50	14.53	12.77
10	Mustard	-	2.44	-	2.44	-	2.05	-	2.05	-	3.46	-	3.46	-	3.26	-	3.26	-	2.75	-	2.75
11	Niger	-	2.49	-	2.49	-	1.81	-	1.81	-	3.07	-	3.07	-	3.27	-	3.27	-	2.74	-	2.74
12	Jute	16.25	-	-	16.25	21.74	-	-	21.74	16.78	-	-	16.78	24.92	-	-	24.92	15.60	-	-	15.60
13	Potato	-	123.24	-	123.24	-	101.73	-	101.73	-	125.93	-	125.93	-	105.43	-	105.43	-	111.13	-	111.13
14	Sugarcane	-	719.51	-	719.51	-	644.00	-	644.00	-	626.79	-	626.79	-	647.04	-	647.04	-	616.22	-	616.22

Table No. - 3.0 (concl.d.)
State Level Estimates of Yield rate under Different Programmed Crops
(2014-15 to 2023-24)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2019-20				2020-21				2021-22				2022-23				2023-24			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	27.36	37.87	48.31	37.51	30.32	41.11	57.83	41.36	21.76	35.54	57.53	35.66	28.22	45.13	56.39	44.49	29.92	43.04	51.08	42.78
2	Wheat	-	-	13.90	13.90	-	-	16.40	16.40	-	-	17.05	17.05	-	-	15.48	15.48	-	-	18.94	18.94
3	Maize	28.78	23.61	33.33	29.05	29.19	19.92	26.14	29.08	27.84	26.99	26.97	27.79	29.99	27.37	24.8	29.81	34.93	25.84	34.45	34.79
4	Ragi	7.46	7.24	7.57	7.31	7.50	8.13	6.85	7.96	7.35	8.23	5.19	7.94	7.19	9.47	7.26	8.73	7.25	8.93	6.63	8.53
5	Mung	2.95	3.33	3.40	3.36	2.75	3.57	2.12	2.46	3.05	3.08	3.85	3.54	3.05	3.01	4.2	3.67	3.23	2.98	4.49	4.02
6	Biri	2.94	3.86	3.77	3.68	2.60	3.86	2.81	3.44	3.09	3.46	3.51	3.39	2.97	3.86	4.37	3.82	3.29	4.15	4.30	4.11
7	Kulthi	-	3.96	6.25	3.96	-	3.99	1.92	3.98	-	3.89	2.82	3.88	-	4.06	2.81	4.06	-	4.49	4.20	4.49
8	Til	3.06	3.08	2.19	2.91	1.84	2.76	1.85	2.47	2.51	2.65	2.12	2.48	1.96	3.32	2.15	2.76	2.02	2.81	2.07	2.38
9	Groundnut	11.89	15.91	22.35	18.60	14.31	16.72	22.08	20.23	16.24	18.35	21.36	19.01	16.86	17.95	20.24	18.81	16.69	20.49	21.24	19.89
10	Mustard	-	2.93	-	2.93	-	2.80	-	2.80	-	3.23	-	3.23	-	3.5	-	3.5	-	3.63	-	3.63
11	Niger	-	3.58	-	3.58	-	2.98	-	2.98	-	3.31	-	3.31	-	3.25	-	3.25	-	3.03	-	3.03
12	Jute	21.69	-	-	21.69	24.05	-	-	24.05	25.44	-	-	25.44	23.33	-	-	23.33	26.20	-	-	26.20
13	Potato	-	106.80	-	106.80	-	108.87	-	108.87	-	106.22	-	106.22	-	101.41	-	101.41	-	119.19	-	119.19
14	Sugarcane	-	564.23	-	564.23	-	544.73	-	544.73	-	563.98	-	563.98	-	537.81	-	537.81	-	574.02	-	574.02

Table No. - 4.0
State Level Estimates of Production under Different Programmed Crops
(2014-15 to 2023-24)

(Production in "000 M.T.)

Sl. No	Crop	2014-15				2015-16				2016-17			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Paddy	1569.13	11821.45	1525.55	14916.13	590.33	7125.09	1186.65	8902.07	996.25	12641.06	1202.56	14839.87
2	Wheat	-	-	0.66	0.66	-	-	0.49	0.49	-	-	0.08	0.08
3	Maize	181.98	0.30	5.92	188.20	104.00	0.46	6.52	110.98	195.39	1.74	7.54	204.67
4	Ragi	10.81	26.95	0.26	38.02	8.78	19.28	0.27	28.33	9.10	23.98	0.05	33.13
5	Mung (Greengram)	4.90	29.85	70.27	105.02	4.72	15.49	65.01	85.22	17.85	41.69	74.08	133.62
6	Biri (Blackgram)	5.98	20.45	1.12	27.55	5.00	16.21	3.17	24.38	11.11	29.99	8.31	49.41
7	Kulthi (Horsegram)	-	13.17	0.04	13.21	-	9.41	0.03	9.44	-	14.83	0.02	14.85
8	Til	0.83	4.55	1.27	6.65	0.62	2.30	1.22	4.14	1.03	3.43	0.44	4.90
9	Groundnut	21.18	1.93	38.84	61.95	13.59	1.81	40.76	56.16	20.03	5.47	29.73	55.23
10	Mustard	-	2.47	-	2.47	-	1.50	-	1.50	-	3.35	-	3.35
11	Niger	-	8.14	-	8.14	-	3.97	-	3.97	-	4.62	-	4.62
12	Jute	1.72	-	-	1.72	2.62	-	-	2.62	1.26	-	-	1.26
13	Potato	-	104.08	-	104.08	-	57.23	-	57.23	-	82.16	-	82.16
14	Sugarcane	-	722.89	-	722.89	-	577.16	-	577.16	-	344.30	-	344.30

Table No. - 4.0 (contd.)
State Level Estimates of Production under Different Programmed Crops
(2014-15 to 2023-24)

Sl. No	Crop	2017-18				2018-19				2019-20			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	15	16	17	18	19	20	21	22	23	24	25	26
1	Paddy	874.00	7998.67	1053.64	9926.31	799.22	9515.78	1402.74	11717.74	1165.88	12200.99	1413.50	14780.37
2	Wheat	-	-	0.16	0.16	0.00	0.00	0.27	0.27	-	-	0.16	0.16
3	Maize	111.62	0.53	5.80	117.95	113.34	0.16	7.45	120.95	175.67	0.22	13.11	189.00
4	Ragi	7.68	24.89	0.08	32.65	5.83	19.36	0.13	25.32	7.15	18.78	0.29	26.22
5	Mung (Greengram)	8.38	25.56	57.57	91.51	2.80	17.22	50.84	70.86	3.14	20.00	57.57	80.71
6	Biri (Blackgram)	6.41	15.32	6.96	28.69	3.58	13.12	2.34	19.04	2.99	15.02	3.21	21.22
7	Kulthi (Horsegram)	-	10.64	0.14	10.78	0.00	8.68	0.01	8.69	-	9.00	0.02	9.02
8	Til	0.60	3.03	0.51	4.13	0.49	2.56	0.45	3.50	0.59	2.91	0.57	4.07
9	Groundnut	12.96	2.46	22.36	37.78	11.24	2.67	21.68	35.59	11.49	2.26	41.01	54.76
10	Mustard	-	2.82	-	2.82	0.00	1.66	0.00	1.66	-	2.03	-	2.03
11	Niger	-	5.99	-	5.99	0.00	5.19	0.00	5.19	-	5.70	-	5.70
12	Jute	2.36	-	-	2.36	0.31	0.00	0.00	0.31	0.32	-	-	0.32
13	Potato	-	41.81	-	41.81	0.00	54.45	0.00	54.45	-	46.96	-	46.96
14	Sugarcane	-	240.25	-	240.25	0.00	417.67	0.00	417.67	-	504.87	-	504.87

Table No. - 4.0 (concl.d.)
State Level Estimates of Production under Different Programmed Crops
(2014-15 to 2023-24)

(Production in "000 M.T.)

Sl. No	Crop	2020-21				2021-22				2022-23				2023-24			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	1311.02	13391.78	1962.54	16665.34	963.98	11391.49	1721.95	14077.42	1068.95	15118.81	1891.95	18079.71	952.72	14556.92	1973.24	17482.88
2	Wheat	-	-	0.30	0.30	-	-	0.30	0.30	-	-	0.35	0.35	-	-	0.47	0.47
3	Maize	219.69	0.12	6.82	226.63	271.70	2.99	10.02	284.71	243.38	0.70	7.16	251.24	285.54	2.42	28.04	316.01
4	Ragi	7.62	24.96	0.32	32.90	11.82	31.58	0.27	43.67	9.49	27.41	0.49	37.39	10.10	44.93	0.86	55.89
5	Mung (Greengram)	2.23	18.41	37.28	57.92	7.92	22.44	58.11	88.47	5.50	30.63	62.21	98.34	4.13	25.70	94.95	124.78
6	Biri (Blackgram)	3.50	18.23	3.87	25.60	5.67	21.33	4.23	31.23	3.84	22.05	6.55	32.44	2.80	31.12	8.51	42.43
7	Kulthi (Horsegram)	-	10.49	0.01	10.50	-	16.18	0.05	16.23	-	12.86	0.03	12.89	-	18.13	0.08	18.21
8	Til	0.29	3.99	0.99	5.27	1.28	3.34	1.43	6.05	0.42	3.51	1.52	5.45	0.37	2.71	2.40	5.48
9	Groundnut	10.67	4.08	63.08	77.83	31.05	6.40	50.27	87.72	26.70	7.47	48.54	82.71	21.07	6.56	60.50	88.13
10	Mustard	-	1.92	-	1.92	-	5.75	-	5.75	-	5.12	-	5.12	-	7.70	-	7.70
11	Niger	-	4.02	-	4.02	-	5.80	-	5.80	-	3.57	-	3.57	-	4.16	-	4.16
12	Jute	1.83	-	-	1.83	8.83	-	-	8.83	5.95	-	-	5.95	7.28	-	-	7.28
13	Potato	-	60.26	-	60.26	-	116.12	-	116.12	-	114.66	-	114.66	-	145.02	-	145.02
14	Sugarcane	-	381.31	-	381.31	-	397.60	-	397.60	-	394.38	-	394.38	-	411.86	-	411.86

Table No. - 5.0
State level Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24

(Area in 000' Hect.)

(Yieldrate in Qtls/ha.)

(Production in 000' MT.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	PADDY	318.42	29.92	952.72	3382.32	43.04	14556.92	386.31	51.08	1973.24	4087.05	42.78	17482.88
1.1	RICE	-	19.75	628.79	-	28.41	9607.57	-	33.71	1302.34	-	28.23	11538.70
2	WHEAT	-	-	-	-	-	-	0.25	18.94	0.47	0.25	18.94	0.47
3	MAIZE	81.75	34.93	285.54	0.94	25.84	2.42	8.14	34.45	28.04	90.83	34.79	316.01
4	RAGI	13.92	7.25	10.10	50.30	8.93	44.93	1.29	6.63	0.86	65.51	8.53	55.89
5	MUNG (GREENGRAM)	12.78	3.23	4.13	86.31	2.98	25.70	211.53	4.49	94.95	310.62	4.02	124.78
6	BIRI (BLACKGRAM)	8.50	3.29	2.80	74.97	4.15	31.12	19.79	4.30	8.51	103.26	4.11	42.43
7	KULTHI (HORSEGRAM)	-	-	-	40.39	4.49	18.13	0.18	4.20	0.08	40.57	4.49	18.21
8	TIL	1.81	2.02	0.37	9.64	2.81	2.71	11.58	2.07	2.40	23.03	2.38	5.48
9	GROUNDNUT	12.63	16.69	21.07	3.20	20.49	6.56	28.49	21.24	60.50	44.32	19.89	88.13
10	MUSTARD	-	-	-	21.21	3.63	7.70	-	-	-	21.21	3.63	7.70
11	NIGER	-	-	-	13.70	3.03	4.16	-	-	-	13.70	3.03	4.16
12	JUTE	2.78	26.20	7.28	-	-	-	-	-	-	2.78	26.20	7.28
13	POTATO	-	-	-	12.17	119.19	145.02	-	-	-	12.17	119.19	145.02
14	SUGARCANE	-	-	-	7.18	574.02	411.86	-	-	-	7.18	574.02	411.86

Table No. - 5.1
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Paddy)

(Area in '000 Hect.)
(Yieldrate in Qtls/Hect)
(Production in '000 M.T.)

SI No	Districts	Autumn					Winter					Summer					Total				
		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production	
			Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	3.22	30.41	20.07	9.79	6.46	116.80	50.21	33.14	586.46	387.07	1.01	48.51	32.01	4.88	3.22	121.03	49.67	32.78	601.13	396.75
2	Balangir	35.67	27.60	18.22	98.45	64.98	139.05	41.52	27.40	577.35	381.05	6.18	43.77	28.89	27.04	17.85	180.90	38.85	25.64	702.84	463.88
3	Balasore	-	-	-	-	-	178.99	41.99	27.71	751.58	496.05	52.31	51.45	33.95	269.12	177.62	231.30	44.13	29.12	1020.70	673.67
4	Bargarh	42.35	30.63	20.22	129.71	85.61	207.05	53.12	35.06	1099.83	725.89	101.57	52.87	34.89	537.00	354.42	350.97	50.33	33.22	1766.54	1165.92
5	Bhadrak	-	-	-	-	-	144.13	39.55	26.10	569.97	376.18	2.03	41.61	27.46	8.43	5.57	146.16	39.57	26.12	578.40	381.75
6	Boudh	0.95	38.45	25.38	3.65	2.41	61.15	49.43	32.63	302.29	199.51	3.55	50.81	33.54	18.03	11.90	65.65	49.35	32.57	323.97	213.82
7	Cuttack	0.57	34.81	22.97	1.97	1.30	105.74	46.31	30.57	489.71	323.21	2.26	57.76	38.12	13.08	8.63	108.57	46.49	30.68	504.76	333.14
8	Deogarh	10.99	35.75	23.59	39.27	25.92	27.45	47.89	31.61	131.44	86.75	0.24	28.45	18.77	0.68	0.45	38.68	44.32	29.25	171.39	113.12
9	Dhenkanal	0.65	35.40	23.36	2.28	1.51	88.29	53.14	35.07	469.19	309.66	0.89	43.88	28.96	3.93	2.59	89.83	52.92	34.93	475.40	313.76
10	Gajapati	-	-	-	-	-	39.63	31.13	20.54	123.36	81.42	1.22	31.42	20.74	3.83	2.53	40.85	31.14	20.55	127.19	83.95
11	Ganjam	0.42	42.53	28.07	1.79	1.18	288.77	38.19	25.21	1102.92	727.92	0.02	37.17	24.54	0.09	0.06	289.21	38.20	25.21	1104.80	729.16
12	Jagatsinghpur	0.09	33.38	22.02	0.29	0.19	79.04	44.36	29.28	350.65	231.43	1.13	52.52	34.66	5.92	3.91	80.26	44.47	29.35	356.86	235.53
13	Jajpur	17.05	25.39	16.76	43.30	28.58	114.04	35.33	23.32	402.88	265.90	4.27	42.27	27.90	18.03	11.90	135.36	34.29	22.63	464.21	306.38
14	Jharsuguda	13.52	38.43	25.37	51.95	34.29	21.83	49.52	32.68	108.11	71.35	1.92	64.90	42.84	12.46	8.22	37.27	46.29	30.55	172.52	113.86
15	Kalahandi	9.05	21.53	14.21	19.49	12.86	184.04	46.30	30.56	852.10	562.38	62.67	47.59	31.41	298.27	196.86	255.76	45.74	30.19	1169.86	772.10
16	Kandhamal	0.54	22.43	14.81	1.21	0.79	35.49	29.64	19.57	105.21	69.44	0.65	41.90	27.65	2.71	1.79	36.68	29.76	19.64	109.13	72.02
17	Kendrapada	0.55	30.95	20.43	1.71	1.13	120.67	36.65	24.19	442.29	291.91	0.86	52.82	34.86	4.57	3.02	122.08	36.74	24.25	448.57	296.06
18	Keonjhar	10.80	37.38	24.67	40.37	26.64	144.40	49.81	32.88	719.32	474.76	0.81	48.98	32.33	3.95	2.61	156.01	48.95	32.31	763.64	504.01
19	Khurda	0.01	22.78	15.00	0.02	0.01	86.34	35.83	23.65	309.36	204.18	5.27	49.59	32.73	26.13	17.24	91.62	36.62	24.17	335.51	221.43
20	Koraput	3.58	36.92	24.37	13.20	8.72	98.38	48.83	32.23	480.38	317.05	29.16	48.30	31.88	140.86	92.97	131.12	48.39	31.94	634.44	418.74
21	Malkangiri	12.50	27.60	18.22	34.51	22.78	106.36	36.23	23.91	385.36	254.33	1.29	34.56	22.81	4.47	2.95	120.15	35.32	23.31	424.34	280.06
22	Mayurbhanja	2.81	25.61	16.90	7.21	4.76	294.50	38.28	25.27	1127.46	744.13	3.80	41.49	27.39	15.76	10.40	301.11	38.21	25.22	1150.43	759.29
23	Nuapada	38.86	23.94	15.80	93.03	61.39	66.22	40.35	26.63	267.14	176.32	10.05	45.62	30.11	45.85	30.26	115.13	35.27	23.28	406.02	267.97
24	Nayagada	0.05	26.78	17.67	0.13	0.08	88.85	36.15	23.86	321.20	211.99	0.01	28.13	18.60	0.04	0.03	88.91	36.14	23.85	321.37	212.10
25	Nawrangpur	9.92	34.00	22.44	33.74	22.27	115.82	44.27	29.22	512.73	338.40	1.21	38.35	25.31	4.64	3.06	126.95	43.41	28.65	551.11	363.73
26	Puri	-	-	-	-	-	84.74	44.42	29.32	376.43	248.45	35.42	52.88	34.90	187.28	123.61	120.16	46.91	30.96	563.71	372.06
27	Raygada	0.10	12.13	8.00	0.12	0.08	54.41	45.79	30.22	249.13	164.42	0.35	34.64	22.86	1.22	0.80	54.86	45.66	30.13	250.47	165.30
28	Sambalpur	31.32	36.47	24.07	114.24	75.40	77.93	53.88	35.56	419.84	277.09	13.42	60.56	39.97	81.28	53.64	122.67	50.16	33.11	615.36	406.13
29	Sonepur	7.02	40.40	26.67	28.37	18.72	97.57	53.94	35.60	526.27	347.34	40.96	55.65	36.73	227.94	150.44	145.55	53.77	35.49	782.58	516.50
30	Sundargarh	65.83	27.78	18.34	182.92	120.73	114.64	34.63	22.85	396.96	261.99	1.78	32.37	21.36	5.75	3.79	182.25	32.13	21.21	585.63	386.51
STATE		318.42	29.92	19.75	952.72	628.79	3382.32	43.04	28.41	14556.92	9607.57	386.31	51.08	33.71	1973.24	1302.34	4087.05	42.78	28.23	17482.88	11538.70

Table No. - 5.2
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Wheat)

Sl No	District												
		Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	-	-	-	-	-	-	1	19.00	19	1	19.00	19
4	Bargarh	-	-	-	-	-	-	40	18.68	747	40	18.68	747
5	Bhadrak	-	-	-	-	-	-	10	12.38	124	10	12.38	124
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	S	15.29	-	S	15.29	-
9	Dhenkanal	-	-	-	-	-	-	41	21.22	870	41	21.22	870
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	5	3.87	19	5	3.87	19
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	S	11.83	-	S	11.83	-
17	Kendrapada	-	-	-	-	-	-	S	10.85	-	S	10.85	-
18	Keonjhar	-	-	-	-	-	-	-	-	-	-	-	-
19	Khurda	-	-	-	-	-	-	S	4.24	-	S	4.24	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	118	20.18	2381	118	20.18	2381
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	1	4.16	4	1	4.16	4
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnpur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	33	16.70	551	33	16.70	551
STATE		-	-	-	-	-	-	249	18.94	4715	249	18.94	4715

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.3
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Maize)

(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	290	27.86	8079	18	35.17	633	33	36.35	1200	341	29.07	9912
2	Balangir	1694	37.56	63620	166	33.79	5609	16	29.09	465	1876	37.15	69694
3	Balasore	-	-	-	S	36.06	-	3	25.01	75	3	25.00	75
4	Bargarh	71	20.25	1438	95	25.13	2387	42	14.60	613	208	21.34	4438
5	Bhadrak	-	-	-	S	44.46	S	S	22.70	-	S	29.23	-
6	Boudh	45	9.62	433	3	8.67	26	S	10.63	-	48	9.56	459
7	Cuttack	57	12.57	716	37	39.04	1444	105	37.26	3912	199	30.51	6072
8	Deogarh	108	21.18	2287	-	-	-	7	19.94	140	115	21.10	2427
9	Dhenkanal	89	20.55	1829	144	34.43	4958	201	32.23	6478	434	30.56	13265
10	Gajapati	12919	24.95	322329	-	-	-	19	21.11	401	12938	24.94	322730
11	Ganjam	1021	27.09	27655	-	-	-	16	22.58	361	1037	27.02	28016
12	Jagatsinghpur	-	-	-	15	18.61	279	S	29.30	-	15	18.60	279
13	Jajpur	5	21.85	109	1	13.49	13	12	17.78	213	18	18.61	335
14	Jharsuguda	88	39.79	3502	1	33.44	33	3	22.73	68	92	39.16	3603
15	Kalahandi	1995	25.49	50846	9	19.75	178	9	24.89	224	2013	25.46	51248
16	Kandhamal	738	16.68	12309	12	15.33	184	35	21.88	766	785	16.89	13259
17	Kendrapada	-	-	-	-	-	-	3	22.75	68	3	22.67	68
18	Keonjhar	2449	34.57	84673	338	16.04	5422	15	38.87	583	2802	32.36	90678
19	Khurda	7	14.62	102	-	-	-	1	45.01	45	8	18.38	147
20	Koraput	2463	24.90	61320	-	-	-	653	22.18	14482	3116	24.33	75802
21	Malkangiri	793	18.94	15016	-	-	-	17	10.28	175	810	18.75	15191
22	Mayurbhanja	194	20.74	4024	14	22.00	308	41	25.44	1043	249	21.59	5375
23	Nuapada	1588	19.17	30442	-	-	-	1	8.61	9	1589	19.16	30451
24	Nayagada	156	30.08	4693	32	41.59	1331	82	30.26	2481	270	31.50	8505
25	Nawarangpur	51546	40.44	2084520	-	-	-	6764	36.29	245466	58310	39.96	2329986
26	Puri	-	-	-	-	-	-	6	19.83	119	6	19.83	119
27	Raygada	2401	18.52	44465	14	15.36	215	35	21.62	757	2450	18.55	45437
28	Sambalpur	224	28.08	6290	-	-	-	-	-	-	224	28.08	6290
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	808	30.62	24744	39	31.30	1221	21	14.48	304	868	30.26	26269
STATE		81749	34.93	2855441	938	25.84	24241	8140	34.45	280448	90827	34.79	3160130

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.4
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Ragi)

(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	384	8.73	3352	354	6.60	2336	5	4.22	21	743	7.68	5709
2	Balangir	1952	4.20	8198	739	3.91	2889	-	-	-	2691	4.12	11087
3	Balasore	-	-	-	149	6.48	966	143	6.55	937	292	6.52	1903
4	Bargarh	6	5.10	31	3539	4.13	14616	517	4.55	2352	4062	4.18	16999
5	Bhadrak	-	-	-	6	2.72	16	8	1.28	10	14	1.86	26
6	Boudh	3	5.25	16	44	4.26	187	2	6.45	13	49	4.41	216
7	Cuttack	183	11.39	2084	181	9.90	1792	-	-	-	364	10.65	3876
8	Deogarh	-	-	-	50	4.39	220	1	1.62	2	51	4.35	222
9	Dhenkanal	255	7.23	1844	85	6.82	580	35	7.66	268	375	7.18	2692
10	Gajapati	1004	9.58	9618	-	-	-	111	8.59	953	1115	9.48	10571
11	Ganjam	1518	10.26	15575	-	-	-	47	11.78	554	1565	10.31	16129
12	Jagatsinghpur	-	-	-	8	5.64	45	12	5.86	70	20	5.75	115
13	Jajpur	44	8.71	383	7	11.79	83	-	-	-	51	9.14	466
14	Jharsuguda	17	6.92	118	436	6.75	2943	4	5.45	22	457	6.75	3083
15	Kalahandi	211	5.17	1091	1761	5.04	8875	-	-	-	1972	5.05	9966
16	Kandhamal	-	-	-	479	7.12	3410	12	6.08	73	491	7.09	3483
17	Kendrapada	4	5.24	21	2	8.22	16	6	8.45	51	12	7.33	88
18	Keonjhar	1165	9.63	11219	102	10.72	1093	14	4.25	60	1281	9.66	12372
19	Khurda	-	-	-	29	4.12	119	11	17.95	197	40	7.90	316
20	Koraput	1911	9.30	17772	24791	10.81	267991	95	10.61	1008	26797	10.70	286771
21	Malkangiri	-	-	-	2335	12.28	28674	-	-	-	2335	12.28	28674
22	Mayurbhanja	38	7.46	283	58	14.08	817	64	7.66	490	160	9.94	1590
23	Nuapada	1375	6.51	8951	-	-	-	-	-	-	1375	6.51	8951
24	Nayagada	76	9.64	733	1133	6.43	7285	71	5.67	403	1280	6.58	8421
25	Nawarangpur	2284	4.08	9319	2540	4.56	11582	56	8.59	481	4880	4.38	21382
26	Puri	-	-	-	S	6.71	-	7	8.48	59	7	8.43	59
27	Raygada	804	6.84	5499	10835	8.12	87980	18	8.55	154	11657	8.03	93633
28	Sambalpur	31	1.13	35	-	-	-	13	7.16	93	44	2.91	128
29	Subarnapur	-	-	-	2	8.67	17	-	-	-	2	8.50	17
30	Sundargarh	658	7.38	4856	637	7.52	4790	38	7.41	282	1333	7.45	9928
STATE		13923	7.25	100998	50302	8.93	449322	1290	6.63	8553	65515	8.53	558873

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.5
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Mung)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	519	3.84	1993	2938	3.99	11723	432	3.90	1685	3889	3.96	15401
2	Balangir	4341	3.74	16235	8052	3.79	30517	7933	3.66	29035	20326	3.73	75787
3	Balasore	-	-	-	-	-	-	2426	3.78	9170	2426	3.78	9170
4	Bargarh	4709	3.22	15163	131	4.04	529	3815	4.29	16366	8655	3.70	32058
5	Bhadrak	-	-	-	-	-	-	1186	3.60	4270	1186	3.60	4270
6	Boudh	76	1.98	150	1027	2.43	2496	1461	3.42	4997	2564	2.98	7643
7	Cuttack	-	-	-	123	3.24	399	28752	5.10	146635	28875	5.09	147034
8	Deogarh	61	2.95	180	115	3.52	405	279	3.50	977	455	3.43	1562
9	Dhenkanal	2	4.91	10	330	5.89	1944	3273	5.81	19016	3605	5.82	20970
10	Gajapati	-	-	-	1510	2.43	3669	-	-	-	1510	2.43	3669
11	Ganjam	-	-	-	61372	2.56	157112	-	-	-	61372	2.56	157112
12	Jagatsinghpur	-	-	-	-	-	-	37080	4.52	167602	37080	4.52	167602
13	Jajpur	-	-	-	1	2.85	3	8455	3.49	29508	8456	3.49	29511
14	Jharsuguda	-	-	-	-	-	-	862	3.71	3198	862	3.71	3198
15	Kalahandi	-	-	-	4152	5.17	21466	8164	6.28	51270	12316	5.91	72736
16	Kandhamal	1	3.45	3	49	3.50	172	-	-	-	50	3.50	175
17	Kendrapada	-	-	-	S	10.49	-	22265	4.29	95517	22265	4.29	95517
18	Keonjhar	45	2.98	134	885	5.86	5186	257	5.68	1460	1187	5.71	6780
19	Khurda	-	-	-	1	4.27	4	11178	4.68	52313	11179	4.68	52317
20	Koraput	-	-	-	604	3.70	2235	81	3.50	284	685	3.68	2519
21	Malkangiri	-	-	-	311	3.94	1225	-	-	-	311	3.94	1225
22	Mayurbhanja	2	6.02	12	40	6.11	244	2561	5.29	13548	2603	5.30	13804
23	Nuapada	2177	1.57	3418	173	3.45	597	4210	3.25	13683	6560	2.70	17698
24	Nayagada	-	-	-	2256	3.54	7986	41786	4.23	176755	44042	4.19	184741
25	Nawarangpur	-	-	-	-	-	-	62	7.81	484	62	7.81	484
26	Puri	-	-	-	-	-	-	21151	4.37	92430	21151	4.37	92430
27	Raygada	-	-	-	1493	3.17	4733	2	3.39	7	1495	3.17	4740
28	Sambalpur	59	7.17	423	532	6.36	3384	608	6.91	4201	1199	6.68	8008
29	Subarnapur	140	3.90	546	105	3.13	329	1693	3.81	6450	1938	3.78	7325
30	Sundargarh	646	4.62	2985	107	5.58	597	1561	5.52	8617	2314	5.27	12199
STATE		12778	3.23	41252	86307	2.98	256955	211533	4.49	949478	310618	4.02	1247685

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.6
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Biri)

Sl No	District												
		Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	638	4.05	2584	2409	4.24	10214	346	4.09	1415	3393	4.19	14213
2	Balangir	2174	4.40	9566	3969	3.53	14011	1137	3.39	3854	7280	3.77	27431
3	Balasore	-	-	-	-	-	-	1400	3.40	4760	1400	3.40	4760
4	Bargarh	1444	3.25	4693	1	3.51	4	389	4.39	1708	1834	3.49	6405
5	Bhadrak	1	3.89	4	135	4.61	622	540	3.48	1879	676	3.71	2505
6	Boudh	4	1.91	8	517	2.44	1261	26	2.37	62	547	2.43	1331
7	Cuttack	-	-	-	10826	4.40	47634	2118	5.20	11014	12944	4.53	58648
8	Deogarh	94	3.21	302	51	3.73	190	48	3.89	187	193	3.52	679
9	Dhenkanal	3	3.41	10	2643	6.29	16624	65	5.84	380	2711	6.28	17014
10	Gajapati	-	-	-	2206	2.40	5294	-	-	-	2206	2.40	5294
11	Ganjam	82	2.60	213	13257	2.44	32347	-	-	-	13339	2.44	32560
12	Jagatsinghpur	-	-	-	440	4.34	1910	944	4.44	4191	1384	4.41	6101
13	Jajpur	-	-	-	7497	3.27	24515	5	2.23	11	7502	3.27	24526
14	Jharsuguda	-	-	-	63	3.23	203	46	2.71	125	109	3.01	328
15	Kalahandi	4	3.24	13	4850	5.90	28615	18	4.54	82	4872	5.89	28710
16	Kandhamal	-	-	-	1286	5.36	6893	4	3.73	15	1290	5.36	6908
17	Kendrapada	-	-	-	6058	4.73	28654	1748	4.00	6992	7806	4.57	35646
18	Keonjhar	449	3.38	1518	369	6.85	2528	82	5.13	421	900	4.96	4467
19	Khurda	S	3.51	-	349	4.09	1427	1360	4.80	6528	1709	4.65	7955
20	Koraput	-	-	-	2649	3.85	10199	51	2.42	123	2700	3.82	10322
21	Malkangiri	-	-	-	1699	3.46	5879	-	-	-	1699	3.46	5879
22	Mayurbhanja	92	5.77	531	28	5.70	160	170	4.59	780	290	5.07	1471
23	Nuapada	2740	1.73	4740	169	3.52	595	-	-	-	2909	1.83	5335
24	Nayagada	-	-	-	2319	3.27	7583	2805	3.90	10940	5124	3.61	18523
25	Nawarangpur	-	-	-	5956	8.03	47827	35	8.70	305	5991	8.03	48132
26	Puri	-	-	-	430	3.99	1716	6322	4.53	28639	6752	4.50	30355
27	Raygada	-	-	-	4298	2.81	12077	26	2.96	77	4324	2.81	12154
28	Sambalpur	59	5.75	339	188	5.48	1030	5	5.25	26	252	5.54	1395
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	714	4.87	3477	310	3.89	1206	97	5.92	574	1121	4.69	5257
STATE		8498	3.29	27998	74972	4.15	311218	19787	4.30	85088	103257	4.11	424304

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.7
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Kulthi)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	2492	4.49	11189	-	-	-	2492	4.49	11189
2	Balangir	-	-	-	3603	3.77	13583	-	-	-	3603	3.77	13583
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	495	4.13	2044	-	-	-	495	4.13	2044
5	Bhadrak	-	-	-	-	-	-	4	3.25	13	4	3.25	13
6	Boudh	-	-	-	855	2.51	2146	-	-	-	855	2.51	2146
7	Cuttack	-	-	-	4000	4.68	18720	5	5.24	26	4005	4.68	18746
8	Deogarh	-	-	-	304	4.20	1277	-	-	-	304	4.20	1277
9	Dhenkanal	-	-	-	1015	5.46	5542	81	4.86	394	1096	5.42	5936
10	Gajapati	-	-	-	263	2.43	639	-	-	-	263	2.43	639
11	Ganjam	-	-	-	1902	2.71	5154	-	-	-	1902	2.71	5154
12	Jagatsinghpur	-	-	-	323	4.44	1434	-	-	-	323	4.44	1434
13	Jajpur	-	-	-	1907	2.59	4939	-	-	-	1907	2.59	4939
14	Jharsuguda	-	-	-	232	3.14	728	-	-	-	232	3.14	728
15	Kalahandi	-	-	-	3324	6.17	20509	-	-	-	3324	6.17	20509
16	Kandhamal	-	-	-	548	5.60	3069	-	-	-	548	5.60	3069
17	Kendrapada	-	-	-	290	4.63	1343	-	-	-	290	4.63	1343
18	Keonjhar	-	-	-	1807	4.02	7264	-	-	-	1807	4.02	7264
19	Khurda	-	-	-	151	5.14	776	27	4.71	127	178	5.07	903
20	Koraput	-	-	-	2805	3.97	11136	-	-	-	2805	3.97	11136
21	Malkangiri	-	-	-	972	3.23	3140	-	-	-	972	3.23	3140
22	Mayurbhanja	-	-	-	65	4.91	319	-	-	-	65	4.91	319
23	Nuapada	-	-	-	2017	2.07	4175	-	-	-	2017	2.07	4175
24	Nayagada	-	-	-	1492	3.81	5685	66	3.15	208	1558	3.78	5893
25	Nawarangpur	-	-	-	4490	7.94	35651	-	-	-	4490	7.94	35651
26	Puri	-	-	-	499	4.38	2186	-	-	-	499	4.38	2186
27	Raygada	-	-	-	2206	3.49	7699	-	-	-	2206	3.49	7699
28	Sambalpur	-	-	-	413	5.38	2222	-	-	-	413	5.38	2222
29	Subarnapur	-	-	-	218	4.03	879	-	-	-	218	4.03	879
30	Sundargarh	-	-	-	1699	4.61	7832	-	-	-	1699	4.61	7832
STATE		-	-	-	40387	4.49	181280	183	4.20	768	40570	4.49	182048

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.8
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Til)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	234	2.25	527	400	2.01	804	134	2.36	316	768	2.14	1647
2	Balangir	275	2.07	569	248	1.64	407	12	1.14	14	535	1.85	990
3	Balasore	4	2.41	10	-	-	-	501	3.05	1528	505	3.05	1538
4	Bargarh	22	3.19	70	55	3.27	180	65	2.61	170	142	2.96	420
5	Bhadrak	-	-	-	-	-	-	95	2.78	264	95	2.78	264
6	Boudh	-	-	-	51	1.53	78	4	1.80	7	55	1.55	85
7	Cuttack	-	-	-	-	-	-	63	2.09	132	63	2.10	132
8	Deogarh	10	2.17	22	349	2.24	782	201	2.66	535	560	2.39	1339
9	Dhenkanal	25	2.13	53	217	3.36	729	153	3.68	563	395	3.41	1345
10	Gajapati	-	-	-	S	1.52	-	2414	2.22	5359	2414	2.22	5359
11	Ganjam	-	-	-	-	-	-	6783	1.69	11463	6783	1.69	11463
12	Jagatsinghpur	-	-	-	-	-	-	1	3.51	4	1	4.00	4
13	Jajpur	9	1.98	18	-	-	-	-	-	-	9	2.00	18
14	Jharsuguda	-	-	-	416	3.09	1285	1	4.50	5	417	3.09	1290
15	Kalahandi	-	-	-	390	2.84	1108	-	-	-	390	2.84	1108
16	Kandhamal	-	-	-	4	2.50	10	-	-	-	4	2.50	10
17	Kendrapada	-	-	-	-	-	-	40	3.52	141	40	3.53	141
18	Keonjhar	396	3.65	1445	17	4.02	68	267	3.21	857	680	3.49	2370
19	Khurda	S	2.96	S	1	3.29	3	110	3.10	341	111	3.10	344
20	Koraput	-	-	-	208	2.00	416	-	-	-	208	2.00	416
21	Malkangiri	-	-	-	3924	2.76	10830	-	-	-	3924	2.76	10830
22	Mayurbhanja	8	3.19	26	-	-	-	157	4.19	658	165	4.15	684
23	Nuapada	817	1.09	891	78	1.39	108	-	-	-	895	1.12	999
24	Nayagada	-	-	-	183	2.29	419	277	2.61	723	460	2.48	1142
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	165	3.15	520	165	3.15	520
27	Raygada	-	-	-	1651	2.79	4606	48	3.11	149	1699	2.80	4755
28	Sambalpur	-	-	-	398	3.38	1345	19	3.29	63	417	3.38	1408
29	Subarnapur	-	-	-	-	-	-	6	1.17	7	6	1.17	7
30	Sundargarh	9	2.35	21	1052	3.76	3956	67	2.21	148	1128	3.66	4125
STATE		1809	2.02	3652	9642	2.81	27134	11583	2.07	23967	23034	2.38	54753

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.9
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Groundnut)

Sl No	District												
		Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	445	17.35	7721	-	-	-	925	19.05	17621	1370	18.50	25342
2	Balangir	1942	21.14	41054	522	22.63	11813	547	22.76	12450	3011	21.69	65317
3	Balasore	-	-	-	-	-	-	1123	15.14	17002	1123	15.14	17002
4	Bargarh	3806	18.73	71286	28	26.80	750	3011	20.07	60431	6845	19.35	132467
5	Bhadrak	-	-	-	-	-	-	22	12.41	273	22	12.41	273
6	Boudh	14	12.82	179	2	8.32	17	18	10.71	193	34	11.44	389
7	Cuttack	284	17.22	4890	130	24.84	3229	1266	24.14	30561	1680	23.02	38680
8	Deogarh	110	26.84	2952	-	-	-	226	35.31	7980	336	32.54	10932
9	Dhenkanal	55	16.78	923	719	24.52	17630	433	26.24	11362	1207	24.78	29915
10	Gajapati	65	16.67	1084	-	-	-	474	18.42	8731	539	18.21	9815
11	Ganjam	213	17.42	3710	-	-	-	1839	21.88	40237	2052	21.42	43947
12	Jagatsinghpur	-	-	-	59	35.86	2116	110	25.93	2852	169	29.40	4968
13	Jajpur	147	8.51	1251	-	-	-	8847	19.94	176409	8994	19.75	177660
14	Jharsuguda	15	14.11	212	-	-	-	99	17.85	1767	114	17.36	1979
15	Kalahandi	1053	14.97	15763	14	13.67	191	541	15.46	8364	1608	15.12	24318
16	Kandhamal	24	8.76	210	59	13.88	819	26	15.26	397	109	13.08	1426
17	Kendrapada	2	17.45	35	1	40.04	40	220	22.86	5029	223	22.89	5104
18	Keonjhar	514	13.32	6846	22	24.56	540	133	8.22	1093	669	12.67	8479
19	Khurda	-	-	-	-	-	-	86	24.00	2064	86	24.00	2064
20	Koraput	787	17.86	14056	729	23.35	17022	198	19.84	3928	1714	20.42	35006
21	Malkangiri	-	-	-	-	-	-	2342	30.43	71267	2342	30.43	71267
22	Mayurbhanja	34	10.23	348	-	-	-	2010	19.79	39778	2044	19.63	40126
23	Nuapada	1355	14.18	19214	-	-	-	735	20.60	15141	2090	16.44	34355
24	Nayagada	114	13.06	1489	36	14.71	530	68	15.99	1087	218	14.25	3106
25	Nawarangpur	259	9.82	2543	-	-	-	-	-	-	259	9.82	2543
26	Puri	-	-	-	-	-	-	2384	22.40	53402	2384	22.40	53402
27	Raygada	111	13.56	1505	880	12.37	10886	57	19.78	1127	1048	12.90	13518
28	Sambalpur	160	11.59	1854	-	-	-	90	18.43	1659	250	14.05	3513
29	Subarnapur	-	-	-	-	-	-	152	18.64	2833	152	18.64	2833
30	Sundargarh	1120	10.37	11614	-	-	-	506	19.73	9983	1626	13.28	21597
STATE		12629	16.69	210739	3201	20.49	65583	28488	21.24	605021	44318	19.89	881343

N.B.-: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.10
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Mustard)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	898	2.56	2299	-	-	-	898	2.56	2299
2	Balangir	-	-	-	1918	1.60	3069	-	-	-	1918	1.60	3069
3	Balasore	-	-	-	1015	3.28	3329	-	-	-	1015	3.28	3329
4	Bargarh	-	-	-	1763	3.73	6576	-	-	-	1763	3.73	6576
5	Bhadrak	-	-	-	68	5.15	350	-	-	-	68	5.15	350
6	Boudh	-	-	-	578	1.39	803	-	-	-	578	1.39	803
7	Cuttack	-	-	-	135	2.30	311	-	-	-	135	2.30	311
8	Deogarh	-	-	-	387	2.49	964	-	-	-	387	2.49	964
9	Dhenkanal	-	-	-	315	2.56	806	-	-	-	315	2.56	806
10	Gajapati	-	-	-	42	1.17	49	-	-	-	42	1.17	49
11	Ganjam	-	-	-	24	1.77	42	-	-	-	24	1.77	42
12	Jagatsinghpur	-	-	-	69	2.20	152	-	-	-	69	2.20	152
13	Jajpur	-	-	-	416	1.15	478	-	-	-	416	1.15	478
14	Jharsuguda	-	-	-	1011	3.36	3397	-	-	-	1011	3.36	3397
15	Kalahandi	-	-	-	1232	2.66	3277	-	-	-	1232	2.66	3277
16	Kandhamal	-	-	-	868	2.42	2101	-	-	-	868	2.42	2101
17	Kendrapada	-	-	-	130	2.36	307	-	-	-	130	2.36	307
18	Keonjhar	-	-	-	2407	4.51	10856	-	-	-	2407	4.51	10856
19	Khurda	-	-	-	49	1.85	91	-	-	-	49	1.85	91
20	Koraput	-	-	-	556	2.13	1184	-	-	-	556	2.13	1184
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	800	4.78	3824	-	-	-	800	4.78	3824
23	Nuapada	-	-	-	634	1.62	1027	-	-	-	634	1.62	1027
24	Nayagada	-	-	-	284	1.96	557	-	-	-	284	1.96	557
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	41	2.57	105	-	-	-	41	2.57	105
27	Raygada	-	-	-	1097	2.01	2205	-	-	-	1097	2.01	2205
28	Sambalpur	-	-	-	1098	6.85	7521	-	-	-	1098	6.85	7521
29	Subarnapur	-	-	-	42	3.88	163	-	-	-	42	3.88	163
30	Sundargarh	-	-	-	3332	6.35	21158	-	-	-	3332	6.35	21158
STATE		-	-	-	21209	3.63	77001	-	-	-	21209	3.63	77001

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.11
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Nizer)

(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	-	-	-	-	-	-
10	Gajapati	-	-	-	5	1.58	8	-	-	-	5	1.58	8
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	815	3.32	2706	-	-	-	815	3.32	2706
16	Kandhamal	-	-	-	268	3.57	957	-	-	-	268	3.57	957
17	Kendrapada	-	-	-	-	-	-	-	-	-	-	-	-
18	Keonjhar	-	-	-	1681	2.51	4219	-	-	-	1681	2.51	4219
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	7967	3.18	25335	-	-	-	7967	3.18	25335
21	Malkangiri	-	-	-	152	2.19	333	-	-	-	152	2.19	333
22	Mayurbhanja	-	-	-	6	3.07	18	-	-	-	6	3.07	18
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	116	3.37	391	-	-	-	116	3.37	391
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	2630	2.82	7417	-	-	-	2630	2.82	7417
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	64	2.96	189	-	-	-	64	2.96	189
STATE		-	-	-	13704	3.03	41573	-	-	-	13704	3.03	41573

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.12
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Jute)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	863	24.66	21282	-	-	-	-	-	-	863	24.66	21282
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	55	16.11	886	-	-	-	-	-	-	55	16.11	886
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	307	34.45	10576	-	-	-	-	-	-	307	34.45	10576
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	1	11.69	12	-	-	-	-	-	-	1	11.69	12
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	787	24.78	19502	-	-	-	-	-	-	787	24.78	19502
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	333	23.04	7672	-	-	-	-	-	-	333	23.04	7672
18	Keonjhar	432	29.73	12843	-	-	-	-	-	-	432	29.73	12843
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	-	-	-	-	-	-
STATE		2778	26.20	72773	-	-	-	-	-	-	2778	26.20	72773

N.B.- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.13

District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Potato)

(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	1627	174.72	284269	-	-	-	1627	174.72	284269
2	Balangir	-	-	-	80	135.50	10840	-	-	-	80	135.50	10840
3	Balasore	-	-	-	172	142.05	24433	-	-	-	172	142.05	24433
4	Bargarh	-	-	-	501	78.74	39449	-	-	-	501	78.74	39449
5	Bhadrak	-	-	-	7	123.82	867	-	-	-	7	123.82	867
6	Boudh	-	-	-	114	59.47	6780	-	-	-	114	59.47	6780
7	Cuttack	-	-	-	681	166.47	113366	-	-	-	681	166.47	113366
8	Deogarh	-	-	-	368	111.46	41017	-	-	-	368	111.46	41017
9	Dhenkanal	-	-	-	275	177.04	48686	-	-	-	275	177.04	48686
10	Gajapati	-	-	-	4	35.58	142	-	-	-	4	35.58	142
11	Ganjam	-	-	-	283	131.09	37098	-	-	-	283	131.09	37098
12	Jagatsinghpur	-	-	-	116	131.64	15270	-	-	-	116	131.64	15270
13	Jajpur	-	-	-	581	120.60	70069	-	-	-	581	120.60	70069
14	Jharsuguda	-	-	-	275	89.08	24497	-	-	-	275	89.08	24497
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	590	89.11	52575	-	-	-	590	89.11	52575
17	Kendrapada	-	-	-	179	155.02	27749	-	-	-	179	155.02	27749
18	Keonjhar	-	-	-	1214	145.87	177086	-	-	-	1214	145.87	177086
19	Khurda	-	-	-	114	200.54	22862	-	-	-	114	200.54	22862
20	Koraput	-	-	-	2224	73.89	164331	-	-	-	2224	73.89	164331
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	107	101.02	10809	-	-	-	107	101.02	10809
23	Nuapada	-	-	-	350	50.65	17728	-	-	-	350	50.65	17728
24	Nayagada	-	-	-	21	191.36	4019	-	-	-	21	191.36	4019
25	Nawarangpur	-	-	-	223	105.29	23480	-	-	-	223	105.29	23480
26	Puri	-	-	-	155	134.22	20804	-	-	-	155	134.22	20804
27	Raygada	-	-	-	84	135.25	11361	-	-	-	84	135.25	11361
28	Sambalpur	-	-	-	489	128.80	62983	-	-	-	489	128.80	62983
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	1333	103.26	137646	-	-	-	1333	103.26	137646
STATE		-	-	-	12167	119.19	1450216	-	-	-	12167	119.19	1450216

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.14
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24 (Sugarcane)

Sl No	District												
		Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	15	556.67	8350	-	-	-	15	556.67	8350
2	Balangir	-	-	-	70	534.20	37394	-	-	-	70	534.20	37394
3	Balasore	-	-	-	31	378.00	11718	-	-	-	31	378.00	11718
4	Bargarh	-	-	-	29	1058.22	30688	-	-	-	29	1058.22	30688
5	Bhadrak	-	-	-	8	310.40	2483	-	-	-	8	310.40	2483
6	Boudh	-	-	-	2	514.00	1028	-	-	-	2	514.00	1028
7	Cuttack	-	-	-	753	667.00	502251	-	-	-	753	667.00	502251
8	Deogarh	-	-	-	15	540.89	8113	-	-	-	15	540.89	8113
9	Dhenkanal	-	-	-	436	706.24	307921	-	-	-	436	706.24	307921
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	310	800.14	248043	-	-	-	310	800.14	248043
12	Jagatsinghpur	-	-	-	122	511.00	62342	-	-	-	122	511.00	62342
13	Jajpur	-	-	-	1102	465.80	513312	-	-	-	1102	465.80	513312
14	Jharsuguda	-	-	-	20	1478.29	29566	-	-	-	20	1478.29	29566
15	Kalahandi	-	-	-	246	609.23	149871	-	-	-	246	609.23	149871
16	Kandhamal	-	-	-	2	788.00	1576	-	-	-	2	788.00	1576
17	Kendrapada	-	-	-	58	538.00	31204	-	-	-	58	538.00	31204
18	Keonjhar	-	-	-	2	428.00	856	-	-	-	2	428.00	856
19	Khurda	-	-	-	20	865.33	17307	-	-	-	20	865.33	17307
20	Koraput	-	-	-	667	624.11	416281	-	-	-	667	624.11	416281
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	-	-	-	9	452.00	4068	-	-	-	9	452.00	4068
24	Nayagada	-	-	-	565	718.97	406218	-	-	-	565	718.97	406218
25	Nawarangpur	-	-	-	2530	460.44	1164913	-	-	-	2530	460.44	1164913
26	Puri	-	-	-	26	531.00	13806	-	-	-	26	531.00	13806
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	137	1089.87	149312	-	-	-	137	1089.87	149312
STATE		-	-	-	7175	574.02	4118621	-	-	-	7175	574.02	4118621

N.B.- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No.- 6.0
State Level Estimates of Area under Other Crops by Broad Groups (2014-15 to 2023-24)

State :- Odisha

(Area in hect.)

Sl. No.	Year	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	2014-15	11681	25768	1	37450	1627	82423	681	84731	51	2032	2546	4629	19100	144517	20128	183745
2	2015-16	13612	23960	4	37576	2480	60730	553	63763	11	919	2105	3035	19611	101347	20453	141411
3	2016-17	9860	26448	100	36408	2471	43799	517	46787	595	2438	1580	4613	29010	105167	12672	146849
4	2017-18	6580	29227	42	35849	1482	39905	4942	46329	77	1408	757	2242	27924	97475	12845	138244
5	2018-19	5006	19007	41	24054	772	41902	863	43537	116	2077	943	3136	18185	94813	17256	130254
6	2019-20	3380	23119	10	26509	486	45568	1464	47518	38	6849	893	7780	20220	101082	24546	145848
7	2020-21	3091	19149	187	22427	603	36525	1084	38212	210	3570	1586	5366	22171	126029	26477	174677
8	2021-22	4927	21882	217	27026	3994	64462	968	69424	31	4086	2103	6220	54159	189207	35291	278657
9	2022-23	1512	17542	162	19216	1151	47842	1407	50400	75	5089	2934	8098	37306	178961	33383	249650
10	2023-24	1001	22430	112	23543	1163	50669	4181	56013	6	3722	2700	6428	36998	183017	39963	259978



Table No.- 6.1
District wise Estimates of Area under Other Crops by Broad Groups 2023-24

(Area in hect.)																	
Sl. No.	District	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Angul	-	-	-	-	-	2015	-	2015	-	-	1	1	843	1864	758	3465
2	Bolangir	78	15	-	93	172	5804	968	6944	-	-	22	22	3842	53569	3611	61022
3	Balasore	-	68	89	157	-	-	-	-	-	-	27	27	602	2424	2298	5324
4	Bargarh	-	152	-	152	108	2817	429	3354	-	11	76	87	4842	11648	5232	21722
5	Bhadrak	-	-	-	-	-	-	-	-	-	-	64	64	307	646	915	1868
6	Boudh	-	-	-	-	-	1228	1	1229	-	1	-	1	108	2644	162	2914
7	Cuttack	-	-	-	-	-	384	-	384	-	44	7	51	1855	4208	2709	8772
8	Deogarh	-	-	-	-	-	-	4	4	-	-	29	29	168	649	199	1016
9	Dhenkanal	-	45	18	63	-	1747	20	1767	-	22	7	29	608	2409	1631	4648
10	Gajapati	-	2	-	2	6	104	9	119	-	51	671	722	250	332	169	751
11	Ganjam	-	-	-	-	-	3236	-	3236	-	-	48	48	2052	4203	3368	9623
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	144	480	278	902
13	Jajpur	-	-	-	-	555	-	-	555	-	-	-	-	1728	2034	1266	5028
14	Jharsuguda	-	-	-	-	-	8	39	47	-	-	-	-	423	859	628	1910
15	Kalahandi	-	395	-	395	-	9291	1328	10619	-	657	59	716	1110	22651	1323	25084
16	Kandhamal	-	125	-	125	-	1113	-	1113	-	6	102	108	750	3206	358	4314
17	Kendrapara	-	-	-	-	-	-	-	-	-	-	37	37	451	991	763	2205
18	Keonjhar	40	1	5	46	237	403	134	774	1	78	77	156	3952	4225	1301	9478
19	Khurda	-	-	-	-	-	-	-	-	-	1	103	104	587	915	824	2326
20	Koraput	47	17014	-	17061	-	1411	1	1412	-	401	31	432	1432	11296	1024	13752
21	Malkangiri	-	7	-	7	-	12	-	12	-	-	-	-	360	394	459	1213
22	Mayurbhanj	-	-	-	-	-	368	606	974	-	-	366	366	2045	3153	2562	7760
23	Nuapada	555	90	-	645	37	3921	-	3958	-	72	58	130	1183	8606	692	10481
24	Nayagarh	-	166	-	166	-	3307	487	3794	-	17	42	59	1012	1977	1934	4923
25	Nowarangpur	-	-	-	-	-	1079	-	1079	-	-	-	-	2137	1045	703	3885
26	Puri	-	-	-	-	-	-	-	-	-	1	21	22	356	1121	832	2309
27	Rayagada	280	4229	-	4509	48	10991	-	11039	5	2290	831	3126	1272	30879	487	32638
28	Sambalpur	-	-	-	-	-	14	-	14	-	1	1	2	403	903	929	2235
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-	552	883	1041	2476
30	Sundargarh	1	121	-	122	-	1416	155	1571	-	69	20	89	1624	2803	1507	5934
STATE		1001	22430	112	23543	1163	50669	4181	56013	6	3722	2700	6428	36998	183017	39963	259978

Table No. - 7.0
State Level Estimates of Area under All Crops by Broad Groups (2014-15 to 2023-24)

State: - Odisha

(Area in '000 hect.)

Sl. No.	Year	Total Cereals				Total Pulses				Total Oilseeds				Total other crops				All crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2014-15	700	3343	304	4347	46	275	179	500	24	65	33	122	20	163	21	204	790	3846	537	5173
2	2015-16	622	3222	237	4081	42	211	208	461	20	44	40	104	21	116	20	157	705	3593	505	4803
3	2016-17	604	3287	228	4119	71	271	173	516	25	43	22	90	30	117	13	160	730	3718	436	4884
4	2017-18	591	3076	224	3892	48	191	147	386	17	41	20	77	29	105	13	147	685	3413	404	4502
5	2018-19	517	3178	277	3972	25	168	149	342	13	40	18	71	18	107	17	142	573	3493	461	4527
6	2019-20	500	3271	297	4068	21	167	180	368	12	41	22	75	20	114	25	159	553	3593	524	4670
7	2020-21	521	3308	343	4172	22	162	191	375	9	41	35	85	23	138	26	187	575	3649	595	4819
8	2021-22	562	3267	304	4133	48	241	165	454	24	55	32	111	58	207	35	300	692	3770	536	4998
9	2022-23	475	3397	339	4211	32	238	165	435	18	45	34	97	40	198	33	271	565	3878	571	5014
10	2023-24	415	3456	396	4267	22	252	236	510	14	52	43	109	40	202	40	282	491	3962	715	5168



Table No.- 7.1
District wise Estimates of Area under all Crops by Broad Groups 2023-24

(Area in hect.)

Sl. No.	District	Total Cereals				Total Pulses				Total Oilseeds				Total Other Crops				All Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	3892	117170	1045	122107	1157	9854	778	11789	679	1298	1060	3037	843	3506	758	5107	6571	131828	3641	142040
2	Bolangir	39391	139968	6195	185554	6687	21428	10038	38153	2217	2688	581	5486	3842	53719	3611	61172	52137	217803	20425	290365
3	Balasore	-	179208	52548	231756	-	-	3826	3826	4	1015	1651	2670	1465	2627	2298	6390	1469	182850	60323	244642
4	Bargarh	42425	210838	102175	355438	6261	3444	4633	14338	3828	1857	3152	8837	4842	12178	5232	22252	57356	228317	115192	400865
5	Bhadrak	-	144135	2045	146180	1	135	1730	1866	-	68	181	249	362	661	915	1938	363	144999	4871	150233
6	Boudh	996	61199	3551	65746	80	3627	1488	5195	14	632	22	668	108	2760	162	3030	1198	68218	5223	74639
7	Cuttack	805	105962	2369	109136	-	15333	30875	46208	284	309	1336	1929	2162	5642	2709	10513	3251	127246	37289	167786
8	Deogarh	11094	27497	248	38839	155	470	331	956	120	736	456	1312	168	1032	199	1399	11537	29735	1234	42506
9	Dhenkanal	989	88566	1190	90745	5	5735	3439	9179	80	1273	593	1946	609	3120	1631	5360	1683	98694	6853	107230
10	Gajapati	13923	39635	1348	54906	6	4083	9	4098	65	98	3559	3722	250	336	169	755	14244	44152	5085	63481
11	Ganjam	2959	288774	87	291820	82	79767	-	79849	213	24	8670	8907	2052	4796	3368	10216	5306	373361	12125	390792
12	Jagatsinghpur	88	79062	1139	80289	-	763	38024	38787	-	128	111	239	144	718	278	1140	232	80671	39552	120455
13	Jajpur	17107	114049	4278	135434	555	9405	8460	18420	156	416	8847	9419	2515	3717	1266	7498	20333	127587	22851	170771
14	Jharsuguda	13621	22270	1932	37823	-	303	947	1250	15	1427	100	1542	423	1154	628	2205	14059	25154	3607	42820
15	Kalahandi	11259	186206	62682	260147	4	21617	9510	31131	1053	3108	600	4761	1110	22897	1323	25330	13426	233828	74115	321369
16	Kandhamal	1276	36108	695	38079	1	2996	4	3001	24	1205	128	1357	750	3798	358	4906	2051	44107	1185	47343
17	Kendrapara	557	120674	874	122105	-	6348	24013	30361	2	131	297	430	784	1228	763	2775	1343	128381	25947	155671
18	Keonjhar	14453	144844	841	160138	731	3464	473	4668	911	4205	477	5593	4384	5441	1301	11126	20479	157954	3092	181525
19	Khurda	16	86372	5281	91669	-	501	12565	13066	-	51	299	350	587	1049	824	2460	603	87973	18969	107545
20	Koraput	7998	140183	29912	178093	-	7469	133	7602	787	9861	229	10877	1432	14187	1024	16643	10217	171700	31298	213215
21	Malkangiri	13297	108697	1309	123303	-	2994	-	2994	-	4076	2342	6418	360	394	459	1213	13657	116161	4110	133928
22	Mayurbhanj	3048	294567	4022	301637	94	501	3337	3932	42	806	2533	3381	2045	3260	2562	7867	5229	299134	12454	316817
23	Nuapada	42378	66304	10049	118731	4954	6280	4210	15444	2172	784	793	3749	1183	8965	692	10840	50687	82333	15744	148764
24	Nayagarh	278	90183	169	90630	-	9374	45144	54518	114	520	387	1021	1012	2563	1934	5509	1404	102640	47634	151678
25	Nowrangpur	63753	118358	8029	190140	-	11525	97	11622	259	116	-	375	2137	3798	703	6638	66149	133797	8829	208775
26	Puri	-	84741	35430	120171	-	929	27473	28402	-	42	2570	2612	356	1302	832	2490	356	87014	66305	153675
27	Rayagada	3588	69485	401	73474	48	18988	28	19064	116	8548	936	9600	1272	30963	487	32722	5024	127984	1852	134860
28	Sambalpur	31576	77925	13434	122935	118	1147	613	1878	160	1497	110	1767	403	1392	929	2724	32257	81961	15086	129304
29	Sonepur	7021	97573	40958	145552	140	323	1693	2156	-	42	158	200	552	883	1041	2476	7713	98821	43850	150384
30	Sundargarh	67301	115438	1868	184607	1360	3532	1813	6705	1129	4517	593	6239	1624	4273	1507	7404	71414	127760	5781	204955
STATE		415089	3455991	396104	4267184	22439	252335	235684	510458	14444	51478	42771	108693	39776	202359	39963	282098	491748	3962163	714522	5168433

❖❖❖❖❖

Table No. -8.0
District wise and Crop wise Estimates of Gross Cropped Area 2023-24

Area in hect.																		All other crops	All Crops	
Sl. No.	Name of the district	Paddy	Wheat	Maize	Ragi	Other Cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground nut	Mustard	Niger	Other Oilseeds	Jute	Potato	Sugar cane	All other crops	All Crops
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Angul	121023	-	341	743	-	3889	3393	2492	2015	768	1370	898	-	1	-	1627	15	3465	142040
2	Bolangir	180894	-	1876	2691	93	20326	7280	3603	6944	535	3011	1918	-	22	-	80	70	61022	290365
3	Balasore	231303	1	3	292	157	2426	1400	-	-	505	1123	1015	-	27	863	172	31	5324	244642
4	Bargarh	350976	40	208	4062	152	8655	1834	495	3354	142	6845	1763	-	87	-	501	29	21722	400865
5	Bhadrak	146156	10	-	14	-	1186	676	4	-	95	22	68	-	64	55	7	8	1868	150233
6	Boudh	65649	-	48	49	-	2564	547	855	1229	55	34	578	-	1	-	114	2	2914	74639
7	Cuttack	108573	-	199	364	-	28875	12944	4005	384	63	1680	135	-	51	307	681	753	8772	167786
8	Deogarh	38673	-	115	51	-	455	193	304	4	560	336	387	-	29	-	368	15	1016	42506
9	Dhenkanal	89832	41	434	375	63	3605	2711	1096	1767	395	1207	315	-	29	1	275	436	4648	107230
10	Gajapati	40851	-	12938	1115	2	1510	2206	263	119	2414	539	42	5	722	-	4	-	751	63481
11	Ganjam	289218	-	1037	1565	-	61372	13339	1902	3236	6783	2052	24	-	48	-	283	310	9623	390792
12	Jagatsinghpur	80254	-	15	20	-	37080	1384	323	-	1	169	69	-	-	-	116	122	902	120455
13	Jajpur	135365	-	18	51	-	8456	7502	1907	555	9	8994	416	-	-	787	581	1102	5028	170771
14	Jharsuguda	37269	5	92	457	-	862	109	232	47	417	114	1011	-	-	-	275	20	1910	42820
15	Kalahandi	255767	-	2013	1972	395	12316	4872	3324	10619	390	1608	1232	815	716	-	-	246	25084	321369
16	Kandhamal	36678	-	785	491	125	50	1290	548	1113	4	109	868	268	108	-	590	2	4314	47343
17	Kendrapara	122090	-	3	12	-	22265	7806	290	-	40	223	130	-	37	333	179	58	2205	155671
18	Keonjhar	156009	-	2802	1281	46	1187	900	1807	774	680	669	2407	1681	156	432	1214	2	9478	181525
19	Khurda	91621	-	8	40	-	11179	1709	178	-	111	86	49	-	104	-	114	20	2326	107545
20	Koraput	131119	-	3116	26797	17061	685	2700	2805	1412	208	1714	556	7967	432	-	2224	667	13752	213215
21	Malkangiri	120151	-	810	2335	7	311	1699	972	12	3924	2342	-	152	-	-	-	-	1213	133928
22	Mayurbhanj	301110	118	249	160	-	2603	290	65	974	165	2044	800	6	366	-	107	-	7760	316817
23	Nuapada	115122	-	1589	1375	645	6560	2909	2017	3958	895	2090	634	-	130	-	350	9	10481	148764
24	Nayagarh	88913	1	270	1280	166	44042	5124	1558	3794	460	218	284	-	59	-	21	565	4923	151678
25	Nawarangpur	126950	-	58310	4880	-	62	5991	4490	1079	-	259	-	116	-	-	223	2530	3885	208775
26	Puri	120158	-	6	7	-	21151	6752	499	-	165	2384	41	-	22	-	155	26	2309	153675
27	Rayagada	54858	-	2450	11657	4509	1495	4324	2206	11039	1699	1048	1097	2630	3126	-	84	-	32638	134860
28	Sambalpur	122667	-	224	44	-	1199	252	413	14	417	250	1098	-	2	-	489	-	2235	129304
29	Subarnapur	145550	-	-	2	-	1938	-	218	-	6	152	42	-	-	-	-	-	2476	150384
30	Sundargarh	182251	33	868	1333	122	2314	1121	1699	1571	1128	1626	3332	64	89	-	1333	137	5934	204955
State		4087050	249	90827	65515	23543	310618	103257	40570	56013	23034	44318	21209	13704	6428	2778	12167	7175	259978	5168433

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 8.1
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2023-24

(Area in hect.)																		
Sl. No.	District	Paddy				Wheat Summer	Maize				Ragi				Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	3218	116798	1007	121023	-	290	18	33	341	384	354	5	743	-	-	-	-
2	Bolangir	35667	139048	6179	180894	-	1694	166	16	1876	1952	739	-	2691	78	15	-	93
3	Balasore	-	178991	52312	231303	1	-	-	3	3	-	149	143	292	-	68	89	157
4	Baragarh	42348	207052	101576	350976	40	71	95	42	208	6	3539	517	4062	-	152	-	152
5	Bhadrak	-	144129	2027	146156	10	-	-	-	-	-	6	8	14	-	-	-	-
6	Boudh	948	61152	3549	65649	-	45	3	-	48	3	44	2	49	-	-	-	-
7	Cuttack	565	105744	2264	108573	-	57	37	105	199	183	181	-	364	-	-	-	-
8	Deogarh	10986	27447	240	38673	-	108	-	7	115	-	50	1	51	-	-	-	-
9	Dhenkanal	645	88292	895	89832	41	89	144	201	434	255	85	35	375	-	45	18	63
10	Gajapati	-	39633	1218	40851	-	12919	-	19	12938	1004	-	111	1115	-	2	-	2
11	Ganjam	420	288774	24	289218	-	1021	-	16	1037	1518	-	47	1565	-	-	-	-
12	Jagatsinghpur	88	79039	1127	80254	-	-	15	-	15	-	8	12	20	-	-	-	-
13	Jajpur	17058	114041	4266	135365	-	5	1	12	18	44	7	-	51	-	-	-	-
14	Jharsuguda	13516	21833	1920	37269	5	88	1	3	92	17	436	4	457	-	-	-	-
15	Kalahandi	9053	184041	62673	255767	-	1995	9	9	2013	211	1761	-	1972	-	395	-	395
16	Kandhamal	538	35492	648	36678	-	738	12	35	785	-	479	12	491	-	125	-	125
17	Kendrapara	553	120672	865	122090	-	-	-	3	3	4	2	6	12	-	-	-	-
18	Keonjhar	10799	144403	807	156009	-	2449	338	15	2802	1165	102	14	1281	40	1	5	46
19	Khurda	9	86343	5269	91621	-	7	-	1	8	-	29	11	40	-	-	-	-
20	Koraput	3577	98378	29164	131119	-	2463	-	653	3116	1911	24791	95	26797	47	17014	-	17061
21	Malkangiri	12504	106355	1292	120151	-	793	-	17	810	-	2335	-	2335	-	7	-	7
22	Mayurbhanj	2816	294495	3799	301110	118	194	14	41	249	38	58	64	160	-	-	-	-
23	Nuapada	38860	66214	10048	115122	-	1588	-	1	1589	1375	-	-	1375	555	90	-	645
24	Nayagarh	46	88852	15	88913	1	156	32	82	270	76	1133	71	1280	-	166	-	166
25	Nowrangpur	9923	115818	1209	126950	-	51546	-	6764	58310	2284	2540	56	4880	-	-	-	-
26	Puri	-	84741	35417	120158	-	-	-	6	6	-	-	7	7	-	-	-	-
27	Rayagada	103	54407	348	54858	-	2401	14	35	2450	804	10835	18	11657	280	4229	-	4509
28	Sambalpur	31321	77925	13421	122667	-	224	-	-	224	31	-	13	44	-	-	-	-
29	Subarnapur	7021	97571	40958	145550	-	-	-	-	-	-	2	-	2	-	-	-	-
30	Sundargarh	65834	114641	1776	182251	33	808	39	21	868	658	637	38	1333	1	121	-	122
STATE		318416	3382321	386313	4087050	249	81749	938	8140	90827	13923	50302	1290	65515	1001	22430	112	23543

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2023-24

(Area in hect.)																
Sl. No.	District	Mung				Biri				Kulthi			Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	519	2938	432	3889	638	2409	346	3393	2492	-	2492	-	2015	-	2015
2	Bolangir	4341	8052	7933	20326	2174	3969	1137	7280	3603	-	3603	172	5804	968	6944
3	Balasore	-	-	2426	2426	-	-	1400	1400	-	-	-	-	-	-	-
4	Baragarh	4709	131	3815	8655	1444	1	389	1834	495	-	495	108	2817	429	3354
5	Bhadrak	-	-	1186	1186	1	135	540	676	-	4	4	-	-	-	-
6	Boudh	76	1027	1461	2564	4	517	26	547	855	-	855	-	1228	1	1229
7	Cuttack	-	123	28752	28875	-	10826	2118	12944	4000	5	4005	-	384	-	384
8	Deogarh	61	115	279	455	94	51	48	193	304	-	304	-	-	4	4
9	Dhenkanal	2	330	3273	3605	3	2643	65	2711	1015	81	1096	-	1747	20	1767
10	Gajapati	-	1510	-	1510	-	2206	-	2206	263	-	263	6	104	9	119
11	Ganjam	-	61372	-	61372	82	13257	-	13339	1902	-	1902	-	3236	-	3236
12	Jagatsinghpur	-	-	37080	37080	-	440	944	1384	323	-	323	-	-	-	-
13	Jajpur	-	1	8455	8456	-	7497	5	7502	1907	-	1907	555	-	-	555
14	Jharsuguda	-	-	862	862	-	63	46	109	232	-	232	-	8	39	47
15	Kalahandi	-	4152	8164	12316	4	4850	18	4872	3324	-	3324	-	9291	1328	10619
16	Kandhamal	1	49	-	50	-	1286	4	1290	548	-	548	-	1113	-	1113
17	Kendrapara	-	-	22265	22265	-	6058	1748	7806	290	-	290	-	-	-	-
18	Keonjhar	45	885	257	1187	449	369	82	900	1807	-	1807	237	403	134	774
19	Khurda	-	1	11178	11179	-	349	1360	1709	151	27	178	-	-	-	-
20	Koraput	-	604	81	685	-	2649	51	2700	2805	-	2805	-	1411	1	1412
21	Malkangiri	-	311	-	311	-	1699	-	1699	972	-	972	-	12	-	12
22	Mayurbhanj	2	40	2561	2603	92	28	170	290	65	-	65	-	368	606	974
23	Nuapada	2177	173	4210	6560	2740	169	-	2909	2017	-	2017	37	3921	-	3958
24	Nayagarh	-	2256	41786	44042	-	2319	2805	5124	1492	66	1558	-	3307	487	3794
25	Nowrangpur	-	-	62	62	-	5956	35	5991	4490	-	4490	-	1079	-	1079
26	Puri	-	-	21151	21151	-	430	6322	6752	499	-	499	-	-	-	-
27	Rayagada	-	1493	2	1495	-	4298	26	4324	2206	-	2206	48	10991	-	11039
28	Sambalpur	59	532	608	1199	59	188	5	252	413	-	413	-	14	-	14
29	Subarnapur	140	105	1693	1938	-	-	-	-	218	-	218	-	-	-	-
30	Sundargarh	646	107	1561	2314	714	310	97	1121	1699	-	1699	-	1416	155	1571
STATE		12778	86307	211533	310618	8498	74972	19787	103257	40387	183	40570	1163	50669	4181	56013

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2023-24

Sl. No.	District	(Area in Hect.)													
		Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	234	400	134	768	445	-	925	1370	898	-	-	-	1	1
2	Bolangir	275	248	12	535	1942	522	547	3011	1918	-	-	-	22	22
3	Balasore	4	-	501	505	-	-	1123	1123	1015	-	-	-	27	27
4	Baragarh	22	55	65	142	3806	28	3011	6845	1763	-	-	11	76	87
5	Bhadrak	-	-	95	95	-	-	22	22	68	-	-	-	64	64
6	Boudh	-	51	4	55	14	2	18	34	578	-	-	1	-	1
7	Cuttack	-	-	63	63	284	130	1266	1680	135	-	-	44	7	51
8	Deogarh	10	349	201	560	110	-	226	336	387	-	-	-	29	29
9	Dhenkanal	25	217	153	395	55	719	433	1207	315	-	-	22	7	29
10	Gajapati	-	-	2414	2414	65	-	474	539	42	5	-	51	671	722
11	Ganjam	-	-	6783	6783	213	-	1839	2052	24	-	-	-	48	48
12	Jagatsinghpur	-	-	1	1	-	59	110	169	69	-	-	-	-	-
13	Jajpur	9	-	-	9	147	-	8847	8994	416	-	-	-	-	-
14	Jharsuguda	-	416	1	417	15	-	99	114	1011	-	-	-	-	-
15	Kalahandi	-	390	-	390	1053	14	541	1608	1232	815	-	657	59	716
16	Kandhamal	-	4	-	4	24	59	26	109	868	268	-	6	102	108
17	Kendrapara	-	-	40	40	2	1	220	223	130	-	-	-	37	37
18	Keonjhar	396	17	267	680	514	22	133	669	2407	1681	1	78	77	156
19	Khurda	-	1	110	111	-	-	86	86	49	-	-	1	103	104
20	Koraput	-	208	-	208	787	729	198	1714	556	7967	-	401	31	432
21	Malkangiri	-	3924	-	3924	-	-	2342	2342	-	152	-	-	-	-
22	Mayurbhanj	8	-	157	165	34	-	2010	2044	800	6	-	-	366	366
23	Nuapada	817	78	-	895	1355	-	735	2090	634	-	-	72	58	130
24	Nayagarh	-	183	277	460	114	36	68	218	284	-	-	17	42	59
25	Nowarangpur	-	-	-	-	259	-	-	259	-	116	-	-	-	-
26	Puri	-	-	165	165	-	-	2384	2384	41	-	-	1	21	22
27	Rayagada	-	1651	48	1699	111	880	57	1048	1097	2630	5	2290	831	3126
28	Sambalpur	-	398	19	417	160	-	90	250	1098	-	-	1	1	2
29	Subarnapur	-	-	6	6	-	-	152	152	42	-	-	-	-	-
30	Sundargarh	9	1052	67	1128	1120	-	506	1626	3332	64	-	69	20	89
STATE		1809	9642	11583	23034	12629	3201	28488	44318	21209	13704	6	3722	2700	6428

(Contd.)

Table No. - 8.1 (concl.d.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2023-24

Sl. No.	District	(Area in hect.)										
		Jute Autumn	Potato Winter	Sugarcane Winter	Other Crops				All Crops			
					Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	1627	15	843	1864	758	3465	6571	131828	3641	142040
2	Bolangir	-	80	70	3842	53569	3611	61022	52137	217803	20425	290365
3	Balasore	863	172	31	602	2424	2298	5324	1469	182850	60323	244642
4	Baragarh	-	501	29	4842	11648	5232	21722	57356	228317	115192	400865
5	Bhadrak	55	7	8	307	646	915	1868	363	144999	4871	150233
6	Boudh	-	114	2	108	2644	162	2914	1198	68218	5223	74639
7	Cuttack	307	681	753	1855	4208	2709	8772	3251	127246	37289	167786
8	Deogarh	-	368	15	168	649	199	1016	11537	29735	1234	42506
9	Dhenkanal	1	275	436	608	2409	1631	4648	1683	98694	6853	107230
10	Gajapati	-	4	-	250	332	169	751	14244	44152	5085	63481
11	Ganjam	-	283	310	2052	4203	3368	9623	5306	373361	12125	390792
12	Jagatsinghpur	-	116	122	144	480	278	902	232	80671	39552	120455
13	Jajpur	787	581	1102	1728	2034	1266	5028	20333	127587	22851	170771
14	Jharsuguda	-	275	20	423	859	628	1910	14059	25154	3607	42820
15	Kalahandi	-	-	246	1110	22651	1323	25084	13426	233828	74115	321369
16	Kandhamal	-	590	2	750	3206	358	4314	2051	44107	1185	47343
17	Kendrapara	333	179	58	451	991	763	2205	1343	128381	25947	155671
18	Keonjhar	432	1214	2	3952	4225	1301	9478	20479	157954	3092	181525
19	Khurda	-	114	20	587	915	824	2326	603	87973	18969	107545
20	Koraput	-	2224	667	1432	11296	1024	13752	10217	171700	31298	213215
21	Malkangiri	-	-	-	360	394	459	1213	13657	116161	4110	133928
22	Mayurbhanj	-	107	-	2045	3153	2562	7760	5229	299134	12454	316817
23	Nuapada	-	350	9	1183	8606	692	10481	50687	82333	15744	148764
24	Nayagarh	-	21	565	1012	1977	1934	4923	1404	102640	47634	151678
25	Nowarangpur	-	223	2530	2137	1045	703	3885	66149	133797	8829	208775
26	Puri	-	155	26	356	1121	832	2309	356	87014	66305	153675
27	Rayagada	-	84	-	1272	30879	487	32638	5024	127984	1852	134860
28	Sambalpur	-	489	-	403	903	929	2235	32257	81961	15086	129304
29	Subarnapur	-	-	-	552	883	1041	2476	7713	98821	43850	150384
30	Sundargarh	-	1333	137	1624	2803	1507	5934	71414	127760	5781	204955
STATE		2778	12167	7175	36998	183017	39963	259978	491748	3962163	714522	5168433

◆◆◆◆◆

Table No.- 9.0
State Level Percentage Standard Error of estimated Yieldrate (2014-15 to 2023-24)

State :- Odisha

Crop:- PADDY

(Yield rate in Qtl. / Hect.)

Sl. No.	Year	AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Stan- dard Error	Yield Estimate	% Stan- dard Error	Yield Estimate	% Stan- dard Error
1	2	5	6	11	12	17	18
1	2014-15	26.90	0.66	36.02	0.32	50.64	1.15
2	2015-16	10.90	1.29	22.5	0.65	50.84	1.48
3	2016-17	19.48	1.15	39.18	0.31	53.5	1.17
4	2017-18	16.48	1.30	26.54	0.44	47.48	1.63
5	2018-19	17.59	1.62	30.39	0.35	51.15	0.86
6	2019-20	27.36	2.88	37.87	0.27	48.31	0.67
7	2020-21	30.32	1.01	41.11	0.25	57.83	0.64
8	2021-22	21.76	1.45	35.54	0.35	57.53	0.55
9	2022-23	28.22	1.85	45.13	0.22	56.39	0.51
10	2023-24	29.92	0.52	43.04	0.29	51.08	0.40

❖❖❖❖❖

Table No.-9.1
District wise Percentage Standard Error of estimated Yieldrate 2023-24
Year : 2023-24
Crop :- PADDY

(Yieldrate in Qtls/Hect)

Sl. No.	District	AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Stand-ard Error	Yield Estimate	% Stand-ard Error	Yield Estimate	% Stand-ard Error
1	2	5	6	11	12	17	18
1	Anugul	30.41	1.06	50.21	0.72	48.51	1.79
2	Bolangir	27.60	1.81	41.52	1.45	43.77	1.53
3	Balasore	-	-	41.99	0.96	51.45	0.79
4	Baragarh	30.63	2.12	53.12	1.36	52.87	1.19
5	Bhadrak	-	-	39.55	1.78	41.61	2.58
6	Boudh	38.45	1.79	49.43	1.18	50.81	1.97
7	Cuttack	34.81	4.40	46.31	1.13	57.76	1.56
8	Deogarh	35.75	1.66	47.89	1.33	28.45	8.19
9	Dhenkanal	35.40	1.87	53.14	1.03	43.88	6.12
10	Gajapati	-	-	31.13	2.00	31.42	2.13
11	Ganjam	42.53	6.38	38.19	1.24	37.17	3.87
12	Jagatsinghpur	33.38	4.37	44.36	0.97	52.52	4.74
13	Jajpur	25.39	3.06	35.33	1.77	42.27	4.26
14	Jharsuguda	38.43	4.65	49.52	4.29	64.90	2.37
15	Kalahandi	21.53	2.36	46.30	1.52	47.59	1.46
16	Kandhamal	22.43	2.46	29.64	1.35	41.90	3.24
17	Kendrapara	30.95	4.22	36.65	1.45	52.82	5.28
18	Keonjhar	37.38	1.79	49.81	1.13	48.98	5.59
19	Khurda	22.78	11.31	35.83	1.95	49.59	1.62
20	Koraput	36.92	1.11	48.83	0.86	48.30	0.78
21	Malakangiri	27.60	1.56	36.23	1.22	34.56	6.26
22	Mayurbhanja	25.61	1.43	38.28	0.68	41.49	1.47
23	Nuapada	23.94	1.83	40.35	1.81	45.62	2.11
24	Nayagarh	26.78	3.77	36.15	1.45	28.13	2.00
25	Nowrangapur	34.00	0.94	44.27	1.02	38.35	2.41
26	Puri	-	-	44.42	2.30	52.88	0.86
27	Rayagada	12.13	2.51	45.79	0.76	34.64	1.78
28	Sambalpur	36.47	1.90	53.88	1.03	60.56	1.45
29	Subarnapur	40.40	2.69	53.94	1.42	55.65	1.38
30	Sundergarh	27.78	1.81	34.63	1.35	32.37	4.24
STATE		29.92	0.52	43.04	0.29	51.08	0.40

Table No.- 9.2

State level Percentage Standard Error of estimated Yieldrate in respect of Programmed Crops 2023-24

State :- Odisha

Sl. No.	Crop	Yieldrate in Qtl./Hect.					
		AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Standard Error	Yield Estimate	% Standard Error	Yield Estimate	% Standard Error
1	2	5	6	11	12	17	18
1	Paddy	29.92	0.52	43.04	0.29	51.08	0.40
2	Wheat	---	---	---	---	18.94	5.71
3	Maize	34.93	0.73	25.84	3.70	34.45	1.84
4	Ragi	7.25	1.11	8.93	1.25	6.63	3.98
5	Mung	3.23	1.40	2.98	1.01	4.49	0.73
6	Biri	3.29	4.18	4.15	0.91	4.30	1.03
7	Kuluthi	---	---	4.49	0.85	4.20	5.64
8	Til	2.02	3.04	2.81	1.29	2.07	1.71
9	Groundnut	16.69	1.04	20.49	2.64	21.24	0.97
10	Mustard	---	---	3.63	1.10	---	---
11	Niger	---	---	3.03	1.45	---	---
12	Jute	26.20	2.62	---	---	---	---
13	Potato	---	---	119.19	0.88	---	---
14	Sugarcane	---	---	574.02	1.90	---	---



Table No. - 10.0

State Level Estimates of Crop wise & Season wise Irrigated Area (2014-15 to 2023-24)**State :- Odisha****(Area in '000 hect.)**

Sl. No.	Crop	2014-15				2015-16				2016-17				2017-18				2018-19			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	26	1062	301	1389	24	1071	234	1329	19	979	225	1223	26	835	222	1083	11	929	274	1214
2	Wheat	-	-	1	1	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	0
3	Maize	'S'	'S'	2	2	'S'	'S'	3	3	'S'	'S'	3	3	'S'	'S'	2	2	'S'	'S'	3	3
4	Ragi	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	-	'S'	0
5	Other Cereals	-	'S'	'S'	'S'	-	'S'	'S'	'S'	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'	-	'S'	'S'	0
6	Mung	-	'S'	10	10	-	'S'	16	16	'S'	'S'	12	13	'S'	1	9	10	-	'S'	30	30
7	Biri	-	'S'	1	1	-	'S'	2	2	'S'	'S'	4	4	-	'S'	3	3	-	'S'	2	2
8	Kulthi	-	-	-	-	-	'S'	-	'S'	'S'	'S'	'S'	'S'	-	'S'	-	'S'	-	'S'	-	0
9	Other Pulses	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	1	1	'S'	'S'	'S'	0
10	Til	-	'S'	2	2	-	-	1	1	'S'	'S'	1	1	'S'	'S'	1	1	-	'S'	1	1
11	Groundnut	-	'S'	9	9	'S'	1	12	13	'S'	1	7	8	'S'	'S'	8	8	'S'	2	5	7
12	Mustard	-	3	-	3	-	3	-	3	-	3	-	3	-	2	-	2	-	1	-	1
13	Niger	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	0
14	Other Oilseeds	-	'S'	2	2	-	'S'	2	2	'S'	1	1	2	-	'S'	1	1	-	'S'	1	1
15	Jute	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	0
16	Potato	-	9	-	9	-	6	-	6	-	7	-	7	-	4	-	4	-	5	-	5
17	Sugarcane	-	10	-	10	-	9	-	9	-	5	-	5	-	4	-	4	-	7	-	7
18	Other Crops	1	26	20	47	2	28	20	50	2	26	13	40	1	18	13	32	1	24	17	42
All crops		27	1110	348	1485	26	1118	290	1434	21	1022	266	1309	27	864	260	1151	12	968	333	1313

'S' denotes Area less than 500 hect.

Contd...

Table No. - 10.0 (concl.)
State Level Estimates of Crop wise & Season wise Irrigated Area (2014-15 to 2023-24)

State :- Odisha

Sl. No.	Crop	2019-20				2020-21				2021-22				2022-23				2023-24			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	9	956	293	1258	17	1007	340	1364	19	1012	299	1330	16	1098	336	1450	8	1069	387	1464
2	Wheat	-	-	S	S	-	-	'S'	'S'	-	-	S	S	-	-	S	S	-	-	S	S
3	Maize	S	S	4	4	-	-	3	3	S	1	4	5	S	S	3	3	S	1	8	9
4	Ragi	-	-	S	S	-	-	'S'	'S'	-	-	S	S	-	S	1	1	S	1	1	2
5	Other Cereals	-	S	-	S	-	'S'	'S'	'S'	-	S	S	S	-	S	S	S	-	S	S	S
6	Mung	-	1	16	17	'S'	'S'	29	30	S	S	13	14	-	S	19	19	S	S	26	26
7	Biri	-	1	2	3	-	'S'	2	2	-	S	2	2	-	S	2	2	-	1	4	5
8	Kulthi	-	S	-	S	-	'S'	'S'	'S'	-	S	S	S	-	S	S	S	-	S	S	S
9	Other Pulses	-	S	S	S	-	'S'	'S'	'S'	S	S	S	1	S	S	S	S	-	1	2	3
10	Til	-	S	1	1	-	'S'	2	2	-	S	2	2	-	-	2	2	-	S	2	2
11	Groundnut	-	1	9	10	'S'	2	17	19	S	1	16	17	1	1	15	17	S	1	17	18
12	Mustard	-	2	-	2	-	2	-	2	-	7	-	7	-	5	-	5	-	11	-	11
13	Niger	-	S	-	S	-	-	-	-	-	S	-	S	-	-	-	-	-	2	-	2
14	Other Oilseeds	-	3	1	4	-	'S'	1	2	-	S	2	2	-	1	2	3	-	S	2	2
15	Jute	S	-	-	S	'S'	-	-	'S'	S	-	-	S	S	-	-	S	S	-	-	S
16	Potato	-	4	-	4	-	6	-	6	-	11	-	11	-	11	-	11	-	12	-	12
17	Sugarcane	-	9	-	9	-	7	-	7	-	7	-	7	-	8	-	8	-	7	-	7
18	Other Crops	1	26	24	51	2	31	26	59	5	55	35	96	7	53	33	93	4	59	40	103
All crops		10	1002	351	1363	20	1055	421	1496	25	1096	373	1494	24	1177	413	1614	12	1165	489	1666

'S' denotes Area less than 500 hect.



Table No. - 10.1
District wise and Crop wise Estimates of Irrigated Area 2023-24

Sl No.	Name of the District	(Area in Hect)																			% to total irrigated area
		Paddy	Wheat	Maize	Ragi	Other cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground-nut	Mustard	Niger	Other Oil seeds	Jute	Potato	Sugar cane	Other crops	All Crops	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	8249	0	50	341	0	100	205	0	0	83	714	0	0	1	0	1627	15	2621	14006	0.84%
2	Bolangir	6810	0	16	0	0	2946	393	0	668	12	774	557	0	22	0	80	70	7932	20280	1.22%
3	Balasore	69637	1	3	292	157	2426	1400	0	0	501	1123	673	0	27	0	172	31	4361	80804	4.85%
4	Baragarh	226835	40	134	963	1	3928	390	0	1347	65	3045	1332	0	82	0	501	29	16153	254845	15.29%
5	Bhadrak	59080	10	0	14	0	1171	641	4	0	95	22	68	0	64	0	7	8	1455	62639	3.76%
6	Boudh	27553	0	1	2	0	215	0	0	0	4	18	3	0	1	0	114	2	424	28337	1.70%
7	Cuttack	50841	0	199	0	0	1862	357	0	0	63	1317	82	0	51	68	681	753	7121	63395	3.80%
8	Deogarh	1015	0	7	1	0	279	48	0	4	201	226	387	0	29	0	368	15	848	3428	0.21%
9	Dhenkanal	22604	41	345	48	18	977	89	18	22	76	132	11	0	24	0	275	436	3988	29104	1.75%
10	Gajapati	29307	0	29	32	0	0	0	0	0	0	478	0	0	43	0	4	0	410	30303	1.82%
11	Ganjam	198701	0	27	47	0	0	0	0	0	483	1853	0	0	11	0	283	310	7616	209331	12.56%
12	Jagatsinghpur	53253	0	9	19	0	0	0	0	0	1	110	0	0	0	0	116	122	636	54266	3.26%
13	Jajpur	23929	0	1	0	0	230	0	0	0	0	0	0	0	0	37	581	1102	2696	28576	1.71%
14	Jharsuguda	1920	5	4	4	0	862	46	0	39	1	99	1011	0	0	0	275	20	905	5191	0.31%
15	Kalahandi	175646	0	18	0	0	11	0	0	0	0	2	27	0	158	0	0	246	4314	180422	10.83%
16	Kandhamal	2265	0	45	12	0	0	4	0	0	0	26	0	0	108	0	590	2	1182	4234	0.25%
17	Kendrapara	39524	0	3	12	0	5627	821	16	0	40	216	84	0	37	230	179	58	1522	48369	2.90%
18	Keonjhar	7674	0	15	68	0	224	82	0	47	267	133	2115	1666	95	0	1214	2	5235	18837	1.13%
19	Khurda	28366	0	1	11	0	0	0	0	0	102	86	0	0	104	0	114	20	1693	30497	1.83%
20	Koraput	92876	0	653	95	0	116	51	0	1	0	740	125	0	100	0	2224	667	8585	106233	6.37%
21	Malkangiri	1292	0	17	0	0	0	0	0	0	0	2342	0	0	0	0	0	0	459	4110	0.25%
22	Mayurbhanj	55309	118	57	64	0	1459	106	2	370	143	2010	743	0	145	0	107	0	5422	66055	3.96%
23	Nuapada	24737	0	2	0	0	97	0	0	0	0	642	0	0	28	0	350	9	1680	27545	1.65%
24	Nayagarh	3485	1	112	90	0	221	62	1	0	84	95	0	0	40	0	21	565	3910	8687	0.52%
25	Nowarangpur	1209	0	6764	56	0	62	35	0	0	0	0	0	0	0	0	223	2530	1747	12626	0.76%
26	Puri	84829	0	6	7	0	0	0	1	0	9	1167	1	0	1	0	155	26	1742	87944	5.28%
27	Rayagada	40440	0	57	20	0	2	26	0	0	48	57	0	0	831	0	84	0	865	42430	2.55%
28	Sambalpur	32993	0	0	13	0	666	5	0	0	17	90	765	0	2	0	489	0	1862	36902	2.21%
29	Subarnapur	86869	0	0	0	0	1253	0	0	0	6	152	0	0	0	0	0	0	1788	90068	5.40%
30	Sundargarh	6687	33	21	38	0	1561	206	0	167	83	506	2547	28	84	0	1333	137	3667	17098	1.03%
STATE		1463935	249	8596	2249	176	26295	4967	42	2665	2384	18175	10531	1694	2088	335	12167	7175	102839	1666562	100.00%

S' denotes Area less than 0.5 hect.

Table No. -10.2
District wise, Crop wise and Season wise Estimates of Irrigated Area 2023-24

(Area in hect.)																		
Sl. No.	District	Paddy				Wheat Summer	Maize				Ragi				Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	-	7242	1007	8249	-	-	17	33	50	-	336	5	341	-	-	-	-
2	Bolangir	-	631	6179	6810	-	-	-	16	16	-	-	-	-	-	-	-	-
3	Balasore	-	17325	52312	69637	1	-	-	3	3	-	149	143	292	-	68	89	157
4	Baragarh	1581	123678	101576	226835	40	-	92	42	134	-	446	517	963	-	1	-	1
5	Bhadrak	-	57053	2027	59080	10	-	-	-	-	-	6	8	14	-	-	-	-
6	Boudh	-	24004	3549	27553	-	-	1	-	1	-	-	2	2	-	-	-	-
7	Cuttack	-	48577	2264	50841	-	57	37	105	199	-	-	-	-	-	-	-	-
8	Deogarh	-	775	240	1015	-	-	-	7	7	-	-	1	1	-	-	-	-
9	Dhenkanal	26	21683	895	22604	41	-	144	201	345	-	13	35	48	-	-	18	18
10	Gajapati	-	28089	1218	29307	-	10	-	19	29	-	-	32	32	-	-	-	-
11	Ganjam	-	198677	24	198701	-	11	-	16	27	-	-	47	47	-	-	-	-
12	Jagatsinghpur	-	52126	1127	53253	-	-	9	-	9	-	7	12	19	-	-	-	-
13	Jajpur	-	19663	4266	23929	-	-	1	-	1	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	1920	1920	5	-	1	3	4	-	-	4	4	-	-	-	-
15	Kalahandi	1064	111909	62673	175646	-	-	9	9	18	-	-	-	-	-	-	-	-
16	Kandhamal	15	1602	648	2265	-	-	10	35	45	-	-	12	12	-	-	-	-
17	Kendrapara	169	38490	865	39524	-	-	-	3	3	4	2	6	12	-	-	-	-
18	Keonjhar	-	6867	807	7674	-	-	-	15	15	-	54	14	68	-	-	-	-
19	Khurda	-	23097	5269	28366	-	-	-	1	1	-	-	11	11	-	-	-	-
20	Koraput	122	63590	29164	92876	-	-	-	653	653	-	-	95	95	-	-	-	-
21	Malkangiri	-	-	1292	1292	-	-	-	17	17	-	-	-	-	-	-	-	-
22	Mayurbhanj	9	51501	3799	55309	118	2	14	41	57	-	-	64	64	-	-	-	-
23	Nuapada	856	13833	10048	24737	-	1	-	1	2	-	-	-	-	-	-	-	-
24	Nayagarh	-	3470	15	3485	1	3	32	77	112	-	24	66	90	-	-	-	-
25	Nowarangpur	-	-	1209	1209	-	-	-	6764	6764	-	-	56	56	-	-	-	-
26	Puri	-	49412	35417	84829	-	-	-	6	6	-	-	7	7	-	-	-	-
27	Rayagada	-	40092	348	40440	-	22	-	35	57	2	-	18	20	-	-	-	-
28	Sambalpur	2934	16638	13421	32993	-	-	-	-	-	-	-	13	13	-	-	-	-
29	Subarnapur	-	45911	40958	86869	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	1533	3378	1776	6687	33	-	-	21	21	-	-	38	38	-	-	-	-
STATE		8309	1069313	386313	1463935	249	106	367	8123	8596	6	1037	1206	2249	-	69	107	176

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2023-24

(Area in hect.)																
Sl. No.	District	Mung				Biri				Kulthi			Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	-	-	100	100	-	-	205	205	-	-	-	-	-	-	-
2	Bolangir	13	-	2933	2946	-	-	393	393	-	-	-	-	-	668	668
3	Balasore	-	-	2426	2426	-	-	1400	1400	-	-	-	-	-	-	-
4	Baragarh	-	113	3815	3928	-	1	389	390	-	-	-	-	918	429	1347
5	Bhadrak	-	-	1171	1171	-	116	525	641	-	4	4	-	-	-	-
6	Boudh	-	-	215	215	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	4	1858	1862	-	2	355	357	-	-	-	-	-	-	-
8	Deogarh	-	-	279	279	-	-	48	48	-	-	-	-	-	4	4
9	Dhenkanal	-	5	972	977	-	55	34	89	-	18	18	-	2	20	22
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	230	230	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	862	862	-	-	46	46	-	-	-	-	-	39	39
15	Kalahandi	-	-	11	11	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-
17	Kendrapara	-	-	5627	5627	-	249	572	821	16	-	16	-	-	-	-
18	Keonjhar	-	-	224	224	-	-	82	82	-	-	-	-	-	47	47
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	35	81	116	-	-	51	51	-	-	-	-	-	1	1
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanj	-	36	1423	1459	-	13	93	106	2	-	2	-	2	368	370
23	Nuapada	-	-	97	97	-	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	-	-	221	221	-	-	62	62	-	1	1	-	-	-	-
25	Nowarangpur	-	-	62	62	-	-	35	35	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
27	Rayagada	-	-	2	2	-	-	26	26	-	-	-	-	-	-	-
28	Sambalpur	-	81	585	666	-	-	5	5	-	-	-	-	-	-	-
29	Subarnapur	-	-	1253	1253	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	1561	1561	-	109	97	206	-	-	-	-	12	155	167
STATE		13	274	26008	26295	-	545	4422	4967	19	23	42	-	934	1731	2665

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2023-24

(Area in hect.)															
Sl. No.	District	Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	-	-	83	83	-	-	714	714	-	-	-	-	1	1
2	Bolangir	-	-	12	12	-	302	472	774	557	-	-	-	22	22
3	Balasore	-	-	501	501	-	-	1123	1123	673	-	-	-	27	27
4	Baragarh	-	-	65	65	6	28	3011	3045	1332	-	-	6	76	82
5	Bhadrak	-	-	95	95	-	-	22	22	68	-	-	-	64	64
6	Boudh	-	-	4	4	-	-	18	18	3	-	-	1	-	1
7	Cuttack	-	-	63	63	234	-	1083	1317	82	-	-	44	7	51
8	Deogarh	-	-	201	201	-	-	226	226	387	-	-	-	29	29
9	Dhenkanal	-	-	76	76	-	6	126	132	11	-	-	18	6	24
10	Gajapati	-	-	-	-	4	-	474	478	-	-	-	32	11	43
11	Ganjam	-	-	483	483	14	-	1839	1853	-	-	-	-	11	11
12	Jagatsinghpur	-	-	1	1	-	-	110	110	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	1	1	-	-	99	99	1011	-	-	-	-	-
15	Kalahandi	-	-	-	-	-	-	2	2	27	-	-	99	59	158
16	Kandhamal	-	-	-	-	-	-	26	26	-	-	-	6	102	108
17	Kendrapara	-	-	40	40	2	1	213	216	84	-	-	-	37	37
18	Keonjhar	-	-	267	267	-	-	133	133	2115	1666	-	42	53	95
19	Khurda	-	-	102	102	-	-	86	86	-	-	-	1	103	104
20	Koraput	-	-	-	-	-	542	198	740	125	-	-	69	31	100
21	Malkangiri	-	-	-	-	-	-	2342	2342	-	-	-	-	-	-
22	Mayurbhanj	-	-	143	143	-	-	2010	2010	743	-	-	-	145	145
23	Nuapada	-	-	-	-	-	-	642	642	-	-	-	-	28	28
24	Nayagarh	-	-	84	84	-	27	68	95	-	-	-	-	40	40
25	Nowrangpur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	9	9	-	-	1167	1167	1	-	-	-	1	1
27	Rayagada	-	-	48	48	-	-	57	57	-	-	-	-	831	831
28	Sambalpur	-	-	17	17	-	-	90	90	765	-	-	1	1	2
29	Subarnapur	-	-	6	6	-	-	152	152	-	-	-	-	-	-
30	Sundargarh	-	16	67	83	-	-	506	506	2547	28	-	64	20	84
STATE		-	16	2368	2384	260	906	17009	18175	10531	1694	-	383	1705	2088

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2023-24

Sl. No.	District	(Area in hect.)										
		Jute Autumn	Potato Winter	Sugarcane Winter	Other Crops				All Crops			
					Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	1627	15	-	1863	758	2621	-	11100	2906	14006
2	Bolangir	-	80	70	175	4146	3611	7932	188	5786	14306	20280
3	Balasore	-	172	31	-	2063	2298	4361	-	20481	60323	80804
4	Baragarh	-	501	29	2059	8862	5232	16153	3646	136007	115192	254845
5	Bhadrak	-	7	8	-	540	915	1455	-	57798	4841	62639
6	Boudh	-	114	2	2	260	162	424	2	24385	3950	28337
7	Cuttack	68	681	753	248	4164	2709	7121	607	54344	8444	63395
8	Deogarh	-	368	15	-	649	199	848	-	2194	1234	3428
9	Dhenkanal	-	275	436	58	2299	1631	3988	84	24947	4073	29104
10	Gajapati	-	4	-	53	231	126	410	67	28356	1880	30303
11	Ganjam	-	283	310	48	4200	3368	7616	73	203470	5788	209331
12	Jagatsinghpur	-	116	122	-	358	278	636	-	52738	1528	54266
13	Jajpur	37	581	1102	-	1430	1266	2696	37	22777	5762	28576
14	Jharsuguda	-	275	20	-	277	628	905	-	1584	3607	5191
15	Kalahandi	-	-	246	592	2408	1314	4314	1656	114698	64068	180422
16	Kandhamal	-	590	2	2	822	358	1182	17	3032	1185	4234
17	Kendrapara	230	179	58	75	684	763	1522	480	39763	8126	48369
18	Keonjhar	-	1214	2	-	3934	1301	5235	-	15894	2943	18837
19	Khurda	-	114	20	30	839	824	1693	30	24071	6396	30497
20	Koraput	-	2224	667	15	7546	1024	8585	137	74798	31298	106233
21	Malkangiri	-	-	-	-	-	459	459	-	-	4110	4110
22	Mayurbhanj	-	107	-	-	2860	2562	5422	11	55278	10766	66055
23	Nuapada	-	350	9	142	846	692	1680	999	15038	11508	27545
24	Nayagarh	-	21	565	300	1676	1934	3910	303	5815	2569	8687
25	Nowrangpur	-	223	2530	-	1044	703	1747	-	3797	8829	12626
26	Puri	-	155	26	-	917	825	1742	-	50512	37432	87944
27	Rayagada	-	84	-	3	375	487	865	27	40551	1852	42430
28	Sambalpur	-	489	-	96	837	929	1862	3030	18811	15061	36902
29	Subarnapur	-	-	-	234	513	1041	1788	234	46424	43410	90068
30	Sundargarh	-	1333	137	11	2149	1507	3667	1544	9773	5781	17098
STATE		335	12167	7175	4143	58792	39904	102839	13172	1164222	489168	1666562

♦♦♦♦♦

Table No. -11.0
State Level Estimates of Gross cropped Area irrigated vrs un-irrigated (2013-14 to 2023-24)

State :- Odisha

(Area in ' 000 hect.)

Sl. No.	Year	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	2014-15	27	763	790	1110	2736	3846	348	189	537	1485	3688	5173
2	2015-16	26	679	705	1118	2475	3593	290	215	505	1434	3369	4803
3	2016-17	21	709	730	1022	2696	3718	266	170	436	1309	3575	4884
4	2017-18	27	658	685	865	2548	3413	259	145	404	1151	3351	4502
5	2018-19	13	561	564	969	2523	3492	331	127	458	1313	3211	4524
6	2019-20	10	543	553	1002	2592	3594	351	172	523	1363	3307	4670
7	2020-21	19	556	575	1056	2593	3649	421	174	595	1496	3323	4819
8	2021-22	25	667	692	1096	2674	3770	374	162	536	1495	3503	4998
9	2022-23	24	541	565	1177	2701	3878	413	158	571	1614	3400	5014
10	2023-24	13	479	492	1164	2798	3962	489	225	714	1666	3502	5168



Table No. - 11.1
District wise Estimates of Gross cropped Area, Irrigated vrs. Un-irrigated 2023-24

(Area in ' hect.)													
Sl. No.	District	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	6571	6571	11100	120728	131828	2906	735	3641	14006	128034	142040
2	Bolangir	188	51949	52137	5786	212017	217803	14306	6119	20425	20280	270085	290365
3	Balasore	-	1469	1469	20481	162369	182850	60323	-	60323	80804	163838	244642
4	Bargarh	3646	53710	57356	136007	92310	228317	115192	-	115192	254845	146020	400865
5	Bhadrak	-	363	363	57798	87201	144999	4841	30	4871	62639	87594	150233
6	Boudh	2	1196	1198	24385	43833	68218	3950	1273	5223	28337	46302	74639
7	Cuttack	607	2644	3251	54344	72902	127246	8444	28845	37289	63395	104391	167786
8	Deogarh	-	11537	11537	2194	27541	29735	1234	-	1234	3428	39078	42506
9	Dhenkanal	84	1599	1683	24947	73747	98694	4073	2780	6853	29104	78126	107230
10	Gajapati	67	14177	14244	28356	15796	44152	1880	3205	5085	30303	33178	63481
11	Ganjam	73	5233	5306	203470	169891	373361	5788	6337	12125	209331	181461	390792
12	Jagatsinghpur	-	232	232	52738	27933	80671	1528	38024	39552	54266	66189	120455
13	Jajpur	37	20296	20333	22777	104810	127587	5762	17089	22851	28576	142195	170771
14	Jharsuguda	-	14059	14059	1584	23570	25154	3607	-	3607	5191	37629	42820
15	Kalahandi	1656	11770	13426	114698	119130	233828	64068	10047	74115	180422	140947	321369
16	Kandhamal	17	2034	2051	3032	41075	44107	1185	-	1185	4234	43109	47343
17	Kendrapara	480	863	1343	39763	88618	128381	8126	17821	25947	48369	107302	155671
18	Keonjhar	-	20479	20479	15894	142060	157954	2943	149	3092	18837	162688	181525
19	Khurda	30	573	603	24071	63902	87973	6396	12573	18969	30497	77048	107545
20	Koraput	137	10080	10217	74798	96902	171700	31298	-	31298	106233	106982	213215
21	Malkangiri	-	13657	13657	-	116161	116161	4110	-	4110	4110	129818	133928
22	Mayurbhanj	11	5218	5229	55278	243856	299134	10766	1688	12454	66055	250762	316817
23	Nuapada	999	49688	50687	15038	67295	82333	11508	4236	15744	27545	121219	148764
24	Nayagarh	303	1101	1404	5815	96825	102640	2569	45065	47634	8687	142991	151678
25	Nawarangpur	-	66149	66149	3797	130000	133797	8829	-	8829	12626	196149	208775
26	Puri	-	356	356	50512	36502	87014	37432	28873	66305	87944	65731	153675
27	Rayagada	27	4997	5024	40551	87433	127984	1852	-	1852	42430	92430	134860
28	Sambalpur	3030	29227	32257	18811	63150	81961	15061	25	15086	36902	92402	129304
29	Subarnapur	234	7479	7713	46424	52397	98821	43410	440	43850	90068	60316	150384
30	Sundargarh	1544	69870	71414	9773	117987	127760	5781	-	5781	17098	187857	204955
STATE		13172	478576	491748	1164222	2797941	3962163	489168	225354	714522	1666562	3501871	5168433

❖❖❖❖❖

Table No. - 12.0

State Level Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity (2014-15 to 2023-24)**State :- Odisha****(Area in ' 000 hecets.)**

Sl. No.	Year	Gross cropped area	Net cropped area	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13
1	2014-15	5173	4474	115.62	1485	1259	117.95	3688	3215	114.71	28.71	28.14
2	2015-16	4803	4198	114.41	1434	1230	116.59	3369	2968	113.51	29.86	29.30
3	2016-17	4884	4099	119.15	1309	1122	116.67	3575	2977	120.09	26.80	27.37
4	2017-18	4502	3863	116.54	1151	970	118.66	3351	2893	115.83	25.57	25.11
5	2018-19	4527	4006	113.01	1314	1092	120.34	3213	2914	110.26	29.02	27.25
6	2019- 20	4670	4102	113.83	1363	1137	119.90	3307	2965	111.51	29.19	27.72
7	2020- 21	4819	4179	115.31	1496	1200	124.63	3323	2979	111.56	31.04	28.72
8	2021- 22	4998	4322	115.63	1494	1238	120.71	3503	3084	113.59	29.90	28.64
9	2022-23	5014	4269	117.45	1614	1335	120.90	3400	2934	115.88	32.19	31.27
10	2023-24	5168	4307	119.99	1667	1315	126.77	3502	2993	117.01	32.25	30.52



Table No. - 12.1
District wise Estimates of Gross cropped area, Net area sown & Cropping intensity 2023-24

(Area in '000 hectcs.)													
Sl. No.	Year	Gross cropped area	Net cropped area	Area sown more than once	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	142	119	23	119.17	14	11	122.72	128	108	118.79	9.86	9.57
2	Bolangir	290	248	42	117.15	20	19	108.47	270	229	117.85	6.98	7.54
3	Balasore	245	191	54	128.40	81	79	102.04	164	111	147.15	33.03	41.56
4	Baragarh	401	284	117	141.32	255	139	182.70	146	144	101.29	63.57	49.18
5	Bhadrak	150	146	4	102.64	63	60	105.00	88	87	101.02	41.69	40.76
6	Boudh	75	69	6	107.44	28	26	110.97	46	44	105.39	37.97	36.76
7	Cuttack	168	130	38	129.13	63	52	121.43	104	78	134.31	37.78	40.18
8	Deogarh	43	41	2	103.13	4	3	114.42	39	38	102.24	8.06	7.27
9	Dhenkanal	107	98	9	109.12	29	26	110.45	78	72	108.64	27.14	26.82
10	Gajapati	63	54	9	117.62	30	28	107.81	33	26	128.28	47.74	52.08
11	Ganjam	391	299	92	130.82	209	197	106.22	181	102	178.51	53.57	65.97
12	Jagatsingpur	120	82	38	147.62	54	54	101.29	66	28	236.21	45.05	65.66
13	Jajpur	171	141	30	120.82	29	25	113.54	142	116	122.39	16.73	17.81
14	Jharsuguda	43	39	4	110.09	5	4	131.32	38	35	107.68	12.12	10.16
15	Kalahandi	321	243	78	132.43	180	121	149.21	141	122	115.76	56.14	49.83
16	Kandhamal	47	46	1	102.02	4	4	108.73	43	42	101.41	8.94	8.39
17	Kendrapara	156	130	26	119.57	48	43	113.77	107	88	122.38	31.07	32.66
18	Keonjhar	181	177	4	102.36	19	19	101.81	163	159	102.42	10.38	10.43
19	Khurda	107	87	20	123.09	31	25	123.44	77	63	122.95	28.36	28.28
20	Koraput	213	173	40	123.09	106	69	152.73	107	104	103.20	49.82	40.15
21	Malkangiri	134	124	10	108.30	4	4	100.46	130	119	108.57	3.07	3.31
22	Mayurbhanj	317	309	8	102.59	66	63	105.14	251	246	101.93	20.85	20.34
23	Nuapada	149	131	18	113.55	28	20	135.41	121	111	109.53	18.52	15.53
24	Nayagarh	152	95	57	158.97	9	6	135.71	143	89	160.65	5.73	6.71
25	Nawarangpur	209	196	13	106.29	13	12	102.35	196	184	106.55	6.05	6.28
26	Puri	154	104	50	147.98	88	78	113.19	66	26	251.31	57.23	74.81
27	Rayagada	135	132	3	102.46	43	41	102.34	93	90	102.51	31.46	31.50
28	Sambalpur	129	110	19	117.56	37	24	156.24	93	86	106.98	28.54	21.47
29	Subarnapur	150	107	43	141.15	90	47	192.84	60	60	100.81	59.89	43.84
30	Sundargarh	205	202	3	101.54	17	16	108.86	188	186	100.92	8.34	7.78
STATE		5168	4307	861	119.99	1667	1315	126.77	3502	2993	117.01	32.25	30.52

"S" denotes area less than 500 hect.

Table No. - 13.1

District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24 (Autumn)

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	-	-	-	-	-	-	-	-	-
2	Bolangir	-	-	-	-	-	188	-	-	-	188
3	Balasore	-	-	-	-	-	-	-	-	-	-
4	Baragarh	1043	-	70	-	445	2061	27	-	-	3646
5	Bhadrak	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	2	-	-	-	2
7	Cuttack	-	-	-	36	-	9	559	3	-	607
8	Deogarh	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	2	52	26	4	-	84
10	Gajapati	-	-	-	-	67	-	-	-	-	67
11	Ganjam	-	1	-	4	29	39	-	-	-	73
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	37	-	-	-	37
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	873	176	-	-	2	396	109	100	-	1656
16	Kandhamal	-	-	-	3	11	2	1	-	-	17
17	Kendrapara	-	-	-	-	-	-	480	-	-	480
18	Keonjhar	-	-	-	-	-	-	-	-	-	-
19	Khurda	-	-	-	-	-	22	-	8	-	30
20	Koraput	116	5	-	-	3	-	13	-	-	137
21	Malakangiri	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	9	-	2	-	-	11
23	Nuapada	-	638	126	40	11	171	7	6	-	999
24	Nayagarh	-	-	3	-	-	-	-	300	-	303
25	Nowrangapur	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	-	-	15	-	12	-	-	27
28	Sambalpur	2038	-	75	-	-	100	817	-	-	3030
29	Subarnapur	96	6	-	-	6	16	106	-	4	234
30	Sundergarh	-	1174	320	-	2	30	18	-	-	1544
STATE		4166	2000	594	83	602	3125	2177	421	4	13172

(Contd.)

Table No. - 13.2
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24 (Winter)

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	2058	334	454	-	7121	13	154	966	11100
2	Bolangir	-	2	542	-	-	5242	-	-	-	5786
3	Balasore	-	15927	834	-	-	-	3720	-	-	20481
4	Baragarh	75282	-	1032	2770	85	53408	3374	56	-	136007
5	Bhadrak	-	57032	-	-	-	-	708	2	56	57798
6	Boudh	-	19891	2092	-	551	857	994	-	-	24385
7	Cuttack	-	22402	26137	4	-	1458	4266	1	76	54344
8	Deogarh	-	-	746	29	10	863	546	-	-	2194
9	Dhenkanal	8500	10372	1562	187	1089	1433	1556	129	119	24947
10	Gajapati	-	-	-	217	28056	74	1	8	-	28356
11	Ganjam	902	63004	65119	52178	18193	1159	2628	85	202	203470
12	Jagatsinghpur	52116	1	-	-	124	-	497	-	-	52738
13	Jajpur	2733	5599	1100	-	-	10444	2859	2	40	22777
14	Jharsuguda	-	-	-	-	-	515	1069	-	-	1584
15	Kalahandi	86681	15267	4149	308	685	1947	4698	765	198	114698
16	Kandhamal	-	370	1042	26	359	709	394	34	98	3032
17	Kendrapara	38483	-	-	-	-	3	1245	-	32	39763
18	Keonjhar	-	-	3209	66	4	5477	1570	25	5543	15894
19	Khurda	-	21738	-	11	26	67	2229	-	-	24071
20	Koraput	17899	-	-	-	31711	2522	22666	-	-	74798
21	Malakangiri	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	707	24364	8225	12729	78	3110	4357	56	1652	55278
23	Nuapada	550	8395	3550	181	-	2225	137	-	-	15038
24	Nayagarh	-	-	5	1819	956	508	1857	574	96	5815
25	Nowrangapur	-	-	-	-	-	1520	2056	6	215	3797
26	Puri	245	48979	182	-	-	-	1106	-	-	50512
27	Rayagada	-	6840	3400	2538	24929	-	2844	-	-	40551
28	Sambalpur	15097	-	27	-	259	503	2314	10	601	18811
29	Subarnapur	35251	10430	-	73	-	45	625	-	-	46424
30	Sundergarh	58	3009	404	450	268	3019	2207	40	318	9773
STATE		334504	335680	123691	74040	107383	104229	72536	1947	10212	1164222

(Contd.)

Table No. - 13.3
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24 (Summer)

(Area in hectares)											
Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	1000	-	16	3	1492	318	77	-	2906
2	Bolangir	-	-	448	427	-	12204	1227	-	-	14306
3	Balasore	-	-	-	-	-	-	60323	-	-	60323
4	Baragarh	69196	203	1116	68	42	42584	1983	-	-	115192
5	Bhadrak	-	1664	-	-	-	-	2770	-	407	4841
6	Boudh	-	1256	6	80	-	1550	1058	-	-	3950
7	Cuttack	-	-	-	-	-	1437	5486	-	1521	8444
8	Deogarh	-	-	167	-	-	248	819	-	-	1234
9	Dhenkanal	-	811	-	131	128	857	1972	107	67	4073
10	Gajapati	-	-	-	4	1830	40	-	-	6	1880
11	Ganjam	-	-	106	456	403	1165	3535	72	51	5788
12	Jagatsinghpur	-	-	-	-	-	-	1528	-	-	1528
13	Jajpur	-	70	-	-	-	255	5371	-	66	5762
14	Jharsuguda	-	-	-	1837	9	427	1323	11	-	3607
15	Kalahandi	54290	1915	976	71	198	650	5006	20	942	64068
16	Kandhamal	-	22	183	50	497	214	182	11	26	1185
17	Kendrapara	1971	-	-	-	-	-	6143	-	12	8126
18	Keonjhar	-	-	-	151	32	485	1832	73	370	2943
19	Khurda	-	5588	-	65	216	162	363	2	-	6396
20	Koraput	20724	634	210	29	6036	2416	1181	-	68	31298
21	Malakangiri	-	3152	105	44	529	-	278	1	1	4110
22	Mayurbhanja	-	11	501	599	90	1312	7791	126	336	10766
23	Nuapada	405	5150	347	103	-	4080	1423	-	-	11508
24	Nayagarh	-	-	-	82	278	1271	644	90	204	2569
25	Nowrangapur	-	-	-	-	79	3456	5260	-	34	8829
26	Puri	-	-	-	-	-	2	37430	-	-	37432
27	Rayagada	-	-	20	131	1236	247	199	-	19	1852
28	Sambalpur	7444	487	300	-	-	1442	3882	1506	-	15061
29	Subarnapur	31581	42	-	-	13	693	11081	-	-	43410
30	Sundergarh	-	1263	-	119	823	2053	1352	26	145	5781
STATE		185611	23268	4485	4463	12442	80742	171760	2122	4275	489168

(Contd.)

Table No. - 13.4
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24
(Autumn, Winter & Summer Combined)

(Area in hectares)											
Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	3058	334	470	3	8613	331	231	966	14006
2	Bolangir	-	2	990	427	-	17634	1227	-	-	20280
3	Balasore	-	15927	834	-	-	-	64043	-	-	80804
4	Baragarh	145521	203	2218	2838	572	98053	5384	56	-	254845
5	Bhadrak	-	58696	-	-	-	-	3478	2	463	62639
6	Boudh	-	21147	2098	80	551	2409	2052	-	-	28337
7	Cuttack	-	22402	26137	40	-	2904	10311	4	1597	63395
8	Deogarh	-	-	913	29	10	1111	1365	-	-	3428
9	Dhenkanal	8500	11183	1562	318	1219	2342	3554	240	186	29104
10	Gajapati	-	-	-	221	29953	114	1	8	6	30303
11	Ganjam	902	63005	65225	52638	18625	2363	6163	157	253	209331
12	Jagatsinghpur	52116	1	-	-	124	-	2025	-	-	54266
13	Jajpur	2733	5669	1100	-	-	10736	8230	2	106	28576
14	Jharsuguda	-	-	-	1837	9	942	2392	11	-	5191
15	Kalahandi	141844	17358	5125	379	885	2993	9813	885	1140	180422
16	Kandhamal	-	392	1225	79	867	925	577	45	124	4234
17	Kendrapara	40454	-	-	-	-	3	7868	-	44	48369
18	Keonjhar	-	-	3209	217	36	5962	3402	98	5913	18837
19	Khurda	-	27326	-	76	242	251	2592	10	-	30497
20	Koraput	38739	639	210	29	37750	4938	23860	-	68	106233
21	Malakangiri	-	3152	105	44	529	-	278	1	1	4110
22	Mayurbhanja	707	24375	8726	13328	177	4422	12150	182	1988	66055
23	Nuapada	955	14183	4023	324	11	6476	1567	6	-	27545
24	Nayagarh	-	-	8	1901	1234	1779	2501	964	300	8687
25	Nowrangapur	-	-	-	-	79	4976	7316	6	249	12626
26	Puri	245	48979	182	-	-	2	38536	-	-	87944
27	Rayagada	-	6840	3420	2669	26180	247	3055	-	19	42430
28	Sambalpur	24579	487	402	-	259	2045	7013	1516	601	36902
29	Subarnapur	66928	10478	-	73	19	754	11812	-	4	90068
30	Sundergarh	58	5446	724	569	1093	5102	3577	66	463	17098
STATE		524281	360948	128770	78586	120427	188096	246473	4490	14491	1666562

♦♦♦♦♦

Table No. - 14.0

State Level Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy, Wheat & Maize (2014-15 to 2023-24)**State :- Odisha**

Sl No	Year	Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
Crop -Paddy (Area in " 000 hect. & Yield-rate in Qtls./Hect.)													
1	2014-15	505	28.16	78	18.80	2987	37.16	295	24.53	301	50.64	-	-
2	2015-16	485	11.17	56	8.58	2916	23.31	251	13.06	234	50.84	-	-
3	2016-17	445	20.03	66	15.77	3024	39.87	203	28.93	225	53.50	-	-
4	2017-18	480	16.31	51	18.08	2875	26.85	139	20.12	222	47.48	-	-
5	2018-19	398	17.84	57	15.80	2980	30.74	151	23.55	274	51.15	-	-
6	2019-20	384	28.20	42	19.69	3071	38.40	151	26.98	293	48.31	-	-
7	2020-21	410	30.62	23	24.92	3145	41.45	112	31.59	339	57.83	-	-
8	2021-22	421	21.60	23	24.78	3118	35.69	87	30.20	299	57.53	-	-
9	2022-23	367	28.27	12	26.76	3276	45.45	74	30.99	336	56.39	-	-
10	2023-24	309	30.01	9	26.78	3346	43.16	36	31.56	386	51.08	-	-
Crop - Wheat (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2014-15	-	-	-	-	-	-	-	-	374	16.54	29	12.83
2	2015-16	-	-	-	-	-	-	-	-	326	13.18	41	15.76
3	2016-17	-	-	-	-	-	-	-	-	56	14.30	1	9.00
4	2017-18	-	-	-	-	-	-	-	-	68	22.24	5	13.40
5	2018-19	-	-	-	-	-	-	-	-	142	18.42	5	10.40
6	2019-20	-	-	-	-	-	-	-	-	113	13.83	5	15.20
7	2020-21	-	-	-	-	-	-	-	-	177	16.42	5	15.40
8	2021-22	-	-	-	-	-	-	-	-	161	20.25	16	23.22
9	2022-23	-	-	-	-	-	-	-	-	219	15.51	4	14.50
10	2023-24	-	-	-	-	-	-	-	-	185	18.48	64	20.27
Crop - Maize (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2014-15	82248	21.14	6970	11.46	162	16.83	18	15.50	2266	26.11	-	-
2	2015-16	46923	20.75	5920	11.25	244	17.67	11	11.09	2482	26.25	7	13.57
3	2016-17	57940	31.04	10517	14.77	958	13.53	386	12.84	2579	29.21	10	10.10
4	2017-18	38409	27.03	6027	12.92	206	14.30	168	13.89	240	27.23	3	13.67
5	2018-19	43434	24.45	5692	12.47	67	24.47	-	-	2849	26.11	6	21.83
6	2019-20	55286	30.08	5755	16.18	73	25.49	22	17.50	3922	33.33	12	16.42
7	2020-21	71905	29.74	3349	17.29	61	25.38	1	41.00	2534	26.48	76	15.16
8	2021-22	92177	24.23	5434	17.15	1059	25.57	50	14.14	3704	26.08	11	23.26
9	2022-23	78053	30.52	3099	16.42	238	27.61	16	19.74	2319	25.74	568	20.44
10	2023-24	79875	35.27	1874	22.03	924	26.01	14	16.29	8098	34.58	42	11.14



Table No. -14.1
District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy 2023-24

SI No	District	(Area in hect. & Yield-rate in Qtls./Hect.)											
		Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Anugul	3218	30.41	-	-	116798	50.21	-	-	1007	48.51	-	-
2	Bolangir	35667	27.60	-	-	139048	41.52	-	-	6179	43.77	-	-
3	Balasore	-	-	-	-	173387	41.93	5604	43.94	52312	51.45	-	-
4	Baragarh	42348	30.63	-	-	207052	53.12	-	-	101576	52.87	-	-
5	Bhadrak	-	-	-	-	143037	39.62	1092	29.66	2027	41.61	-	-
6	Boudh	948	38.45	-	-	61152	49.43	-	-	3549	50.81	-	-
7	Cuttack	565	34.81	-	-	105744	46.31	-	-	2264	57.76	-	-
8	Deogarh	10986	35.75	-	-	27447	47.89	-	-	240	28.45	-	-
9	Dhenkanal	645	35.40	-	-	88292	53.14	-	-	895	43.88	-	-
10	Gajapati	-	-	-	-	39633	31.13	-	-	1218	31.42	-	-
11	Ganjam	420	42.53	-	-	288774	38.19	-	-	24	37.17	-	-
12	Jagatsinghpur	88	33.38	-	-	79039	44.36	-	-	1127	52.52	-	-
13	Jajpur	12284	25.43	4774	25.29	113183	35.48	858	14.76	4266	42.27	-	-
14	Jharsuguda	13516	38.43	-	-	21833	49.52	-	-	1920	64.90	-	-
15	Kalahandi	9053	21.53	-	-	184041	46.30	-	-	62673	47.59	-	-
16	Kandhamal	172	25.08	366	21.19	25210	30.83	10282	26.73	648	41.90	-	-
17	Kendrapara	553	30.95	-	-	115569	37.45	5103	18.54	865	52.82	-	-
18	Keonjhar	9048	38.25	1751	32.89	142151	49.73	2252	55.29	807	48.98	-	-
19	Khurda	9	22.78	-	-	86343	35.83	-	-	5269	49.59	-	-
20	Koraput	3418	37.11	159	32.97	98347	48.83	31	32.23	29164	48.30	-	-
21	Malakangiri	12504	27.60	-	-	104180	36.29	2175	33.70	1292	34.56	-	-
22	Mayurbhanja	2753	25.46	63	32.13	290731	38.34	3764	33.98	3799	41.49	-	-
23	Nuapada	38789	23.93	71	26.62	66214	40.35	-	-	10048	45.62	-	-
24	Nayagarh	27	27.93	19	25.16	88852	36.15	-	-	15	28.13	-	-
25	Nowrangapur	9923	34.00	-	-	115818	44.27	-	-	1209	38.35	-	-
26	Puri	-	-	-	-	84401	44.49	340	27.95	35417	52.88	-	-
27	Rayagada	-	-	103	12.13	54407	45.79	-	-	348	34.64	-	-
28	Sambalpur	31277	36.47	44	41.80	77925	53.88	-	-	13421	60.56	-	-
29	Subarnapur	7021	40.40	-	-	97571	53.94	-	-	40958	55.65	-	-
30	Sundergarh	64170	27.84	1664	25.59	109870	34.78	4771	31.00	1776	32.37	-	-
STATE		309402	30.01	9014	26.78	3346049	43.16	36272	31.56	386313	51.08	-	-

"S" - denotes area less than 500 hect.

Table No. - 14.2

District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Wheat & Maize Crop 2023-24

(Area in hect. & Yield-rate in Qtls./Hect.)

Sl No	District	Wheat (Summer)				Maize											
						Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Anugul	-	-	-	-	284	27.83	6	29.17	18	35.17	-	-	33	36.35	-	-
2	Bolangir	-	-	-	-	1674	37.51	20	41.41	166	33.79	-	-	16	29.09	-	-
3	Balasore	1	19.00	-	-	-	-	-	-	S	36.06	-	-	3	25.01	S	30.50
4	Baragarh	31	21.60	9	8.51	70	20.09	1	13.20	92	25.14	3	24.50	39	14.93	3	10.25
5	Bhadrak	10	12.38	-	-	-	-	-	-	S	44.46	S	28.54	S	22.70	-	-
6	Boudh	-	-	-	-	3	9.74	42	9.62	1	11.32	2	7.39	S	10.63	S	11.95
7	Cuttack	-	-	-	-	57	12.57	-	-	37	39.04	S	34.65	105	37.26	-	-
8	Deogarh	S	15.29	-	-	70	21.21	38	21.10	-	-	-	-	7	19.94	-	-
9	Dhenkanal	41	21.22	-	-	89	20.55	-	-	144	34.43	-	-	201	32.23	-	-
10	Gajapati	-	-	-	-	12919	25.17	-	-	-	-	-	-	19	21.11	-	-
11	Ganjam	-	-	-	-	957	27.16	64	27.33	-	-	-	-	16	22.58	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	15	20.10	-	-	S	29.30	-	-
13	Jajpur	-	-	-	-	5	21.85	-	-	1	13.49	-	-	12	17.78	-	-
14	Jharsuguda	5	3.87	-	-	88	39.79	-	-	1	33.44	-	-	3	22.73	-	-
15	Kalahandi	-	-	-	-	1967	25.46	28	27.34	9	19.75	-	-	8	24.93	1	24.96
16	Kandhamal	-	-	-	-	461	19.22	277	12.45	10	16.82	2	8.12	35	21.88	S	11.65
17	Kendrapara	-	-	-	-	-	-	-	-	-	-	-	-	3	22.75	-	-
18	Keonjhar	-	-	-	-	1872	35.83	577	30.50	334	16.07	4	13.71	14	40.14	1	20.57
19	Khurda	-	-	-	-	7	14.62	S	9.02	-	-	-	-	1	45.01	-	-
20	Koraput	-	-	-	-	2422	25.03	41	17.01	-	-	-	-	651	22.19	2	17.98
21	Malakangiri	-	-	-	-	504	19.10	289	18.65	-	-	-	-	-	-	17	10.28
22	Mayurbhanja	65	18.08	53	22.76	163	21.11	31	19.97	14	22.00	-	-	40	25.77	1	11.65
23	Nuapada	-	-	-	-	1588	19.29	-	-	-	-	-	-	1	8.61	-	-
24	Nayagarh	1	4.16	-	-	121	31.79	35	23.54	30	42.57	2	27.07	77	30.60	5	25.03
25	Nowrangapur	-	-	-	-	51546	40.44	-	-	-	-	-	-	6764	36.29	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-	5	19.98	1	18.59
27	Rayagada	-	-	-	-	2030	18.50	371	18.35	13	15.41	1	14.53	35	21.62	-	-
28	Sambalpur	-	-	-	-	224	28.08	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundergarh	31	17.32	2	7.13	754	31.27	54	21.59	39	31.30	-	-	10	28.02	11	2.18
STATE		185	18.48	64	20.27	79875	35.27	1874	22.03	924	26.01	14	16.29	8098	34.58	42	11.14

"S" - denotes area less than 0.5 hect

Table No. - 15.0

State Level Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots 2014-15 to 2023-24**State :- Odisha**

Area in ' 000 hectares.

Yieldrate in Qtls / Hects.

Sl. No.	Year	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-
			C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2014-15	26	358	30.92	557	6492	26.84	1062	3459	38.36	2220	7101	34.60	301	4662	50.64	-	-	-
2	2015-16	24	468	26.03	517	6238	10.21	1072	3646	33.45	2095	7042	16.43	234	3781	50.84	-	-	-
3	2016-17	19	489	30.41	492	6838	19.41	979	5461	45.53	2247	11038	35.75	225	3525	53.50	-	-	-
4	2017-18	26	367	22.68	504	7024	16.16	835	4833	29.01	2179	12611	25.59	222	3425	47.48	-	-	-
5	2018-19	11	421	23.37	444	2940	17.73	929	9811	33.96	2201	17563	27.77	274	4673	51.15	-	-	-
6	2019-20	9	400	34.70	417	5437	27.00	956	9293	40.46	2267	18710	35.69	293	6188	48.31	-	-	-
7	2020-21	17	452	40.57	415	5174	29.93	1007	9479	44.62	2250	18091	38.38	339	6756	54.57	-	-	-
8	2021-22	19	414	33.09	424	4252	21.18	1012	9868	38.53	2193	17220	32.26	299	6573	54.53	-	-	-
9	2022-23	16	273	35.97	363	3159	27.74	1098	10383	48.91	2252	17555	42.41	336	6894	54.77	-	-	-
10	2023-24	8	177	32.74	310	4169	29.78	1069	2919	46.17	2313	6455	41.17	386	4266	49.69	-	-	-



Table No. - 15.1
District wise Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots 2023-24

Sl. No.	District	(Area in hect. & Yieldrate in Qtls / Hect.)																	
		Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Anugul	-	-	-	3218	56	30.64	7242	8	52.39	109556	282	50.47	1007	24	47.65	-	-	-
2	Bolangir	-	-	-	35667	429	28.98	631	12	50.45	138417	316	40.87	6179	206	42.47	-	-	-
3	Balasore	-	-	-	-	-	-	17325	58	45.60	161666	517	41.40	52312	587	49.83	-	-	-
4	Baragarh	1581	58	37.01	40767	216	30.67	123678	163	52.42	83374	117	54.21	101576	423	52.27	-	-	-
5	Bhadrak	-	-	-	-	-	-	57053	126	47.77	87076	183	35.18	2027	84	40.40	-	-	-
6	Boudh	-	-	-	948	84	38.02	24004	71	50.68	37148	117	48.54	3549	96	51.26	-	-	-
7	Cuttack	-	-	-	565	24	32.95	48577	182	50.18	57167	144	41.69	2264	96	59.70	-	-	-
8	Deogarh	-	-	-	10986	172	35.96	775	2	55.17	26672	118	47.16	240	18	28.61	-	-	-
9	Dhenkanal	26	2	39.15	619	84	32.61	21683	48	53.35	66609	184	52.83	895	28	41.26	-	-	-
10	Gajapati	-	-	-	-	-	-	28089	155	35.46	11544	89	23.27	1218	116	31.41	-	-	-
11	Ganjam	-	-	-	420	6	46.00	198677	443	39.96	90097	218	32.61	24	5	36.08	-	-	-
12	Jagatsinghpur	-	-	-	88	26	33.92	52126	137	45.41	26913	111	44.27	1127	41	46.88	-	-	-
13	Jajpur	-	-	-	17058	126	26.39	19663	72	37.09	94378	283	34.52	4266	70	33.37	-	-	-
14	Jharsuguda	-	-	-	13516	113	34.57	-	-	-	21833	66	50.15	1920	72	63.08	-	-	-
15	Kalahandi	1064	23	29.45	7989	292	22.65	111909	140	51.66	72132	296	37.86	62673	342	45.62	-	-	-
16	Kandhamal	15	7	31.67	523	167	23.83	1602	12	32.42	33890	386	29.40	648	63	39.79	-	-	-
17	Kendrapara	169	20	30.49	384	34	29.56	38490	124	41.49	82182	160	33.60	865	33	47.54	-	-	-
18	Keonjhar	-	-	-	10799	326	37.23	6867	19	48.76	137536	386	51.26	807	30	46.81	-	-	-
19	Khurda	-	-	-	9	4	25.33	23097	95	37.79	63246	187	34.25	5269	89	51.33	-	-	-
20	Koraput	122	18	38.43	3455	300	37.17	63590	272	44.50	34788	75	43.11	29164	504	43.73	-	-	-
21	Malakangiri	-	-	-	12504	202	28.32	-	-	-	106355	199	36.60	1292	16	33.65	-	-	-
22	Mayurbhanja	9	2	47.56	2807	415	27.17	51501	161	41.64	242994	527	38.06	3799	257	38.98	-	-	-
23	Nuapada	856	8	24.81	38004	145	24.57	13833	36	43.76	52381	117	37.82	10048	114	43.47	-	-	-
24	Nayagarh	-	-	-	46	32	24.07	3470	16	42.87	85382	280	34.84	15	2	28.13	-	-	-
25	Nowrangapur	-	-	-	9923	204	33.91	-	-	-	115818	199	43.86	1209	72	37.55	-	-	-
26	Puri	-	-	-	-	-	-	49412	168	44.72	35329	149	33.37	35417	370	52.14	-	-	-
27	Rayagada	-	-	-	103	24	12.13	40092	266	42.15	14315	158	45.81	348	50	33.62	-	-	-
28	Sambalpur	2934	22	31.73	28387	195	35.05	16638	41	54.85	61287	185	53.59	13421	157	58.92	-	-	-
29	Subarnapur	-	-	-	7021	77	40.43	45911	72	60.25	51660	110	50.33	40958	238	55.81	-	-	-
30	Sundergarh	1533	17	36.61	64301	416	26.83	3378	20	38.35	111263	296	35.51	1776	63	29.14	-	-	-
STATE		8309	177	32.74	310107	4169	29.78	1069313	2919	46.17	2313008	6455	41.17	386313	4266	49.69	-	-	-

'S' - denotes area less than 0.5 hect. & No. of CCEs with no crop area denotes the CCEs conducted in non-sample villages under PMFBY

Table No. - 15.2
State Level Estimates of Area, Yield-rate of Programmed Crops from Irrigated & Un-irrigated Plots 2023-24

(Area in hect.)
(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	8309	177	32.74	310107	4169	29.78	1069313	2919	46.17	2313008	6455	41.17	386313	4266	49.69	-	-	-
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	249	69	18.94	-	-	-
3	Maize	106	27	16.88	81643	2361	34.99	367	105	31.49	571	66	22.25	8123	416	34.49	17	4	19.88
4	Ragi	6	4	6.50	13917	1100	7.26	1037	68	5.91	49265	1114	9.00	1206	175	6.56	84	12	7.50
5	Mung	13	1	3.62	12765	661	3.23	274	62	5.15	86033	1438	2.97	26008	948	4.48	185525	1751	4.49
6	Biri	-	-	-	8498	719	3.29	545	33	4.54	74427	2454	4.14	4422	373	3.91	15365	695	4.43
7	Kulthi	-	-	-	-	-	-	19	5	4.21	40368	2873	4.49	23	7	3.96	160	31	4.22
8	Til	-	-	-	1809	283	2.02	16	3	3.5	9626	858	2.81	2368	250	2.72	9215	348	1.9
9	Groundnut	260	12	25.12	12369	1039	16.72	906	78	20.29	2295	263	20.97	17009	717	21.87	11479	143	20.24
10	Mustard	-	-	-	-	-	-	10531	919	4.54	10678	1641	2.68	-	-	-	-	-	-
11	Nizer	-	-	-	-	-	-	1694	20	1.93	12010	592	3.11	-	-	-	-	-	-
12	Jute	335	36	21.06	2443	102	26.38	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	12167	1952	119.19	-	-	-	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	7175	355	574.03	-	-	-	-	-	-	-	-	-

'S' - denotes area less than 0.5 hect.



Table No. - 16.0

State Level Estimates of Yield-rate of Programmed Crops from plots applied with fertiliser / manure & not applied with fertiliser / manure 2023-24

(Yieldrate in Qtls/Hect)

Sl. No.	Crop	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	3942	31.51	241	23.67	163	20.03	8735	41.47	349	29.19	290	29.59	4123	46.16	90	32.54	53	30.38
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	65	17.28	2	27.04	2	22.36
3	Maize	1367	28.73	625	19.93	396	20.07	132	30.74	13	20.32	26	16.54	375	29.99	24	21.82	21	21.41
4	Ragi	375	8.25	358	8.98	371	6.15	298	7.22	281	9.72	603	6.82	90	6.82	55	7.93	42	7.24
5	Mung	285	3.58	42	4.01	335	3.45	258	4.39	204	3.35	1038	3.56	779	4.52	143	4.29	1777	4.51
6	Biri	294	3.56	77	4.17	348	4.17	243	4.94	363	3.49	1881	4.07	277	3.99	47	3.95	744	4.41
7	Kulthi	-	-	-	-	-	-	375	4.57	404	4.29	2099	4.22	3	3.82	1	4.51	34	4.26
8	Til	133	2.24	23	3.00	127	2.06	212	3.15	166	2.67	483	2.61	176	2.96	80	2.25	342	2.18
9	Groundnut	700	16.96	128	14.18	223	16.16	137	22.77	65	16.50	139	12.73	734	21.28	42	19.70	84	18.35
10	Mustard	-	-	-	-	-	-	970	4.52	293	2.53	1297	2.26	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	34	2.98	147	2.86	431	2.87	-	-	-	-	-	-
12	Jute	116	26.08	5	29.34	17	22.48	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	1728	124.46	92	100.58	132	127.50	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	320	675.10	12	589.33	23	608.17	-	-	-	-	-	-

♦♦♦♦♦

Table No. - 16.1

District wise Estimates of Yield rate of Paddy from plots applied with fertiliser / manure & not applied with fertiliser / manure 2023-24

(Yieldrate in Qtls/Hect)

Sl. No.	Districts	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	56	30.64	-	-	-	-	290	49.11	-	-	-	-	24	46.22	-	-	-	-
2	Bolangir	408	29.15	5	25.03	16	25.79	296	42.17	-	-	32	31.04	206	42.65	-	-	-	-
3	Balasore	-	-	-	-	-	-	575	39.08	-	-	-	-	587	46.63	-	-	-	-
4	Baragarh	274	32.01	-	-	-	-	280	51.89	-	-	-	-	423	49.96	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	309	37.66	-	-	-	-	84	37.81	-	-	-	-
6	Boudh	80	38.18	4	34.84	-	-	181	48.38	5	42.16	2	44.42	96	50.54	-	-	-	-
7	Cuttack	24	32.95	-	-	-	-	326	46.21	-	-	-	-	96	58.97	-	-	-	-
8	Deogarh	166	35.83	6	39.67	-	-	118	46.23	-	-	2	41.86	18	27.35	-	-	-	-
9	Dhenkanal	83	32.98	2	27.91	1	24.58	230	51.49	1	44.88	1	51.07	28	40.03	-	-	-	-
10	Gajapati	-	-	-	-	-	-	216	31.32	12	22.02	16	25.03	84	32.43	32	26.55	-	-
11	Ganjam	6	46.00	-	-	-	-	661	36.85	-	-	-	-	5	35.38	-	-	-	-
12	Jagatsinghpur	26	33.92	-	-	-	-	247	44.72	1	35.77	-	-	41	46.31	-	-	-	-
13	Jajpur	124	27.15	2	0.27	-	-	353	34.44	1	37.21	1	36.25	70	32.96	-	-	-	-
14	Jharasuguda	113	34.57	-	-	-	-	66	48.94	-	-	-	-	72	60.30	-	-	-	-
15	Kalahandi	280	23.89	23	19.23	12	13.33	415	42.31	11	24.06	10	29.20	336	44.51	4	21.78	2	11.79
16	Kandhamal	33	28.28	65	24.72	76	22.17	52	30.02	178	28.64	168	27.15	39	41.51	9	39.80	15	32.98
17	Kendrapara	54	29.91	-	-	-	-	284	37.21	-	-	-	-	33	46.96	-	-	-	-
18	Keunjhor	295	38.91	31	21.20	-	-	398	49.03	6	37.57	1	47.82	30	43.43	-	-	-	-
19	Khurda	4	25.29	-	-	-	-	280	33.94	2	33.90	-	-	89	48.43	-	-	-	-
20	Koraput	287	38.20	25	27.92	6	28.31	338	43.31	9	36.08	-	-	462	43.36	38	37.29	4	37.12
21	Malkanagiri	179	29.10	14	24.69	9	18.48	189	35.29	6	36.61	4	39.56	16	32.97	-	-	-	-
22	Mayurbhanja	398	27.61	2	8.40	17	19.89	686	36.59	1	30.45	1	35.28	256	37.78	1	24.69	-	-
23	Nuapara	153	24.70	-	-	-	-	153	38.53	-	-	-	-	114	41.98	-	-	-	-
24	Nayagarh	6	27.83	26	22.85	-	-	224	35.66	64	27.93	8	27.99	2	26.54	-	-	-	-
25	Nawarangpur	204	33.91	-	-	-	-	199	42.96	-	-	-	-	72	36.79	-	-	-	-
26	Puri	-	-	-	-	-	-	311	37.84	6	23.81	-	-	370	49.19	-	-	-	-
27	Rayagarh	-	-	-	-	24	12.13	349	43.77	37	34.32	38	40.23	16	36.34	6	35.06	28	30.54
28	Sambalpur	217	34.73	-	-	-	-	226	52.52	-	-	-	-	157	56.32	-	-	-	-
29	Subarnapur	77	40.42	-	-	-	-	182	54.08	-	-	-	-	238	56.05	-	-	-	-
30	Sundergarh	395	27.69	36	21.45	2	21.15	301	35.78	9	26.80	6	29.74	59	29.40	-	-	4	25.24
STATE		3942	31.51	241	23.67	163	20.03	8735	41.47	349	29.19	290	29.59	4123	46.16	90	32.54	53	30.38

Table No. - 17.0

State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil (2014-15 to 2023-24)**State :- Odisha**

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2014-15	Autumn	3934	24.77	2016	25.70	861	23.97	16	23.41	23	22.67
	Winter	2636	36.83	5081	34.02	2702	34.54	96	34.91	45	32.37
	Summer	1406	42.64	2135	40.67	1038	41.76	68	42.15	15	49.51
	Total	7976		9232		4601		180		83	
2015-16	Autumn	3957	12.06	1983	12.99	733	14.83	17	9.48	16	7.41
	Winter	2940	19.52	5111	21.19	2559	24.46	50	19.14	28	13.90
	Summer	1158	40.49	1763	40.51	809	38.37	39	44.74	12	33.73
	Total	8055		8857		4101		106		56	
2016-17	Autumn	3554	19.27	2377	21.67	1265	25.09	34	30.29	97	18.47
	Winter	3226	36.19	8197	38.75	4844	40.54	150	39.84	82	38.91
	Summer	849	40.96	1596	44.73	1035	43.56	42	49.18	3	39.78
	Total	7629		12170		7144		226		182	
2017-18	Autumn	3336	17.66	2583	18.77	1400	20.29	34	13.53	38	12.22
	Winter	3369	26.75	8592	25.20	5227	29.23	151	24.86	105	20.58
	Summer	700	42.53	1568	42.71	1093	43.55	41	45.62	23	39.97
	Total	7405		12743		7720		226		166	
2018-19	Autumn	1235	19.58	1335	20.31	734	21.15	27	19.8	30	22.42
	Winter	4596	28.29	15131	29.80	7057	31.50	328	29.24	262	28.92
	Summer	971	43.44	2275	44.31	1358	45.01	41	46.20	28	49.69
	Total	6802		18741		9149		396		320	

Contd...

Table No. - 17.0 (concl.)

State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil (2014-15 to 2023-24)

State :- Odisha

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2019-20	Autumn	2029	26.70	2480	28.06	1210	30.01	55	33.72	63	28.78
	Winter	4346	36.79	15765	37.25	7176	38.96	428	38.29	288	42.15
	Summer	1117	41.61	3170	45.94	1810	43.16	54	43.33	37	58.61
	Total	7492		21415		10196		537		388	
2020-21	Autumn	1947	30.79	2411	32.83	1185	32.29	52	26.75	31	26.22
	Winter	4187	40.78	15260	39.46	7268	41.06	553	40.07	302	39.67
	Summer	1053	47.34	3725	49.16	1840	50.18	98	56.09	40	51.24
	Total	7187		21396		10293		703		373	
2021-22	Autumn	1706	24.15	2058	25.99	843	25.8	25	32.21	34	26.56
	Winter	4288	34.47	15031	33.58	7095	34.7	495	37.6	179	34.56
	Summer	1180	45.7	3411	48.93	1781	47.66	162	48.88	39	50.41
	Total	7174		20500		9719		682		252	
2022-23	Autumn	1127	30.56	1595	30.9	637	31.94	47	37.04	26	24.39
	Winter	3928	43.36	15628	43.31	7566	43.64	501	44.91	315	44
	Summer	1132	51.29	3909	50.66	1706	50.67	86	56.91	61	57.69
	Total	6187		21132		9909		634		402	
2023-24	Autumn	1231	30.73	2417	30.54	681	30.80	16	32.75	1	32.48
	Winter	1426	40.90	6050	40.73	1814	40.14	68	40.43	16	42.21
	Summer	695	44.78	2744	46.47	755	43.81	59	46.61	13	31.76
	Total	3352		11211		3250		143		30	

♦♦♦♦♦

Table No. - 17.1
State Level Estimates of Yieldrate of Programmed Crops According to different Types of Soil 2023-24

(Yield rate in Qtls./Hect.)											
Sl. No.	Crop	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
Season : Autumn											
1	Paddy	1231	30.73	2417	30.54	681	30.80	16	32.75	1	32.48
2	Maize	1113	24.66	987	25.60	279	24.26	8	19.94	1	22.41
3	Ragi	370	7.30	560	8.06	171	7.94	2	7.94	1	2.73
4	Mung	250	3.41	327	3.55	84	3.88	-	-	1	1.49
5	Biri	289	3.65	349	4.09	81	4.17	-	-	-	-
6	Til	104	2.22	151	2.17	27	2.14	1	12.56	-	-
7	Groundnut	582	15.96	329	17.15	140	16.85	-	-	-	-
8	Jute	8	20.89	56	23.30	70	28.46	4	22.40	-	-
Season : Winter											
1	Paddy	1426	40.90	6050	40.73	1814	40.14	68	40.43	16	42.21
2	Maize	55	25.89	88	27.03	28	33.93	-	-	-	-
3	Ragi	507	7.80	541	7.57	131	7.11	2	5.93	1	2.04
4	Mung	301	3.74	958	3.69	229	3.51	4	3.50	8	4.43
5	Biri	608	4.38	1478	4.01	381	3.70	16	7.05	4	4.18
6	Kulthi	929	4.49	1505	4.17	430	4.18	9	5.97	5	4.57
7	Til	310	2.67	450	2.89	95	2.39	5	2.06	1	2.28
8	Groundnut	152	18.15	136	17.32	53	15.99	-	-	-	-
9	Mustard	684	3.06	1455	3.26	408	2.88	8	3.19	5	3.46
10	Niger	288	2.73	258	3.05	66	2.86	-	-	-	-
11	Potato	623	110.73	934	128.99	385	118.60	9	131.84	1	38.42
12	Sugarcane	79	731.39	208	670.94	64	597.94	1	668.00	3	273.33
Season : Summer											
1	Paddy	695	44.78	2744	46.47	755	43.81	59	46.61	13	31.76
2	Wheat	18	18.56	45	18.50	6	9.24	-	-	-	-
3	Maize	99	23.52	222	30.98	94	30.75	5	24.63	-	-
4	Ragi	42	7.05	117	7.07	28	8.24	-	-	-	-
5	Mung	350	4.50	1798	4.48	529	4.38	3	10.15	19	8.77
6	Biri	89	3.79	721	4.36	258	4.22	-	-	-	-
7	Kulthi	3	2.93	32	4.35	3	4.22	-	-	-	-
8	Til	57	3.23	389	2.22	151	2.61	1	1.74	-	-
9	Groundnut	306	21.49	370	20.61	181	20.62	2	18.96	1	19.08

❖❖❖❖❖

Table No. - 17.2
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2023-24 (Autumn)

Sl. No.	District	(Yield rate in Qtls./Hect.)									
		Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	54	30.57	2	32.57	-	-	-	-
2	Bolangir	73	24.72	291	31.30	64	23.42	1	17.62	-	-
3	Balasore	-	-	-	-	-	-	-	-	-	-
4	Bargarh	46	31.20	165	31.64	57	33.09	6	38	-	-
5	Bhadrak	-	-	-	-	-	-	-	-	-	-
6	Boudh	57	40.25	23	33.21	3	34.24	-	-	1	33
7	Cuttack	-	-	18	34.09	6	29.53	-	-	-	-
8	Deogarh	6	38.08	166	35.88	-	-	-	-	-	-
9	Dhenkanal	9	27.38	68	32.89	9	37.18	-	-	-	-
10	Gajapati	-	-	-	-	-	-	-	-	-	-
11	Ganjam	2	42.95	2	41.92	2	53.13	-	-	-	-
12	Jagatsinghpur	1	25.67	16	31.64	9	38.90	-	-	-	-
13	Jajpur	24	23.75	42	27.00	60	27.73	-	-	-	-
14	Jharsuguda	46	29.20	49	38.90	18	36.52	-	-	-	-
15	Kalahandi	35	28.27	240	21.37	37	29.59	3	26.38	-	-
16	Kandhamal	61	23.61	61	27.11	52	21.76	-	-	-	-
17	Kendrapara	-	-	20	26.62	34	31.84	-	-	-	-
18	Keonjhar	63	40.19	224	36.19	36	38.03	3	42.19	-	-
19	Khurda	2	22.01	-	-	2	28.56	-	-	-	-
20	Koraput	182	37.46	37	34.63	99	37.71	-	-	-	-
21	Malkangiri	38	29.02	108	28.38	56	27.74	-	-	-	-
22	Mayurbhanj	180	26.81	215	27.50	20	28.43	2	18.89	-	-
23	Nuapada	73	25.37	63	23.36	17	26.80	-	-	-	-
24	Nayagarh	9	23.17	20	23.93	3	24.64	-	-	-	-
25	Nawarangpur	44	34.29	111	33.71	48	34.16	1	27.31	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	4	10.68	20	12.42	-	-	-	-	-	-
28	Sambalpur	90	36.14	100	34.49	27	30.93	-	-	-	-
29	Subarnapur	37	38.26	31	43.15	9	39.92	-	-	-	-
30	Sundargarh	149	24.31	273	28.74	11	25.78	-	-	-	-
STATE		1231	30.73	2417	30.54	681	30.80	16	32.75	1	32.48

(Contd.)

Table No. - 17.2 (Contd.)
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2023-24 (Winter)

Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	2	40.79	254	49.50	31	46.37	3	49.92	-	-
2	Bolangir	34	42.13	180	43.05	113	37.58	1	47.64	-	-
3	Balasore	138	39.49	343	39.66	94	36.39	-	-	-	-
4	Bargarh	17	49.73	184	50.11	76	56.62	3	52.90	-	-
5	Bhadrak	54	41.22	234	37.57	18	29.34	3	30.38	-	-
6	Boudh	103	48.91	76	46.86	8	50.82	-	-	1	51.12
7	Cuttack	13	56.28	196	45.29	117	46.61	-	-	-	-
8	Deogarh	2	47.61	118	46.13	-	-	-	-	-	-
9	Dhenkanal	8	49.11	196	51.81	28	49.72	-	-	-	-
10	Gajapati	1	9.50	237	30.56	6	29.43	-	-	-	-
11	Ganjam	32	36.77	477	36.89	152	36.76	-	-	-	-
12	Jagatsinghpur	-	-	140	45.48	108	43.65	-	-	-	-
13	Jajpur	12	39.57	247	35.89	96	30.12	-	-	-	-
14	Jharsuguda	15	34.75	44	50.78	7	67.72	-	-	-	-
15	Kalahandi	35	51.65	336	40.54	48	40.98	2	52.42	15	40.90
16	Kandhamal	134	29.01	178	28.01	70	29.17	16	18.97	-	-
17	Kendrapara	-	-	168	34.36	116	41.34	-	-	-	-
18	Keonjhar	56	49.87	282	49.05	55	46.61	12	49.76	-	-
19	Khurda	40	30.21	120	32.29	122	36.79	-	-	-	-
20	Koraput	165	42.37	59	46.43	115	42.29	8	46.18	-	-
21	Malkangiri	23	30.82	70	35.19	106	36.56	-	-	-	-
22	Mayurbhanj	216	34.64	396	37.63	75	36.71	1	32.04	-	-
23	Nuapada	46	38.57	78	37.31	29	41.76	-	-	-	-
24	Nayagarh	15	29.51	260	33.51	21	40.23	-	-	-	-
25	Nawarangpur	11	44.29	111	43.51	64	40.53	13	49.10	-	-
26	Puri	20	13.59	296	39.25	1	24.16	-	-	-	-
27	Rayagada	76	47.48	262	40.00	86	46.34	-	-	-	-
28	Sambalpur	59	52.10	133	53.72	32	48.68	2	46.42	-	-
29	Subarnapur	63	56.83	119	52.62	-	-	-	-	-	-
30	Sundargarh	36	36.51	256	35.49	20	32.54	4	34.85	-	-
STATE		1426	40.90	6050	40.73	1814	40.14	68	40.43	16	42.21

(Contd.)

Table No. - 17.2 (Concl.)
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2023-24 (Summer)

Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	24	46.22	-	-	-	-	-	-
2	Bolangir	31	47.00	125	41.61	50	42.54	-	-	-	-
3	Balasore	61	41.54	405	47.37	115	46.87	6	43.76	-	-
4	Bargarh	22	58.30	343	50.39	58	44.28	-	-	-	-
5	Bhadrak	18	38.73	62	37.50	2	39.70	2	37.19	-	-
6	Boudh	47	46.82	41	56.23	8	43.17	-	-	-	-
7	Cuttack	-	-	60	58.71	34	58.70	2	71.52	-	-
8	Deogarh	-	-	18	27.35	-	-	-	-	-	-
9	Dhenkanal	2	37.07	26	40.26	-	-	-	-	-	-
10	Gajapati	-	-	102	31.54	14	25.52	-	-	-	-
11	Ganjam	-	-	5	35.38	-	-	-	-	-	-
12	Jagatsinghpur	-	-	18	47.96	23	45.02	-	-	-	-
13	Jajpur	2	21.51	52	33.86	16	31.48	-	-	-	-
14	Jharsuguda	12	55.99	37	61.38	23	60.80	-	-	-	-
15	Kalahandi	45	50.91	238	43.27	44	45.55	2	33.78	13	31.17
16	Kandhamal	6	43.13	34	41.06	22	35.52	1	35.41	-	-
17	Kendrapara	-	-	21	48.61	12	44.08	-	-	-	-
18	Keonjhar	4	44.82	14	38.04	12	49.25	-	-	-	-
19	Khurda	1	22.89	13	49.26	75	48.63	-	-	-	-
20	Koraput	266	44.47	70	39.63	125	39.39	43	48.14	-	-
21	Malkangiri	4	34.79	4	29.86	8	33.62	-	-	-	-
22	Mayurbhanj	72	34.31	148	39.72	36	36.50	1	34.81	-	-
23	Nuapada	36	43.02	56	40.75	22	43.37	-	-	-	-
24	Nayagarh	-	-	2	26.54	-	-	-	-	-	-
25	Nawarangpur	-	-	36	37.13	34	36.73	2	31.81	-	-
26	Puri	-	-	370	49.19	-	-	-	-	-	-
27	Rayagada	-	-	46	32.05	4	43.21	-	-	-	-
28	Sambalpur	21	51.51	128	57.27	8	53.77	-	-	-	-
29	Subarnapur	35	55.54	203	56.14	-	-	-	-	-	-
30	Sundargarh	10	27.64	43	29.63	10	28.50	-	-	-	-
STATE		695	44.78	2744	46.47	755	43.81	59	46.61	13	31.76



Table No. - 18.0

State level Estimates of Yield rate of Paddy according to Levels of Land (2014-15 to 2023-24)**State :- Odisha****(Yield rate in Qtls./Hect.)**

Sl. No.	Year	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2014-15	4181	22.59	2654	28.64	15	21.33	82	26.26	6663	33.44	3815	37.51	126	44.39	2715	43.41	1821	38.59
2	2015-16	4059	12.26	2638	13.11	9	28.42	97	13.73	7008	22.4	3583	19.9	63	34.75	2246	42.17	1472	37.13
3	2016-17	4781	20.24	2540	22.69	6	25.6	301	34.88	11082	39.84	5116	36.73	119	45.45	2236	46.09	1170	38.44
4	2017-18	4315	18.52	3044	18.39	32	25.69	371	27.94	11709	27.12	5364	25.62	143	47.66	2158	45.21	1124	38.03
5	2018-19	1466	19.72	1739	20.51	156	22.02	878	27.82	19366	31.00	7130	27.43	258	49.27	3067	45.52	1348	40.84
6	2019-20	2252	25.13	3427	29.74	158	33.13	1005	37.08	20033	37.61	6965	37.97	266	43.52	4181	45.36	1741	42.21
7	2020-21	2227	31.00	3333	32.44	66	36.07	1133	39.30	19454	40.28	6983	39.72	228	52.19	4625	50.91	1903	44.93
8	2021-22	1914	24.31	2619	25.77	133	31.01	1374	34.03	19525	34.28	6189	33.54	215	51.31	4404	49.46	1954	44.38
9	2022-23	1365	30.42	2028	31.37	39	33.3	1339	42.86	20664	43.78	5935	42.4	180	53.46	4909	51.87	1805	48.04
10	2023-24	1889	30.68	2384	30.55	73	32.66	184	39.86	6662	40.44	2528	41.25	107	43.85	2839	46.97	1320	43.06



Table No. - 18.1
State level Estimates of Yieldrate of Programmed Crops according to Levels of Land 2023-24

(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	1889	30.68	2384	30.55	73	32.66	184	39.86	6662	40.44	2528	41.25	107	43.85	2839	46.97	1320	43.06
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	15	20.46	48	16.47	6	20.76
3	Maize	1821	25.19	564	24.34	3	22.43	100	26.88	67	28.84	4	32.95	108	27.92	230	28.54	82	32.21
4	Ragi	597	6.67	507	9.09	-	-	725	6.90	451	8.70	6	11.03	34	6.69	140	7.42	13	6.81
5	Mung	610	3.55	52	3.39	-	-	465	4.00	941	3.50	94	3.81	194	4.79	2169	4.47	336	4.49
6	Biri	675	3.91	44	4.15	-	-	935	4.72	1464	3.69	88	3.53	51	4.22	955	4.29	62	4.21
7	Kulthi	-	-	-	-	-	-	1590	4.54	1248	3.97	40	3.64	3	5.26	33	4.04	2	5.77
8	Til	265	2.19	18	2.68	-	-	538	2.80	321	2.67	2	2.97	30	2.74	531	2.43	37	2.00
9	Groundnut	851	16.73	200	15.29	-	-	149	17.63	183	17.10	9	22.93	130	20.65	679	20.94	51	21.34
10	Mustard	-	-	-	-	-	-	1029	3.19	1439	3.13	92	2.92	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	336	2.89	270	2.84	6	3.62	-	-	-	-	-	-
12	Jute	22	22.42	113	26.46	3	23.68	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	778	109.87	1125	128.70	49	120.02	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	45	854.22	271	649.39	39	581.23	-	-	-	-	-	-

◆◆◆◆◆

Table No. - 18.2
District wise Estimates of Yield rate of Paddy according to Levels of Land 2023-24

(Yield rate in Qtls./Hect.)

Sl. No.	District	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	46	30.46	10	31.48	-	-	4	51.20	276	49.14	10	47.44	-	-	24	46.22	-	-
2	Bolangir	38	28.23	391	29.05	-	-	-	-	38	42.93	290	40.84	7	41.78	65	45.76	134	41.18
3	Balasore	-	-	-	-	-	-	2	30.43	573	39.11	-	-	2	42.30	585	46.65	-	-
4	Bargarh	59	30.94	211	32.38	4	28.45	3	56.62	119	51.59	158	52.02	9	56.11	297	51.26	117	46.19
5	Bhadrak	-	-	-	-	-	-	-	-	306	37.73	3	30.38	2	53.00	78	37.36	4	38.95
6	Boudh	69	38.89	15	33.98	-	-	-	-	172	48.54	16	44.27	11	56.44	68	51.32	17	43.59
7	Cuttack	8	29.92	16	34.47	-	-	8	54.15	299	46.27	19	41.80	-	-	72	59.80	24	56.50
8	Deogarh	73	36.46	99	35.59	-	-	-	-	76	46.45	44	45.65	2	19.96	16	28.27	-	-
9	Dhenkanal	64	32.80	22	32.66	-	-	4	49.90	174	51.30	54	52.11	1	37.71	9	43.06	18	38.65
10	Gajapati	-	-	-	-	-	-	6	33.60	236	30.36	2	31.50	-	-	96	29.44	20	37.41
11	Ganjam	2	41.92	4	48.04	-	-	7	36.38	562	36.46	92	39.26	-	-	5	35.38	-	-
12	Jagatsinghpur	21	35.28	5	28.22	-	-	15	49.14	214	44.67	19	41.29	-	-	37	46.33	4	46.10
13	Jajpur	13	27.40	97	26.19	16	29.44	1	15.62	312	35.86	42	24.46	2	23.29	66	33.51	2	24.60
14	Jharsuguda	48	28.89	64	38.85	1	33.70	1	29.56	38	48.93	27	49.66	-	-	47	59.73	25	61.35
15	Kalahandi	66	24.11	245	22.88	4	23.67	9	40.81	169	43.87	258	40.05	10	38.86	134	46.23	198	42.84
16	Kandhamal	140	23.55	33	27.54	1	19.23	20	27.45	215	28.65	163	27.67	2	36.47	22	43.15	39	37.16
17	Kendrapara	2	14.68	52	30.49	-	-	1	34.82	266	37.16	17	38.18	-	-	29	44.09	4	67.83
18	Keonjhar	246	36.09	78	40.74	2	39.29	25	48.58	272	50.31	108	45.25	5	36.61	19	45.32	6	43.13
19	Khurda	2	22.01	2	28.56	-	-	8	29.75	264	34.55	10	21.22	-	-	89	48.43	-	-
20	Koraput	124	34.83	154	39.78	40	34.68	14	38.79	163	44.87	170	41.80	5	44.08	143	45.92	356	41.60
21	Malkangiri	156	28.02	46	29.36	-	-	-	-	149	34.77	50	37.33	2	29.11	10	32.02	4	37.27
22	Mayurbhanj	345	26.61	72	30.04	-	-	21	34.66	578	36.88	89	35.09	9	36.10	193	38.06	55	36.85
23	Nuapada	-	-	151	24.59	2	33.39	-	-	21	37.89	132	38.63	-	-	54	39.90	60	43.84
24	Nayagarh	22	22.88	10	25.76	-	-	16	29.76	268	33.76	12	39.67	-	-	2	26.54	-	-
25	Nawarangpur	78	34.53	126	33.52	-	-	2	49.32	51	40.28	146	43.81	1	39.44	19	37.63	52	36.44
26	Puri	-	-	-	-	-	-	1	33.25	316	37.59	-	-	2	51.77	368	49.17	-	-
27	Rayagada	4	10.68	20	12.42	-	-	10	43.78	173	42.49	241	42.68	2	34.48	8	37.79	40	31.89
28	Sambalpur	131	35.37	86	33.76	-	-	2	59.52	110	51.25	114	53.62	12	43.27	80	56.38	65	58.66
29	Subarnapur	-	-	77	40.42	-	-	1	57.01	138	54.67	43	52.12	16	53.92	177	56.12	45	56.52
30	Sundargarh	132	24.92	298	27.93	3	45.77	3	34.42	114	34.33	199	36.04	5	24.07	27	29.15	31	29.94
STATE		1889	30.68	2384	30.55	73	32.66	184	39.86	6662	40.44	2528	41.25	107	43.85	2839	46.97	1320	43.06

❖❖❖❖❖

Table No. - 19.0

State level No. of Crop Cutting experiments conducted on Programmed Crops 2023-24

Sl. No.	Crop	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Paddy	4346	4346	9374	9374	4266	4266	17986	17986
2	Wheat	-	-	-	-	69	69	69	69
3	Maize	2388	2388	171	171	420	420	2979	2979
4	Ragi	1104	1104	1182	1182	187	187	2473	2473
5	Mung	662	662	1500	1500	2699	2699	4861	4861
6	Biri	719	719	2487	2487	1068	1068	4274	4274
7	Kulthi	-	-	2878	2878	38	38	2916	2916
8	Til	283	283	861	861	598	598	1742	1742
9	Groungnut	1051	1051	341	341	860	860	2252	2252
10	Mustard	-	-	2560	2560	-	-	2560	2560
11	Niger	-	-	612	612	-	-	612	612
12	Jute	138	138	-	-	-	-	138	138
13	Potato	-	-	1952	1952	-	-	1952	1952
14	Sugarcane	-	-	355	355	-	-	355	355
Total		10691	10691	24273	24273	10205	10205	45169	45169

Table No. - 19.1
District wise No. of Crop Cutting experiments conducted on PADDY 2023-24

Sl. No.	District	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Angul	56	56	290	290	24	24	370	370
2	Bolangir	429	429	328	328	206	206	963	963
3	Balasore	-	-	575	575	587	587	1162	1162
4	Baragarh	274	274	280	280	423	423	977	977
5	Bhadrak	-	-	309	309	84	84	393	393
6	Boudh	84	84	188	188	96	96	368	368
7	Cuttack	24	24	326	326	96	96	446	446
8	Deogarh	172	172	120	120	18	18	310	310
9	Dhenkanal	86	86	232	232	28	28	346	346
10	Gajapati	-	-	244	244	116	116	360	360
11	Ganjam	6	6	661	661	5	5	672	672
12	J.Singhpur	26	26	248	248	41	41	315	315
13	Jajpur	126	126	355	355	70	70	551	551
14	Jharasuguda	113	113	66	66	72	72	251	251
15	Kalahandi	315	315	436	436	342	342	1093	1093
16	Kandhamal	174	174	398	398	63	63	635	635
17	Kendrapara	54	54	284	284	33	33	371	371
18	Keunjhor	326	326	405	405	30	30	761	761
19	Khurda	4	4	282	282	89	89	375	375
20	Koraput	318	318	347	347	504	504	1169	1169
21	Malkanagiri	202	202	199	199	16	16	417	417
22	Mayurbhanja	417	417	688	688	257	257	1362	1362
23	Nuapara	153	153	153	153	114	114	420	420
24	Nayagarh	32	32	296	296	2	2	330	330
25	Nawarangpur	204	204	199	199	72	72	475	475
26	Puri	-	-	317	317	370	370	687	687
27	Rayagarh	24	24	424	424	50	50	498	498
28	Sambalpur	217	217	226	226	157	157	600	600
29	Subarnapur	77	77	182	182	238	238	497	497
30	Sundergarh	433	433	316	316	63	63	812	812
STATE		4346	4346	9374	9374	4266	4266	17986	17986

❖❖❖❖❖

Table No. - 20.1

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Paddy

Sl. No	Year	Area (in ' 000 hect.)				Yield rate in (qtls/hect.)								Production (in ' 000 M.T.)							
						Paddy				Rice				Paddy				Rice			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	1994-95	838	3349	269	4456	14.94	22.65	29.45	21.61	9.86	14.95	19.44	14.26	1251	7584	791	9626	826	5005	522	6353
2	1995-96	854	3400	275	4529	14.41	21.55	31.86	20.83	9.51	14.22	21.03	13.75	1230	7327	876	9433	812	4836	578	6226
3	1996-97	822	3378	269	4469	8.27	15.16	34.35	15.05	5.46	10.00	22.67	9.93	680	5120	925	6725	449	3379	610	4438
4	1997-98	827	3434	236	4497	14.89	21.79	29.15	20.90	9.83	14.38	19.24	13.80	1232	7482	687	9401	813	4938	454	6205
5	1998-99	820	3359	268	4447	9.27	19.77	28.62	18.37	6.12	13.05	18.89	12.12	760	6642	767	8169	501	4384	506	5391
6	1999-00	797	3423	382	4602	14.13	15.63	36.19	17.08	6.32	10.32	23.89	11.27	1126	5351	1382	7859	743	3532	912	5187
7	2000-01	855	3372	207	4434	8.23	16.66	32.36	15.77	5.43	10.99	21.36	10.41	703	5618	669	6990	464	3708	442	4614
8	2001-02	853	3375	272	4500	15.15	25.67	32.22	24.07	10.00	16.94	21.27	15.89	1291	8664	876	10831	852	5718	578	7148
9	2002-03	808	3287	178	4273	5.54	11.66	35.64	11.50	3.66	7.70	23.52	7.59	448	3834	633	4915	296	2530	418	3244
10	2003-04	861	3386	254	4501	14.88	23.95	33.99	22.67	9.82	15.81	21.12	14.96	1282	8110	811	10203	846	5353	535	6734
11	2004-05	824	3375	293	4492	12.46	23.38	33.79	22.08	8.22	15.43	22.30	14.55	1027	7889	989	9905	677	5207	653	6537
12	2005-06	781	3373	325	4479	13.22	24.59	32.72	23.20	8.72	16.23	21.60	15.31	1032	8296	1065	10393	681	5475	703	6859
13	2006-07	757	3379	315	4451	15.31	23.94	34.75	23.24	10.11	15.80	22.93	15.34	1159	8089	1093	10341	765	5338	722	6825
14	2007-08	742	3376	334	4452	16.63	26.52	37.08	25.66	10.97	17.50	24.47	16.94	1233	8955	1238	11426	814	5910	817	7541
15	2008-09	707	3417	331	4455	15.76	23.35	37.14	23.17	10.40	15.41	24.51	15.29	1114	7979	1229	10322	735	5266	812	6813
16	2009-10	687	3413	265	4365	13.63	24.77	41.11	24.01	9.00	16.35	27.13	15.85	937	8456	1088	10481	618	5581	718	6917
17	2010-11	678	3255	293	4226	12.59	25.13	44.84	24.48	8.31	16.58	29.59	16.16	853	8178	1314	10345	563	5398	867	6828
18	2011-12	536	3233	236	4005	11.79	21.72	48.69	21.97	7.78	14.33	32.13	14.50	633	7020	1146	8799	418	4633	756	5807
19	2012-13	561	3188	274	4023	26.24	36.40	47.95	35.77	17.32	24.02	31.65	23.61	1471	11603	1315	14389	971	7658	868	9497
20	2013-14	582	3298	300	4180	22.16	26.34	51.84	27.60	14.63	17.39	34.22	18.21	1290	8687	1558	11535	851	5734	1028	7613
21	2014-15	583	3282	301	4166	26.90	36.02	50.64	35.80	17.75	23.78	33.42	23.63	1569	11822	1525	14916	1036	7802	1007	9845
22	2015-16	541	3167	234	3942	10.90	22.50	50.84	22.59	7.19	14.85	33.56	14.91	590	7125	1187	8902	390	4702	783	5875
23	2016-17	512	3226	225	3963	19.48	39.18	53.50	37.45	12.85	25.86	35.31	24.72	996	12641	1203	14840	658	8343	794	9795
24	2017-18	530	3014	222	3766	16.48	26.54	47.48	26.36	10.88	17.51	31.33	17.39	874	7999	1054	9927	577	5279	695	6551
25	2018-19	454	3131	274	3859	17.59	30.39	51.15	30.36	11.61	20.06	33.76	20.04	799	9516	1403	11718	527	6280	926	7733
26	2019-20	426	3222	293	3941	27.36	37.87	48.31	37.51	18.06	24.99	31.88	24.75	1166	12201	1414	14781	769	8053	933	9755
27	2020-21	432	3258	339	4029	30.32	41.11	57.83	41.36	20.01	27.13	38.17	27.30	1311	13392	1962	16665	865	8839	1295	10999
28	2021-22	443	3205	300	3948	21.76	35.54	57.53	35.66	14.36	23.46	37.97	23.54	964	11391	1722	14077	636	7518	1137	9291
29	2022-23	379	3350	335	4064	28.22	45.13	56.39	44.49	18.63	29.79	37.22	29.36	1069	15119	1892	18080	706	9978	1249	11933
30	2023-24	319	3382	386	4087	29.92	43.04	51.08	42.78	19.75	28.41	33.71	28.23	953	14557	1973	17483	629	9608	1302	11539

Table No. - 20.2

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Wheat

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	--	4941	4941	--	--	13.49	13.49	--	--	66651	66651
2	1995-96	--	--	4890	4890	--	--	12.41	12.41	--	--	60678	60678
3	1996-97	--	--	5039	5039	--	--	13.11	13.11	--	--	66064	66064
4	1997-98	--	--	6078	6078	--	--	9.98	9.98	--	--	60647	60647
5	1998-99	--	--	3860	3860	--	--	11.50	11.50	--	--	44408	44408
6	1999-00	--	--	5917	5917	--	--	12.96	12.96	--	--	76697	76697
7	2000-01	--	--	8819	8819	--	--	14.63	14.63	--	--	129029	129029
8	2001-02	--	--	6976	6976	--	--	15.15	15.15	--	--	105669	105669
9	2002-03	--	--	4627	4627	--	--	12.47	12.47	--	--	57681	57681
10	2003-04	--	--	5129	5129	--	--	14.65	14.65	--	--	75156	75156
11	2004-05	--	--	4054	4054	--	--	13.10	13.10	--	--	53125	53125
12	2005-06	--	--	3276	3276	--	--	13.69	13.69	--	--	44843	44843
13	2006-07	--	--	3913	3913	--	--	14.83	14.83	--	--	58023	58023
14	2007-08	--	--	5548	5548	--	--	15.72	15.72	--	--	87225	87225
15	2008-09	--	--	5267	5267	--	--	14.02	14.02	--	--	73850	73850
16	2009-10	--	--	3994	3994	--	--	14.48	14.48	--	--	57824	57824
17	2010-11	--	--	2857	2857	--	--	14.61	14.61	--	--	41740	41740
18	2011-12	--	--	1461	1461	--	--	16.40	16.40	--	--	23967	23967
19	2012-13	--	--	1039	1039	--	--	19.00	19.00	--	--	19744	19744
20	2013-14	--	--	678	678	--	--	15.75	15.75	--	--	10676	10676
21	2014-15	--	--	403	403	--	--	16.28	16.28	--	--	6561	6561
22	2015-16	--	--	367	367	--	--	13.47	13.47	--	--	4944	4944
23	2016-17	--	--	57	57	--	--	14.21	14.21	--	--	810	810
24	2017-18	--	--	73	73	--	--	21.63	21.63	--	--	1579	1579
25	2018-19	--	--	147	147	--	--	18.15	18.15	--	--	2668	2668
26	2019-20	--	--	118	118	--	--	13.90	13.90	--	--	1640	1640
27	2020-21	--	--	182	182	--	--	16.40	16.40	--	--	2984	2984
28	2021-22	--	--	177	177	--	--	17.05	17.05	--	--	3018	3018
29	2022-23	--	--	223	223	--	--	15.48	15.48	--	--	3452	3452
30	2023-24	--	--	249	249	--	--	18.94	18.94	--	--	4715	4715

Table No. - 20.3

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Maize

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	46073	77	638	46788	7.49	8.12	9.71	7.52	345136	625	6193	351954
2	1995-96	43247	141	744	44132	10.55	7.09	10.28	10.53	456152	1000	7652	464804
3	1996-97	57618	201	494	58313	12.46	5.81	9.67	12.41	717736	1167	4778	723681
4	1997-98	51349	247	1164	52760	12.33	8.04	8.40	12.23	633307	1986	9779	645072
5	1998-99	50230	417	276	50923	13.11	5.91	8.71	13.03	658656	2465	2404	663525
6	1999-00	53318	55	1050	54423	14.91	6.95	11.84	14.85	795146	382	12431	807959
7	2000-01	53209	214	948	54371	12.69	7.57	12.22	12.67	675445	1620	11587	688652
8	2001-02	50772	154	502	51428	9.00	9.88	15.61	9.07	457190	1521	7834	466545
9	2002-03	41852	161	1087	43100	9.67	12.67	15.92	9.84	404654	2040	17300	423994
10	2003-04	51743	1343	2463	55549	13.85	16.20	19.81	14.18	716888	21755	48804	787447
11	2004-05	58692	1575	2071	62338	16.18	19.72	20.40	16.41	949521	31057	42251	1022829
12	2005-06	56216	5786	1585	63587	15.23	22.19	21.79	16.03	856057	128404	34536	1018997
13	2006-07	53460	5894	1916	61270	15.50	26.25	23.47	16.78	828698	154694	44963	1028355
14	2007-08	64690	6505	2874	74069	18.99	27.36	22.59	19.87	1228786	177948	64932	1471666
15	2008-09	64461	307	2249	67017	19.87	22.00	26.49	20.10	1280533	6753	59582	1346868
16	2009-10	78682	211	2265	81158	21.56	14.30	22.29	21.56	1696593	3017	50490	1750100
17	2010-11	111982	740	4454	117176	25.43	20.65	28.15	25.50	2847435	15280	125391	2988106
18	2011-12	98714	177	3971	102862	20.47	12.85	24.96	20.63	2020482	2274	99118	2121874
19	2012-13	90572	331	3578	94481	23.96	14.59	27.94	24.08	2169873	4828	99984	2274685
20	2013-14	91261	278	3591	95130	27.70	15.10	29.05	27.71	2527769	4198	104303	2636270
21	2014-15	89218	180	2266	91664	20.40	16.70	26.11	20.53	1819812	3006	59173	1881991
22	2015-16	52843	255	2489	55587	19.68	18.02	26.20	19.96	1039966	4594	65209	1109769
23	2016-17	68457	1344	2589	72390	28.54	12.92	29.13	28.27	1953873	17366	75421	2046660
24	2017-18	44436	374	2132	46942	25.12	14.12	27.21	25.13	1116188	5280	58018	1179486
25	2018-19	49126	67	2855	52048	23.07	24.48	26.10	23.24	1133406	1640	74522	1209568
26	2019-20	61041	95	3934	65070	28.78	23.61	33.33	29.05	1756733	2243	131136	1890112
27	2020-21	75254	62	2610	77926	29.19	19.92	26.14	29.08	2196922	1235	68234	2266391
28	2021-22	97611	1109	3715	102435	27.84	26.99	26.97	27.79	2717047	29932	100181	2847160
29	2022-23	81152	254	2887	84293	29.99	27.37	24.80	29.81	2433846	6951	71601	2512398
30	2023-24	81749	938	8140	90827	34.93	25.84	34.45	34.79	2855441	24241	280448	3160130

Table No. - 20.4

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Ragi

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	43998	35699	1252	80949	6.35	5.30	7.34	5.90	279213	189262	9185	477660
2	1995-96	39232	31347	872	71451	6.55	5.55	7.30	6.12	257109	173831	6364	437304
3	1996-97	39613	41032	722	81367	6.11	5.92	6.84	6.02	241847	242789	4939	489575
4	1997-98	41987	37192	603	79782	6.40	5.29	7.11	5.89	268847	196926	4286	470059
5	1998-99	41039	39112	861	81012	6.58	6.21	6.92	6.40	270150	242714	5962	518826
6	1999-00	39107	41661	984	81752	6.91	6.02	7.99	6.47	270365	250828	7858	529051
7	2000-01	37927	45807	247	83981	6.47	4.77	7.27	5.54	245300	218419	1796	465515
8	2001-02	30797	45059	406	76262	6.03	5.81	7.80	5.91	185602	261990	3166	450758
9	2002-03	31355	45467	273	77095	4.96	4.35	6.92	4.60	155376	197752	1888	355016
10	2003-04	30067	40074	349	70490	5.94	6.60	7.61	6.32	178502	264584	2655	445741
11	2004-05	24161	39385	261	63807	6.54	6.30	8.16	6.40	158119	248188	2130	408437
12	2005-06	26366	38975	226	65567	6.23	6.09	7.91	6.15	164176	237181	1787	403144
13	2006-07	24822	39905	274	65001	6.21	6.88	7.29	6.63	154177	274628	1997	430802
14	2007-08	26217	40826	484	67527	6.62	7.10	8.87	6.93	173552	289908	4291	467751
15	2008-09	26091	39333	289	65713	6.66	5.96	7.86	6.24	173687	234383	2272	410342
16	2009-10	21856	36949	225	59030	6.28	6.42	9.06	6.38	137190	237290	2039	376519
17	2010-11	27570	38276	328	66174	7.04	7.11	8.38	7.09	194223	272066	2749	469038
18	2011-12	20228	34666	114	55008	6.36	5.18	7.14	5.62	128693	179594	814	309101
19	2012-13	17502	39551	119	57172	7.20	7.92	7.82	7.70	126003	313350	931	440284
20	2013-14	15768	40637	229	56634	7.32	8.39	8.34	8.09	115477	341013	1911	458401
21	2014-15	15247	35945	286	51478	7.09	7.50	9.10	7.38	108054	269497	2603	380154
22	2015-16	14230	31166	297	45693	6.17	6.19	8.92	6.20	87800	192811	2649	283260
23	2016-17	14266	32617	78	46961	6.38	7.35	6.96	7.06	91047	239795	543	331385
24	2017-18	10042	32440	110	42592	7.65	7.67	6.86	7.67	76779	248935	755	326469
25	2018-19	8511	27944	212	36667	6.84	6.93	6.24	6.90	58254	193560	1323	253137
26	2019-20	9588	25919	381	35888	7.46	7.24	7.57	7.31	71534	187774	2885	262193
27	2020-21	10164	30685	464	41313	7.50	8.13	6.85	7.96	76198	249585	3180	328963
28	2021-22	16090	38355	529	54974	7.35	8.23	5.19	7.94	118224	315754	2746	436724
29	2022-23	13202	28963	678	42843	7.19	9.47	7.26	8.73	94866	274149	4919	373934
30	2023-24	13923	50302	1290	65515	7.25	8.93	6.63	8.53	100998	449322	8553	558873

Table No. - 20.5

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Mung

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	17531	119372	93632	230535	2.06	2.58	2.69	2.58	36067	308093	251722	595882
2	1995-96	19589	107271	97960	224820	2.93	2.53	3.24	2.88	57414	271421	317709	646544
3	1996-97	28616	66733	107320	202669	2.71	1.57	2.07	2.00	77687	104881	221879	404447
4	1997-98	25625	116564	86561	228750	2.53	2.00	1.90	2.02	64866	233046	164140	462052
5	1998-99	21845	106933	92720	221498	2.35	1.64	2.38	2.02	51233	175370	220771	447374
6	1999-00	23621	106218	61198	191037	2.61	1.77	2.28	2.04	61604	188254	139749	389607
7	2000-01	24128	74508	48804	147440	2.10	1.50	2.68	1.99	50674	111662	130563	292899
8	2001-02	17274	113615	81622	212511	1.68	2.16	2.89	2.40	29089	245708	236138	510935
9	2002-03	20236	68877	79192	168305	1.98	1.47	3.06	2.28	40010	101148	242299	383457
10	2003-04	22115	110561	124585	257261	1.89	2.21	2.52	2.34	41818	244608	314362	600788
11	2004-05	18750	82486	111395	212631	2.33	2.00	3.17	2.64	43718	165141	352583	561442
12	2005-06	20063	104909	132266	257238	2.16	1.84	3.21	2.57	43435	193158	425070	661663
13	2006-07	22715	85385	127125	235225	2.29	2.07	2.70	2.43	52002	176725	343122	571849
14	2007-08	23687	86079	148138	257904	2.50	2.11	2.63	2.45	59292	181845	389834	630971
15	2008-09	22676	85557	125260	233493	2.34	2.20	2.91	2.60	52993	188520	365108	606621
16	2009-10	21731	120690	147688	290109	2.28	2.26	3.15	2.71	49511	272526	464901	786938
17	2010-11	25378	78502	184234	288114	2.55	2.21	3.32	2.95	64792	173786	612484	851062
18	2011-12	24786	41861	147141	213788	2.12	2.03	3.23	2.87	52523	84953	475848	613324
19	2012-13	21882	99426	159285	280593	2.74	2.76	3.41	3.13	60002	274413	543392	877807
20	2013-14	24135	90618	137237	251990	3.20	2.69	4.12	3.52	77285	244210	565437	886932
21	2014-15	22009	97798	175592	295399	2.23	3.05	4.00	3.56	49051	298459	702703	1050213
22	2015-16	19391	70356	200039	289786	2.43	2.20	3.25	2.94	47153	154934	650138	852225
23	2016-17	40753	128055	157356	326164	4.38	3.26	4.71	4.10	178458	416941	740834	1336233
24	2017-18	26254	82357	127403	236014	3.19	3.10	4.52	3.88	83809	255572	575676	915057
25	2018-19	10615	62479	143548	216642	2.63	2.76	3.54	3.27	27966	172208	508427	708601
26	2019-20	10656	60116	169358	240130	2.95	3.33	3.40	3.36	31430	199993	575671	807094
27	2020-21	8120	51598	175651	235369	2.75	3.57	2.12	2.46	22318	184054	372780	579152
28	2021-22	25988	72839	150811	249638	3.05	3.08	3.85	3.54	79223	224351	581113	884687
29	2022-23	18031	101890	147998	267919	3.05	3.01	4.20	3.67	54950	306266	622116	983332
30	2023-24	12778	86307	211533	310618	3.23	2.98	4.49	4.02	41252	256955	949478	1247685

Table No. - 20.6

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Biri

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	21497	136260	2913	160670	2.16	3.78	2.49	3.54	46453	515681	7262	569396
2	1995-96	31902	94774	2246	128922	3.10	2.97	3.74	3.01	98973	281216	8394	388583
3	1996-97	34991	83356	4777	123124	2.49	2.69	2.87	2.64	87274	224316	13724	325314
4	1997-98	32117	118618	2083	152818	2.66	3.25	2.30	3.12	85362	386098	4796	476256
5	1998-99	35494	100561	2544	138599	2.54	2.84	2.08	2.75	90300	285773	5287	381360
6	1999-00	28379	81607	2085	112071	3.96	2.19	1.70	2.63	112445	178328	3552	294325
7	2000-01	30520	77621	960	109101	2.20	2.61	2.85	2.50	67274	202547	2735	272556
8	2001-02	34652	112342	1940	148934	2.05	3.28	3.07	2.99	71160	368412	5955	445527
9	2002-03	26458	88788	2047	117293	1.71	2.45	3.79	2.31	45308	217603	7767	270678
10	2003-04	29490	102856	3648	135994	1.81	2.94	3.30	2.71	53444	302417	12048	367909
11	2004-05	27222	92216	4605	124043	2.15	2.70	4.09	2.63	58659	249147	18855	326661
12	2005-06	27147	100077	6116	133340	1.99	2.58	4.02	2.52	54083	257707	24575	336365
13	2006-07	27628	92126	6118	125872	2.17	3.10	3.53	2.91	59915	285296	21621	366832
14	2007-08	32628	106962	9397	148987	2.29	3.30	3.80	3.11	74561	352974	35664	463199
15	2008-09	28830	90687	9669	129186	2.37	2.94	3.87	2.88	68223	266690	37445	372358
16	2009-10	29523	93222	7333	130078	2.21	3.25	3.37	3.02	65124	302688	24747	392559
17	2010-11	35912	89773	8014	133699	2.37	3.13	3.72	2.96	85140	281318	29800	396258
18	2011-12	29714	76386	5980	112080	2.03	2.88	3.46	2.68	60315	219724	20695	300734
19	2012-13	27091	79881	5021	111993	2.93	3.45	3.79	3.34	79391	275424	19021	373836
20	2013-14	27587	54210	3008	84805	3.01	3.08	4.46	3.11	82980	166940	13421	263341
21	2014-15	22843	56121	2800	81764	2.62	3.64	4.00	3.37	59779	204528	11210	275517
22	2015-16	20281	46473	7564	74318	2.47	3.49	4.19	3.28	50044	162053	31714	243811
23	2016-17	27899	65569	15269	108737	3.98	4.57	5.44	4.54	111148	299927	83097	494172
24	2017-18	20431	42760	13987	77178	3.14	3.58	4.98	3.72	64105	153183	69600	286888
25	2018-19	13720	39560	4571	57851	2.61	3.32	5.11	3.29	35844	131219	23365	190428
26	2019-20	10170	38948	8522	57640	2.94	3.86	3.77	3.68	29856	150176	32101	212133
27	2020-21	13465	47268	13762	74495	2.60	3.86	2.81	3.44	34982	182320	38720	256022
28	2021-22	18379	61580	12054	92013	3.09	3.46	3.51	3.39	56739	213271	42297	312307
29	2022-23	12921	57113	14994	85028	2.97	3.86	4.37	3.82	38389	220485	65527	324401
30	2023-24	8498	74972	19787	103257	3.29	4.15	4.30	4.11	27998	311218	85088	424304

Table No. - 20.7

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Kulthi

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	120407	382	120789	--	3.52	2.80	3.52	--	424178	1070	425248
2	1995-96	--	107453	344	107797	--	3.58	3.15	3.58	--	385090	1085	386175
3	1996-97	--	101472	606	102078	--	2.14	2.20	2.14	--	216854	1332	218186
4	1997-98	--	114835	956	115791	--	2.86	2.64	2.86	--	328090	2527	330617
5	1998-99	--	96407	528	96935	--	2.47	1.54	2.47	--	238382	813	239195
6	1999-00	--	89180	599	89779	--	2.55	2.61	2.55	--	227210	1566	228776
7	2000-01	--	75812	184	75996	--	1.92	2.91	1.92	--	145378	535	145913
8	2001-02	--	90933	238	91171	--	3.08	2.18	3.07	--	279642	519	280161
9	2002-03	--	75923	29	75952	--	1.88	4.28	1.89	--	143082	124	143206
10	2003-04	--	87525	301	87826	--	2.82	2.72	2.82	--	246685	820	247505
11	2004-05	--	78105	240	78345	--	2.66	2.56	2.66	--	207930	614	208544
12	2005-06	--	75000	439	75439	--	2.79	1.92	2.78	--	209024	841	209865
13	2006-07	--	73305	197	73502	--	2.88	1.29	2.88	--	211396	254	211650
14	2007-08	--	71956	152	72108	--	2.93	2.76	2.93	--	210846	419	211265
15	2008-09	--	58696	94	58790	--	2.74	2.61	2.74	--	160893	245	161138
16	2009-10	--	64317	276	64593	--	3.09	2.70	3.09	--	198529	745	199274
17	2010-11	--	69005	404	69409	--	3.20	2.95	3.20	--	220907	1191	222098
18	2011-12	--	44164	90	44254	--	2.42	3.04	2.42	--	106679	274	106953
19	2012-13	--	48249	61	48310	--	3.62	3.15	3.62	--	174658	192	174850
20	2013-14	--	42038	62	42100	--	3.58	3.35	3.57	--	150294	208	150502
21	2014-15	--	38245	118	38363	--	3.44	3.29	3.44	--	131745	388	132133
22	2015-16	--	33206	156	33362	--	2.84	1.70	2.83	--	94162	265	94427
23	2016-17	--	34046	40	34086	--	4.36	3.95	4.36	--	148336	158	148494
24	2017-18	--	25841	373	26214	--	4.12	3.81	4.11	--	106391	1421	107812
25	2018-19	--	23569	38	23607	--	3.68	3.55	3.68	--	86790	135	86925
26	2019-20	--	22722	36	22758	--	3.96	6.25	3.96	--	89976	225	90201
27	2020-21	--	26322	53	26375	--	3.99	1.92	3.98	--	104928	102	105030
28	2021-22	--	41635	165	41800	--	3.89	2.82	3.88	--	161823	466	162289
29	2022-23	--	31653	94	31747	--	4.06	2.81	4.06	--	128566	264	128830
30	2023-24	--	40387	183	40570	--	4.49	4.20	4.49	--	181280	768	182048

Table No. - 20.8

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Til

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	4350	50270	17339	71959	1.55	2.35	2.01	2.22	6744	118194	34825	159763
2	1995-96	4314	49225	9821	63360	1.54	2.32	2.31	2.27	6640	114206	22702	143548
3	1996-97	6460	63305	7814	77579	1.62	1.73	2.71	1.82	10482	109646	21160	141288
4	1997-98	7295	48551	16107	71953	2.23	1.71	2.52	1.95	16259	83159	40650	140068
5	1998-99	7694	37995	7864	53553	1.65	1.76	2.14	1.80	12693	66688	16830	96211
6	1999-00	7637	35267	10001	52905	2.28	1.78	2.15	1.93	17433	62897	21543	101873
7	2000-01	10770	35944	3788	50502	1.30	1.21	2.65	1.33	14001	43336	10036	67373
8	2001-02	6878	38242	6453	51573	1.45	2.23	2.81	2.20	9992	85291	18110	113393
9	2002-03	7082	28610	7779	43471	1.57	1.42	2.36	1.61	11104	40722	18373	70199
10	2003-04	3141	27089	7486	37716	1.50	2.09	2.18	2.06	4725	56712	16314	77751
11	2004-05	4001	36428	8284	48713	2.44	2.12	2.64	2.23	9774	77183	21846	108803
12	2005-06	3014	41341	10331	54686	1.38	2.38	2.70	2.38	4161	98361	27866	130388
13	2006-07	3320	37416	9607	50343	1.84	2.04	2.52	2.12	6100	76349	24170	106619
14	2007-08	4528	30132	13819	48479	1.69	2.06	2.30	2.10	7662	62197	31791	101650
15	2008-09	3550	28319	5755	37624	1.37	1.87	2.52	1.93	4854	53082	14521	72457
16	2009-10	4560	31783	9198	45541	1.72	2.27	2.71	2.30	7852	72140	24925	104917
17	2010-11	6354	37563	7833	51750	2.01	2.19	2.67	2.24	12793	82197	20924	115914
18	2011-12	4517	16749	5247	26513	1.65	1.50	2.95	1.81	7452	25068	15480	48000
19	2012-13	3270	15445	3008	21723	1.78	2.44	3.21	2.45	5811	37735	9649	53195
20	2013-14	2737	16171	4631	23539	2.06	2.37	2.61	2.38	5646	38375	12076	56097
21	2014-15	3679	17919	4255	25853	2.26	2.54	3.00	2.57	8328	45442	12753	66523
22	2015-16	2959	12434	4633	20026	2.11	1.85	2.63	2.07	6235	22984	12177	41396
23	2016-17	3571	11000	1435	16006	2.88	3.12	3.06	3.06	10273	34286	4396	48955
24	2017-18	2441	10515	1848	14804	2.45	2.88	2.75	2.79	5980	30282	5085	41347
25	2018-19	1592	11056	2229	14877	3.08	2.32	2.01	2.35	4898	25634	4491	35023
26	2019-20	1935	9457	2603	13995	3.06	3.08	2.19	2.91	5928	29144	5701	40773
27	2020-21	1551	14453	5328	21332	1.84	2.76	1.85	2.47	2855	39894	9865	52614
28	2021-22	5073	12593	6716	24382	2.51	2.65	2.12	2.48	12750	33367	14254	60371
29	2022-23	2134	10567	7078	19779	1.96	3.32	2.15	2.76	4177	35099	15225	54501
30	2023-24	1809	9642	11583	23034	2.02	2.81	2.07	2.38	3652	27134	23967	54753

Table No. - 20.9

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Groundnut

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	34392	9750	43158	87300	8.21	12.38	13.41	11.25	282473	120749	578552	981774
2	1995-96	32393	4735	53962	91090	9.35	9.03	10.69	10.13	302937	42768	577059	922764
3	1996-97	38166	9399	49009	96574	6.40	8.74	9.42	8.16	244174	82193	461656	788023
4	1997-98	37465	8175	39729	85369	9.19	10.91	12.29	10.79	344343	89045	488154	921542
5	1998-99	32001	5987	45581	83569	8.45	8.66	8.76	8.63	270509	51844	399118	721471
6	1999-00	32485	3191	34459	70135	8.98	9.39	12.45	10.70	291601	29956	429023	750580
7	2000-01	33702	3375	35280	72357	6.23	9.25	9.45	7.94	210007	31227	333511	574745
8	2001-02	27920	3081	30066	61067	7.26	11.11	12.04	9.81	202637	34245	362142	599024
9	2002-03	24125	3113	28899	56137	6.71	8.02	10.43	8.70	161891	24968	301488	488347
10	2003-04	28516	2613	46047	77176	8.44	10.67	14.39	12.07	240817	27884	662633	931334
11	2004-05	30494	3187	54029	87710	8.24	11.05	13.71	11.71	251145	35207	740738	1027090
12	2005-06	34909	3171	52720	90800	8.30	8.92	14.14	11.71	289798	28283	745243	1063324
13	2006-07	32928	3535	42429	78892	8.75	11.47	12.92	11.11	287957	40532	547983	876472
14	2007-08	31474	2094	50530	84098	9.73	11.49	13.76	12.20	306318	24060	695423	1025801
15	2008-09	32265	2065	49116	83446	9.73	11.07	12.78	11.56	314065	22857	627884	964806
16	2009-10	30731	3685	41875	76291	9.40	12.04	13.35	11.69	288742	44385	558894	892021
17	2010-11	32004	3074	37698	72776	9.60	11.72	13.62	11.77	307281	36035	513329	856645
18	2011-12	27791	2140	36351	66282	8.12	10.62	14.86	11.89	225551	22736	540076	788363
19	2012-13	25179	2487	38683	66349	10.52	12.60	13.45	12.31	264909	31345	520280	816534
20	2013-14	24161	1669	34063	59893	10.93	13.85	17.04	14.49	264099	23109	580460	867668
21	2014-15	20519	1916	26407	48842	10.32	10.10	14.71	12.68	211777	19357	388399	619533
22	2015-16	16983	1404	32819	51206	8.00	12.90	12.42	10.97	135935	18110	407567	561612
23	2016-17	21190	4355	19389	44934	9.45	12.56	15.33	12.29	200290	54679	297327	552296
24	2017-18	14414	1817	17089	33320	8.99	13.57	13.08	11.34	129574	24649	223553	377776
25	2018-19	10974	1977	14924	27875	10.24	13.50	14.53	12.77	112362	26697	216836	355895
26	2019-20	9663	1422	18352	29437	11.89	15.91	22.35	18.60	114862	22626	410134	547622
27	2020-21	7455	2441	28571	38467	14.31	16.72	22.08	20.23	106704	40805	630843	778352
28	2021-22	19125	3486	23539	46150	16.24	18.35	21.36	19.01	310518	63960	502705	877183
29	2022-23	15833	4161	23977	43971	16.86	17.95	20.24	18.81	266977	74706	485409	827092
30	2023-24	12629	3201	28488	44318	16.69	20.49	21.24	19.89	210739	65583	605021	881343

Table No. - 20.10

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Mustard

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	29707	111	29818	--	1.95	1.16	1.95	--	57894	129	58023
2	1995-96	--	22913	102	23015	--	1.69	1.74	1.69	--	38800	177	38977
3	1996-97	--	19148	240	19388	--	1.47	2.17	1.47	--	28071	521	28592
4	1997-98	--	19810	78	19888	--	1.62	1.95	1.62	--	32149	152	32301
5	1998-99	--	19020	--	19020	--	1.25	--	1.25	--	23764	--	23764
6	1999-00	--	17061	--	17061	--	1.53	--	1.53	--	26019	--	26019
7	2000-01	--	12395	--	12395	--	1.33	--	1.33	--	16483	--	16483
8	2001-02	--	14159	--	14159	--	1.57	--	1.57	--	22200	--	22200
9	2002-03	--	12193	--	12193	--	1.32	--	1.32	--	16049	--	16049
10	2003-04	--	15907	--	15907	--	1.93	--	1.93	--	30651	--	30651
11	2004-05	--	15863	--	15863	--	1.91	--	1.91	--	30294	--	30294
12	2005-06	--	17401	--	17401	--	1.91	--	1.91	--	33304	--	33304
13	2006-07	--	15161	--	15161	--	1.70	--	1.70	--	25771	--	25771
14	2007-08	--	15884	--	15884	--	2.03	--	2.03	--	32314	--	32314
15	2008-09	--	13736	--	13736	--	1.84	--	1.84	--	25252	--	25252
16	2009-10	--	12841	--	12841	--	2.13	--	2.13	--	27354	--	27354
17	2010-11	--	15925	--	15925	--	2.10	--	2.10	--	33433	--	33433
18	2011-12	--	10335	--	10335	--	2.12	--	2.12	--	21922	--	21922
19	2012-13	--	14631	--	14631	--	2.75	--	2.75	--	40297	--	40297
20	2013-14	--	13442	--	13442	--	2.69	--	2.69	--	36199	--	36199
21	2014-15	--	10119	--	10119	--	2.44	--	2.44	--	24702	--	24702
22	2015-16	--	7308	--	7308	--	2.05	--	2.05	--	14966	--	14966
23	2016-17	--	9698	--	9698	--	3.46	--	3.46	--	33522	--	33522
24	2017-18	--	8650	--	8650	--	3.26	--	3.26	--	28169	--	28169
25	2018-19	--	6019	--	6019	--	2.75	--	2.75	--	16553	--	16553
26	2019-20	--	6952	--	6952	--	2.93	--	2.93	--	20348	--	20348
27	2020-21	--	6868	--	6868	--	2.80	--	2.80	--	19231	--	19231
28	2021-22	--	17768	--	17768	--	3.23	--	3.23	--	57469	--	57469
29	2022-23	--	14641	--	14641	--	3.50	--	3.50	--	51240	--	51240
30	2023-24	--	21209	--	21209	--	3.63	--	3.63	--	77001	--	77001

Table No. - 20.11

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Nizer

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	--	--	--	--	--	--	--	--	--	--	--
2	1995-96	--	--	--	--	--	--	--	--	--	--	--	--
3	1996-97	--	--	--	--	--	--	--	--	--	--	--	--
4	1997-98	--	--	--	--	--	--	--	--	--	--	--	--
5	1998-99	--	--	--	--	--	--	--	--	--	--	--	--
6	1999-00	--	--	--	--	--	--	--	--	--	--	--	--
7	2000-01	--	--	--	--	--	--	--	--	--	--	--	--
8	2001-02	--	--	--	--	--	--	--	--	--	--	--	--
9	2002-03	--	42909	--	42909	--	1.5	--	1.5	--	64384	--	64384
10	2003-04	--	54026	--	54026	--	2.49	--	2.49	--	134431	--	134431
11	2004-05	--	59606	--	59606	--	2.11	--	2.11	--	125822	--	125822
12	2005-06	--	58300	--	58300	--	2.3	--	2.3	--	134167	--	134167
13	2006-07	--	54942	--	54942	--	2.33	--	2.33	--	128104	--	128104
14	2007-08	--	50442	--	50442	--	2.57	--	2.57	--	129798	--	129798
15	2008-09	--	48165	--	48165	--	1.89	--	1.89	--	91172	--	91172
16	2009-10	--	44401	--	44401	--	2.16	--	2.16	--	96015	--	96015
17	2010-11	--	46998	--	46998	--	2.40	--	2.40	--	112754	--	112754
18	2011-12	--	31844	--	31844	--	1.5	--	1.5	--	47689	--	47689
19	2012-13	--	35285	--	35285	--	2.22	--	2.22	--	78242	--	78242
20	2013-14	--	35383	--	35383	--	2.98	--	2.98	--	105306	--	105306
21	2014-15	--	32757	--	32757	--	2.49	--	2.49	--	81428	--	81428
22	2015-16	--	21910	--	21910	--	1.81	--	1.81	--	39665	--	39665
23	2016-17	--	15018	--	15018	--	3.07	--	3.07	--	46164	--	46164
24	2017-18	--	18348	--	18348	--	3.27	--	3.27	--	59910	--	59910
25	2018-19	--	18987	--	18987	--	2.74	--	2.74	--	51943	--	51943
26	2019-20	--	15898	--	15898	--	3.58	--	3.58	--	56989	--	56989
27	2020-21	--	13471	--	13471	--	2.98	--	2.98	--	40170	--	40170
28	2021-22	--	17517	--	17517	--	3.31	--	3.31	--	57958	--	57958
29	2022-23	--	10991	--	10991	--	3.25	--	3.25	--	35724	--	35724
30	2023-24	--	13704	--	13704	--	3.03	--	3.03	--	41573	--	41573

N.B: Nizer has been estimated under EARAS since 2002-03.

Table No. - 20.12

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Jute

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	7355	--	--	7355	11.33	--	--	11.33	83344	--	--	83344
2	1995-96	8420	--	--	8420	15.49	--	--	15.49	130414	--	--	130414
3	1996-97	12041	--	--	12041	15.99	--	--	15.99	192542	--	--	192542
4	1997-98	9201	--	--	9201	13.39	--	--	13.39	123211	--	--	123211
5	1998-99	5313	--	--	5313	14.09	--	--	14.09	74865	--	--	74865
6	1999-00	4114	--	--	4114	17.18	--	--	17.18	70674	--	--	70674
7	2000-01	3896	--	--	3896	16.87	--	--	16.87	65729	--	--	65729
8	2001-02	4612	--	--	4612	14.74	--	--	14.74	67996	--	--	67996
9	2002-03	5610	--	--	5610	16.43	--	--	16.43	92178	--	--	92178
10	2003-04	2590	--	--	2590	12.61	--	--	12.61	32670	--	--	32670
11	2004-05	2520	--	--	2520	17.66	--	--	17.66	44513	--	--	44513
12	2005-06	2724	--	--	2724	16.28	--	--	16.28	44359	--	--	44359
13	2006-07	4858	--	--	4858	17.72	--	--	17.72	86103	--	--	86103
14	2007-08	5818	--	--	5818	15.42	--	--	15.42	89708	--	--	89708
15	2008-09	2429	--	--	2429	14.74	--	--	14.74	35807	--	--	35807
16	2009-10	2935	--	--	2935	18.62	--	--	18.62	54663	--	--	54663
17	2010-11	3181	--	--	3181	20.56	--	--	20.56	65407	--	--	65407
18	2011-12	3910	--	--	3910	14.77	--	--	14.77	57751	--	--	57751
19	2012-13	1776	--	--	1776	17.52	--	--	17.52	31121	--	--	31121
20	2013-14	1971	--	--	1971	18.09	--	--	18.09	35665	--	--	35665
21	2014-15	1057	--	--	1057	16.25	--	--	16.25	17174	--	--	17174
22	2015-16	1204	--	--	1204	21.74	--	--	21.74	26169	--	--	26169
23	2016-17	753	--	--	753	16.78	--	--	16.78	12638	--	--	12638
24	2017-18	947	--	--	947	24.92	--	--	24.92	23603	--	--	23603
25	2018-19	200	--	--	200	15.60	--	--	15.60	3121	--	--	3121
26	2019-20	147	--	--	147	21.69	--	--	21.69	3189	--	--	3189
27	2020-21	759	--	--	759	24.05	--	--	24.05	18253	--	--	18253
28	2021-22	3471	--	--	3471	25.44	--	--	25.44	88311	--	--	88311
29	2022-23	2552	--	--	2552	23.33	--	--	23.33	59548	--	--	59548
30	2023-24	2778	--	--	2778	26.20	--	--	26.20	72773	--	--	72773

Table No. - 20.13

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Potato

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	9655	--	9655	--	111.74	--	111.74	--	1078855	--	1078855
2	1995-96	--	8939	--	8939	--	96.95	--	96.95	--	866593	--	866593
3	1996-97	--	10080	--	10080	--	114.80	--	114.80	--	1157223	--	1157223
4	1997-98	--	8887	--	8887	--	98.36	--	98.36	--	874125	--	874125
5	1998-99	--	7955	--	7955	--	116.43	--	116.43	--	926240	--	926240
6	1999-00	--	8738	--	8738	--	104.25	--	104.25	--	910916	--	910916
7	2000-01	--	8251	--	8251	--	104.07	--	104.07	--	858709	--	858709
8	2001-02	--	7580	--	7580	--	102.97	--	102.97	--	780483	--	780483
9	2002-03	--	7076	--	7076	--	99.37	--	99.37	--	703173	--	703173
10	2003-04	--	7303	--	7303	--	103.82	--	103.82	--	758223	--	758223
11	2004-05	--	8506	--	8506	--	94.96	--	94.96	--	807695	--	807695
12	2005-06	--	8305	--	8305	--	90.40	--	90.40	--	750775	--	750775
13	2006-07	--	8176	--	8176	--	97.01	--	97.01	--	793177	--	793177
14	2007-08	--	8514	--	8514	--	110.70	--	110.70	--	942538	--	942538
15	2008-09	--	7315	--	7315	--	103.32	--	103.32	--	755758	--	755758
16	2009-10	--	7877	--	7877	--	123.14	--	123.14	--	969968	--	969968
17	2010-11	--	6528	--	6528	--	116.74	--	116.74	--	762056	--	762056
18	2011-12	--	5779	--	5779	--	109.03	--	109.03	--	630061	--	630061
19	2012-13	--	5324	--	5324	--	122.12	--	122.12	--	650153	--	650153
20	2013-14	--	6151	--	6151	--	115.98	--	115.98	--	713407	--	713407
21	2014-15	--	8445	--	8445	--	123.24	--	123.24	--	1040801	--	1040801
22	2015-16	--	5626	--	5626	--	101.73	--	101.73	--	572336	--	572336
23	2016-17	--	6524	--	6524	--	125.93	--	125.93	--	821580	--	821580
24	2017-18	--	3966	--	3966	--	105.43	--	105.43	--	418117	--	418117
25	2018-19	--	4900	--	4900	--	111.13	--	111.13	--	544547	--	544547
26	2019-20	--	4397	--	4397	--	106.80	--	106.80	--	469586	--	469586
27	2020-21	--	5535	--	5535	--	108.87	--	108.87	--	602614	--	602614
28	2021-22	--	10932	--	10932	--	106.22	--	106.22	--	1161223	--	1161223
29	2022-23	--	11307	--	11307	--	101.41	--	101.41	--	1146614	--	1146614
30	2023-24	--	12167	--	12167	--	119.19	--	119.19	--	1450216	--	1450216

Table No. - 20.14

State Level Estimates of Area, Yield rate & Production of Programmed crops (1994-95 to 2023-24)-Sugarcane

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1994-95	--	20320	--	20320	--	589.87	--	589.87	--	11986205	--	11986205
2	1995-96	--	27302	--	27302	--	583.90	--	583.90	--	15941597	--	15941597
3	1996-97	--	23518	--	23518	--	566.41	--	566.41	--	13320831	--	13320831
4	1997-98	--	18698	--	18698	--	612.21	--	612.21	--	11447180	--	11447180
5	1998-99	--	22325	--	22325	--	658.24	--	658.24	--	14695287	--	14695287
6	1999-00	--	20653	--	20653	--	579.31	--	579.31	--	11964546	--	11964546
7	2000-01	--	16775	--	16775	--	574.61	--	574.61	--	9639152	--	9639152
8	2001-02	--	10988	--	10988	--	586.10	--	586.10	--	6440051	--	6440051
9	2002-03	--	14177	--	14177	--	531.28	--	531.28	--	7531932	--	7531932
10	2003-04	--	14565	--	14565	--	589.15	--	589.15	--	8580944	--	8580944
11	2004-05	--	14486	--	14486	--	639.30	--	639.30	--	9260853	--	9260853
12	2005-06	--	16332	--	16332	--	657.00	--	657.00	--	10730083	--	10730083
13	2006-07	--	20095	--	20095	--	634.17	--	634.17	--	12743706	--	12743706
14	2007-08	--	19819	--	19819	--	539.50	--	539.50	--	10692274	--	10692274
15	2008-09	--	10763	--	10763	--	600.43	--	600.43	--	6462437	--	6462437
16	2009-10	--	7968	--	7968	--	614.88	--	614.88	--	4899401	--	4899401
17	2010-11	--	13142	--	13142	--	686.88	--	686.88	--	9026973	--	9026973
18	2011-12	--	14499	--	14499	--	610.19	--	610.19	--	8847131	--	8847131
19	2012-13	--	14530	--	14530	--	655.45	--	655.45	--	9523669	--	9523669
20	2013-14	--	14213	--	14213	--	658.91	--	658.91	--	9365122	--	9365122
21	2014-15	--	10047	--	10047	--	719.51	--	719.51	--	7228906	--	7228906
22	2015-16	--	8962	--	8962	--	644.00	--	644.00	--	5771572	--	5771572
23	2016-17	--	5493	--	5493	--	626.79	--	626.79	--	3442953	--	3442953
24	2017-18	--	3713	--	3713	--	647.04	--	647.04	--	2402455	--	2402455
25	2018-19	--	6778	--	6778	--	616.22	--	616.22	--	4176730	--	4176730
26	2019-20	--	8948	--	8948	--	564.23	--	564.23	--	5048705	--	5048705
27	2020-21	--	7000	--	7000	--	544.73	--	544.73	--	3813094	--	3813094
28	2021-22	--	7050	--	7050	--	563.98	--	563.98	--	3976048	--	3976048
29	2022-23	--	7333	--	7333	--	537.81	--	537.81	--	3943755	--	3943755
30	2023-24	--	7175	--	7175	--	574.02	--	574.02	--	4118621	--	4118621

