



TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2024-25



Agricultural Statistics Division
Directorate of Economics & Statistics
Odisha, Bhubaneswar



GOVERNMENT OF ODISHA

TECHNICAL REPORT ON EARAS

(Establishment of an Agency for Reporting Agricultural Statistics)

2024-25

AGRICULTURAL STATISTICS DIVISION
DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA
BHUBANESWAR



Foreword

Agriculture continues to be the cornerstone of rural livelihoods and food security, playing an indispensable role in economic growth and social stability. A sound understanding of the agricultural production system is essential for informed planning and effective policy formulation. The Scheme “EARAS” (Establishment of an Agency for Reporting Agricultural Statistics) is in operation in the state since 1976-77 & the “Technical Report on EARAS – 2024-25” is the 28th one in the series of its kind. This report is intended to serve as a practical reference for planners, researchers, administrators, and development practitioners. The findings will support better program design, targeted interventions, and resource allocation to strengthen agricultural resilience and enhance farmers’ incomes.

The scheme encompasses Land Utilisation Survey & Crop Cutting Experiments by the Statistical Field Surveyors at district level and Area & Yield Estimation at State Headquarter level.

Under Land Utilisation Survey, the scheme covers all the survey numbers of the sample villages & it covers only Paddy & other thirteen minor crops, viz. Wheat, Maize, Ragi, Greengram, (Mung), Blackgram (Biri), Horsegram (Kulthi), Sesamum(Til), Groundnut, Mustard, Niger, Jute, Potato & Sugarcane to conduct Crop Cutting Experiments for the purpose of yield estimation. The report comprehends the estimates of area, yield rate and production of the programmed crops along with some ancillary information like soil & seed type, levels of land, application of fertiliser and manure, etc.

The dedicated efforts of field workers at the district and block levels deserve special recognition. They have diligently furnished primary data under considerable resource constraints and within stipulated time frames, and their contribution forms the very foundation of this publication.

I place on record my sincere appreciation for the commendable work done by the officers and staff of the Agriculture Statistics Division of this Directorate in compiling the estimates, preparing the statistical tables, and bringing out this report in its present form.

Every effort has been made to render this report as comprehensive, informative, and useful as possible for decision-makers, researchers, planners, economists, and all other stakeholders. Suggestions for its further improvement shall, however, be most welcome.

Bhubaneswar
Date: June’ 2026


(Dr. B.B. Nanda)

Sri Laxmidhar Biswal

Joint Director

Directorate of Economics & Statistics,
Odisha



P r e f a c e

The importance of Agricultural Statistics has grown considerably in the present era of data-driven governance. Agriculture remains the backbone of Odisha's agrarian economy, providing livelihoods to a large section of the population and making a significant contribution to the State's Gross Domestic Product.

Recognising the need to strengthen the agrarian sector, the Government of Odisha has accorded sustained priority to agriculture constantly. The Directorate of Economics & Statistics, Odisha, at the instance of the Ministry of Agriculture and Farmers Welfare, Government of India, collects crop statistics under the Scheme EARAS. The Technical Report on EARAS is a flagship publication of DE&S, Odisha, comprising data from the Land Utilisation Survey and the Yield Estimation Survey. It contains information relating to land use, area under different crops, production levels, application of fertilisers, irrigation facilities, and allied aspects. The report primarily focuses on area, yield rate, and production of Paddy and thirteen minor crops.

The present publication is the 28th issue in its series. Its preparation has been a substantial undertaking, accomplished successfully through the concerted efforts and cooperation of the officers and staff of the Agriculture Statistics Division of DE&S.

I express my sincere gratitude to Dr. B.B. Nanda, Director, Economics & Statistics, Odisha, for his valuable guidance and continued encouragement in the preparation of this report.

I extend my heartiest thanks to all officers and staff of the Agriculture Statistics Division for their dedicated teamwork in bringing out this valuable publication in a timely manner.

It is hoped that this report will prove to be a valuable resource for research and analysis in the agriculture sector. Suggestions for further improvement of the publication are most welcome.


Bhubaneswar

Date: June ' 2026


(Laxmidhar Biswal)



Officers and Staff Associated





<i>Dr. Bijay Bhusan Nanda</i>	<i>Director</i>
<i>Sri Laxmidhar Biswal</i>	<i>Joint Director</i>
<i>Sri Rankanidhi Nayak</i>	<i>Assistant Director</i>
<i>Sri Madan Mohan Panda</i>	<i>Assistant Director</i>
<i>Sri Susant Kumar Sahoo</i>	<i>Statistical Officer</i>
<i>Ms. Khushi Aggrawal</i>	<i>Statistical Officer</i>

HIGHLIGHTS

- ❖ *Number of sample villages selected & surveyed under the scheme EARAS 2024-25 is 10129 (Rural) only.*
- ❖ *No. of Crop Cutting Experiments conducted for Paddy under EARAS 2024-25 is 19124.*
- ❖ *Similarly, 23284 crop cutting experiments on programmed minor crops have been conducted during 2024-25.*
- ❖ *During 2024-25, about 18.84%, 0.15% & 1.48% of the crop cutting experiments conducted on paddy & minor crops together have been inspected/ attended by the officers and staff of Directorate of Economics & Statistics, Agriculture Department & NSO, GoI respectively.*
- ❖ *The area under Paddy, estimated at 4168.91 thousand hectares during 2024-25 have shown an increase of 2% from 2023-24.*
- ❖ *The estimates of gross crop area during 2024-25 (5260.36 th. hect.) have shown an increase of 1.78% over the previous year 2023-24.*
- ❖ *The yield-rate of Paddy has declined to 42.27 qntl./hect. in 2024-25 from 42.78 qntl./hect. in 2023-24. In December 2024, untimely rainfall caused widespread damage to standing and harvested paddy across multiple districts.*
- ❖ *The production of paddy in 2024-25 (176.23 lakh MTs) shows an increase by 0.8% from 2023-24 (174.83 lakh MT) as there is increase in paddy area.*
- ❖ *During 2024-25, net area sown (4358 thousand hectares) show an increase by 1% from 2023-24 (4308 thousand hectares) as there is decline in area under oldfallow & current fallow.*
- ❖ *There is a little decline in current fallow land in 2024-25 (814 thousand hectares) from 2023-24 (903 thousand hectares).*
- ❖ *During the agricultural year 2024-25, estimated gross crop area was 5260 thousand hectares against net crop area of 4358 thousand hectares with a cropping intensity of 120.70%.*
- ❖ *Estimated irrigated gross crop area is 1754 thousand hectares against net crop irrigated 1408 thousand hectares showing a cropping intensity of irrigated crop area at 124.52 in 2024-25.*
- ❖ *In case of un-irrigated crop area, cropping intensity is 118.88% with a gross crop un-irrigated area of 3506 thousand hectares to net crop un-irrigated 2950 thousand hectares in 2024-25.*
- ❖ *Crop area of Paddy of HYV Variety has remained almost same 98.71 % in 2024-25, which was 98.90% in 2023-24 of the total crop coverage.*
- ❖ *Growth rate of Paddy production in 2024-25 stands at 8.67% taking average of last five years average as base.*


HIGHLIGHTS

Land Use




Paddy-Estimates


Area under paddy from 2015-16 to 2024-25



State-level Yield-rate of Paddy




Estimates of Paddy Production in Odisha




TOP-FIVES


Top five districts in estimates of paddy area 2024-25




Top five districts in productivity of Paddy 2024-25



Top-Five Paddy Producing districts 2024-25




Top five districts with Paddy density to total crop area 2024-25




Top Five districts with estimated Gross Crop Area 2024-25




Top Five districts with estimated Irrigated Crop Area 2024-25



Top Five districts with Cropping intensity 2024-25



Top Five districts with Cropping Density to total revenue land area 2024-25



Contents

CHAPTER 1. INTRODUCTION	1
1.1. FUNDING PATTERN:	1
1.2. STAFFING PATTERN:	1
1.3. METHODOLOGY:	2
CHAPTER 2. ESTIMATION PROCEDURE	5
2.1. ESTIMATES OF AREA (ALL CROPS):	5
2.2. ESTIMATES OF YIELD RATE:	5
2.3. ESTIMATE OF PRODUCTION:	7
2.4. VARIANCE OF ESTIMATED YIELD RATE:	8
2.5. % STANDARD ERROR (YIELDRATE):	8
CHAPTER 3. RESULTS OF THE SURVEY	9
3.1. Land Utilization Survey:	9
3.2. Estimates of area under different crops:	13
3.3. Estimates of yield rate of different programmed crops:	21
3.4. Estimates of production of different Programmed crops	24
3.5. Standard Error of Estimates	27
3.6. ANCILLARY INFORMATION	28
3.6.1. Crop-wise estimates of irrigated area	28
3.6.2. Cropping Intensity	30
3.6.3. Estimates of Gross cropped area irrigated from different sources of irrigation: .	33
3.6.4. Estimates of Area & Yield rate under HYV & Local varieties	34
3.6.5. Yield rate of different crops from Irrigated & Un-irrigated plots	35
3.6.6. Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer	37
3.6.7. Yield rate of different crops from different types of Soil 2023-24	38
3.6.8. Yield rate of different crops from different levels of Land:	39
3.7. Growth-rate of Area & Production of different crops	39
GLOSSARY OF TERMS	41
APPENDIX	43
Table No. - 1.0 State Level Estimates of Area under different Classification of Land Uses	45
Table No. -1.1 District wise Estimates of Area under Different Classification of Land Uses	47
Table No. - 2.0 State Level Estimates of Area under Different Programmed Crops	48
Table No. - 3.0 State Level Estimates of Yield rate under Different Programmed Crops	50
Table No. - 4.0 State Level Estimates of Production under Different Programmed Crops	52

Table No. - 5.0 Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2023-24.....	55
Table No.- 6.0 Estimates of Area under Other Crops by Broad Groups	70
Table No. - 7.0 Estimates of Area under All Crops by Broad Groups	72
Table No. -8.0 Estimates of Gross Cropped Area 2023-24	74
Table No.- 9.0 Percentage Standard Error of estimated Yieldrate	79
Table No. - 10.0 Estimates of Crop wise & Season wise Irrigated Area	82
Table No. -11.0 Estimates of Gross cropped Area irrigated vrs un-irrigated	89
Table No. - 12.0 Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity	91
Table No. - 13.1 Estimates of Cropped Area Irrigated from different sources of Irrigation 2023-24 .	93
Table No. - 14.0 Estimates of Area & Yieldrate of HYV & Local varieties (Paddy, Wheat & Maize)	97
Table No. - 15.0 Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots	100
Table No. - 16.0 Estimates of Yield-rate of Programmed Crops from plots applied with fertiliser / manure & not applied with fertiliser / manure 2023-24	103
Table No. - 17.0 Estimates of Yieldrate according to different types of Soil	105
Table No. - 18.0 Estimates of Yieldrate of Programmed Crops according to Levels of Land	111
Table No. - 19.0 No. of Crop Cutting experiments conducted on Programmed Crops 2023-24	114
Table No. - 20.1 State Level Estimates of Area,Yield rate & Production of Programmed crops (1994- 95 to 2023-24).....	116

CHAPTER 1.

INTRODUCTION:

Since 1959-60, State Economics & Statistics Bureau, Odisha was estimating the production and yield of some important crops like paddy, potato & jute through sample survey by trained field surveyors. The Scheme “Establishment of an Agency for Reporting Agricultural Statistics” (EARAS) is in operation in the state through Directorate of Economics & Statistics since 1976-77. The primary objective of the scheme is to formulate estimates of area, yield rate and production of 14 different programmed crops on the basis of data collected through sample surveys under Land Utilization Survey (LUS) and General Crop Estimation Surveys (GCES). In each agricultural year, 20% of total revenue villages of the State are covered for conducting sample surveys under the scheme on non-overlapping basis with effect from 1981-82. As such, all revenue villages of the State are covered under the scope of the survey within a period of 5 years in one round. The Agricultural year of 2024-25 is the 4th year of the 9th round of the survey.

1.1. FUNDING PATTERN:

The scheme is 100% funded by Central Government w.e.f. the financial year 2007-08. The financial position during 2024-25 are given below in Table No.- 1.1

Table 1.1.1 Funding Pattern in 2024-25

(Rupees in lakh)					
Year	Opening Balance as on 1 st April	Funds released by Govt. of India during the year	Funds Available During the year	Expenditure during the year	Balance to be adjusted during next year
2024-25	(-) 2222.34	3020.00	797.66	4068.37	(-) 3270.71

1.2. STAFFING PATTERN:

In view of execution of the scheme at field level, supervision of field work and overall monitoring, following posts (Table No.-1.2) have been sanctioned by Government of India and State Government as well.

Table 1.2.1 Staffing Pattern under EARAS

Sl. No.	Category of Post	No. of Posts sanctioned		
		EARAS	Crop Survey (State Non-plan scheme)	Total
For Headquarter of the Directorate				
1	Joint Director	1	--	1
2.	Deputy Director	2	1	3
3.	Asst. Director	1	0	1
4.	Statistical Officer	15	6	21
5.	Assistant Statistical Officer	1	0	1
For District Offices				
1	Deputy Director	8	---	8
2	Asst. Director	4	--	4
3	Statistical Officer	45	14	59
4	Assistant Statistical Officer	110	29	139
5	Block Statistical Officer	126	--	126
6	Statistical Supervisor	290	44	334
7	Statistical Field Surveyor	882	72	954

* No. of sanctioned posts include only technical staff

1.3. METHODOLOGY:

SAMPLING DESIGN

Stratified sampling design, single stage for area estimation and three stage for yield estimation is adopted. For area estimation, Ratio method of estimation is used taking geographical area as the auxiliary variable.

A stratified three stage Random Sampling Design is adopted for yield estimation survey taking Block as the stratum, sample village as the 1st stage sampling unit, selected survey number/plot as the 2nd and experimental field of size 5mt.x5mts. as 3rd stage of the sampling units respectively.

First Stage: For yield estimation survey, a sub sample of 40% and 50% villages is selected out of total number of sample villages for crop cutting experiments on paddy and minor crops respectively. But, during summer season, slight deviation is adopted due to inadequate cultivation of crops. Thus, all sample villages are taken for conducting crop cutting experiments in summer season.

Second Stage: For the purpose of selecting plot(s) for conducting c.c. experiment in cadastral surveyed villages a list of survey numbers/plots growing crops is prepared separately for each programmed crop. In case of un-surveyed villages, the list of households cultivating the crop is prepared separately for each crop. From the above list, number of plot(s) is selected according to

plan/target by Simple Random Sampling method for conducting crop cutting experiments on different crops.

Third Stage: In the selected plot(s) an experimental field of size 5mts.x 5mts. is randomly identified with the help of a pair of imaginary co-ordinates for conducting c.c. experiments on all programmed crops (except potato) and weight of the harvested produce obtained from the experimental field is considered for yield estimation. In case of potato crop, the experimental field forms the shape of a trapezium of size 5mts. height and 8 rows in length.

➤ **STRATUM FORMATION**

Each C.D. block of the state is taken as a stratum.

➤ **SAMPLE SIZE**

Initially, the sample size was 6% and increased to 20% in phases w.e.f. the agricultural year 1981-82 with a view to cover all revenue villages of the state within a period of 5 years i.e. one round of survey.

➤ **FRAME FOR THE SURVEY**

All revenue villages of the C.D. block constitute the sampling frame at the Stratum level. The areas covered under irrigation projects, submerged under sea/river/lakes, transferred to developmental projects, transferred to Forest Department are excluded from the frame.

➤ **SAMPLE SELECTION**

From each stratum (C.D. Block), 5 sets of samples each constituting 20% of revenue villages is drawn by the method of Simple Random Sampling without Replacement with a view to cover one set during each agricultural year.

➤ **COVERAGE**

For the purpose of formulation of estimates, Paddy and 12 minor crops i.e, Wheat, Maize, Ragi, Mung (Greengram), Biri (Blackgram), Kulthi (Horsegram), Til, Groundnut, Mustard, Jute, Potato and sugarcane were covered as programmed crops. Niger crop has also been included w.e.f. 2002-03.

➤ **PERIOD OF SURVEY**

For the purpose of sample surveys under this scheme an agriculture year has been divided into three crop seasons i.e, Autumn, Winter & Summer keeping in view the harvesting period of different crops. Autumn season extends from July to October, Winter season from November to February and Summer season from March to June.

➤ **FIELD OPERATION**

Field operation consists of two phases

i) Land Utilization Survey

Land utilization / Area enumeration is done by visiting each survey No./plot of each sample village with the help of maps & R.O.Rs during each crop season (Autumn, Winter and Summer) of an agricultural year in order to collect primary data on area under different crops and other types of land uses pertaining to the same agricultural year. In case of un-surveyed villages for which maps and R.O.Rs are not available, area enumeration is conducted on the basis of household enquiry methods along with their particulars on land possessed/land cultivated.

ii) Yield Estimation Survey

Under Yield Estimation Survey, crop cutting experiments on paddy and 13 minor crops i.e., wheat, maize, ragi, mung, biri, kulthi, til, groundnut, mustard, nizer, jute, potato and sugarcane are conducted.

➤ **SELECTION OF PLOT/SURVEY NUMBER FOR CROP CUTTING EXPERIMENTS**

(i) FOR PADDY

As regards crop cutting experiments, 2-4 experiments are conducted on paddy in each sample village selected for yield estimation in each season. For minor crops, one crop cutting experiment is conducted during 3 crop seasons in each village selected for yield estimation according to its availability.

Block-wise allocation of Crop cutting experiments separately for 3 crop seasons has been done giving due weightage to estimated area under the crop of the block. Accordingly, 2-4 are conducted in each crop cutting village in each crop season according to availability. Selection of plots is done on the basis of Simple Random Sampling without replacement. Proportional representation of plots under both varieties (H.Y.V./Local) and Irrigated & Un-Irrigated plots is also considered at the time of selection of plot.

(ii) FOR MINOR CROPS

One crop cutting experiment for each programmed minor crop is conducted in each crop cutting village and during each crop season according to availability.

CHAPTER 2. (ESTIMATION PROCEDURE)

2.1. ESTIMATES OF AREA (ALL CROPS):

The Estimates of area under a particular crop in any stratum X_s is obtained by :

i)

$$\bar{X}_s = A_s \times \frac{\sum_{i=1}^{n_s} u_{si}}{\sum_{i=1}^{n_s} v_{si}}$$

where,

$\bar{X}_s$ = The estimated area under the crop in the 'S' th stratum (Block)

A_s = Total geographical area of the revenue villages of the 'S' th stratum (Block)

u_{si} = Area under the crop in the i-th sample village

v_{si} = Geographical area of the i-th sample village

n_s = Number of sample villages in the s-th stratum for area enumeration

The estimated area under the crop in the district ($\bar{X}_D$) and State level ($\bar{X}$) are formulated by adding up the estimates of all the constituent strata (Block) and districts respectively.

$$\text{ii) } \bar{X}_D = \sum_{s=1}^L \bar{X}_s$$

$$\text{iii) } \bar{X} = \sum_{D=1}^M \bar{X}_D$$

2.2. ESTIMATES OF YIELD RATE:

i) FOR PADDY

- The estimate of yield rate for a stratum is obtained by :

$$\bar{Y}_s = \frac{K}{\sum_{i=1}^{m_s} n_c} \times \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right] \times DR$$

Where,

$\bar{Y}_S$ = The estimate of yield rate of the crop in S-th Stratum.

K = Conversion factor from grams per cut to quintals per hectare (0.004).

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

n_c = Number of crop cutting experiments conducted in the i-th village.

m_s = Number of crop cutting villages in the S-th stratum.

DR= Driage Ratio.

***Estimate of yield rate at the district level is obtained by:**

$$\bar{Y}_D = \frac{\sum_{S=1}^L \bar{X}_S \times \bar{Y}_S}{\sum_{S=1}^L \bar{X}_S}$$

Where,

$\bar{X}_S$ =The estimated area under the crop in S-th stratum.

L = Number of strata in the district.

$\bar{Y}_S$ = The estimated yield rate of the crop in S-th stratum.

ii) FOR MINOR CROPS

- **Estimate of yield rate of a particular minor crop at the district level is obtained by:**

$$\bar{Y}_D = \frac{K}{\sum_{s=1}^{m_D} n_s} \times \sum_{i=1}^{m_D} \sum_{j=1}^{n_s} Y_{ij}$$

Where,

$\bar{Y}_D$ = The estimated yield rate of the district.

m_D = No. of Strata in D-th district.

n_s = No. of CC experiments conducted in S-th Stratum.

Y_{ij} = Yield of j-th cut of the i-th sample village in grams.

- The estimated yield rate (both for Paddy & MC) for the State is obtained by :

$$\bar{Y} = \frac{\sum_{D=1}^m \bar{X}_D \times \bar{Y}_D}{\sum_{D=1}^m \bar{X}_D}$$

Where,

$\bar{Y}$ = The estimated average yield of the crop for the State.

$\bar{X}_D$ = The estimated area under the crop in the D-th district.

M = Number of districts in the State.

2.3. ESTIMATE OF PRODUCTION:

i) FOR PADDY

Production at the Stratum level is obtained by:

$$\bar{P}_S = \bar{X}_S \times \bar{Y}_S$$

Production at the District level is obtained by:

$$\bar{P}_D = \sum_{S=1}^L \bar{P}_S$$

ii) FOR MINOR CROPS

Production at the District level is obtained by:

$$\bar{P}_D = \bar{X}_D \times \bar{Y}_D$$

- The estimated Production (both for Paddy & MC) for the State is obtained by:

$$\bar{P} = \sum_{D=1}^m \bar{P}_D$$

2.4. VARIANCE OF ESTIMATED YIELD RATE: AT STRATUM LEVEL

$$\hat{V}(\bar{Y}_s) = \frac{K^2}{n_c(n_c - 1)} \left[\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij}^2 - \frac{1}{n_c} \left(\sum_{i=1}^{m_s} \sum_{j=1}^{n_c} Y_{ij} \right)^2 \right]$$

AT DISTRICT LEVEL

$$\hat{V}(\bar{Y}_D) = \frac{\bar{P}_D^2 - \hat{V}(P_D)}{\bar{X}_D^2 - \hat{V}(X_D)} \left[\frac{\hat{V}(P_D)}{\bar{P}_D^2 - \hat{V}(P_D)} + \frac{\hat{V}(X_D)}{\bar{X}_D^2 - \hat{V}(X_D)} - \frac{2CO\hat{V}(P_D X_D)}{\bar{P}_D \bar{X}_D - CO\hat{V}(P_D X_D)} \right]$$

Where,

$$\hat{V}(P_D) = \sum_{s=I}^L \hat{V}(P_s) \quad , \quad CO\hat{V}(P_D X_D) = \sum_{s=I}^L \bar{Y}_s \hat{V}(X_s)$$

$$\bar{P}_D = \sum_{s=I}^L \bar{P}_s \quad , \quad \bar{P}_s = \bar{X}_s \bar{Y}_s \quad \bar{X}_D = \sum_{s=I}^L \bar{X}_s$$

AT STATE LEVEL

$$\hat{V}(\bar{Y}) = \frac{\bar{P}^2 - \hat{V}(P)}{\bar{X}^2 - \hat{V}(X)} \left[\frac{\hat{V}(P)}{\bar{P}^2 - \hat{V}(P)} + \frac{\hat{V}(X)}{\bar{X}^2 - \hat{V}(X)} - \frac{2CO\hat{V}(PX)}{\bar{P}\bar{X} - CO\hat{V}(PX)} \right]$$

Where,

$$CO\hat{V}(PX) = \sum_{D=I}^m \bar{Y}_D \hat{V}(X_D)$$

2.5. % STANDARD ERROR (YIELDRATE): AT DISTRICT LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y}_D)}}{\bar{Y}_D} \times 100$$

AT STATE LEVEL

$$\frac{\sqrt{\hat{V}(\bar{Y})}}{\bar{Y}} \times 100$$

CHAPTER 3. (RESULTS OF THE SURVEY)

3.1. Land Utilization Survey:

The sample size for Land Utilization Survey for the agricultural years 2024-25 has been given below.

Table 3.1.1 Sample size for Land Utilization Survey for the years 2024-25

Year	Total revenue village of the state	No. of sample villages selected for L.U.S.	No. of sample villages covered under the survey	% of achievement
2024-25	50048 (Rural)	10129 (Rural)	10129 (Rural)	100%

The estimates of area under different classification of land uses have been formulated on the basis of sample surveys conducted in the rural sample villages during 2024-25 & Urban ratio. The state level estimates of area under different classification of land uses for the agricultural years 2024-25 has been given below.

Table 3.1.2 Estimates of Area under different classification of land uses for 2024-25

Table 5.12 Estimates of Area under different classification of land uses for 2024-25 (Area in 000'hects.)													
Year		Classification of land uses									TOTAL AREA UNDER SURVEY	Area not included under survey	Geographical area of the state
		Forest (Revenue)	Land put to non- agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown			
2024-25	Area	1840	1448	1095	502	252	585	678	814	4358	11572	3999	15571
	(%)	(15.90%)	(12.51%)	(9.46%)	(4.34%)	(2.18%)	(5.06%)	(5.86%)	(7.03%)	(37.66%)	(*74.32%)	(*25.68%)	

N.B. i) Figures in the parenthesis indicate % to total area under survey.

ii) * indicates % to total geographical area of the state.

It is seen from the above Table No.-3.1.2 that about 74.32% of the Geographical area of the State has been covered under the survey during agricultural year 2024-25.

Further, contribution of net area sown to the total area under survey is 37.66% as per the Table No.-3.1.2 & Table No.-1.0 of the Appendix and Fig No.-3.1.1 during the agricultural year 2024-25, which is much higher than that of any other classification of land uses.

The district wise estimates of area under different classification of land uses for the agricultural year 2024-25 have been presented in Table No.-1.1 of the Appendix.

It is observed from district-wise estimates presented in Table No.- 1.1 of the Appendix that; percentage of net area sown to the area under survey was the highest (61.36%) in case of Bargarh district whereas it was the lowest (12.47%) in case of Kandhamal district during the year under report.

Pictographically, Fig. No.-3.1.1 depicts the estimates of different classification of land uses for agricultural year 2024-25.

Fig. No.-3.1.1 Estimates of Area under different classification of land uses 2024-25





Table 3.1.3 Estimates of Area under different classification of land uses from 2015-16 to 2024-25


(Area in 000'hects.)												
Year	Categories of land uses									Total Cultivable Area	Total Area under Survey	% of Net Area Sown to cultivable Area
	Forest (Revenue)	Land put to non-agricultural uses	Barren and uncultivable land	Permanent pastures and other grazing land	Land under misc. tree crops & grooves not included under net area sown	Cultivable waste	Old fallows	Current fallows	Net area sown			
1	2	3	4	5	6	7	8	9	10	11	12	13
2015-16	1924	1376	1054	535	217	550	655	1028	4198	6648	11537	63.15
2016-17	1897	1405	1031	512	254	567	685	1085	4100	6691	11536	61.28
2017-18	1925	1377	976	512	276	613	777	1216	3863	6745	11535	57.27
2018-19	1912	1403	1016	523	251	591	738	1089	4006	6675	11529	60.01
2019-20	1963	1383	948	535	260	577	705	1055	4102	6699	11528	61.23
2020-21	1850	1376	1109	539	242	575	672	986	4179	6654	11528	62.80
2021-22	1942	1361	978	509	252	577	688	943	4322	6782	11572	63.73
2022-23	1847	1403	1046	534	278	582	704	908	4269	6741	11571	63.33
2023-24	1907	1379	1024	537	247	565	701	903	4308	6724	11571	64.07
2024-25	1840	1448	1095	502	252	585	678	814	4358	6687	11572	65.17

The Table No. 3.1.3 & Table No. 1.0 of the Appendix depicts the land use pattern during the period from 2015-16 to 2024-25 under 9-fold classification of Land uses in the State. It reveals that, (i) Land put to non-agricultural uses, (ii) Cultivable waste have an increasing trend, and Land under current fallow goes on declining, whereas the land under net area sown has a declining trend till 2017-18. Then after, the estimates depict an increase in net area sown to that of preceding year and Current fallow for those years have declined.

Further, the Table No. 3.1.3 shows the cultivable area and net area sown during 2015-16 to 2024-25. The percentage of Net Area Sown to total Cultivable Area has an increasing trend since 2017-18 during the period of 10 years.

Figure 3:1.2 Nine-fold Classification of Land Use from 2015-16 to 2024-25


Pictographically, Fig. No.-3.1.3 depicts the estimates of cultivable area and net area sown from the agricultural year 2015-16 to 2024-25.

Fig. No.- 3.1.3 Estimates of Cultivable Area & Net Area from 2015-16 to 2024-25.


The Cultivable area remains between more or less 66.5 lakhs hectare to 67.5 lakh hectares during the period of last ten years. However, the percentage of net sown area to cultivable area declined during 2017-18 (57%), then after it shows an increasing trend.

3.2. Estimates of area under different crops:

The state level estimates of area under different crops for different crop seasons for the agricultural year 2024-25 has been given below in Table No.-3.2.1.

Table 3.2.1 Season wise &Crop wise Estimates of Area for 2024-25

(Area in 000' hecets.)					
Sl. No.	Crop	2024-25			
		Aut.	Win.	Sum.	Total
1	Paddy	306.44	3447.93	414.54	4168.91
2	Wheat	-	-	0.30	0.30
3	Maize	69.65	0.37	16.20	86.22
4	Ragi	9.84	42.23	1.02	53.09
5	Other cereals	1.42	18.60	0.07	20.09
6	Mung (Greengram)	11.08	103.59	233.95	348.62
7	Biri (Blackgram)	7.17	64.05	29.45	100.67
8	Kulthi (Horsegram)	-	28.42	0.67	29.09
9	Other pulses	0.94	45.01	6.06	52.01
10	Til	1.72	8.07	16.05	25.84
11	Groundnut	10.91	2.59	31.84	45.34
12	Mustard	-	16.60	-	16.60
13	Niger	-	7.44	-	7.44
14	Other oilseeds	0.01	4.53	2.85	7.39
15	Jute	1.79	-	-	1.79
16	Potato	-	11.58	-	11.58
17	Sugarcane	-	13.26	-	13.26
18	Other crops	40.40	186.41	45.31	272.12
	ALL CROPS	461.37	4000.68	798.31	5260.36

Out of the programmed crops under EARAS, Paddy constitutes 4/5th of the total crop area estimated during 2024-25. Amongst the pulses, greengram has the highest share (348.62 th. hect.), which is mainly cultivated in summer. Out of the oilseeds, groundnut dominates others and mostly harvested in summer.

The state level estimates of area (Autumn, Winter & Summer combined) under different crops for the years 2015-16 to 2024-25 has been given below in Table No.-3.2.2.

Table 3.2.2 Estimates of Area under different crops for 2015-16 to 2024-25

(Area in Lakh hectares)											
Sl.	Crop/Year	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	24-25
1	Paddy	39.42	39.63	37.66	38.59	39.41	40.29	39.48	40.64	40.87	41.69
2	Wheat	'S'	'S'	'S'	'S'	'S'	"S"	"S"	"S"	"S"	"S"
3	Maize	0.56	0.72	0.47	0.52	0.65	0.78	1.02	0.84	0.91	0.86
4	Ragi	0.46	0.47	0.43	0.37	0.36	0.41	0.55	0.43	0.66	0.53
5	Other cereals	0.38	0.36	0.36	0.24	0.27	0.22	0.27	0.19	0.24	0.20
6	Mung	2.90	3.26	2.36	2.17	2.40	2.35	2.50	2.68	3.11	3.49
7	Biri	0.74	1.09	0.77	0.58	0.58	0.75	0.92	0.85	1.03	1.01
8	Kulthi	0.33	0.34	0.26	0.24	0.23	0.26	0.42	0.32	0.41	0.29
9	Other pulses	0.64	0.47	0.46	0.44	0.48	0.38	0.69	0.50	0.56	0.52
10	Til	0.20	0.16	0.15	0.15	0.14	0.21	0.24	0.20	0.23	0.26
11	Groundnut	0.51	0.45	0.33	0.28	0.29	0.38	0.46	0.44	0.44	0.45
12	Mustard	0.07	0.10	0.09	0.06	0.07	0.07	0.18	0.15	0.21	0.17
13	Niger	0.22	0.15	0.18	0.19	0.16	0.13	0.18	0.11	0.14	0.07
14	Other oilseeds	0.03	0.05	0.02	0.03	0.08	0.05	0.06	0.08	0.06	0.07
15	Jute	0.01	0.01	0.01	'S'	'S'	0.01	0.03	0.03	0.03	0.02
16	Potato	0.06	0.07	0.04	0.05	0.04	0.06	0.11	0.11	0.12	0.12
17	Sugarcane	0.09	0.05	0.04	0.07	0.09	0.07	0.07	0.07	0.07	0.13
18	Other crops	1.41	1.47	1.38	1.30	1.46	1.75	2.79	2.50	2.60	2.72
	All crops	48.03	48.84	45.02	45.27	46.7	48.19	49.97	50.14	51.68	52.60

("S" denotes area less than 0.01 lakh hect.)

It is observed from the above table that area under Paddy remains as the highest, and remains in between 37 to 42 lakh hectare during last ten years. There is a declining trend of Crop area till 2017-18, then after the total crop area shows an increasing trend.

In case of Pulses, Mung (Greengram) contributes major share followed by Biri (Blackgram).

Similarly, in case of Oilseeds, Groundnut contributes more area, followed by Til.

The State level estimates of area under different crops for different crop seasons for the agricultural years 2015-16 to 2024-25 has been presented in Table No.-2.0 of the Appendix.

The share of cropped area under cereals, pulses, oilseeds and other crops are 82.29%, 10.08%, 1.95% & 5.68% respectively in 2024-25.


It is further observed that area under Paddy has increased from 37.66 lakh hectares in 2017-18, the lowest (due to scanty rainfall & drought like weather condition) during the ten years, to 40.29 in 2020-21, then declined to 39.48 lakh hectare (due to covid impact) in 2021-22, then increased to 41.69 lakh hectares in 2024-25.

In case of wheat, during the ten years, shows a scarce figure. It is only 0.30 thousand hectares in 2024-25.

In case of Maize, the estimated area was highest (102.44 thousand hectare) in 2021-22, has been decreased to 86.22 thousand hectares during 2024-25.


Similarly, in case of other programmed crops, other cereals and other pulses shows a declining tendency during the ten years. However, other commercial crops shows an increasing trend with a sign of crop diversification during the ten years.

Fig. No.- 3.2.1 Area under Paddy & Yield-rate (from 2015-16 to 2024-25)



District wise and season wise estimates of area under paddy and different programmed minor crops for 2024-25 has been presented in Table No.-5.1 to 5.14 of the Appendix.

Fig. No.- 3.2.2 District-wise Paddy area 2024-25



District-wise Paddy Area




Figure 3.2.2 indicates that the highest paddy area reporting district is Mayurbhanj district (360.36 th. hect.) in 2024-25, followed by Bargarh (356.04), Ganjam (264.45), Kalahandi (263.88) & Balasore (236.63). The least paddy crop area reporting district is Gajapati with 34.83 thousand hect. in 2024-25.

Fig. No.-3.2.3 District-wise crop area under Greengram 2024-25




Figure 3.2.3 shows that top five reporters of crop area under greengram are Ganjam (85489 hectare) followed by Nayagarh (50262), Jagatsinghpur (35530), Kendrapada (33789) & Balangir (20831). The lowest greengram area has been reported by Raygada (55 hectare) in 2024-25.

Fig. No.- 3.2.4 District-wise crop area under groundnut 2024-25




Figure 3.2.4 indicates that top five crop area reporting districts in Odisha under the crop groundnut are Jajpur (9519 hectare), Bargarh (6774), Malkangiri (5989), Ganjam (2841) & Balangir (2199). The least crop area under groundnut has been reported in Bhadrak with 1 hectare in the agriculture year 2024-25.

State level estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other Crops for the years 2015-16 to 2024-25 have been presented in Table No.-6.0 of the Appendix.

District wise and season wise estimates of area under Other Cereals, Other Pulses, Other Oilseeds & Other crops for the agricultural years 2024-25 is presented in Table No. - 6.1 of the Appendix.

The state level estimates of area under crops by different broad groups for the year 2024-25 have been presented below.

Table 3.2.3 State level estimates of area under crops by different broad groups for 2024-25

(Area in 000' hecst.)						
Year	Season	Total cereals	Total pulses	Total oilseeds	Total other crops	All crops (Gross cropped area)
2024-25	Autumn	387	19	13	42	461
	Winter	3509	241	39	211	4000
	Summer	432	270	51	46	799
	TOTAL	4328	530	103	299	5260
		(82.29%)	(10.08%)	(1.95%)	(5.68%)	100%

(Figures in the parenthesis indicate % to gross cropped area)


Fig. No. -3.2.5 State level estimates of Area under all crops by Broad groups, 2024-25


Table No. – 3.2.3 & Fig. No. 3.2.5 describe that percentage contribution of area under cereals to total cropped area is the highest (82% during 2024-25) and area under other broad groups (Pulses, Oilseeds & Others) taken together contribute only about 18% during 2024-25.

State level estimates of area under different crops by broad groups for the agricultural years

from 2015-16 to 2024-25 have been presented in Table No.- 7.0 of the Appendix.

District level estimates of area under different crops by broad groups for the agricultural years 2024-25 have been presented in Table No.-7.1 of the Appendix.



Fig. No. -3.2.6 State level Estimates of Gross Cropped Area in from 2015-16 to 2024-25


Table No. – 3.2.2 & Fig. No. – 3.2.6 depict that gross cropped area (taking all seasons together) was the lowest i.e., 45.02 lakh hectares during 2017-18 and then after it shows an increasing trend, in 2024-25, it is 52.60 lakh hectare.


Figure 3:2.6 State level estimates of Crop Area under Four Broad Groups from 2015-16 to 2024-25 in percentage




The figure no.3.2.6 depicts that the percentage of crop area under cereals has a declining trend since 2018-19, may not be constantly, whereas, the crop area under commercial crops, has an increasing trend.

District wise & crop wise estimated gross cropped area for the year 2024-25 has been presented in Table No.- 8.1 of the Appendix.

Top five cropping districts reported during 2024-25 are Bargarh (405 thousand hectare), Ganjam (395 thousand hectares), Mayurbhanj (378), Kalahandi (344) & Balangir (292). The lowest gross crop reported district in 2024-25 is Deogarh with 44 thousand hectares only (Appendix Table 8.1).



Top five districts with Paddy density to total crop area 2024-25



It is observed that Paddy crop density to gross crop area is highest in Bhadrak (96%), Followed by Mayurbhanj with 95% of gross crop area. Followed by Balasore & Sambalpur (94%) & Subarnapur (94%).

Maize is the important cereal next to paddy. It is grown more in the districts of Nawarangpur, Gajapati,

Koraput, Raygada, Ganjam, Kalahandi & Kandhamal in 2024-25. The contribution of only Nawarangpur district is about 46.44% of state total. In case of Ragi, Koraput district shows highest area under ragi cultivation i.e. about 50.06% of state total, followed by Raygada (13.87%) & Malkangiri (7.52%) in agricultural year 2024-25. major

Among pulses, Mung (Greengram) is foremost, and is grown in almost all districts. Higher area under cultivation of greengram has been observed in Ganjam, Nayagarh, Jagatsinghpur, Kendrapada & Balangir during agricultural year 2024-25.

Area under Groundnut is significant among oilseeds. It is grown more in Jajpur, Bargarh, Malkangiri, Ganjam, Balangir, Nuapada & Balasore in 2024-25. Mustard is mostly grown in Sundargarh, Jharsuguda, Keonjhar, Barhgarh & Sambalpur districts in 2024-25. Nizer crop is grown less except in a few districts like Koraput, Rayagada, Kalahandi, Keonjhar & Kandhamal in 2024-25.

Jute crop is grown only in a very few districts like Keonjhar, Kendrapada, Cuttack, Jajpur & Balasore in 2024-25. The area under this crop is gradually decreasing due to higher cost of cultivation & less market price.

Although the area under Potato crop is not significant, it is grown in all districts where permanent sources of irrigation are available, except Kalahandi & Malkangiri in 2024-25. The highest potato area is estimated in Sundargarh (1891 hect.) followed by Sambalpur (1107) & Koraput (1082).

Sugarcane crop is grown more or less in 22 districts in 2024-25, Nawarangpur with highest crop area reporting district under sugarcane (6996 hect.) followed by Jajpur (1868 hect.). But its coverage does not show any significant trend.

3.3. Estimates of yield rate of different programmed crops:

Estimates of yield rate of paddy at block, district and state level and that of minor crops at the district and state level are formulated on the basis of crop cutting experiments conducted on different crops.

The number of crop-cutting experiments planned and conducted for various crops during 2024–25 is provided below:

Table 3.3.1 No. of crop cutting experiments planned and conducted for 2024-25.

Crop	Season	2024-25		
		Plan	Conducted	% of achievement
Paddy	Autumn	4061	4061	100%
	Winter	9702	9702	100%
	Summer	5361	5361	100%
	Total	19124	19124	100%
Minor crops	Autumn	4961	4961	100%
	Winter	11163	11163	100%
	Summer	7160	7160	100%
	Total	23284	23284	100%
Total	Autumn	9022	9022	100%
	Winter	20865	20865	100%
	Summer	12521	12521	100%
	Total	42408	42408	100%

Number of crop-cutting experiments inspected during 2024-25 has been indicated in Table No.-3.3.2

Table 3.3.2 No. of crop cutting experiments inspected during the year 2024-25

Crop	Season	2024-25			
		No. of CC. Expts. conducted	No. of C.C. Expts. Inspected/Attended by		
			Officer and/or Staff of DES	Officer and/or Staff of Agril. Deptt.	NSSO
PADDY	Aut	4061	676	0	162
	Win	9702	1938	26	207
	Sum	5361	1088	6	102
	Total	19124	3702	32	471
MINOR CROPS	Aut	4961	796	2	8
	Win	11163	1827	7	54
	Sum	7160	1634	7	20
	Total	23284	4257	16	82
All Crops		42408	7959	48	553
			(18.77%)	(0.11%)	(1.30%)

N.B-Figures in the parenthesis indicate % to total No. of CCEs.

Season wise number of experiments on paddy and other crops at the State/District level for 2024-25 has been presented in Table No.- 19.0 & 19.1 of the Appendix.

State level estimates of yield rate of paddy & other Programmed minor crops season wise for 2024-25 has been given below in Table No.-3.3.3.

Table 3.3.3 State level Estimates of Yield-rate of different programmed crops for 2024-25


(Yield rate in Qtls / hect)					
Sl. No.	Crop	2024-25			
		Aut.	Win.	Sum.	Total
1	Paddy (with husk)	26.72	42.28	53.69	42.27
	Rice (Without husk)	17.64	27.91	35.43	27.90
2	Wheat	-	-	17.96	17.96
3	Maize	30.54	30.82	31.44	30.71
4	Ragi	7.57	9.03	6.95	8.72
5	Mung (Greengram)	3.04	3.07	4.80	4.23
6	Biri (Blackgram)	3.00	4.22	4.83	4.31
7	Kulthi (Horsegram)		4.13	4.22	4.14
8	Til	2.44	3.10	2.45	2.65
9	Groundnut	16.50	18.67	22.67	20.95
10	Mustard	-	3.42	-	3.42
11	Niger	-	3.15	-	3.15
12	Jute	28.06	-	-	28.06
13	Potato	-	106.16	-	106.16
14	Sugarcane	-	513.38	-	513.38

The State level estimates of yield rate (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2015-16 to 2024-25 are given below in Table No.-3.3.4

Table 3.3.4 State level Estimates of Yield-rate of different crops for 2015-16 to 2024-25

(Yield rate in quintals/hectare)											
Sl	Crop	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	24-25
1	Paddy	22.59	37.45	26.36	30.36	37.51	41.36	35.66	44.49	42.78	42.27
2	Wheat	13.47	14.21	21.63	18.15	13.90	16.40	17.05	29.36	18.94	17.96
3	Maize	19.96	28.27	25.13	23.24	29.05	29.08	27.79	15.48	34.79	30.71
4	Ragi	6.20	7.06	7.67	6.90	7.31	7.96	7.94	29.81	8.53	8.72
5	Mung	2.94	4.10	3.88	3.27	3.36	2.46	3.54	8.73	4.02	4.23
6	Biri	3.28	4.54	3.72	3.29	3.68	3.44	3.39	3.67	4.11	4.31
7	Kulthi	2.83	4.36	4.11	3.68	3.96	3.98	3.88	3.82	4.49	4.14
8	Til	2.07	3.06	2.79	2.35	2.91	2.47	2.48	4.06	2.38	2.65
9	Groundnut	10.97	12.29	11.34	12.77	18.60	20.23	19.01	2.76	19.89	20.95
10	Mustard	2.05	3.46	3.26	2.75	2.93	2.80	3.23	18.81	3.63	3.42
11	Niger	1.81	3.07	3.27	2.74	3.58	2.98	3.31	3.50	3.03	3.15
12	Jute	21.74	16.78	24.92	15.60	21.69	24.05	25.44	3.25	26.20	28.06
13	Potato	101.73	125.93	105.43	111.13	106.80	108.87	106.22	23.33	119.19	106.16
14	Sugarcane	644.00	626.79	647.04	616.22	564.23	544.73	563.98	101.41	574.02	513.38

Fig. No.- 3.3.1 State level Estimated Yield-rate of Paddy from 2015-16 to 2024-25



It is seen from State level estimates of yield rate as presented in Table No.-3.3.4 and Fig. No.- 3.3.1 that yield rate of paddy (Autumn, Winter & Summer combined) during 2022-23 was the highest i.e. 44.49 qtl./hect. due to favourable southwest monsoon rainfall during the crop season and it was the lowest i.e. 22.59 qtls./hect. during 2015-16 due to deficient monsoon rainfall and drought conditions during the 10 years of period.

The State level estimates of yield rate of paddy & other Programmed minor crops for different crop seasons and for the years from 2015-16 to 2024-25 have been presented in Table No.-3.0 of the Appendix.

District wise and season wise estimates of yield rate of different crops for the agricultural years 2024-25 have been presented in Table No.5.1 to 5.14 of the Appendix.




Table No.-5.1 (District wise Area, Yield-rate & Production of Paddy) of the Appendix depicts that yield rate of Paddy (Autumn, Winter & Summer combined) in case of Dhenkanal district was the highest i.e. 55.00 qtls./hect, followed by Bargarh & Sonepur districts i.e. 53.92 & 53.64 qtls./hect during 2024-25. On the

otherhand, in case of Sundargarh district the yield-rate was the lowest i.e. 26.58 qtls./hect. during the year 2024-25.

The State level estimates of area, yield rate and production of 14 programmed crops from 1995-96 to 2024-25 have been presented in Table No.-20.1 to 20.14 of the Appendix.

3.4. Estimates of production of different Programmed crops

The estimates of production have been formulated based on the estimated area & yield rate of corresponding crops. Production of paddy has been formulated at the block, district & state level, whereas the same for 13 programmed minor crops have been formulated at the district & State level.

The State level estimates of production of different crops in different season for 2024-25 has been given below in Table No.-3.4.1.

Table 3.4.1 State level estimates of production of programmed crops for 2024-25

(Production in '000 M.T.)					
Sl no	Crop	2024-25			
		Autumn	Winter	Summer	Total
1	Paddy	818.91	14578.86	2225.51	17623.28
	Rice	540.48	9622.05	1468.83	11631.36
2	Wheat	-	-	0.54	0.54
3	Maize	212.71	1.12	50.92	264.75
4	Ragi	7.45	38.12	0.71	46.28
5	Mung	3.37	31.77	112.33	147.47
6	Biri	2.15	27.03	14.23	43.41
7	Kulthi	0.00	11.75	0.28	12.03
8	Til	0.42	2.50	3.93	6.85
9	Groundnut	18.00	4.84	72.15	94.99
10	Mustard	-	5.68	-	5.68
11	Niger	-	2.35	-	2.35
12	Jute	5.01	-	-	5.01
13	Potato	-	122.97	-	122.97
14	Sugarcane	-	680.54	-	680.54

The estimates of Production (Autumn, Winter & Summer combined) of paddy & other Programmed minor crops for the years from 2015-16 to 2024-25 have been given in Table No.-3.4.2.

Table 3.4.2 State level Estimates of Production of different crops for 2015-16 to 2024-25


(Production in Lakh M.T.)											
Sl. No.	Crop	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	24-25
1	Paddy	89.02	148.40	99.26	117.18	147.80	166.65	140.77	180.80	174.83	176.23
2	Wheat	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	0.01
3	Maize	1.11	2.05	1.18	1.21	1.89	2.27	2.85	2.51	3.16	2.65
4	Ragi	0.28	0.33	0.33	0.25	0.26	0.33	0.44	0.37	0.56	0.46
5	Mung	0.85	1.34	0.92	0.71	0.81	0.58	0.88	0.98	1.25	1.47
6	Biri	0.24	0.49	0.29	0.19	0.21	0.26	0.31	0.32	0.42	0.43
7	Kulthi	0.09	0.15	0.11	0.09	0.09	0.11	0.16	0.13	0.18	0.12
8	Til	0.04	0.05	0.04	0.04	0.04	0.05	0.06	0.05	0.05	0.07
9	Groundnut	0.56	0.55	0.38	0.36	0.55	0.78	0.88	0.83	0.88	0.95
10	Mustard	0.02	0.03	0.03	0.02	0.02	0.02	0.06	0.05	0.08	0.06
11	Niger	0.04	0.05	0.06	0.05	0.06	0.04	0.06	0.04	0.04	0.02
12	Jute	0.03	0.01	0.02	'S'	'S'	0.02	0.09	0.06	0.07	0.05
13	Potato	0.57	0.82	0.42	0.54	0.47	0.60	1.16	1.15	1.45	1.23
14	Sugarcane	5.77	3.44	2.40	4.18	5.05	3.81	3.98	3.94	4.12	6.81

NB: 'S' denotes Production less than 0.5 lakh M.Ts.

It is observed from the above Tables & Fig.No.-3.4.1 that the production of Paddy was the lowest of 89.02lakh M.T. in 2015-16 & was highest at 180.80 lakh M.T. in 2022-23 during the reported 10 years.


The State level estimates of production of different crops for different seasons for the years 2015-16 to 2024-25 has been presented in Table No.-4.0 of the Appendix.

The district level estimates of production of different crops for the year 2024-25 has been presented in Table No. - 5.1 to 5.14 of the Appendix.


Fig. No. – 3.4.1 Estimated Production of Paddy from 2015-16 to 2024-25 (Autumn, Winter & Summer Combined)

The production of paddy was lowest in 2015-16 due to severe drought and erratic rainfall especially during kharif. It has reached highest in 2022-23 during the ten years from 2015-16 to 2024-25. In 2024-25, the production increased as compared to the preceding year due to favourable monsoon pattern.

The district level estimated production data in the appendix presents that Bargarh has the highest production of paddy in 2024-25 (1919.63 th.mts.), followed by Mayurbhanj (1362.92), Kalahandi (1228.07), Ganjam (1086.06) & Balasore (973.97). Gajapati with low crop area, has the lowest production of paddy with 114.94 thousand MTs.





In case of Production of wheat, Sundargarh, Mayurbhanj, Bargarh & Dhenkanal districts show only an eye-catching production of 1684, 1131, 854 & 451 quintals respectively in 2024-25.



Mukhyamantri makka mission focusses on production of maize in the state since 2024. In production of maize, Nawarangpur district is the highest contributor with 150.11 thousand MTs. out of state total of 264.75 thousand MTs (around 57%). It is followed by Gajapati, Koraput, Ganjam & Raygada.


Ragi has been a prime focus of govt. through its millet mission. At district level, Koraput district contributes the lion's share in production of ragi in the state in 2024-25 with 26.67 thousand mts. with nearly 58% of state's ragi production. It's followed by Raygada (5.31 th. mt), Malkangiri (3.60), Ganjam (1.90) & Nawarangpur (1.49 th. mt).






idistricts have reported mung, the lowest being the Rayagada with 0.02 th. MT with only 55 hectares of mung crop area.

One more important crop is the groundnut among the oilseeds produced in Odisha. Among the 30 districts of Odisha, Jajpur reported the highest producer in 2024-25 with 20.57 thousand mts. It's followed by Malkangiri (18.16), Bargarh (12.44), Ganjam (6.63) & Balangir (4.51) thousand mts.



Among the commercial crops, Potato, jute & sugarcane are the programmed crops under the scheme EARAS. In 2024.25, Sundargarh district is estimated the highest producer of potato (16.81 th. mt) followed by Keonjhar (13.05 th. mt) & in Sugarcane, Nabarangpur has reported the highest (341.15 th. mt), followed by Jajpur (94.75



th. mt). Jute production is not of significant in Odisha, in 2024-25, it is only 27.83 th. bales. Cuttack distict reported highest in jute production, followed by Keonjhar in 2024-25.

3.5. Standard Error of Estimates

State level estimates of yield rate of Paddy for the years 2015-16 to 2024-25 along-with percentage standard error has been presented in Table No. - 9.0 of the Appendix.

It is seen that during the 10 years, percentage standard error in case of yield rate of paddy, lies within 0.52% to 2.88% during autumn season, 0.22% to 0.65% during winter season and 0.35% to 1.63% during summer season.

District level estimates of Yield rate of Paddy for the years 2024-25 along-with percentage standard error has been presented in Table No.-9.1 of the Appendix. State-level percentage of standard error is lowest during winter 2024-25 (0.31%) & highest in Autumn (0.63%). During Autumn 2024-25, Anugul has the lowest percentage of standard error of Yield-rate of paddy (1.20%), & highest is observed in Jharsuguda (8.21%). During Winter, the highest is in Jharsuguda (6.00%) & lowest in Mayurbhanj (0.74%). Similarly in Summer, highest is in Deogarh (13.93%) & lowest in Balasore (0.65%).

State level estimates of yield rate of programmed crops for the years 2024-25 along-with percentage standard error has been presented in Table No.-9.2 of the Appendix.

3.6. ANCILLARY INFORMATION

3.6.1. Crop-wise estimates of irrigated area

State level estimates of crop-wise & season-wise irrigated area for the years 2024-25 has been presented below in Table No. -3.6.1.

Table 3.6.1 State level estimates of crop-wise irrigated area for 2024-25

Sl. No.	Crop	(Area in “000 hect.)			
		2024-25			
		Aut	Win	Sum	Total
1	Paddy	5	1115	415	1535
2	Wheat	-	-	S	S
3	Maize	S	S	16	16
4	Ragi	S	S	1	1
5	Other cereals	-	S	S	S
6	Mung	-	1	25	26
7	Biri	-	1	5	6
8	Kulthi	-	S	S	S
9	Other pulses	S	1	2	3
10	Til	S	S	2	2
11	Groundnut	S	-	22	22
12	Mustard	-	9	-	9
13	Niger	-	S	-	S
14	Other oilseeds	-	-	2	2
15	Jute	S	-	-	S
16	Potato	-	12	-	12
17	Sugarcane	-	13	-	13
18	Other crops	7	54	45	106
	ALL CROPS	12	1206	535	1753

("S" denotes area less than 500 hector.)

State level estimates of crop-wise irrigated area (for Autumn, Winter & Summer seasons combined) for the years 2015-16 to 2024-25 has been presented below in Table No.-3.6.2.

Table 3.6.2 State level Estimates of crop-wise Irrigated area from 2015-16 to 2024-25

		(Area in "000 hect.)									
Sl. No.	Crop	15-16	16-17	17-18	18-19	19-20	20-21	21-22	22-23	23-24	24-25
1	Paddy	1329	1223	1083	1214	1258	1364	1330	1450	1464	1535
2	Wheat	'S'	'S'	'S'	0	S	'S'	S	S	S	-
3	Maize	3	3	2	3	4	3	5	3	9	16
4	Ragi	'S'	'S'	'S'	0	S	'S'	S	1	2	1
5	Other	'S'	'S'	'S'	0	S	'S'	S	S	S	S
6	Mung	16	13	10	30	17	30	14	19	26	26
7	Biri	2	4	3	2	3	2	2	2	5	6
8	Kulthi	'S'	'S'	'S'	0	S	'S'	S	S	S	S
9	Other	'S'	'S'	1	0	S	'S'	1	S	3	3
10	Til	1	1	1	1	1	2	2	2	2	2
11	Groundnut	13	8	8	7	10	19	17	17	18	22
12	Mustard	3	3	2	1	2	2	7	5	11	9
13	Niger	'S'	'S'	'S'	0	S	-	S	-	2	S
14	Oth.	2	2	1	1	4	2	2	3	2	2
15	Jute	'S'	'S'	'S'	0	S	'S'	S	S	S	S
16	Potato	6	7	4	5	4	6	11	11	12	12
17	Sugarcane	9	5	4	7	9	7	7	8	7	13
18	Other crops	50	40	32	42	51	59	96	93	103	106
		1434	1309	1151	1313	1363	1496	1494	1614	1666	1753

("S" denotes area less than 500 hector.)

Fig. No. – 3.6.1 Estimated Gross Cropped Area Irrigated from 2015-16 to 2024-25





Table No. -3.6.2 & Fig. No. – 3.6.1 above indicate that during the last 10 years, gross cropped area irrigated was the highest i.e. 1753 thousand hectares during 2024-25 and lowest at 1151 thousand hectares during 2017-18. After the year 2017-18, the irrigated crop area shows an increasing trend.

Crop wise and season wise estimates of area irrigated for the years 2015-16 to 2024-25 at the state level have been presented in Table No.-10.0 of the Appendix.

District wise and crop wise estimates of area irrigated for the years 2024-25 have been presented in Table No.10.1 of the Appendix.

It is observed from the Appendix Table that Bargarh district constitutes the highest percentage (14.97%) of crop area irrigated to total irrigated area of state during 2024-25 & followed by Ganjam district (11.86%) & Kalahandi (9.56%). On the other hand, Kandhamal, Deogarh & Jharsuguda districts constitute the lowest percentage of total irrigated area of the state (0.17%, 0.18% & 0.50% respectively) in the agriculture year 2024-25.

On the other hand, the ratio of irrigated crop area to the gross crop area of the district is highest in Subarnapur (66.20%), followed by Bargarh (64.82%), Koraput (58.64%) Puri (53.94%) & Ganjam (52.57%). The lowest ratio of irrigated area is found in Kandhamal (5.45%).



District wise, crop wise & season wise estimates of area irrigated for the years 2024-25 have been presented in Table No.10.2 of the Appendix.

Season wise State level estimates of area irrigated vrs. Un-irrigated for the years 2015-16 to 2024-25 have been presented in Table No.11.0 of the Appendix.

District wise & season wise estimates of cropped area irrigated vrs. un-irrigated for the year 2024-25 has been presented in Table No.-11.1 of the Appendix.

3.6.2. Cropping Intensity

State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2024-25 has been presented below in Table No.–3.6.3.


Table 3.6.3 State level Estimates of Cropping Intensity for 2024-25

(Area in '000hect.)		
Area	Item	2024-25
1	2	3
Cropped Area	Gross Cropped Area	5260
	Net Cropped Area	4358
	Cropping Intensity	120.70
Cropped Area Irrigated	Gross Cropped Area Irrigated	1754
	Net Cropped Area Irrigated	1408
	Cropping Intensity	124.52
Cropped Area Un-Irrigated	Gross Cropped Area Un-Irrigated	3506
	Net Cropped Area Un-Irrigated	2950
	Cropping Intensity	118.88

Table 3.6.4 State level Estimates of Cropping Intensity & % of area irrigated over Gross & Net Area for 2015-16 to 2024-25

Year	Cropping Intensity	Cropping Intensity Irrigated	Cropping Intensity Un-Irrigated	% of gross cropped area irrigated over Gross cropped area	% of net area irrigated over Net Area Sown
1	2	3	4	5	6
2015-16	114.41	116.59	113.51	29.86	29.30
2016-17	119.15	116.67	120.09	26.80	27.37
2017-18	116.54	118.66	115.83	25.57	25.11
2018-19	113.01	120.34	110.26	29.02	27.25
2019-20	113.83	119.90	111.51	29.19	27.72
2020-21	115.31	124.63	111.56	31.04	28.72
2021-22	115.63	120.71	113.59	29.90	28.64
2022-23	117.45	120.90	115.88	32.19	31.27
2023-24	119.99	126.77	117.01	32.25	30.52
2024-25	120.70	124.52	118.88	33.34	32.32


Fig. No. – 3.6.2 Cropping intensity from 2015-16 to 2024-25



The State level estimates of gross cropped area, net cropped area & cropping intensity for the years 2015-16 to 2024-25 is presented in the Table No.- 12.0 of the Appendix.

It is observed from the said Table and Fig. No.-3.6.2 above that the cropping intensity during the 10 years is highest in 2024-25 (120.70%) & it was the lowest in 2018-19 (113.01%). Since after 2018-19, the cropping intensity in the state shows an increasing trend.

District level estimates of gross cropped area, net cropped area & cropping intensity for the years 2024-25 have been presented in Table No. 12.1 of the Appendix.



It is observed from the same tables that cropping intensity in Nayagarh district is the highest i.e. 164.46 in 2024-25, followed by Jagatsinghpur & Subarnapur. It is further observed that cropping intensity was very much low in case of Kandhamal & Keonjhar districts with 101.84% & 102.06 respectively in 2024-25.

Further, it is observed that cropping intensity irrigated was the highest i.e., 178.55 in case of Jhaarsuguda district in 2024-25, followed by Subarnapur (178.35) & Bargarh (171.29) and very much low in case of Jagatsinghpur, Kendrapada & Deogarh in the year 2024-25.

Fig. No. -3.6.3 % of Gross cropped area irrigated from 2015-16 to 2024-25




Table No. -12.0 of the Appendix & Fig. No.-3.6.3 depicts that percentage of gross cropped area irrigated over gross cropped area has increased from 25.57% in 2017-18 to 33.34 % in 2024-25. Over all, it has a rising trend during last 10 years with an exception during 2016-17 & 2017-18.

Fig. No. –3.6.4 % of Net Cropped Area irrigated from 2015-16 to 2024-25




Table No. -12.0 of appendix & Fig. No.-3.6.4 depicts that during the period of last 10 years, percentage of net cropped area irrigated over net cropped area shows an increase in every year except for 2016-17 & 2017-18. It has reached the highest at 32.32% in 2024-25.

3.6.3. Estimates of Gross cropped area irrigated from different sources of irrigation:

State level estimates (season wise) of cropped area irrigated from different sources of irrigation for the years 2024-25 have been presented below in Table No. – 3.6.5.

Table 3.6.5 Estimates of Area Irrigated from different sources of irrigation for 2024-25

(Area in “000 Hect.)											
Year	Season	Flow irrigation					Lift irrigation				All sources
		Major	Medium	Minor	Pond	Other	With pump set		Without pump set		
							Dug well	Other	Dug well	Other	
1	2	3	4	5	6	7	8	9	10	11	12
2024-25	Aut	2.95	1.30	0.53	0.11	0.16	3.24	2.65	0.76	0.48	12.18
	Win	351.51	339.88	130.67	58.44	109.45	98.64	109.40	1.63	6.68	1206.30
	Sum	175.66	26.28	7.54	3.58	16.40	87.66	213.46	1.06	3.75	535.39
	Total	530.12	367.46	138.74	62.13	126.01	189.54	325.52	3.44	10.91	1753.87
		30.23%	20.95%	7.91%	3.54%	7.18%	10.81%	18.56%	0.20%	0.62%	100.00%

(Figures in the parenthesis indicate % to total cropped area irrigated)

It may be seen that flow irrigation (69.81%) of the total during the year 2024-25 was the significant source of irrigation of the State whereas contribution of lift irrigation was 30.19%, constitutes a minor portion of irrigated area.

District wise & season-wise estimates of cropped area irrigated from different sources of irrigation for the year 2024-25 have been presented in Table No.-13.1 to 13.4 of the Appendix.

3.6.4. Estimates of Area & Yield rate under HYV & Local varieties.

Three crops i.e., Paddy, Wheat & Maize are considered for analysis in respect of HYV & Local varieties.

Season wise estimates of area under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2024-25 have been given below in Table No.-3.6.6.

Table 3.6.6 Season wise Estimates of Area under HYV & Local varieties crop for 2024-25

(Area in '000 hect.)				
Crop	Season	2024-25		
		HYV	Local	Total
1	2	3	4	5
Paddy	Autumn	291	16	307
	Winter	3410	38	3448
	Summer	415	-	415
	Total	4116	54	4170
	(%)	98.71%	1.29%	100.00%
Wheat	Summer	0.26	0.05	0.31
	(%)	83.87%	16.13%	100.00%
Maize	Autumn	67.14	2.51	69.65
	Winter	0.30	0.07	0.37
	Summer	16.16	0.04	16.20
	Total	83.60	2.62	86.22
	(%)	96.95%	3.05%	100.00%

(Figures in bracket indicate % of area to total area under the crop)

Fig. No. – 3.6.4 % of HYV & Local Paddy crop area from 2015-16 to 2024-25




Fig. No. -3.6.4 depicts that cultivation of high yielding varieties of paddy is gradually increasing. It has increased from about 92% during 2015-16 to about 99% during 2024-25. On the other hand, the practice of local variety of paddy is going on declining, which was nearly 8% in 2015-16, it has been reduced to only about 1% in recent years.

The estimates of yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the year 2024-25 has been given below in Table No.-3.6.7.

Table 3.6.7 Estimates of yield-rate under HYV & Local Varieties of Paddy, Wheat & Maize for 2024-25

(Yield rate in Qtls / hect.)			
Crop	Season	2024-25	
		HYV	Local
Paddy	Autumn	27.15	18.96
	Winter	42.48	25.12
	Summer	53.69	-
Wheat	Summer	17.74	19.81
Maize	Autumn	30.93	20.11
	Winter	33.70	17.54
	Summer	31.45	29.71

From the above Table No.-3.6.4(a) it is evident that the High Yielding Varieties show higher yield rate in comparison to that of local varieties during the agricultural year 2024-25 except that of wheat, which is scantily sown in Odisha. In 2024-25, HYV paddy Yield-rate was 27.15 qntl./hect. vs. local paddy yield-rate 18.96 qntl./hect. In winter, HYV paddy yield-rate was 42.48 vs. local paddy 25.12 qntl./hect. In Summer, no local paddy is found under survey.

The estimates of area & yield rate under HYV & Local Varieties of Paddy, Wheat & Maize crops at the State level for the years 2015-16 to 2024-25 have been given in Table No.-14.0 of the Appendix.

District wise estimates of area & yield rate of HYV & Local varieties of Paddy, Wheat & Maize are presented for the years 2024-25 in Table No.- 14.1 to 14.2 of the Appendix.

3.6.5. Yield rate of different crops from Irrigated & Un-irrigated plots

The estimates of yield rate of Paddy based on number of c.c. experiments from irrigated & un-irrigated plots at the State level for the year 2024-25 have been given below.

Table 3.6.8 Estimates of Yield-rate of Paddy under irrigated & un-irrigated conditions for 2024-25

(Yield rate in qtls./hect.)			
Season	Item	2024-25	
		No. of C.C.E.	Yield rate
Autumn	Irrigated	188	30.61
	Un-irrigated	3873	27.26
Winter	Irrigated	3141	46.81
	Un-irrigated	6561	39.21
Summer	Irrigated	5361	50.58
	Un-irrigated	--	--

The estimates of area & yield rate of paddy based on number of crop cutting experiments from irrigated & un-irrigated plots at the State level for the years 2015-16 to 2024-25 has been presented in Table No- 15.0 of the Appendix. Generally irrigated plots give higher yield than the un-irrigated plots. However, during Autumn & Winter, most of the paddy plots are found un-irrigated.


Fig. No.- 3.6.5 Estimated Yield-rate of Paddy from Irrigated and Un-irrigated plots for 2024-25

Table No.-3.6.5 and Fig. No.-3.6.5 indicate that yield rate of Paddy from irrigated plots is higher than that of un-irrigated plots. In Summer, almost all crops under paddy are found in irrigated plots only.

District wise and season wise estimates of yield rate of Paddy (Irrigated & Un-Irrigated plots) for the years 2024-25 have been presented in Table No.-15.1 of the Appendix.

State level estimates of yield rate of programmed minor crops (Irrigated & Un-Irrigated plots) for the year 2024-25 have been presented in Table No.-15.2 of the Appendix.


3.6.6. Yield rate of different crops from plots applied with fertilizer & not applied with fertilizer

The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots applied with fertilizer, applied with manure and not applied with fertilizer & manure. Estimates of Yield rate of Paddy from plots applied with fertilizer and not applied with fertilizer at the State level for the years 2024-25 has been given below in Table No.-3.6.9. In 2024-25, plots applied with fertilizer gives highest yield, i.e, 28.75, 41.78, 47.82 qtl./hect. In Autumn, Winter & Summer respectively. Whereas, plots applied with only manure have the yield-rate of 23.24, 30.22, 37.80 qtl./hect. in autumn, winter & summer respectively & plots without fertilizer and manure has the lowest yield in each season.

Table 3.6.9 Yield-rate of paddy applied/not applied with fertilizer & manure 2024-25

(Yield rate of Paddy in Qtls / hect.)			
Season	Item	2024-25	
		No. of C.C.E	Yield rate
Autumn	Applied with fertilizer	3654	28.75
	Applied with manures	213	23.24
	Not applied with fertilizer & manures	194	23.19
Winter	Applied with fertilizer	8970	41.78
	Applied with manures	377	30.22
	Not applied with fertilizer & manures	355	31.23
Summer	Applied with fertilizer	5267	47.82
	Applied with manures	39	37.80
	Not applied with fertilizer & manures	55	34.60

Fig. No. – 3.6.6 Yield rate of Paddy from plots applied with fertiliser, applied with manure and not applied with fertiliser and manure 2024-25



It is seen from Table No. – 3.6.6 and Fig. No. – 3.6.6 that yield rate from plots applied with fertilizer is significantly more than that from plots not applied with manure & fertilizer.

The estimates of yield rate of paddy and minor crops applied with fertilizer & manure at the State level for the year 2024-25 have been presented in Table No.-16.0 of the Appendix.

The estimates of yield rate of Paddy applied with fertilizer & manure at the district level for the year 2024-25 have been presented in Table No. -16.1 of the Appendix.


3.6.7. Yield rate of different crops from different types of Soil 2023-24

Soil has been classified into five categories as per practice under EARAS in Odisha, i.e, Sandy, Clayey, Loamy, Alluvial & Black cotton. The yield rate is formulated on the basis of results of crop cutting experiments conducted in the plots coming under different types of Soil.

Season-wise estimates of yield rate of Paddy at the State level for the years from 2015-16 to 2024-25 have been presented in Table No.-17.0 & of all programmed crops in Table No.17.1 of the Appendix.

Season-wise estimates of yield rate of Paddy at the district level from different types of soil for the year 2024-25 have been presented in Table No. - 17.2 of the Appendix.


Fig. No. – 3.6.7 Yield rate of Paddy from different types of Soil, 2024-25



3.6.8. Yield rate of different crops from different levels of Land:

Level of land has been classified into three categories i.e. High, Medium & Low. The yield rate is formulated on the basis of results of crop cutting experiments conducted in different levels of land.

Fig. No. – 3.6.8 Yield rate of Paddy from High, Medium & Low level of land 2024-25



The estimates of yield rate of Paddy from different levels of land at the State level for the years 2015-16 to 2024-25 are presented in Table No. - 18.0 of the Appendix. It is observed that more number of crop cutting experiments have been conducted in medium level land for paddy.

District wise estimates of yield rate of Paddy according to level of land for the year 2024-25 have been presented in Table No. -18.1 of the Appendix.

State level estimates of yield rate of programmed crops according to level of land for the year 2024-25 have been presented in Table No. - 18.1 and district level estimates of yield rate of paddy according to level of land for the year 2024-25 have been presented in Table No.- 18.2 of the Appendix.

3.7. Growth-rate of Area & Production of different crops

Growth rate in the estimates of area and production of different programmed crops during 2024-25 at the State level has been calculated taking average of estimates of previous 5 years (2019-20 to 2023-24) as the base and presented below in Table No. – 3.7.1.

Table 3.7.1 Crop wise growth rate of area & production in 2024-25

SI No.	Crop	Type of Estimate	Average of Preceding 5 years estimate	(Area in '000 hectares & Production in '000 M.T.) 2024-25	
				Estimate	Growth Rate
1	Paddy	Area (in '000' Hect.)	4013.83	4168.91	3.86%
		Production (in '000' MT)	16217.14	17623.28	8.67%
2	Wheat	Area (in '000' Hect.)	0.19	0.30	57.89%
		Production (in '000' MT)	0.32	0.54	70.89%
3	Maize	Area (in '000' Hect.)	84.11	86.22	2.51%
		Production (in '000' MT)	253.52	264.75	4.43%
4	Ragi	Area (in '000' Hect.)	48.11	53.09	10.36%
		Production (in '000' MT)	39.21	46.28	18.02%
5	Mung (Greengram)	Area (in '000' Hect.)	260.74	348.62	33.71%
		Production (in '000' MT)	90.04	147.47	63.78%
6	Biri (Blackgram)	Area (in '000' Hect.)	82.49	100.67	22.04%
		Production (in '000' MT)	30.58	43.41	41.94%
7	Kulthi (Horsegram)	Area (in '000' Hect.)	32.65	29.09	-10.90%
		Production (in '000' MT)	13.37	12.03	-10.02%
8	Til	Area (in '000' Hect.)	20.50	25.84	26.02%
		Production (in '000' MT)	5.26	6.85	30.13%
9	Groundnut	Area (in '000' Hect.)	40.47	45.34	12.03%
		Production (in '000' MT)	78.23	94.99	21.42%
10	Mustard	Area (in '000' Hect.)	13.49	16.60	23.07%
		Production (in '000' MT)	4.50	5.68	26.11%
11	Niger	Area (in '000' Hect.)	14.32	7.44	-48.03%
		Production (in '000' MT)	4.65	2.35	-49.46%
12	Jute	Area (in '000' Hect.)	1.94	1.79	-7.83%
		Production (in '000' MT)	4.84	5.01	3.47%
13	Potato	Area (in '000' Hect.)	8.87	11.58	30.55%
		Production (in '000' MT)	96.60	122.97	27.29%
14	Sugarcane	Area (in '000' Hect.)	7.50	13.26	76.75%
		Production (in '000' MT)	418.00	680.54	62.81%

It is observed from Table No.-3.7.1 that estimates of Area & Production under all programmed crops, has increased during 2024-25 except for the crop kulthi, niger & jute. Although there is positive growth rate of wheat, it's area and production are not so significant, and are scantily grown in Odisha.



GLOSSARY OF TERMS

Nine-fold Classification of Land

Use: the term Land Use describes the use of land during an agricultural year in agricultural/ non-agricultural activities. It is broadly classified in to 9 folds, i.e, 1) Forest, 2) Land put to non- agricultural uses, 3) Barren and uncultivable land, 4) Permanent pastures and other grazing land, 5) Land under misc. tree crops & grooves not included under net area sown, 6) Cultivable waste, 7) Old fallows, 8) Current fallows & 9) Net area sown.

Yield-rate: Estimated Quantity of Production of a crop in quintal per one hectare of crop area. It is estimated by taking simple average of Crop Cutting Experiment results randomly undertaken & using multiplier of driage ratio & area conversion.

Crop area: Estimated land area in which a crop is sown in a season.

Gross Crop Area: Estimation of crop area sown in all three seasons with recurrence.

Net Crop Area: Estimation of crop area sown in any of three seasons without recurrence.

Crop area irrigated: Estimation of sown area irrigated at least once in a season.

Production of a crop: Estimated quantity by multiplying the yield-rate with crop area.

Cropping intensity: Number of times a land is cultivated during a year in percentage. It is the ratio of Gross Area Sown to the Net Area Sown.

Standard error: It is the square root of the average squared deviations between the population parameter & sample.

Variance: It is the average measurement of the spread between reported data set of sample area/yield from the mean.

Cropping Density: Ratio of estimated cropping area (net crop area) to total area.

APPENDIX

Table No. - 1.0
State Level Estimates of Area under different Classification of Land Uses
(2015-16 to 2024-25)

State :- Odisha

(Area in '000 hect.)

Sl No.	Categories of Land uses	2015-16		2016-17		2017-18		2018-19		2019-20	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	9	10	11	12	13	14	15	16	17	18
1	Forest	1924	16.68	1897	16.44	1925	16.68	1912	16.58	1963	17.02
2	Land put to non-agricultural uses	1376	11.92	1405	12.18	1377	11.94	1403	12.17	1383	12.00
3	Barren & Uncultivable land.	1054	9.14	1031	8.94	976	8.47	1016	8.81	948	8.22
4	Permanent pastures and other grazing land	535	4.64	512	4.44	512	4.44	523	4.54	535	4.64
5	Land under misc.tree crops & groves not included under net area sown.	217	1.87	254	2.20	276	2.38	251	2.18	260	2.26
6	Cultivable waste	550	4.77	567	4.92	613	5.33	591	5.13	577	5.01
7	Old fallows	655	5.68	685	5.94	777	6.73	738	6.40	705	6.12
8	Current fallows	1028	8.91	1085	9.41	1216	10.54	1089	9.45	1055	9.15
9	Net area sown	4198	36.39	4100	35.53	3863	33.49	4006	34.75	4102	35.58
	Total area under survey (Line 1 to 9)	11537	100	11536	100	11535	100	11529	100	11528	100
		(74.09%)		(74.09%)		(74.08%)		(74.04%)		(74.04%)	
	Area not included under survey	4034	-	4035	-	4036	-	4042	-	4043	-
		(25.91%)		(25.91%)		(25.92%)		(25.96%)		(25.96%)	
	Geographical area of the state	15571	-	15571	-	15571	-	15571	-	15571	-

Table No. - 1.0 (concl.d.)
State Level Estimates of Area under different Classification of Land Uses
(2015-16 to 2024-25)

State :- Odisha

(Area in '000 hect.)

Sl No .	Categories of Land uses	2020-21		2021-22		2022-23		2023-24		2024-25	
		Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey	Area	% to total area under survey
1	2	19	20	21	22	23	24	25	26	25	26
1	Forest	1850	16.05	1942	16.77	1847	15.96	1907	16.47	1840	15.90
2	Land put to non-agricultural uses	1376	11.94	1361	11.76	1403	12.13	1379	11.91	1448	12.51
3	Barren & Uncultivable land.	1109	9.62	978	8.45	1046	9.04	1024	8.85	1095	9.46
4	Permanent pastures and other grazing land	539	4.68	509	4.40	534	4.61	537	4.64	502	4.34
5	Land under misc.tree crops & groves not included under net area sown.	242	2.10	252	2.18	278	2.40	247	2.13	252	2.18
6	Cultivable waste	575	4.99	577	4.99	582	5.03	565	4.88	585	5.06
7	Old fallows	672	5.83	688	5.95	704	6.08	701	6.06	678	5.86
8	Current fallows	986	8.55	943	8.15	908	7.86	903	7.82	814	7.03
9	Net area sown	4179	36.25	4322	37.35	4269	36.89	4308	37.24	4358	37.66
	Total area under survey (Line 1 to 9)	11528	100	11572	100	11571	100	11571	100	11572	100
		(74.04%)		(74.32%)		(74.31%)		(74.34%)		(74.32%)	
	Area not included under survey	4043	-	3999		4000		3995		3999	
		(25.96%)		(25.68%)		(25.69%)		(25.66%)		(25.68%)	
	Geographical area of the state	15571	-	15571		15571		15571		15571	



Table No. -1.1
District wise Estimates of Area under Different Classification of Land Uses

Year :2024-25

(Area in 000' hect.)

Sl. No.	District	Area under Survey																			% to Geographical Area	Area not included under Survey	Geographical Area of the District
		Forest		Land put to non-agricultural uses		Barren and un-cultivable land		Permanent pastures and other grazing land		Land under Misc. tree crops&groves not included under net area sown		Cultivable Waste		Old fallows		Current fallows		Net Area Sown		Total			
		Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%	Area	%				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	Angul	112	26.42	59	13.92	10	2.36	21	4.95	5	1.18	32	7.55	39	9.20	47	11.08	99	23.35	424	68.06	199	623
2	Bolangir	46	8.47	56	10.31	16	2.95	42	7.73	1	0.18	24	4.42	33	6.08	61	11.23	264	48.62	543	82.65	114	657
3	Balasore	10	2.87	58	16.62	8	2.29	14	4.01	10	2.87	22	6.30	15	4.30	24	6.88	188	53.87	349	95.88	15	364
4	Bargarh	25	5.31	58	12.31	8	1.70	17	3.61	1	0.21	16	3.40	33	7.01	24	5.10	289	61.36	471	80.79	112	583
5	Bhadrak	3	1.26	41	17.15	3	1.26	11	4.60	4	1.67	16	6.69	12	5.02	12	5.02	137	57.32	239	89.18	29	268
6	Boudh	31	15.35	29	14.36	12	5.94	18	8.91	S	-	16	7.92	13	6.44	14	6.93	69	34.16	202	58.72	142	344
7	Cuttack	21	6.29	79	23.65	7	2.10	12	3.59	8	2.40	15	4.49	21	6.29	37	11.08	134	40.12	334	89.54	39	373
8	Deogarh	72	42.11	15	8.77	4	2.34	5	2.92	1	0.58	11	6.43	10	5.85	11	6.43	42	24.56	171	61.51	107	278
9	Dhenkanal	51	15.04	50	14.75	8	2.36	13	3.83	10	2.95	33	9.73	33	9.73	36	10.62	105	30.97	339	73.70	121	460
10	Gajapati	65	21.04	14	4.53	122	39.48	15	4.85	7	2.27	9	2.91	11	3.56	12	3.88	54	17.48	309	80.26	76	385
11	Ganjam	44	7.24	84	13.82	63	10.36	15	2.47	23	3.78	26	4.28	34	5.59	40	6.58	279	45.89	608	69.80	263	871
12	Jagatsinghpur	4	2.31	52	30.06	2	1.16	9	5.20	4	2.31	10	5.78	4	2.31	6	3.47	82	47.40	173	87.82	24	197
13	Jajpur	10	3.76	56	21.05	15	5.64	12	4.51	5	1.88	8	3.01	11	4.14	13	4.89	136	51.13	266	92.04	23	289
14	Jharsuguda	30	17.54	33	19.30	4	2.34	11	6.43	1	0.58	14	8.19	17	9.94	19	11.11	42	24.56	171	77.73	49	220
15	Kalahandi	64	10.98	64	10.98	57	9.78	25	4.29	2	0.34	39	6.69	33	5.66	35	6.00	264	45.28	583	69.74	253	836
16	Kandhamal	143	32.43	17	3.85	134	30.39	15	3.40	2	0.45	12	2.72	33	7.48	30	6.80	55	12.47	441	57.65	324	765
17	Kendrapara	2	0.87	46	20.00	1	0.43	10	4.35	2	0.87	5	2.17	10	4.35	17	7.39	137	59.57	230	90.20	25	255
18	Keonjhar	142	21.91	76	11.73	72	11.11	24	3.70	6	0.93	47	7.25	42	6.48	50	7.72	189	29.17	648	78.07	182	830
19	Khurda	35	12.77	54	19.71	17	6.20	18	6.57	18	6.57	17	6.20	17	6.20	9	3.28	89	32.48	274	94.81	15	289
20	Koraput	80	13.33	47	7.83	146	24.33	22	3.67	35	5.83	21	3.50	34	5.67	55	9.17	160	26.67	600	75.95	190	790
21	Malkangiri	138	32.62	44	10.40	48	11.35	17	4.02	8	1.89	9	2.13	9	2.13	10	2.36	140	33.10	423	68.34	196	619
22	Mayurbhanj	75	10.73	78	11.16	12	1.72	31	4.43	20	2.86	44	6.29	43	6.15	37	5.29	359	51.36	699	67.08	343	1042
23	Nuapada	47	18.88	29	11.65	7	2.81	15	6.02	1	0.40	5	2.01	11	4.42	22	8.84	112	44.98	249	73.02	92	341
24	Nayagarh	46	18.33	31	12.35	16	6.37	13	5.18	12	4.78	19	7.57	12	4.78	8	3.19	94	37.45	251	59.20	173	424
25	Nowarangpur	109	27.18	28	6.98	20	4.99	15	3.74	18	4.49	11	2.74	15	3.74	17	4.24	168	41.90	401	75.80	128	529
26	Puri	15	5.42	58	20.94	12	4.33	11	3.97	15	5.42	12	4.33	18	6.50	28	10.11	108	38.99	277	90.82	28	305
27	Rayagada	119	20.84	25	4.38	192	33.63	11	1.93	25	4.38	13	2.28	23	4.03	41	7.18	122	21.37	571	75.33	187	758
28	Sambalpur	113	26.65	59	13.92	11	2.59	22	5.19	6	1.42	29	6.84	28	6.60	22	5.19	134	31.60	424	63.28	246	670
29	Subarnapur	13	6.95	31	16.58	4	2.14	9	4.81	S	-	7	3.74	12	6.42	6	3.21	105	56.15	187	79.57	48	235
30	Sundargarh	175	24.48	77	10.77	64	8.95	29	4.06	2	0.28	43	6.01	52	7.27	71	9.93	202	28.25	715	73.64	256	971
STATE		1840	15.90	1448	12.51	1095	9.46	502	4.34	252	2.18	585	5.06	678	5.86	814	7.03	4358	37.66	11572	74.32	3999	15571

'S' denotes area less than 500 hect.

Table No. - 2.0
State Level Estimates of Area under Different Programmed Crops
(2015-16 to 2024-25)

(Area in ' 000 hecets.)

Sl. No.	Crop	2015-16				2016-17				2017-18				2018-19				2019-20			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	541.53	3166.58	233.40	3941.51	511.55	3226.45	224.78	3962.78	530.32	3014.13	221.94	3766.39	454.36	3130.82	274.23	3859.41	426.08	3222.02	292.61	3940.71
2	Wheat	-	-	0.37	0.37	-	-	0.06	0.06	-	-	0.07	0.07	-	-	0.15	0.15	-	-	0.12	0.12
3	Maize	52.84	0.26	2.49	55.59	68.46	1.34	2.59	72.39	44.44	0.37	2.13	46.94	49.13	0.07	2.86	52.06	61.04	0.10	3.93	65.07
4	Ragi	14.23	31.16	0.30	45.69	14.27	32.62	0.08	46.97	10.04	32.44	0.11	42.59	8.51	27.94	0.21	36.66	9.59	25.92	0.38	35.89
5	Other cereals	13.62	23.96	'S'	37.58	9.86	26.45	0.10	36.41	6.58	29.23	0.06	35.87	5.01	19.01	0.04	24.06	3.38	23.12	0.01	26.51
6	Mung	19.39	70.36	200.04	289.79	40.75	128.06	157.36	326.17	26.25	82.36	127.40	236.01	10.62	62.48	143.55	216.65	10.66	60.12	169.36	240.14
7	Biri	20.28	46.47	7.57	74.32	27.90	65.57	15.27	108.74	20.43	42.76	13.99	77.18	13.72	39.56	4.57	57.85	10.17	38.95	8.52	57.64
8	Kulthi	-	33.20	0.16	33.36	-	34.04	0.04	34.08	-	25.84	0.37	26.21	-	23.57	0.04	23.61	-	22.72	0.04	22.76
9	Other pulses	2.49	60.72	0.55	63.76	2.47	43.80	0.52	46.79	1.48	39.91	4.94	46.33	0.77	41.90	0.86	43.53	0.49	45.57	1.46	47.52
10	Til	2.96	12.44	4.63	20.03	3.57	11.00	1.44	16.01	2.44	10.52	1.85	14.81	1.59	11.06	2.23	14.88	1.94	9.46	2.60	14.00
11	Groundnut	16.98	1.41	32.82	51.21	21.19	4.36	19.39	44.94	14.41	1.82	17.09	33.32	10.97	1.98	14.92	27.87	9.66	1.42	18.35	29.43
12	Mustard	-	7.31	-	7.31	-	9.70	-	9.70	-	8.65	-	8.65	-	6.02	-	6.02	-	6.95	-	6.95
13	Niger	-	21.91	-	21.91	-	15.02	-	15.02	-	18.35	-	18.35	-	18.98	-	18.98	-	15.90	-	15.90
14	Other oilseeds	0.01	0.91	2.10	3.02	0.60	2.44	1.58	4.62	0.08	1.41	0.76	2.25	0.12	2.07	0.94	3.13	0.04	6.85	0.89	7.78
15	Jute	1.20	-	-	1.20	0.75	-	-	0.75	0.95	-	-	0.95	0.20	-	-	0.20	0.15	-	-	0.15
16	Potato	-	5.63	-	5.63	-	6.52	0.01	6.53	-	3.97	-	3.97	-	4.90	-	4.90	-	4.40	-	4.40
17	Sugarcane	-	8.96	-	8.96	-	5.49	-	5.49	-	3.71	-	3.71	-	6.78	-	6.78	-	8.95	-	8.95
18	Other crops	19.61	101.35	20.45	141.41	29.01	105.17	12.67	146.85	27.92	97.48	12.85	138.25	18.18	94.81	17.26	130.25	20.22	101.08	24.55	145.85
All Crops		705.14	3592.63	504.88	4802.65	730.38	3718.03	435.89	4884.30	685.34	3412.95	403.56	4501.85	573.18	3491.95	461.86	4526.99	553.42	3593.53	522.82	4669.77

'S' : denotes area less than 5 hectares.

Table No. - 2.0 (concl.)
State Level Estimates of Area under Different Programmed Crops
(2015-16 to 2024-25)

(Area in ' 000 hec.)

Sl. No.	Crop	2020-21				2021-22				2022-23				2023-24				2024-25			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	432.39	3257.75	339.35	4029.49	443.06	3205.37	299.32	3947.75	378.78	3349.88	335.51	4064.17	318.42	3382.32	386.31	4087.05	306.44	3447.93	414.54	4168.91
2	Wheat	-	-	0.18	0.18	-	-	0.18	0.18	-	-	0.22	0.22	-	-	0.25	0.25	-	-	0.30	0.30
3	Maize	75.25	0.06	2.61	77.92	97.61	1.11	3.72	102.44	81.15	0.25	2.89	84.29	81.75	0.94	8.14	90.83	69.65	0.37	16.20	86.22
4	Ragi	10.16	30.69	0.46	41.31	16.09	38.36	0.53	54.98	13.20	28.96	0.68	42.84	13.92	50.30	1.29	65.51	9.84	42.23	1.02	53.09
5	Other cereals	3.09	19.15	0.19	22.43	4.93	21.88	0.22	27.03	1.51	17.54	0.16	19.21	1.00	22.43	0.11	23.54	1.42	18.60	0.07	20.09
6	Mung	8.12	51.60	175.65	235.37	25.99	72.84	150.81	249.64	18.03	101.89	148.00	267.92	12.78	86.31	211.53	310.62	11.08	103.59	233.95	348.62
7	Biri	13.47	47.27	13.76	74.50	18.38	61.58	12.05	92.01	12.92	57.11	14.99	85.02	8.50	74.97	19.79	103.26	7.17	64.05	29.45	100.67
8	Kulthi	-	26.32	0.05	26.37	-	41.64	0.17	41.81	-	31.65	0.09	31.74	-	40.39	0.18	40.57	-	28.42	0.67	29.09
9	Other pulses	0.60	36.53	1.08	38.21	3.99	64.46	0.97	69.42	1.15	47.84	1.41	50.40	1.16	50.67	4.18	56.01	0.94	45.01	6.06	52.01
10	Til	1.55	14.45	5.33	21.33	5.07	12.59	6.72	24.38	2.13	10.57	7.08	19.78	1.81	9.64	11.58	23.03	1.72	8.07	16.05	25.84
11	Groundnut	7.46	2.44	28.57	38.47	19.13	3.49	23.54	46.16	15.83	4.16	23.98	43.97	12.63	3.20	28.49	44.32	10.91	2.59	31.84	45.34
12	Mustard	-	6.87	-	6.87	-	17.77	-	17.77	-	14.64	-	14.64	-	21.21	-	21.21	-	16.60	-	16.60
13	Niger	-	13.47	-	13.47	-	17.52	-	17.52	-	10.99	-	10.99	-	13.70	-	13.70	-	7.44	-	7.44
14	Other oilseeds	0.21	3.57	1.59	5.37	0.03	4.09	2.10	6.22	0.08	5.09	2.93	8.10	0.01	3.72	2.70	6.43	0.01	4.53	2.85	7.39
15	Jute	0.76	-	-	0.76	3.47	-	-	3.47	2.55	-	-	2.55	2.78	-	-	2.78	1.79	-	-	1.79
16	Potato	-	5.54	-	5.54	-	10.93	-	10.93	-	11.31	-	11.31	-	12.17	-	12.17	-	11.58	-	11.58
17	Sugarcane	-	7.00	-	7.00	-	7.05	-	7.05	-	7.33	-	7.33	-	7.18	-	7.18	-	13.26	-	13.26
18	Other crops	22.17	126.03	26.48	174.68	54.16	189.21	35.29	278.66	37.31	178.96	33.38	249.65	37.00	183.02	39.96	259.98	40.40	186.41	45.31	272.12
All Crops		575.23	3648.74	595.30	4819.27	691.91	3769.89	535.62	4997.42	564.64	3878.17	571.32	5014.13	491.76	3962.17	714.51	5168.44	461.37	4000.68	798.31	5260.36

'S' : denotes area less than 5 hectares.

Table No. - 3.0
State Level Estimates of Yield rate under Different Programmed Crops
(2015-16 to 2024-25)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2015-16				2016-17				2017-18				2018-19				2019-20			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	10.90	22.50	50.84	22.59	19.48	39.18	53.50	37.45	16.48	26.54	47.48	26.36	17.59	30.39	51.15	30.36	27.36	37.87	48.31	37.51
2	Wheat	-	-	13.47	13.47	-	-	14.21	14.21	-	-	21.63	21.63	-	-	18.15	18.15	-	-	13.90	13.90
3	Maize	19.68	18.02	26.20	19.96	28.54	12.92	29.13	28.27	25.12	14.12	27.21	25.13	23.07	24.48	26.10	23.24	28.78	23.61	33.33	29.05
4	Ragi	6.17	6.19	8.92	6.20	6.38	7.35	6.96	7.06	7.65	7.67	6.86	7.67	6.84	6.93	6.24	6.90	7.46	7.24	7.57	7.31
5	Mung	2.43	2.20	3.25	2.94	4.38	3.26	4.71	4.10	3.19	3.10	4.52	3.88	2.63	2.76	3.54	3.27	2.95	3.33	3.40	3.36
6	Biri	2.47	3.49	4.19	3.28	3.98	4.57	5.44	4.54	3.14	3.58	4.98	3.72	2.61	3.32	5.11	3.29	2.94	3.86	3.77	3.68
7	Kulthi	-	2.84	1.70	2.83	-	4.36	3.95	4.36	-	4.12	3.81	4.11	-	3.68	3.55	3.68	-	3.96	6.25	3.96
8	Til	2.11	1.85	2.63	2.07	2.88	3.12	3.06	3.06	2.45	2.88	2.75	2.79	3.08	2.32	2.01	2.35	3.06	3.08	2.19	2.91
9	Groundnut	8.00	12.90	12.42	10.97	9.45	12.56	15.33	12.29	8.99	13.57	13.08	11.34	10.24	13.50	14.53	12.77	11.89	15.91	22.35	18.60
10	Mustard	-	2.05	-	2.05	-	3.46	-	3.46	-	3.26	-	3.26	-	2.75	-	2.75	-	2.93	-	2.93
11	Niger	-	1.81	-	1.81	-	3.07	-	3.07	-	3.27	-	3.27	-	2.74	-	2.74	-	3.58	-	3.58
12	Jute	21.74	-	-	21.74	16.78	-	-	16.78	24.92	-	-	24.92	15.60	-	-	15.60	21.69	-	-	21.69
13	Potato	-	101.73	-	101.73	-	125.93	-	125.93	-	105.43	-	105.43	-	111.13	-	111.13	-	106.80	-	106.80
14	Sugarcane	-	644.00	-	644.00	-	626.79	-	626.79	-	647.04	-	647.04	-	616.22	-	616.22	-	564.23	-	564.23

Table No. - 3.0 (concl.d.)
State Level Estimates of Yield rate under Different Programmed Crops
(2015-16 to 2024-25)

State :- Odisha

(Yieldrate in Qtls/Hect)

Sl. No	Crop	2020-21				2021-22				2022-23				2023-24				2024-25			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	30.32	41.11	57.83	41.36	21.76	35.54	57.53	35.66	28.22	45.13	56.39	44.49	29.92	43.04	51.08	42.78	26.72	42.28	53.69	42.27
2	Wheat	-	-	16.40	16.40	-	-	17.05	17.05	-	-	15.48	15.48	-	-	18.94	18.94	-	-	17.96	17.96
3	Maize	29.19	19.92	26.14	29.08	27.84	26.99	26.97	27.79	29.99	27.37	24.8	29.81	34.93	25.84	34.45	34.79	30.54	30.82	31.44	30.71
4	Ragi	7.50	8.13	6.85	7.96	7.35	8.23	5.19	7.94	7.19	9.47	7.26	8.73	7.25	8.93	6.63	8.53	7.57	9.03	6.95	8.72
5	Mung	2.75	3.57	2.12	2.46	3.05	3.08	3.85	3.54	3.05	3.01	4.2	3.67	3.23	2.98	4.49	4.02	3.04	3.07	4.80	4.23
6	Biri	2.60	3.86	2.81	3.44	3.09	3.46	3.51	3.39	2.97	3.86	4.37	3.82	3.29	4.15	4.3	4.11	3.00	4.22	4.83	4.31
7	Kulthi	-	3.99	1.92	3.98	-	3.89	2.82	3.88	-	4.06	2.81	4.06	-	4.49	4.2	4.49		4.13	4.22	4.14
8	Til	1.84	2.76	1.85	2.47	2.51	2.65	2.12	2.48	1.96	3.32	2.15	2.76	2.02	2.81	2.07	2.38	2.44	3.10	2.45	2.65
9	Groundnut	14.31	16.72	22.08	20.23	16.24	18.35	21.36	19.01	16.86	17.95	20.24	18.81	16.69	20.49	21.24	19.89	16.50	18.67	22.67	20.95
10	Mustard	-	2.80	-	2.80	-	3.23	-	3.23	-	3.5	-	3.5	-	3.63	-	3.63	-	3.42	-	3.42
11	Niger	-	2.98	-	2.98	-	3.31	-	3.31	-	3.25	-	3.25	-	3.03	-	3.03	-	3.15	-	3.15
12	Jute	24.05	-	-	24.05	25.44	-	-	25.44	23.33	-	-	23.33	26.2	-	-	26.2	28.06	-	-	28.06
13	Potato	-	108.87	-	108.87	-	106.22	-	106.22	-	101.41	-	101.41	-	119.19	-	119.19	-	106.16	-	106.16
14	Sugarcane	-	544.73	-	544.73	-	563.98	-	563.98	-	537.81	-	537.81	-	574.02	-	574.02	-	513.38	-	513.38

Table No. - 4.0
State Level Estimates of Production under Different Programmed Crops
(2015-16 to 2024-25)

Sl. No	Crop	2015-16				2016-17				2017-18			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Paddy	590.33	7125.09	1186.65	8902.07	996.25	12641.06	1202.56	14839.87	874.00	7998.67	1053.64	9926.31
2	Wheat	-	-	0.49	0.49	-	-	0.08	0.08	-	-	0.16	0.16
3	Maize	104.00	0.46	6.52	110.98	195.39	1.74	7.54	204.67	111.62	0.53	5.80	117.95
4	Ragi	8.78	19.28	0.27	28.33	9.10	23.98	0.05	33.13	7.68	24.89	0.08	32.65
5	Mung (Greengram)	4.72	15.49	65.01	85.22	17.85	41.69	74.08	133.62	8.38	25.56	57.57	91.51
6	Biri (Blackgram)	5.00	16.21	3.17	24.38	11.11	29.99	8.31	49.41	6.41	15.32	6.96	28.69
7	Kulthi (Horsegram)	-	9.41	0.03	9.44	-	14.83	0.02	14.85	-	10.64	0.14	10.78
8	Til	0.62	2.30	1.22	4.14	1.03	3.43	0.44	4.90	0.60	3.03	0.51	4.13
9	Groundnut	13.59	1.81	40.76	56.16	20.03	5.47	29.73	55.23	12.96	2.46	22.36	37.78
10	Mustard	-	1.50	-	1.50	-	3.35	-	3.35	-	2.82	-	2.82
11	Niger	-	3.97	-	3.97	-	4.62	-	4.62	-	5.99	-	5.99
12	Jute	2.62	-	-	2.62	1.26	-	-	1.26	2.36	-	-	2.36
13	Potato	-	57.23	-	57.23	-	82.16	-	82.16	-	41.81	-	41.81
14	Sugarcane	-	577.16	-	577.16	-	344.30	-	344.30	-	240.25	-	240.25

Table No. - 4.0 (contd.)
State Level Estimates of Production under Different Programmed Crops
(2015-16 to 2024-25)

Sl. No	Crop	2018-19				2019-20				2020-21			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	15	16	17	18	19	20	21	22	23	24	25	26
1	Paddy	799.22	9515.78	1402.74	11717.74	1165.88	12200.99	1413.50	14780.37	1311.02	13391.78	1962.54	16665.34
2	Wheat	0.00	0.00	0.27	0.27	-	-	0.16	0.16	-	-	0.30	0.30
3	Maize	113.34	0.16	7.45	120.95	175.67	0.22	13.11	189.00	219.69	0.12	6.82	226.63
4	Ragi	5.83	19.36	0.13	25.32	7.15	18.78	0.29	26.22	7.62	24.96	0.32	32.90
5	Mung (Greengram)	2.80	17.22	50.84	70.86	3.14	20.00	57.57	80.71	2.23	18.41	37.28	57.92
6	Biri (Blackgram)	3.58	13.12	2.34	19.04	2.99	15.02	3.21	21.22	3.50	18.23	3.87	25.60
7	Kulthi (Horsegram)	0.00	8.68	0.01	8.69	-	9.00	0.02	9.02	-	10.49	0.01	10.50
8	Til	0.49	2.56	0.45	3.50	0.59	2.91	0.57	4.07	0.29	3.99	0.99	5.27
9	Groundnut	11.24	2.67	21.68	35.59	11.49	2.26	41.01	54.76	10.67	4.08	63.08	77.83
10	Mustard	0.00	1.66	0.00	1.66	-	2.03	-	2.03	-	1.92	-	1.92
11	Niger	0.00	5.19	0.00	5.19	-	5.70	-	5.70	-	4.02	-	4.02
12	Jute	0.31	0.00	0.00	0.31	0.32	-	-	0.32	1.83	-	-	1.83
13	Potato	0.00	54.45	0.00	54.45	-	46.96	-	46.96	-	60.26	-	60.26
14	Sugarcane	0.00	417.67	0.00	417.67	-	504.87	-	504.87	-	381.31	-	381.31

Table No. - 4.0 (concl.d.)
State Level Estimates of Production under Different Programmed Crops
(2015-16 to 2024-25)

(Production in "000 M.T.)

Sl. No	Crop	2021-22				2022-23				2023-24				2024-25			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	963.98	11391.49	1721.95	14077.42	1068.95	15118.81	1891.95	18079.71	952.72	14556.92	1973.24	17482.88	818.91	14578.86	2225.51	17623.28
2	Wheat	-	-	0.30	0.30	-	-	0.35	0.35	-	-	0.47	0.47	-	-	0.54	0.54
3	Maize	271.70	2.99	10.02	284.71	243.38	0.70	7.16	251.24	285.54	2.42	28.04	316.01	212.71	1.12	50.92	264.75
4	Ragi	11.82	31.58	0.27	43.67	9.49	27.41	0.49	37.39	10.10	44.93	0.86	55.89	7.45	38.12	0.71	46.28
5	Mung (Greengram)	7.92	22.44	58.11	88.47	5.50	30.63	62.21	98.34	4.13	25.70	94.95	124.78	3.37	31.77	112.33	147.47
6	Biri (Blackgram)	5.67	21.33	4.23	31.23	3.84	22.05	6.55	32.44	2.80	31.12	8.51	42.43	2.15	27.03	14.23	43.41
7	Kulthi (Horsegram)	-	16.18	0.05	16.23	-	12.86	0.03	12.89	-	18.13	0.08	18.21	0.00	11.75	0.28	12.03
8	Til	1.28	3.34	1.43	6.05	0.42	3.51	1.52	5.45	0.37	2.71	2.40	5.48	0.42	2.50	3.93	6.85
9	Groundnut	31.05	6.40	50.27	87.72	26.70	7.47	48.54	82.71	21.07	6.56	60.50	88.13	18.00	4.84	72.15	94.99
10	Mustard	-	5.75	-	5.75	-	5.12	-	5.12	-	7.70	-	7.70	-	5.68	-	5.68
11	Niger	-	5.80	-	5.80	-	3.57	-	3.57	-	4.16	-	4.16	-	2.35	-	2.35
12	Jute	8.83	-	-	8.83	5.95	-	-	5.95	7.28	-	-	7.28	5.01	-	-	5.01
13	Potato	-	116.12	-	116.12	-	114.66	-	114.66	-	145.02	-	145.02	-	122.97	-	122.97
14	Sugarcane	-	397.60	-	397.60	-	394.38	-	394.38	-	411.86	-	411.86	-	680.54	-	680.54

Table No. - 5.0
State level Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25

(Area in 000' Hect.)

(Yieldrate in Qtls/ha.)

(Production in 000' MT.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	PADDY	306.44	26.72	818.91	3447.93	42.28	14578.86	414.54	53.69	2225.51	4168.91	42.27	17623.28
1.1	RICE	-	17.64	540.48	-	27.91	9622.05	-	35.43	1468.83	-	27.90	11631.36
2	WHEAT	-	-	-	-	-	-	0.30	17.96	0.54	0.30	17.96	0.54
3	MAIZE	69.65	30.54	212.71	0.37	30.82	1.12	16.20	31.44	50.92	86.22	30.71	264.75
4	RAGI	9.84	7.57	7.45	42.23	9.03	38.12	1.02	6.95	0.71	53.09	8.72	46.28
5	MUNG (GREENGRAM)	11.08	3.04	3.37	103.59	3.07	31.77	233.95	4.80	112.33	348.62	4.23	147.47
6	BIRI (BLACKGRAM)	7.17	3.00	2.15	64.05	4.22	27.03	29.45	4.83	14.23	100.67	4.31	43.41
7	KULTHI (HORSEGRAM)	0.00	-	0.00	28.42	4.13	11.75	0.67	4.22	0.28	29.09	4.14	12.03
8	TIL	1.72	2.44	0.42	8.07	3.10	2.50	16.05	2.45	3.93	25.84	2.65	6.85
9	GROUNDNUT	10.91	16.50	18.00	2.59	18.67	4.84	31.84	22.67	72.15	45.34	20.95	94.99
10	MUSTARD	-	-	-	16.60	3.42	5.68	-	-	-	16.60	3.42	5.68
11	NIGER	-	-	-	7.44	3.15	2.35	-	-	-	7.44	3.15	2.35
12	JUTE	1.79	28.06	5.01	-	-	-	-	-	-	1.79	28.06	5.01
13	POTATO	-	-	-	11.58	106.16	122.97	-	-	-	11.58	106.16	122.97
14	SUGARCANE	-	-	-	13.26	513.38	680.54	-	-	-	13.26	513.38	680.54

Table No. - 5.1**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Paddy)***(Area in '000 Hect.)**(Yieldrate in Qtls/Hect)**(Production in '000 M.T.)*

SI No	Districts	Autumn					Winter					Summer					Total				
		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production		Area	Yieldrate		Production	
			Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice		Paddy	Rice	Paddy	Rice
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	2.50	45.85	30.26	11.47	7.57	89.01	52.48	34.63	467.10	308.29	2.81	48.73	32.16	13.70	9.04	94.32	52.19	34.45	492.27	324.90
2	Balangir	36.60	22.49	14.85	82.32	54.33	155.14	38.69	25.53	600.17	396.11	8.89	42.11	27.79	37.43	24.71	200.63	35.88	23.68	719.92	475.15
3	Balasore	0.02	22.76	15.00	0.04	0.03	172.70	37.27	24.60	643.57	424.75	63.91	51.69	34.11	330.36	218.04	236.63	41.16	27.17	973.97	642.82
4	Bargarh	38.20	31.34	20.68	119.73	79.02	216.90	55.73	36.78	1208.81	797.81	100.94	58.56	38.65	591.09	390.12	356.04	53.92	35.58	1919.63	1266.95
5	Bhadrak	-	-	-	-	-	136.20	34.46	22.74	469.28	309.72	2.61	43.64	28.80	11.40	7.53	138.81	34.63	22.85	480.68	317.25
6	Boudh	2.00	36.99	24.41	7.41	4.89	62.26	47.92	31.62	298.32	196.89	5.41	46.28	30.54	25.01	16.51	69.67	47.47	31.33	330.74	218.29
7	Cuttack	0.51	28.83	19.03	1.48	0.98	106.58	47.62	31.43	507.58	335.01	9.38	53.56	35.35	50.23	33.15	116.47	48.02	31.69	559.29	369.14
8	Deogarh	8.07	31.30	20.66	25.26	16.67	32.03	39.67	26.18	127.05	83.85	0.01	21.88	14.50	0.02	0.01	40.11	37.98	25.07	152.33	100.53
9	Dhenkanal	1.69	35.77	23.61	6.04	3.99	90.95	55.42	36.58	504.04	332.67	0.29	35.09	23.16	1.03	0.68	92.93	55.00	36.30	511.11	337.34
10	Gajapati	-	-	-	-	-	33.27	33.13	21.86	110.20	72.73	1.56	30.46	20.10	4.74	3.13	34.83	33.01	21.79	114.94	75.86
11	Ganjam	-	-	-	-	-	263.91	41.06	27.10	1083.62	715.19	0.54	45.58	30.08	2.44	1.61	264.45	41.07	27.11	1086.06	716.80
12	Jagatsinghpur	0.32	25.42	16.78	0.83	0.55	79.64	40.46	26.71	322.27	212.70	1.28	48.41	31.95	6.20	4.09	81.24	40.53	26.75	329.30	217.34
13	Jajpur	18.11	23.70	15.64	42.91	28.32	107.28	36.21	23.90	388.46	256.38	3.77	40.41	26.67	15.23	10.05	129.16	34.58	22.82	446.60	294.75
14	Jharsuguda	5.46	17.35	11.45	9.47	6.25	29.72	40.27	26.58	119.69	79.00	1.95	59.02	38.95	11.52	7.60	37.13	37.88	25.00	140.68	92.85
15	Kalahandi	12.88	24.92	16.45	32.10	21.18	194.85	45.87	30.27	893.70	589.84	56.15	53.83	35.53	302.27	199.50	263.88	46.54	30.72	1228.07	810.52
16	Kandhamal	0.76	20.91	13.81	1.60	1.05	41.99	27.31	18.03	114.70	75.70	0.45	31.76	20.96	1.42	0.93	43.20	27.24	17.98	117.72	77.68
17	Kendrapada	0.80	35.90	23.69	2.86	1.89	124.13	36.68	24.21	455.28	300.50	2.11	49.55	32.70	10.47	6.91	127.04	36.89	24.35	468.61	309.30
18	Keonjhar	1.69	35.99	23.76	6.06	4.00	173.69	47.01	31.02	816.49	538.88	1.30	32.84	21.67	4.28	2.82	176.68	46.80	30.89	826.83	545.70
19	Khurda	0.01	24.17	16.00	0.01	0.01	87.16	46.98	31.01	409.48	270.26	1.75	55.81	36.84	9.78	6.46	88.92	47.15	31.12	419.27	276.73
20	Koraput	1.99	35.16	23.21	7.01	4.63	89.89	50.14	33.10	450.73	297.48	31.90	48.49	32.01	154.72	102.12	123.78	49.48	32.66	612.46	404.23
21	Malkangiri	13.93	28.77	18.99	40.09	26.46	108.13	39.04	25.76	422.10	278.59	4.81	36.08	23.82	17.36	11.45	126.87	37.80	24.95	479.55	316.50
22	Mayurbhanja	4.23	27.06	17.86	11.44	7.56	346.88	37.90	25.01	1314.68	867.70	9.25	39.78	26.25	36.80	24.29	360.36	37.82	24.96	1362.92	899.55
23	Nuapada	35.77	31.70	20.92	113.42	74.85	57.89	37.78	24.94	218.72	144.35	7.50	44.14	29.13	33.10	21.84	101.16	36.10	23.83	365.24	241.04
24	Nayagada	0.05	35.85	23.65	0.17	0.11	87.19	39.78	26.25	346.84	228.91	0.04	49.79	32.86	0.21	0.14	87.28	39.78	26.25	347.22	229.16
25	Nawrangpur	23.41	36.60	24.16	85.67	56.54	99.35	41.56	27.43	412.85	272.48	2.56	41.20	27.20	10.54	6.95	125.32	40.62	26.81	509.06	335.97
26	Puri	-	-	-	-	-	89.47	45.16	29.81	404.10	266.70	33.24	51.21	33.80	170.22	112.35	122.71	46.80	30.89	574.32	379.05
27	Raygada	0.13	16.25	10.72	0.21	0.14	52.90	42.76	28.22	226.23	149.31	0.87	39.57	26.11	3.44	2.27	53.90	42.65	28.15	229.88	151.72
28	Sambalpur	31.30	17.77	11.73	55.62	36.71	96.08	41.30	27.26	396.82	261.90	16.60	67.46	44.52	112.01	73.93	143.98	39.20	25.87	564.45	372.54
29	Sonepur	5.47	29.53	19.49	16.17	10.67	93.71	51.60	34.05	483.51	319.12	41.00	61.53	40.61	252.26	166.49	140.18	53.64	35.40	751.94	496.28
30	Sundargarh	60.54	23.05	15.21	139.52	92.08	129.03	28.09	18.54	362.47	239.23	1.66	37.47	24.73	6.23	4.11	191.23	26.58	17.54	508.22	335.42
STATE		306.44	26.72	17.64	818.91	540.48	3447.93	42.28	27.91	14578.86	9622.05	414.54	53.69	35.43	2225.51	1468.83	4168.91	42.27	27.90	17623.28	11631.36

Table No. - 5.2
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Wheat)

(Area in Hect.)

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	4	27.70	111	4	27.70	111
3	Balasore	-	-	-	-	-	-	6	18.83	113	6	18.83	113
4	Bargarh	-	-	-	-	-	-	45	18.98	854	45	18.98	854
5	Bhadrak	-	-	-	-	-	-	3	8.33	25	3	8.33	25
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	1	7.88	8	1	7.88	8
8	Deogarh	-	-	-	-	-	-	1	12.65	13	1	12.65	13
9	Dhenkanal	-	-	-	-	-	-	25	18.04	451	25	18.04	451
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	1	5.05	5	1	5.05	5
14	Jharsuguda	-	-	-	-	-	-	6	4.50	27	6	4.50	27
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	1	15.56	16	1	15.56	16
17	Kendrapada	-	-	-	-	-	-	S	12.07	-	S	12.07	-
18	Keonjhar	-	-	-	-	-	-	12	14.67	176	12	14.67	176
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	73	15.49	1131	73	15.49	1131
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	2	14.00	28	2	14.00	28
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	29	27.63	801	29	27.63	801
29	Subarnpur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	94	17.91	1684	94	17.91	1684
STATE		-	-	-	-	-	-	303	17.96	5443	303	17.96	5443

N.B.: - Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.3**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Maize)**

(Area in Hect.)

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	249	25.95	6461	S	27.91	-	46	24.17	1112	295	25.67	7573
2	Balangir	744	31.78	23646	2	34.00	68	-	-	-	746	31.79	23714
3	Balasore	-	-	-	1	43.00	43	2	33.56	67	3	36.67	110
4	Bargarh	33	23.39	772	21	24.90	523	14	15.50	217	68	22.24	1512
5	Bhadrak	-	-	-	1	25.35	25	3	19.33	58	4	20.75	83
6	Boudh	36	12.06	434	1	15.00	15	4	12.25	49	41	12.15	498
7	Cuttack	-	-	-	89	43.92	3909	31	38.77	1202	120	42.59	5111
8	Deogarh	34	22.74	773	-	-	-	17	18.46	314	51	21.31	1087
9	Dhenkanal	125	25.72	3215	88	33.93	2986	175	30.29	5300	388	29.64	11501
10	Gajapati	17036	25.01	426081	-	-	-	145	19.50	2828	17181	24.96	428909
11	Ganjam	2393	29.35	70231	-	-	-	86	22.19	1908	2479	29.10	72139
12	Jagatsinghpur	-	-	-	-	-	-	1	23.00	23	1	23.00	23
13	Jajpur	-	-	-	-	-	-	1	13.51	14	1	14.00	14
14	Jharsuguda	82	40.60	3329	19	23.11	439	3	39.09	117	104	37.36	3885
15	Kalahandi	1911	19.66	37572	3	26.00	78	42	18.19	764	1956	19.64	38414
16	Kandhamal	1761	16.76	29512	66	14.82	978	17	20.98	357	1844	16.73	30847
17	Kendrapada	-	-	-	-	-	-	S	14.26	-	-	-	-
18	Keonjhar	1265	37.31	47196	2	34.50	69	12	29.72	357	1279	37.23	47622
19	Khurda	1	23.00	23	-	-	-	8	20.88	167	9	21.11	190
20	Koraput	10957	26.23	287411	-	-	-	1404	22.55	31660	12361	25.81	319071
21	Malkangiri	636	14.38	9147	1	14.00	14	29	16.41	476	666	14.47	9637
22	Mayurbhanja	659	21.61	14238	22	23.32	513	173	25.41	4396	854	22.42	19147
23	Nuapada	1390	20.08	27911	-	-	-	-	-	-	1390	20.08	27911
24	Nayagada	439	30.88	13556	22	45.82	1008	273	38.57	10530	734	34.19	25094
25	Nawarangpur	26435	39.97	1056607	-	-	-	13601	32.68	444481	40036	37.49	1501088
26	Puri	-	-	-	-	-	-	1	41.30	41	1	41.00	41
27	Raygada	2871	18.47	53018	13	21.31	277	13	14.75	192	2897	18.46	53487
28	Sambalpur	98	25.09	2459	5	21.99	110	31	28.68	889	134	25.81	3458
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	497	27.11	13472	9	21.56	194	66	25.36	1674	572	26.82	15340
STATE		69652	30.54	2127064	365	30.82	11249	16198	31.44	509193	86215	30.71	2647506

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.4
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Ragi)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	424	8.01	3396	-	-	-	40	9.62	385	464	8.15	3781
2	Balangir	206	4.09	843	141	5.82	821	-	-	-	347	4.80	1664
3	Balasore	1	2.25	2	62	4.52	280	91	5.42	493	154	5.03	775
4	Bargarh	1585	5.31	8416	391	9.10	3558	205	5.30	1087	2181	5.99	13061
5	Bhadrak	-	-	-	S	5.17	-	2	1.20	2	2	1.00	2
6	Boudh	-	-	-	25	3.93	98	8	4.83	39	33	4.15	137
7	Cuttack	167	8.92	1490	-	-	-	10	10.41	104	177	9.01	1594
8	Deogarh	-	-	-	20	4.37	87	-	-	-	20	4.35	87
9	Dhenkanal	87	6.26	545	11	5.39	59	8	5.01	40	106	6.08	644
10	Gajapati	1077	6.86	7388	104	5.62	584	50	6.41	321	1231	6.74	8293
11	Ganjam	1254	14.32	17957	-	-	-	92	10.89	1002	1346	14.09	18959
12	Jagatsinghpur	S	9.62	-	-	-	-	57	4.92	280	57	4.91	280
13	Jajpur	S	3.89	-	-	-	-	-	-	-	S	3.89	-
14	Jharsuguda	22	5.59	123	439	6.52	2862	6	4.43	27	467	6.45	3012
15	Kalahandi	24	9.14	219	1212	4.66	5648	-	-	-	1236	4.75	5867
16	Kandhamal	36	7.03	253	416	6.70	2787	2	5.67	11	454	6.72	3051
17	Kendrapada	1	3.87	4	1	3.97	4	10	6.64	66	12	6.17	74
18	Keonjhar	161	8.78	1414	213	5.91	1259	97	6.96	675	471	7.11	3348
19	Khurda	5	2.96	15	10	5.44	54	7	6.99	49	22	5.36	118
20	Koraput	762	8.72	6645	25775	10.08	259812	41	6.97	286	26578	10.04	266743
21	Malkangiri	-	-	-	3994	9.01	35986	-	-	-	3994	9.01	35986
22	Mayurbhanja	125	6.59	824	341	7.23	2465	58	5.18	300	524	6.85	3589
23	Nuapada	1147	5.40	6194	-	-	-	9	7.95	72	1156	5.42	6266
24	Nayagada	871	8.04	7003	839	6.47	5428	72	7.45	536	1782	7.28	12967
25	Nawarangpur	1429	6.27	8960	698	7.79	5437	71	6.82	484	2198	6.77	14881
26	Puri	-	-	-	10	11.46	115	47	9.85	463	57	10.14	578
27	Raygada	99	6.23	617	7261	7.23	52497	2	9.03	18	7362	7.22	53132
28	Sambalpur	-	-	-	82	4.20	344	3	9.09	27	85	4.36	371
29	Subarnapur	-	-	-	18	7.73	139	10	11.19	112	28	8.96	251
30	Sundargarh	359	6.13	2201	166	5.18	860	21	9.42	198	546	5.97	3259
STATE		9842	7.57	74509	42229	9.03	381184	1019	6.95	7077	53090	8.72	462770

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.5**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Mung)**

(Area in Hect.)

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	572	4.18	2391	740	4.09	3027	1309	4.01	5249	2621	4.07	10667
2	Balangir	2333	3.49	8142	8649	3.80	32866	9849	3.62	35653	20831	3.68	76661
3	Balasore	1	5.96	6	-	-	-	2419	3.91	9458	2420	3.91	9464
4	Bargarh	5913	3.07	18153	119	2.79	332	4248	3.72	15803	10280	3.34	34288
5	Bhadrak	-	-	-	-	-	-	2182	4.20	9164	2182	4.20	9164
6	Boudh	152	3.58	544	279	3.62	1010	2855	3.20	9136	3286	3.25	10690
7	Cuttack	-	-	-	117	4.80	562	20635	4.70	96985	20752	4.70	97547
8	Deogarh	81	2.88	233	1	2.05	2	262	3.20	838	344	3.12	1073
9	Dhenkanal	42	5.01	210	342	5.53	1891	4626	6.11	28265	5010	6.06	30366
10	Gajapati	-	-	-	2004	2.71	5431	39	2.25	88	2043	2.70	5519
11	Ganjam	24	4.97	119	85465	2.83	241866	-	-	-	85489	2.83	241985
12	Jagatsinghpur	-	-	-	-	-	-	35530	5.10	181203	35530	5.10	181203
13	Jajpur	-	-	-	1	5.09	5	7200	4.33	31176	7201	4.33	31181
14	Jharsuguda	-	-	-	15	3.16	47	1669	5.36	8946	1684	5.34	8993
15	Kalahandi	-	-	-	2462	7.27	17899	17412	6.39	111263	19874	6.50	129162
16	Kandhamal	4	1.33	5	63	4.09	258	2	1.98	4	69	3.87	267
17	Kendrapada	-	-	-	-	-	-	33789	4.73	159822	33789	4.73	159822
18	Keonjhar	-	-	-	169	5.54	936	1305	6.31	8235	1474	6.22	9171
19	Khurda	-	-	-	5	5.30	27	13134	5.19	68165	13139	5.19	68192
20	Koraput	-	-	-	32	4.52	145	123	4.23	520	155	4.29	665
21	Malkangiri	-	-	-	493	4.28	2110	70	4.81	337	563	4.35	2447
22	Mayurbhanja	6	4.15	25	2	3.57	7	1635	5.50	8993	1643	5.49	9025
23	Nuapada	1811	1.65	2988	-	-	-	3664	2.88	10552	5475	2.47	13540
24	Nayagada	1	3.92	4	2313	3.22	7448	47948	4.26	204258	50262	4.21	211710
25	Nawarangpur	-	-	-	68	7.15	486	425	7.09	3013	493	7.10	3499
26	Puri	-	-	-	-	-	-	16172	5.40	87329	16172	5.40	87329
27	Raygada	-	-	-	55	3.41	188	-	-	-	55	3.42	188
28	Sambalpur	37	9.41	348	148	6.39	946	1349	8.53	11507	1534	8.34	12801
29	Subarnapur	-	-	-	7	4.70	33	2764	4.01	11084	2771	4.01	11117
30	Sundargarh	99	5.05	500	44	4.50	198	1334	4.70	6270	1477	4.72	6968
STATE		11076	3.04	33668	103593	3.07	317720	233949	4.80	1123316	348618	4.23	1474704

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.6
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Biri)

SI No	District	(Area in Hect.)			(Yieldrate in Qtls/Hect)			(Production in Qtls.)					
		Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	678	4.32	2929	749	4.28	3206	601	4.25	2554	2028	4.28	8689
2	Balangir	1115	3.43	3824	1574	3.53	5556	1047	3.67	3842	3736	3.54	13222
3	Balasore	S	5.08	-	10	3.19	32	1612	3.96	6384	1622	3.96	6416
4	Bargarh	1700	3.36	5712	33	3.65	120	754	3.60	2714	2487	3.44	8546
5	Bhadrak	S	4.64	-	371	3.68	1365	292	4.59	1340	663	4.08	2705
6	Boudh	9	2.60	23	131	3.68	482	15	2.86	43	155	3.54	548
7	Cuttack	-	-	-	15803	4.25	67163	5674	4.43	25136	21477	4.30	92299
8	Deogarh	81	3.18	258	-	-	-	92	3.03	279	173	3.10	537
9	Dhenkanal	69	4.67	322	2640	5.73	15127	167	6.50	1086	2876	5.75	16535
10	Gajapati	-	-	-	1664	3.00	4992	-	-	-	1664	3.00	4992
11	Ganjam	1	2.18	2	9474	2.72	25769	-	-	-	9475	2.72	25771
12	Jagatsinghpur	-	-	-	464	4.86	2255	2798	4.93	13794	3262	4.92	16049
13	Jajpur	-	-	-	8272	4.42	36562	82	4.50	369	8354	4.42	36931
14	Jharsuguda	3	1.72	5	70	2.41	169	236	3.27	772	309	3.06	946
15	Kalahandi	5	5.87	29	2550	6.13	15632	601	7.03	4225	3156	6.30	19886
16	Kandhamal	-	-	-	1467	4.31	6323	-	-	-	1467	4.31	6323
17	Kendrapada	-	-	-	8257	4.94	40790	2300	4.27	9821	10557	4.79	50611
18	Keonjhar	137	3.25	445	387	8.51	3293	417	6.24	2602	941	6.74	6340
19	Khurda	-	-	-	38	3.28	125	2231	5.02	11200	2269	4.99	11325
20	Koraput	-	-	-	621	3.36	2087	105	2.87	301	726	3.29	2388
21	Malkangiri	-	-	-	2179	3.46	7539	13	3.90	51	2192	3.46	7590
22	Mayurbhanja	365	4.31	1573	67	5.68	381	265	5.21	1381	697	4.78	3335
23	Nuapada	2697	1.70	4585	-	-	-	192	2.24	430	2889	1.74	5015
24	Nayagada	-	-	-	1749	3.96	6926	3376	3.79	12795	5125	3.85	19721
25	Nawarangpur	-	-	-	1530	7.02	10741	123	7.76	954	1653	7.08	11695
26	Puri	-	-	-	823	4.35	3580	5508	6.36	35031	6331	6.10	38611
27	Raygada	-	-	-	2734	3.05	8339	79	3.22	254	2813	3.05	8593
28	Sambalpur	100	7.52	752	88	5.74	505	167	10.26	1713	355	8.37	2970
29	Subarnapur	4	2.67	11	-	-	-	-	-	-	4	2.75	11
30	Sundargarh	204	4.94	1008	302	3.98	1202	706	4.59	3241	1212	4.50	5451
STATE		7168	3.00	21478	64047	4.22	270261	29453	4.83	142312	100668	4.31	434051

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.7**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Kulthi)**

(Area in Hect.)

(Yieldrate in Qtls/Hect)

(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	629	4.30	2705	-	-	-	629	4.30	2705
2	Balangir	-	-	-	915	3.16	2891	-	-	-	915	3.16	2891
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	338	2.48	838	-	-	-	338	2.48	838
5	Bhadrak	-	-	-	1	10.44	10	-	-	-	1	10.44	10
6	Boudh	-	-	-	293	3.16	926	1	2.90	3	294	3.16	929
7	Cuttack	-	-	-	2790	4.14	11551	7	3.59	25	2797	4.14	11576
8	Deogarh	-	-	-	227	3.70	840	-	-	-	227	3.70	840
9	Dhenkanal	-	-	-	2119	5.50	11655	97	6.36	617	2216	5.54	12272
10	Gajapati	-	-	-	90	2.82	254	-	-	-	90	2.82	254
11	Ganjam	-	-	-	3883	3.25	12620	-	-	-	3883	3.25	12620
12	Jagatsinghpur	-	-	-	270	5.91	1596	26	5.27	137	296	5.85	1733
13	Jajpur	-	-	-	1613	4.15	6694	9	6.92	62	1622	4.17	6756
14	Jharsuguda	-	-	-	192	2.85	547	-	-	-	192	2.85	547
15	Kalahandi	-	-	-	2105	5.38	11325	-	-	-	2105	5.38	11325
16	Kandhamal	-	-	-	694	5.13	3560	-	-	-	694	5.13	3560
17	Kendrapada	-	-	-	204	5.50	1122	2	5.89	12	206	5.50	1134
18	Keonjhar	-	-	-	919	4.70	4319	2	3.74	7	921	4.70	4326
19	Khurda	-	-	-	183	5.73	1049	127	3.88	493	310	4.97	1542
20	Koraput	-	-	-	1410	3.23	4554	-	-	-	1410	3.23	4554
21	Malkangiri	-	-	-	1168	4.01	4684	-	-	-	1168	4.01	4684
22	Mayurbhanja	-	-	-	193	5.50	1062	S	4.49	-	193	5.50	1062
23	Nuapada	-	-	-	2437	2.39	5824	-	-	-	2437	2.39	5824
24	Nayagada	-	-	-	973	3.40	3308	397	3.70	1469	1370	3.49	4777
25	Nawarangpur	-	-	-	1373	6.71	9213	-	-	-	1373	6.71	9213
26	Puri	-	-	-	550	4.49	2470	4	3.28	13.00	554	4.48	2483
27	Raygada	-	-	-	1025	3.24	3321	-	-	-	1025	3.24	3321
28	Sambalpur	-	-	-	534	5.91	3156	-	-	-	534	5.91	3156
29	Subarnapur	-	-	-	107	4.33	463	-	-	-	107	4.33	463
30	Sundargarh	-	-	-	1189	4.16	4946	-	-	-	1189	4.16	4946
STATE		-	-	-	28424	4.13	117503	672	4.22	2838	29096	4.14	120341

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.8
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Til)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	421	2.36	994	61	1.93	118	154	2.33	359	636	2.31	1471
2	Balangir	46	1.85	85	38	1.27	48	49	1.50	74	133	1.56	207
3	Balasore	-	-	-	-	-	-	782	3.24	2534	782	3.24	2534
4	Bargarh	101	3.40	343	-	-	-	16	2.39	38	117	3.26	381
5	Bhadrak	S	1.94	-	-	-	-	60	3.20	192	60	3.20	192
6	Boudh	-	-	-	11	1.91	21	-	-	-	11	1.91	21
7	Cuttack	-	-	-	-	-	-	141	3.56	502	141	3.56	502
8	Deogarh	1	2.77	3	170	2.36	401	13	2.68	35	184	2.39	439
9	Dhenkanal	72	3.01	217	447	3.55	1587	116	3.33	386	635	3.45	2190
10	Gajapati	-	-	-	-	-	-	3295	2.50	8238	3295	2.50	8238
11	Ganjam	-	-	-	-	-	-	10165	2.24	22770	10165	2.24	22770
12	Jagatsinghpur	-	-	-	-	-	-	16	5.47	88	16	5.50	88
13	Jajpur	7	1.12	8	-	-	-	-	-	-	7	1.14	8
14	Jharsuguda	-	-	-	789	2.96	2335	4	2.57	10	793	2.96	2345
15	Kalahandi	-	-	-	24	2.66	64	-	-	-	24	2.67	64
16	Kandhamal	-	-	-	4	2.48	10	-	-	-	4	2.50	10
17	Kendrapada	-	-	-	-	-	-	18	3.40	61	18	3.39	61
18	Keonjhar	278	3.79	1054	136	1.79	243	20	3.92	78	434	3.17	1375
19	Khurda	-	-	-	3	4.21	13	242	4.13	999	245	4.13	1012
20	Koraput	-	-	-	4	1.23	5	-	-	-	4	1.25	5
21	Malkangiri	-	-	-	4516	3.13	14135	-	-	-	4516	3.13	14135
22	Mayurbhanja	17	4.08	69	11	4.67	51	261	3.28	856	289	3.38	976
23	Nuapada	599	1.48	887	-	-	-	5	3.18	16	604	1.50	903
24	Nayagada	S	3.61	-	61	2.44	149	130	2.59	337	191	2.54	486
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	157	3.71	582	157	3.71	582
27	Raygada	-	-	-	742	2.64	1959	249	3.11	774	991	2.76	2733
28	Sambalpur	-	-	-	559	4.07	2275	2	2.86	6	561	4.07	2281
29	Subarnapur	-	-	-	9	2.28	21	40	1.40	56	49	1.57	77
30	Sundargarh	174	3.04	529	482	3.30	1591	119	2.38	283	775	3.10	2403
STATE		1716	2.44	4189	8067	3.10	25026	16054	2.45	39274	25837	2.65	68489

N.B.: - Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.9**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Groundnut)**(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	640	19.43	12435	149	17.71	2639	513	19.40	9952	1302	19.22	25026
2	Balangir	1294	19.86	25699	121	20.25	2450	784	21.64	16966	2199	20.52	45115
3	Balasore	-	-	-	-	-	-	1958	16.72	32738	1958	16.72	32738
4	Bargarh	4413	16.90	74580	39	16.22	633	2322	21.19	49203	6774	18.37	124416
5	Bhadrak	-	-	-	-	-	-	1	29.07	29	1	29.00	29
6	Boudh	89	13.05	1161	23	13.44	309	-	-	-	112	13.13	1470
7	Cuttack	122	16.15	1970	-	-	-	1329	23.48	31205	1451	22.86	33175
8	Deogarh	182	30.99	5640	-	-	-	120	38.57	4628	302	34.00	10268
9	Dhenkanal	76	16.62	1263	1346	21.73	29249	284	23.61	6705	1706	21.82	37217
10	Gajapati	116	17.58	2039	-	-	-	185	15.95	2951	301	16.58	4990
11	Ganjam	342	18.39	6289	-	-	-	2499	24.02	60026	2841	23.34	66315
12	Jagatsinghpur	2	10.88	22	13	18.25	237	121	25.82	3124	136	24.88	3383
13	Jajpur	-	-	-	36	26.18	942	9483	21.59	204738	9519	21.61	205680
14	Jharsuguda	28	15.33	429	5	13.93	70	357	19.91	7108	390	19.51	7607
15	Kalahandi	701	13.99	9807	3	14.49	43	642	12.79	8211	1346	13.42	18061
16	Kandhamal	57	10.62	605	73	10.47	764	-	-	-	130	10.53	1369
17	Kendrapada	-	-	-	-	-	-	544	22.56	12273	544	22.56	12273
18	Keonjhar	342	14.11	4826	26	15.09	392	57	28.98	1652	425	16.16	6870
19	Khurda	-	-	-	2	33.09	66	303	17.56	5321	305	17.66	5387
20	Koraput	128	18.40	2355	354	17.85	6319	64	20.99	1343	546	18.35	10017
21	Malkangiri	-	-	-	-	-	-	5989	30.33	181646	5989	30.33	181646
22	Mayurbhanja	68	13.75	935	73	11.13	812	1245	21.86	27216	1386	20.90	28963
23	Nuapada	1246	14.49	18055	-	-	-	761	21.52	16377	2007	17.16	34432
24	Nayagada	178	12.83	2284	4	14.43	58	131	21.94	2874	313	16.66	5216
25	Nawarangpur	17	9.60	163	-	-	-	147	10.28	1511	164	10.21	1674
26	Puri	-	-	-	-	-	-	1404	15.41	21636	1404	15.41	21636
27	Raygada	39	10.55	411	300	10.66	3198	41	14.96	613	380	11.11	4222
28	Sambalpur	4	12.29	49	1	31.81	32	104	29.86	3105	109	29.23	3186
29	Subarnapur	6	14.29	86	-	-	-	183	18.80	3440	189	18.66	3526
30	Sundargarh	817	10.84	8856	25	7.51	188	264	18.78	4958	1106	12.66	14002
STATE		10907	16.50	179959	2593	18.67	48401	31835	22.67	721549	45335	20.95	949909

N.B.- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.10

District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Mustard)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	306	2.03	621	-	-	-	306	2.03	621
2	Balangir	-	-	-	823	1.20	988	-	-	-	823	1.20	988
3	Balasore	-	-	-	780	3.10	2418	-	-	-	780	3.10	2418
4	Bargarh	-	-	-	1464	2.64	3865	-	-	-	1464	2.64	3865
5	Bhadrak	-	-	-	78	5.47	427	-	-	-	78	5.47	427
6	Boudh	-	-	-	51	1.70	87	-	-	-	51	1.70	87
7	Cuttack	-	-	-	136	2.45	333	-	-	-	136	2.45	333
8	Deogarh	-	-	-	629	2.41	1516	-	-	-	629	2.41	1516
9	Dhenkanal	-	-	-	284	2.55	724	-	-	-	284	2.55	724
10	Gajapati	-	-	-	19	1.13	21	-	-	-	19	1.13	21
11	Ganjam	-	-	-	166	1.06	176	-	-	-	166	1.06	176
12	Jagatsinghpur	-	-	-	42	3.32	139	-	-	-	42	3.32	139
13	Jajpur	-	-	-	593	2.43	1441	-	-	-	593	2.43	1441
14	Jharsuguda	-	-	-	2024	2.68	5424	-	-	-	2024	2.68	5424
15	Kalahandi	-	-	-	438	3.13	1371	-	-	-	438	3.13	1371
16	Kandhamal	-	-	-	831	2.79	2318	-	-	-	831	2.79	2318
17	Kendrapada	-	-	-	64	3.06	196	-	-	-	64	3.06	196
18	Keonjhar	-	-	-	1677	4.15	6960	-	-	-	1677	4.15	6960
19	Khurda	-	-	-	19	1.23	23	-	-	-	19	1.23	23
20	Koraput	-	-	-	5	1.45	7	-	-	-	5	1.45	7
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	805	4.22	3397	-	-	-	805	4.22	3397
23	Nuapada	-	-	-	692	1.72	1190	-	-	-	692	1.72	1190
24	Nayagada	-	-	-	433	1.92	831	-	-	-	433	1.92	831
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	8	2.56	20	-	-	-	8	2.56	20
27	Raygada	-	-	-	419	2.11	884	-	-	-	419	2.11	884
28	Sambalpur	-	-	-	1373	6.62	9089	-	-	-	1373	6.62	9089
29	Subarnapur	-	-	-	6	2.32	14	-	-	-	6	2.32	14
30	Sundargarh	-	-	-	2433	5.07	12335	-	-	-	2433	5.07	12335
STATE		-	-	-	16598	3.42	56815	-	-	-	16598	3.42	56815

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.11**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Nizer)***(Area in Hect.)**(Yieldrate in Qtls/Hect)**(Production in Qtls.)*

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	-	-	-	-	-	-	-	-	-	-	-	-
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	-	-	-	-	-	-
10	Gajapati	-	-	-	S	1.59	-	-	-	-	S	1.59	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	689	3.81	2625	-	-	-	689	3.81	2625
16	Kandhamal	-	-	-	268	3.35	898	-	-	-	268	3.35	898
17	Kendrapada	-	-	-	-	-	-	-	-	-	-	-	-
18	Keonjhar	-	-	-	360	3.40	1224	-	-	-	360	3.40	1224
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	5139	2.99	15366	-	-	-	5139	2.99	15366
21	Malkangiri	-	-	-	194	3.04	590	-	-	-	194	3.04	590
22	Mayurbhanja	-	-	-	1	5.73	6	-	-	-	1	5.73	6
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	5	3.92	20	-	-	-	5	3.92	20
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	725	3.33	2414	-	-	-	725	3.33	2414
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	57	5.40	308	-	-	-	57	5.40	308
STATE		-	-	-	7438	3.15	23451	-	-	-	7438	3.15	23451

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.12
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Jute)

(Area in Hect.)
 (Yieldrate in Qtls/Hect)
 (Production in Qtls.)

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	-	-	-	-	-	-	-	-	-
2	Balangir	-	-	-	-	-	-	-	-	-	-	-	-
3	Balasore	141	22.32	3147	-	-	-	-	-	-	141	22.32	3147
4	Bargarh	-	-	-	-	-	-	-	-	-	-	-	-
5	Bhadrak	20	15.17	303	-	-	-	-	-	-	20	15.17	303
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	377	42.96	16196	-	-	-	-	-	-	377	42.96	16196
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	-	-	-	-	-	-	-	-	-
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	S	57.30	-	-	-	-	-	-	-	S	57.30	-
13	Jajpur	329	22.94	7547	-	-	-	-	-	-	329	22.94	7547
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	-	-	-	-	-	-	-	-	-	-	-	-
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	453	21.03	9527	-	-	-	-	-	-	453	21.03	9527
18	Keonjhar	465	28.76	13373	-	-	-	-	-	-	465	28.76	13373
19	Khurda	-	-	-	-	-	-	-	-	-	-	-	-
20	Koraput	-	-	-	-	-	-	-	-	-	-	-	-
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	-	-	-	-	-	-	-	-	-	-	-	-
24	Nayagada	-	-	-	-	-	-	-	-	-	-	-	-
25	Nawarangpur	-	-	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	-	-	-	-	-	-	-	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	-	-	-	-	-	-	-	-	-
STATE		1785	28.06	50093	-	-	-	-	-	-	1785	28.06	50093

N.B.- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.13**District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Potato)**

Sl No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	552	133.74	73824	-	-	-	552	133.74	73824
2	Balangir	-	-	-	382	149.11	56960	-	-	-	382	149.11	56960
3	Balasore	-	-	-	402	171.32	68871	-	-	-	402	171.32	68871
4	Bargarh	-	-	-	721	84.70	61069	-	-	-	721	84.70	61069
5	Bhadrak	-	-	-	48	124.40	5971	-	-	-	48	124.40	5971
6	Boudh	-	-	-	63	61.53	3876	-	-	-	63	61.53	3876
7	Cuttack	-	-	-	422	161.59	68191	-	-	-	422	161.59	68191
8	Deogarh	-	-	-	326	111.21	36254	-	-	-	326	111.21	36254
9	Dhenkanal	-	-	-	418	160.89	67252	-	-	-	418	160.89	67252
10	Gajapati	-	-	-	16	175.17	2803	-	-	-	16	175.17	2803
11	Ganjam	-	-	-	111	114.51	12711	-	-	-	111	114.51	12711
12	Jagatsinghpur	-	-	-	55	138.56	7621	-	-	-	55	138.56	7621
13	Jajpur	-	-	-	369	115.29	42542	-	-	-	369	115.29	42542
14	Jharsuguda	-	-	-	518	105.61	54706	-	-	-	518	105.61	54706
15	Kalahandi	-	-	-	S	77.90	-	-	-	-	S	77.90	-
16	Kandhamal	-	-	-	608	74.92	45551	-	-	-	608	74.92	45551
17	Kendrapada	-	-	-	148	156.29	23131	-	-	-	148	156.29	23131
18	Keonjhar	-	-	-	946	137.94	130491	-	-	-	946	137.94	130491
19	Khurda	-	-	-	56	123.62	6923	-	-	-	56	123.62	6923
20	Koraput	-	-	-	1082	68.04	73619	-	-	-	1082	68.04	73619
21	Malkangiri	-	-	-	1	32.32	32	-	-	-	1	32.32	32
22	Mayurbhanja	-	-	-	423	106.42	45016	-	-	-	423	106.42	45016
23	Nuapada	-	-	-	350	43.51	15229	-	-	-	350	43.51	15229
24	Nayagada	-	-	-	63	108.69	6847	-	-	-	63	108.69	6847
25	Nawarangpur	-	-	-	244	85.54	20872	-	-	-	244	85.54	20872
26	Puri	-	-	-	146	115.06	16799	-	-	-	146	115.06	16799
27	Raygada	-	-	-	101	139.02	14041	-	-	-	101	139.02	14041
28	Sambalpur	-	-	-	1107	89.83	99442	-	-	-	1107	89.83	99442
29	Subarnapur	-	-	-	14	63.86	894	-	-	-	14	63.86	894
30	Sundargarh	-	-	-	1891	88.92	168148	-	-	-	1891	88.92	168148
STATE		-	-	-	11583	106.16	1229686	-	-	-	11583	106.16	1229686

N.B.:- Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No. - 5.14
District wise and Season wise Estimates of Area, Yieldrate and Production of Programmed Crops 2024-25 (Sugarcane)
(Area in Hect.)
(Yieldrate in Qtls/Hect)
(Production in Qtls.)

SI No	District	Autumn			Winter			Summer			Total		
		Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production	Area	Yield rate	Production
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	-	-	19	609.33	11577	-	-	-	19	609.33	11577
2	Balangir	-	-	-	25	744.67	18617	-	-	-	25	744.67	18617
3	Balasore	-	-	-	411	445.33	183031	-	-	-	411	445.33	183031
4	Bargarh	-	-	-	158	664.57	105002	-	-	-	158	664.57	105002
5	Bhadrak	-	-	-	64	333.33	21333	-	-	-	64	333.33	21333
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-
7	Cuttack	-	-	-	225	726.40	163440	-	-	-	225	726.40	163440
8	Deogarh	-	-	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	-	-	-	574	723.48	415278	-	-	-	574	723.48	415278
10	Gajapati	-	-	-	1	100.00	100	-	-	-	1	100.00	100
11	Ganjam	-	-	-	285	634.00	180690	-	-	-	285	634.00	180690
12	Jagatsinghpur	-	-	-	376	579.11	217745	-	-	-	376	579.11	217745
13	Jajpur	-	-	-	1868	507.23	947506	-	-	-	1868	507.23	947506
14	Jharsuguda	-	-	-	70	898.00	62860	-	-	-	70	898.00	62860
15	Kalahandi	-	-	-	1034	395.05	408482	-	-	-	1034	395.05	408482
16	Kandhamal	-	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapada	-	-	-	225	569.78	128201	-	-	-	225	569.78	128201
18	Keonjhar	-	-	-	174	576.00	100224	-	-	-	174	576.00	100224
19	Khurda	-	-	-	91	598.00	54418	-	-	-	91	598.00	54418
20	Koraput	-	-	-	369	453.85	167471	-	-	-	369	453.85	167471
21	Malkangiri	-	-	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	-	-	-	-	-	-	-	-	-	-	-
23	Nuapada	-	-	-	21	412.80	8669	-	-	-	21	412.80	8669
24	Nayagada	-	-	-	214	714.32	152864	-	-	-	214	714.32	152864
25	Nawarangpur	-	-	-	6996	487.64	3411529	-	-	-	6996	487.64	3411529
26	Puri	-	-	-	27	464.00	12528	-	-	-	27	464.00	12528
27	Raygada	-	-	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	-	-	-	S	812.00	-	-	-	-	S	812.00	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	-	29	1166.67	33833	-	-	-	29	1166.67	33833
STATE		-	-	-	13256	513.38	6805398	-	-	-	13256	513.38	6805398

N.B.: Area estimates followed by 'S' denotes Area less than 0.5 hect.

Table No.- 6.0
State Level Estimates of Area under Other Crops by Broad Groups (2015-16 to 2024-25)

State :- Odisha

(Area in hect.)

Sl. No.	Year	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	2015-16	13612	23960	4	37576	2480	60730	553	63763	11	919	2105	3035	19611	101347	20453	141411
2	2016-17	9860	26448	100	36408	2471	43799	517	46787	595	2438	1580	4613	29010	105167	12672	146849
3	2017-18	6580	29227	42	35849	1482	39905	4942	46329	77	1408	757	2242	27924	97475	12845	138244
4	2018-19	5006	19007	41	24054	772	41902	863	43537	116	2077	943	3136	18185	94813	17256	130254
5	2019-20	3380	23119	10	26509	486	45568	1464	47518	38	6849	893	7780	20220	101082	24546	145848
6	2020-21	3091	19149	187	22427	603	36525	1084	38212	210	3570	1586	5366	22171	126029	26477	174677
7	2021-22	4927	21882	217	27026	3994	64462	968	69424	31	4086	2103	6220	54159	189207	35291	278657
8	2022-23	1512	17542	162	19216	1151	47842	1407	50400	75	5089	2934	8098	37306	178961	33383	249650
9	2023-24	1001	22430	112	23543	1163	50669	4181	56013	6	3722	2700	6428	36998	183017	39963	259978
10	2024-25	1421	18601	65	20087	939	45014	6061	52014	7	4531	2849	7387	40398	186409	45313	272120



Table No.- 6.1
District wise Estimates of Area under Other Crops by Broad Groups 2024-25

Sl. No.	District	Other Cereals				Other Pulses				Other Oilseeds				All Other Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Angul	-	4	-	4	6	767	53	826	-	1	2	3	1517	1320	1116	3953
2	Bolangir	118	-	27	145	588	3652	1731	5971	-	-	25	25	4040	47141	3890	55071
3	Balasore	-	51	9	60	-	-	-	-	-	-	52	52	914	2340	2464	5718
4	Bargarh	463	-	5	468	119	2427	278	2824	-	1	95	96	5179	10720	5122	21021
5	Bhadrak	-	-	-	-	-	-	-	-	-	1	98	99	484	780	814	2078
6	Boudh	1	-	1	2	-	1021	155	1176	-	-	119	119	121	2654	187	2962
7	Cuttack	-	-	-	-	-	3	13	16	-	-	38	38	1959	3711	2873	8543
8	Deogarh	1	-	-	1	1	67	-	68	-	-	56	56	155	430	550	1135
9	Dhenkanal	-	-	-	-	-	823	70	893	-	5	20	25	1059	3138	1908	6105
10	Gajapati	2	15	-	17	136	93	18	247	7	-	238	245	504	393	136	1033
11	Ganjam	11	339	-	350	-	2874	2	2876	-	-	59	59	3787	4326	3410	11523
12	Jagatsinghpur	-	1	-	1	-	-	-	-	-	-	-	-	222	616	414	1252
13	Jajpur	-	-	-	-	-	5	-	5	-	-	-	-	1866	2720	1752	6338
14	Jharsuguda	-	-	-	-	-	23	-	23	-	56	32	88	577	1292	1482	3351
15	Kalahandi	35	1017	-	1052	-	9921	2135	12056	-	281	221	502	882	31955	1780	34617
16	Kandhamal	-	45	1	46	-	1060	-	1060	-	4	31	35	995	3711	277	4983
17	Kendrapara	2	1	3	6	-	-	-	-	-	-	11	11	559	1191	678	2428
18	Keonjhar	25	-	-	25	-	488	329	817	-	-	161	161	2666	2220	1327	6213
19	Khurda	2	-	-	2	-	6	-	6	-	-	91	91	1056	639	1137	2832
20	Koraput	238	11007	-	11245	-	661	85	746	-	28	134	162	1372	10010	2181	13563
21	Malkangiri	-	1175	-	1175	-	175	-	175	-	-	3	3	344	896	246	1486
22	Mayurbhanj	-	-	-	-	13	580	295	888	-	165	184	349	2852	3580	2826	9258
23	Nuapada	304	58	-	362	-	5351	184	5535	-	35	49	84	779	4292	663	5734
24	Nayagarh	-	-	1	1	-	1552	616	2168	-	20	134	154	1353	1303	1611	4267
25	Nowarangpur	-	6	-	6	-	1772	-	1772	-	-	-	-	1218	1808	1338	4364
26	Puri	-	-	1	1	-	-	-	-	-	-	-	-	407	858	722	1987
27	Rayagada	178	4852	-	5030	-	11134	-	11134	-	3837	750	4587	471	35211	279	35961
28	Sambalpur	-	1	-	1	-	1	-	1	-	-	-	-	855	1074	789	2718
29	Subarnapur	-	-	-	-	-	18	-	18	-	16	-	16	697	3620	2151	6468
30	Sundargarh	41	29	17	87	76	540	97	713	-	81	246	327	1508	2460	1190	5158
STATE		1421	18601	65	20087	939	45014	6061	52014	7	4531	2849	7387	40398	186409	45313	272120

Table No. - 7.0
State Level Estimates of Area under All Crops by Broad Groups (2015-16 to 2024-25)

State :- Odisha

(Area in '000 hect.)

Sl. No.	Year	Total Cereals				Total Pulses				Total Oilseeds				Total other crops				All crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2015-16	622	3222	237	4081	42	211	208	461	20	44	40	104	21	116	20	157	705	3593	505	4803
2	2016-17	604	3287	228	4119	71	271	173	516	25	43	22	90	30	117	13	160	730	3718	436	4884
3	2017-18	591	3076	224	3892	48	191	147	386	17	41	20	77	29	105	13	147	685	3413	404	4502
4	2018-19	517	3178	277	3972	25	168	149	342	13	40	18	71	18	107	17	142	573	3493	461	4527
5	2019-20	500	3271	297	4068	21	167	180	368	12	41	22	75	20	114	25	159	553	3593	524	4670
6	2020-21	521	3308	343	4172	22	162	191	375	9	41	35	85	23	138	26	187	575	3649	595	4819
7	2021-22	562	3267	304	4133	48	241	165	454	24	55	32	111	58	207	35	300	692	3770	536	4998
8	2022-23	475	3397	339	4211	32	238	165	435	18	45	34	97	40	198	33	271	565	3878	571	5014
9	2023-24	415	3456	396	4267	22	252	236	510	14	52	43	109	40	202	40	282	491	3962	715	5168
10	2024-25	387	3509	432	4328	19	241	270	530	13	39	51	103	42	211	46	299	461	4000	799	5260



Table No.- 7.1
District wise Estimates of Area under all Crops by Broad Groups 2024-25

(Area in hect.)

Sl. No.	District	Total Cereals				Total Pulses				Total Oilseeds				Total Other Crops				All Crops			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	3175	89015	2898	95088	1256	2885	1963	6104	1061	517	669	2247	1517	1891	1116	4524	7009	94308	6646	107963
2	Bolangir	37666	155284	8920	201870	4036	14790	12627	31453	1340	982	858	3180	4040	47548	3890	55478	47082	218604	26295	291981
3	Balasore	18	172810	64023	236851	1	10	4031	4042	-	780	2792	3572	1055	3153	2464	6672	1074	176753	73310	251137
4	Bargarh	40285	217309	101206	358800	7732	2917	5280	15929	4514	1504	2433	8451	5179	11599	5122	21900	57710	233329	114041	405080
5	Bhadrak	-	136200	2621	138821	-	372	2474	2846	-	79	159	238	504	892	814	2210	504	137543	6068	144115
6	Boudh	2041	62285	5418	69744	161	1724	3026	4911	89	85	119	293	121	2717	187	3025	2412	66811	8750	77973
7	Cuttack	682	106669	9420	116771	-	18713	26329	45042	122	136	1508	1766	2336	4358	2873	9567	3140	129876	40130	173146
8	Deogarh	8104	32046	26	40176	163	295	354	812	183	799	189	1171	155	756	550	1461	8605	33896	1119	43620
9	Dhenkanal	1900	91051	501	93452	111	5924	4960	10995	148	2082	420	2650	1059	4130	1908	7097	3218	103187	7789	114194
10	Gajapati	18115	33384	1752	53251	136	3851	57	4044	123	19	3718	3860	504	410	136	1050	18878	37664	5663	62205
11	Ganjam	3658	264248	714	268620	25	101696	2	101723	342	166	12723	13231	3787	4722	3410	11919	7812	370832	16849	395493
12	Jagatsinghpur	325	79645	1338	81308	-	734	38354	39088	2	55	137	194	222	1047	414	1683	549	81481	40243	122273
13	Jajpur	18105	107280	3770	129155	-	9891	7291	17182	7	629	9483	10119	2195	4957	1752	8904	20307	122757	22296	165360
14	Jharsuguda	5561	30182	1967	37710	3	300	1905	2208	28	2874	393	3295	577	1880	1482	3939	6169	35236	5747	47152
15	Kalahandi	14849	197077	56191	268117	5	17038	20148	37191	701	1435	863	2999	882	32989	1780	35651	16437	248539	78982	343958
16	Kandhamal	2560	42523	467	45550	4	3284	2	3290	57	1180	31	1268	995	4319	277	5591	3616	51306	777	55699
17	Kendrapara	801	124134	2126	127061	-	8461	36091	44552	-	64	573	637	1012	1564	678	3254	1813	134223	39468	175504
18	Keonjhar	3135	173909	1423	178467	137	1963	2053	4153	620	2199	238	3057	3131	3340	1327	7798	7023	181411	5041	193475
19	Khurda	14	87174	1768	88956	-	232	15492	15724	-	24	636	660	1056	786	1137	2979	1070	88216	19033	108319
20	Koraput	13949	126668	33350	173967	-	2724	313	3037	128	5530	198	5856	1372	11461	2181	15014	15449	146383	36042	197874
21	Malkangiri	14569	113299	4839	132707	-	4015	83	4098	-	4710	5992	10702	344	897	246	1487	14913	122921	11160	148994
22	Mayurbhanj	5013	347248	9555	361816	384	842	2195	3421	85	1055	1690	2830	2852	4003	2826	9681	8334	353148	16266	377748
23	Nuapada	38616	57945	7507	104068	4508	7788	4040	16336	1845	727	815	3387	779	4663	663	6105	45748	71123	13025	129896
24	Nayagarh	1358	88056	390	89804	1	6587	52337	58925	178	518	395	1091	1353	1580	1611	4544	2890	96741	54733	154364
25	Nowrangpur	51271	100050	16229	167550	-	4743	548	5291	17	5	147	169	1218	9048	1338	11604	52506	113846	18262	184614
26	Puri	-	89482	33287	122769	-	1373	21684	23057	-	8	1561	1569	407	1031	722	2160	407	91894	57254	149555
27	Rayagada	3277	65029	885	69191	-	14948	79	15027	39	6023	1040	7102	471	35312	279	36062	3787	121312	2283	127382
28	Sambalpur	31394	96167	16667	144228	137	771	1516	2424	4	1933	106	2043	855	2181	789	3825	32390	101052	19078	152520
29	Sonepur	5475	93727	41010	140212	4	132	2764	2900	6	31	223	260	697	3634	2151	6482	6182	97524	46148	149854
30	Sundargarh	61438	129226	1860	192524	379	2075	2137	4591	991	3078	629	4698	1508	4380	1190	7078	64316	138759	5816	208891
STATE		387354	3509122	432128	4328604	19183	241078	270135	530396	12630	39227	50738	102595	42183	211248	45313	298744	461350	4000675	798314	5260339



Table No. -8.0
District wise and Crop wise Estimates of Gross Cropped Area 2024-25

Sl. No.	Name of the district	Paddy	Wheat	Maize	Ragi	Other Cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground nut	Mustard	Niger	Other Oilseeds	Jute	Potato	Sugar cane	Area in hect.	
																			All other crops	All Crops
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1	Angul	94325	-	295	464	4	2621	2028	629	826	636	1302	306	-	3	-	552	19	3953	107963
2	Bolangir	200628	4	746	347	145	20831	3736	915	5971	133	2199	823	-	25	-	382	25	55071	291981
3	Balasore	236628	6	3	154	60	2420	1622	-	-	782	1958	780	-	52	141	402	411	5718	251137
4	Bargarh	356038	45	68	2181	468	10280	2487	338	2824	117	6774	1464	-	96	-	721	158	21021	405080
5	Bhadrak	138812	3	4	2	-	2182	663	1	-	60	1	78	-	99	20	48	64	2078	144115
6	Boudh	69668	-	41	33	2	3286	155	294	1176	11	112	51	-	119	-	63	-	2962	77973
7	Cuttack	116473	1	120	177	-	20752	21477	2797	16	141	1451	136	-	38	377	422	225	8543	173146
8	Deogarh	40103	1	51	20	1	344	173	227	68	184	302	629	-	56	-	326	-	1135	43620
9	Dhenkanal	92933	25	388	106	-	5010	2876	2216	893	635	1706	284	-	25	-	418	574	6105	114194
10	Gajapati	34822	-	17181	1231	17	2043	1664	90	247	3295	301	19	-	245	-	16	1	1033	62205
11	Ganjam	264445	-	2479	1346	350	85489	9475	3883	2876	10165	2841	166	-	59	-	111	285	11523	395493
12	Jagatsinghpur	81249	-	1	57	1	35530	3262	296	-	16	136	42	-	-	-	55	376	1252	122273
13	Jajpur	129153	1	1	-	-	7201	8354	1622	5	7	9519	593	-	-	329	369	1868	6338	165360
14	Jharsuguda	37133	6	104	467	-	1684	309	192	23	793	390	2024	-	88	-	518	70	3351	47152
15	Kalahandi	263873	-	1956	1236	1052	19874	3156	2105	12056	24	1346	438	689	502	-	-	1034	34617	343958
16	Kandhamal	43205	1	1844	454	46	69	1467	694	1060	4	130	831	268	35	-	608	-	4983	55699
17	Kendrapara	127043	-	-	12	6	33789	10557	206	-	18	544	64	-	11	453	148	225	2428	175504
18	Keonjhar	176680	12	1279	471	25	1474	941	921	817	434	425	1677	360	161	465	946	174	6213	193475
19	Khurda	88923	-	9	22	2	13139	2269	310	6	245	305	19	-	91	-	56	91	2832	108319
20	Koraput	123783	-	12361	26578	11245	155	726	1410	746	4	546	5	5139	162	-	1082	369	13563	197874
21	Malkangiri	126872	-	666	3994	1175	563	2192	1168	175	4516	5989	-	194	3	-	1	-	1486	148994
22	Mayurbhanj	360365	73	854	524	-	1643	697	193	888	289	1386	805	1	349	-	423	-	9258	377748
23	Nuapada	101160	-	1390	1156	362	5475	2889	2437	5535	604	2007	692	-	84	-	350	21	5734	129896
24	Nayagarh	87285	2	734	1782	1	50262	5125	1370	2168	191	313	433	-	154	-	63	214	4267	154364
25	Nawarangpur	125310	-	40036	2198	6	493	1653	1373	1772	-	164	-	5	-	-	244	6996	4364	184614
26	Puri	122710	-	1	57	1	16172	6331	554	-	157	1404	8	-	-	-	146	27	1987	149555
27	Rayagada	53902	-	2897	7362	5030	55	2813	1025	11134	991	380	419	725	4587	-	101	-	35961	127382
28	Sambalpur	143979	29	134	85	1	1534	355	534	1	561	109	1373	-	-	-	1107	-	2718	152520
29	Subarnapur	140184	-	-	28	-	2771	4	107	18	49	189	6	-	16	-	14	-	6468	149854
30	Sundargarh	191225	94	572	546	87	1477	1212	1189	713	775	1106	2433	57	327	-	1891	29	5158	208891
State		4168909	303	86215	53090	20087	348618	100668	29096	52014	25837	45335	16598	7438	7387	1785	11583	13256	272120	5260339

Table No. - 8.1
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2024-25

Sl. No.	District	Paddy				Wheat Summer	Maize				Ragi				(Area in hect.) Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	2502	89011	2812	94325	-	249	-	46	295	424	-	40	464	-	4	-	4
2	Bolangir	36598	155141	8889	200628	4	744	2	-	746	206	141	-	347	118	-	27	145
3	Balasore	17	172696	63915	236628	6	-	1	2	3	1	62	91	154	-	51	9	60
4	Baragarh	38204	216897	100937	356038	45	33	21	14	68	1585	391	205	2181	463	-	5	468
5	Bhadrak	-	136199	2613	138812	3	-	1	3	4	-	-	2	2	-	-	-	-
6	Boudh	2004	62259	5405	69668	-	36	1	4	41	-	25	8	33	1	-	1	2
7	Cuttack	515	106580	9378	116473	1	-	89	31	120	167	-	10	177	-	-	-	-
8	Deogarh	8069	32026	8	40103	1	34	-	17	51	-	20	-	20	1	-	-	1
9	Dhenkanal	1688	90952	293	92933	25	125	88	175	388	87	11	8	106	-	-	-	-
10	Gajapati	-	33265	1557	34822	-	17036	-	145	17181	1077	104	50	1231	2	15	-	17
11	Ganjam	-	263909	536	264445	-	2393	-	86	2479	1254	-	92	1346	11	339	-	350
12	Jagatsinghpur	325	79644	1280	81249	-	-	-	1	1	-	-	57	57	-	1	-	1
13	Jajpur	18105	107280	3768	129153	1	-	-	1	1	-	-	-	-	-	-	-	-
14	Jharsuguda	5457	29724	1952	37133	6	82	19	3	104	22	439	6	467	-	-	-	-
15	Kalahandi	12879	194845	56149	263873	-	1911	3	42	1956	24	1212	-	1236	35	1017	-	1052
16	Kandhamal	763	41996	446	43205	1	1761	66	17	1844	36	416	2	454	-	45	1	46
17	Kendrapara	798	124132	2113	127043	-	-	-	-	-	1	1	10	12	2	1	3	6
18	Keonjhar	1684	173694	1302	176680	12	1265	2	12	1279	161	213	97	471	25	-	-	25
19	Khurda	6	87164	1753	88923	-	1	-	8	9	5	10	7	22	2	-	-	2
20	Koraput	1992	89886	31905	123783	-	10957	-	1404	12361	762	25775	41	26578	238	11007	-	11245
21	Malkangiri	13933	108129	4810	126872	-	636	1	29	666	-	3994	-	3994	-	1175	-	1175
22	Mayurbhanj	4229	346885	9251	360365	73	659	22	173	854	125	341	58	524	-	-	-	-
23	Nuapada	35775	57887	7498	101160	-	1390	-	-	1390	1147	-	9	1156	304	58	-	362
24	Nayagarh	48	87195	42	87285	2	439	22	273	734	871	839	72	1782	-	-	1	1
25	Nowarangpur	23407	99346	2557	125310	-	26435	-	13601	40036	1429	698	71	2198	-	6	-	6
26	Puri	-	89472	33238	122710	-	-	-	1	1	-	10	47	57	-	-	1	1
27	Rayagada	129	52903	870	53902	-	2871	13	13	2897	99	7261	2	7362	178	4852	-	5030
28	Sambalpur	31296	96079	16604	143979	29	98	5	31	134	-	82	3	85	-	1	-	1
29	Subarnapur	5475	93709	41000	140184	-	-	-	-	-	-	18	10	28	-	-	-	-
30	Sundargarh	60541	129022	1662	191225	94	497	9	66	572	359	166	21	546	41	29	17	87
STATE		306439	3447927	414543	4168909	303	69652	365	16198	86215	9842	42229	1019	53090	1421	18601	65	20087

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2024-25

(Area in hect.)																
Sl. No.	District	Mung				Biri				Kulthi			Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	572	740	1309	2621	678	749	601	2028	629	-	629	6	767	53	826
2	Bolangir	2333	8649	9849	20831	1115	1574	1047	3736	915	-	915	588	3652	1731	5971
3	Balasore	1	-	2419	2420	-	10	1612	1622	-	-	-	-	-	-	-
4	Baragarh	5913	119	4248	10280	1700	33	754	2487	338	-	338	119	2427	278	2824
5	Bhadrak	-	-	2182	2182	-	371	292	663	1	-	1	-	-	-	-
6	Boudh	152	279	2855	3286	9	131	15	155	293	1	294	-	1021	155	1176
7	Cuttack	-	117	20635	20752	-	15803	5674	21477	2790	7	2797	-	3	13	16
8	Deogarh	81	1	262	344	81	-	92	173	227	-	227	1	67	-	68
9	Dhenkanal	42	342	4626	5010	69	2640	167	2876	2119	97	2216	-	823	70	893
10	Gajapati	-	2004	39	2043	-	1664	-	1664	90	-	90	136	93	18	247
11	Ganjam	24	85465	-	85489	1	9474	-	9475	3883	-	3883	-	2874	2	2876
12	Jagatsinghpur	-	-	35530	35530	-	464	2798	3262	270	26	296	-	-	-	-
13	Jajpur	-	1	7200	7201	-	8272	82	8354	1613	9	1622	-	5	-	5
14	Jharsuguda	-	15	1669	1684	3	70	236	309	192	-	192	-	23	-	23
15	Kalahandi	-	2462	17412	19874	5	2550	601	3156	2105	-	2105	-	9921	2135	12056
16	Kandhamal	4	63	2	69	-	1467	-	1467	694	-	694	-	1060	-	1060
17	Kendrapara	-	-	33789	33789	-	8257	2300	10557	204	2	206	-	-	-	-
18	Keonjhar	-	169	1305	1474	137	387	417	941	919	2	921	-	488	329	817
19	Khurda	-	5	13134	13139	-	38	2231	2269	183	127	310	-	6	-	6
20	Koraput	-	32	123	155	-	621	105	726	1410	-	1410	-	661	85	746
21	Malkangiri	-	493	70	563	-	2179	13	2192	1168	-	1168	-	175	-	175
22	Mayurbhanj	6	2	1635	1643	365	67	265	697	193	-	193	13	580	295	888
23	Nuapada	1811	-	3664	5475	2697	-	192	2889	2437	-	2437	-	5351	184	5535
24	Nayagarh	1	2313	47948	50262	-	1749	3376	5125	973	397	1370	-	1552	616	2168
25	Nowarangpur	-	68	425	493	-	1530	123	1653	1373	-	1373	-	1772	-	1772
26	Puri	-	-	16172	16172	-	823	5508	6331	550	4	554	-	-	-	-
27	Rayagada	-	55	-	55	-	2734	79	2813	1025	-	1025	-	11134	-	11134
28	Sambalpur	37	148	1349	1534	100	88	167	355	534	-	534	-	1	-	1
29	Subarnapur	-	7	2764	2771	4	-	-	4	107	-	107	-	18	-	18
30	Sundargarh	99	44	1334	1477	204	302	706	1212	1189	-	1189	76	540	97	713
STATE		11076	103593	233949	348618	7168	64047	29453	100668	28424	672	29096	939	45014	6061	52014

(Contd.)

Table No. -8.1 (contd.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2024-25

Sl. No.	District	Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	421	61	154	636	640	149	513	1302	306	-	-	1	2	3
2	Bolangir	46	38	49	133	1294	121	784	2199	823	-	-	-	25	25
3	Balasore	-	-	782	782	-	-	1958	1958	780	-	-	-	52	52
4	Baragarh	101	-	16	117	4413	39	2322	6774	1464	-	-	1	95	96
5	Bhadrak	-	-	60	60	-	-	1	1	78	-	-	1	98	99
6	Boudh	-	11	-	11	89	23	-	112	51	-	-	-	119	119
7	Cuttack	-	-	141	141	122	-	1329	1451	136	-	-	-	38	38
8	Deogarh	1	170	13	184	182	-	120	302	629	-	-	-	56	56
9	Dhenkanal	72	447	116	635	76	1346	284	1706	284	-	-	5	20	25
10	Gajapati	-	-	3295	3295	116	-	185	301	19	-	7	-	238	245
11	Ganjam	-	-	10165	10165	342	-	2499	2841	166	-	-	-	59	59
12	Jagatsinghpur	-	-	16	16	2	13	121	136	42	-	-	-	-	-
13	Jajpur	7	-	-	7	-	36	9483	9519	593	-	-	-	-	-
14	Jharsuguda	-	789	4	793	28	5	357	390	2024	-	-	56	32	88
15	Kalahandi	-	24	-	24	701	3	642	1346	438	689	-	281	221	502
16	Kandhamal	-	4	-	4	57	73	-	130	831	268	-	4	31	35
17	Kendrapara	-	-	18	18	-	-	544	544	64	-	-	-	11	11
18	Keonjhar	278	136	20	434	342	26	57	425	1677	360	-	-	161	161
19	Khurda	-	3	242	245	-	2	303	305	19	-	-	-	91	91
20	Koraput	-	4	-	4	128	354	64	546	5	5139	-	28	134	162
21	Malkangiri	-	4516	-	4516	-	-	5989	5989	-	194	-	-	3	3
22	Mayurbhanj	17	11	261	289	68	73	1245	1386	805	1	-	165	184	349
23	Nuapada	599	-	5	604	1246	-	761	2007	692	-	-	35	49	84
24	Nayagarh	-	61	130	191	178	4	131	313	433	-	-	20	134	154
25	Nowrangpur	-	-	-	-	17	-	147	164	-	5	-	-	-	-
26	Puri	-	-	157	157	-	-	1404	1404	8	-	-	-	-	-
27	Rayagada	-	742	249	991	39	300	41	380	419	725	-	3837	750	4587
28	Sambalpur	-	559	2	561	4	1	104	109	1373	-	-	-	-	-
29	Subarnapur	-	9	40	49	6	-	183	189	6	-	-	16	-	16
30	Sundargarh	174	482	119	775	817	25	264	1106	2433	57	-	81	246	327
STATE		1716	8067	16054	25837	10907	2593	31835	45335	16598	7438	7	4531	2849	7387

(Contd.)

Table No. - 8.1 (concl.)
District wise, Crop wise and Season wise Estimates of Gross Cropped Area 2024-25

Sl. No.	District	(Area in hect.)										
		Jute	Potato	Sugarcane	Other Crops				All Crops			
		Autumn	Winter	Winter	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	552	19	1517	1320	1116	3953	7009	94308	6646	107963
2	Bolangir	-	382	25	4040	47141	3890	55071	47082	218604	26295	291981
3	Balasore	141	402	411	914	2340	2464	5718	1074	176753	73310	251137
4	Baragarh	-	721	158	5179	10720	5122	21021	57710	233329	114041	405080
5	Bhadrak	20	48	64	484	780	814	2078	504	137543	6068	144115
6	Boudh	-	63	-	121	2654	187	2962	2412	66811	8750	77973
7	Cuttack	377	422	225	1959	3711	2873	8543	3140	129876	40130	173146
8	Deogarh	-	326	-	155	430	550	1135	8605	33896	1119	43620
9	Dhenkanal	-	418	574	1059	3138	1908	6105	3218	103187	7789	114194
10	Gajapati	-	16	1	504	393	136	1033	18878	37664	5663	62205
11	Ganjam	-	111	285	3787	4326	3410	11523	7812	370832	16849	395493
12	Jagatsinghpur	-	55	376	222	616	414	1252	549	81481	40243	122273
13	Jajpur	329	369	1868	1866	2720	1752	6338	20307	122757	22296	165360
14	Jharsuguda	-	518	70	577	1292	1482	3351	6169	35236	5747	47152
15	Kalahandi	-	-	1034	882	31955	1780	34617	16437	248539	78982	343958
16	Kandhamal	-	608	-	995	3711	277	4983	3616	51306	777	55699
17	Kendrapara	453	148	225	559	1191	678	2428	1813	134223	39468	175504
18	Keonjhar	465	946	174	2666	2220	1327	6213	7023	181411	5041	193475
19	Khurda	-	56	91	1056	639	1137	2832	1070	88216	19033	108319
20	Koraput	-	1082	369	1372	10010	2181	13563	15449	146383	36042	197874
21	Malkangiri	-	1	-	344	896	246	1486	14913	122921	11160	148994
22	Mayurbhanj	-	423	-	2852	3580	2826	9258	8334	353148	16266	377748
23	Nuapada	-	350	21	779	4292	663	5734	45748	71123	13025	129896
24	Nayagarh	-	63	214	1353	1303	1611	4267	2890	96741	54733	154364
25	Nowrangpur	-	244	6996	1218	1808	1338	4364	52506	113846	18262	184614
26	Puri	-	146	27	407	858	722	1987	407	91894	57254	149555
27	Rayagada	-	101	-	471	35211	279	35961	3787	121312	2283	127382
28	Sambalpur	-	1107	-	855	1074	789	2718	32390	101052	19078	152520
29	Subarnapur	-	14	-	697	3620	2151	6468	6182	97524	46148	149854
30	Sundargarh	-	1891	29	1508	2460	1190	5158	64316	138759	5816	208891
STATE		1785	11583	13256	40398	186409	45313	272120	461350	4000675	798314	5260339



Table No.- 9.0
State Level Percentage Standard Error of estimated Yieldrate (2015-16 to 2024-25)

State :- Odisha

Crop:- PADDY

(Yield rate in Qtl. / Hect.)

Sl. No.	Year	AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Stan- dard Error	Yield Estimate	% Stan- dard Error	Yield Estimate	% Stan- dard Error
1	2	5	6	11	12	17	18
1	2015-16	10.90	1.29	22.5	0.65	50.84	1.48
2	2016-17	19.48	1.15	39.18	0.31	53.5	1.17
3	2017-18	16.48	1.30	26.54	0.44	47.48	1.63
4	2018-19	17.59	1.62	30.39	0.35	51.15	0.86
5	2019-20	27.36	2.88	37.87	0.27	48.31	0.67
6	2020-21	30.32	1.01	41.11	0.25	57.83	0.64
7	2021-22	21.76	1.45	35.54	0.35	57.53	0.55
8	2022-23	28.22	1.85	45.13	0.22	56.39	0.51
9	2023-24	29.92	0.52	43.04	0.29	51.08	0.4
10	2024-25	26.72	0.63	42.28	0.31	53.69	0.35



Table No.-9.1
District wise Percentage Standard Error of estimated Yieldrate 2024-25
Crop :- PADDY

Sl. No.	District	(Yieldrate in Qtls/Hect)					
		AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Stand-ard Error	Yield Estimate	% Stand-ard Error	Yield Estimate	% Stand-ard Error
1	2	5	6	11	12	17	18
1	Anugul	45.85	1.20	52.48	0.83	48.73	2.04
2	Bolangir	22.49	1.86	38.69	1.64	42.11	1.86
3	Balasore	22.76	6.35	37.27	1.29	51.69	0.65
4	Baragarh	31.34	2.05	55.73	1.48	58.56	1.22
5	Bhadrak	-	-	34.46	1.99	43.64	2.93
6	Boudh	36.99	2.20	47.92	1.42	46.28	1.97
7	Cuttack	28.83	6.17	47.62	0.92	53.56	1.83
8	Deogarh	31.30	1.88	39.67	2.26	21.88	13.93
9	Dhenkanal	35.77	1.97	55.42	0.95	35.09	6.81
10	Gajapati	-	-	33.13	1.33	30.46	1.31
11	Ganjam	-	-	41.06	1.06	45.58	3.51
12	Jagatsinghpur	25.42	7.32	40.46	1.20	48.41	1.55
13	Jajpur	23.70	3.81	36.21	2.45	40.41	2.53
14	Jharsuguda	17.35	8.21	40.27	6.00	59.02	2.57
15	Kalahandi	24.92	2.38	45.87	1.68	53.83	1.32
16	Kandhamal	20.91	3.17	27.31	1.40	31.76	4.38
17	Kendrapara	35.90	5.18	36.68	1.72	49.55	2.47
18	Keonjhar	35.99	2.61	47.01	1.12	32.84	5.16
19	Khurda	24.17	3.95	46.98	1.16	55.81	1.80
20	Koraput	35.16	1.77	50.14	0.99	48.49	0.77
21	Malakangiri	28.77	1.84	39.04	1.09	36.08	2.22
22	Mayurbhanja	27.06	1.67	37.90	0.74	39.78	1.09
23	Nuapada	31.70	1.76	37.78	1.68	44.14	1.26
24	Nayagarh	35.85	7.68	39.78	1.45	49.79	4.56
25	Nowrangapur	36.60	1.60	41.56	1.56	41.20	1.86
26	Puri	-	-	45.16	1.53	51.21	0.71
27	Rayagada	16.25	6.89	42.76	1.07	39.57	2.13
28	Sambalpur	17.77	4.07	41.30	2.32	67.46	1.50
29	Subarnapur	29.53	2.90	51.60	1.69	61.53	0.85
30	Sundergarh	23.05	2.32	28.09	2.21	37.47	5.75
STATE		26.72	0.63	42.28	0.31	53.69	0.35

Table No.- 9.2

State level Percentage Standard Error of estimated Yieldrate in respect of Programmed Crops 2024-25

State :- Odisha

Sl. No.	Crop	Yieldrate in Qtl./Hect.					
		AUTUMN		WINTER		SUMMER	
		Yield Estimate	% Standard Error	Yield Estimate	% Standard Error	Yield Estimate	% Standard Error
1	2	5	6	11	12	17	18
1	Paddy	26.72	0.63	42.28	0.31	53.69	0.35
2	Wheat	---	---	---	---	17.96	4.28
3	Maize	30.54	0.83	30.82	4.30	31.44	1.59
4	Ragi	7.57	1.99	9.03	1.36	6.95	3.45
5	Mung	3.04	1.89	3.07	1.63	4.80	0.79
6	Biri	3.00	2.54	4.22	1.10	4.83	1.09
7	Kuluthi	---	---	4.13	0.94	4.22	3.65
8	Til	2.44	3.32	3.10	1.90	2.45	1.62
9	Groundnut	16.50	1.32	18.67	2.69	22.67	1.04
10	Mustard	---	---	3.42	1.28	---	---
11	Niger	---	---	3.15	2.02	---	---
12	Jute	28.06	4.25	---	---	---	---
13	Potato	---	---	106.16	1.05	---	---
14	Sugarcane	---	---	513.38	1.97	---	---



Table No. - 10.0
State Level Estimates of Crop wise & Season wise Irrigated Area (2015-16 to 2024-25)

State :- Odisha

(Area in '000 hect.)

Sl. No.	Crop	2015-16				2016-17				2017-18				2018-19				2019-20			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Paddy	24	1071	234	1329	19	979	225	1223	26	835	222	1083	11	929	274	1214	9	956	293	1258
2	Wheat	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	0	-	-	S	S
3	Maize	'S'	'S'	3	3	'S'	'S'	3	3	'S'	'S'	2	2	'S'	'S'	3	3	S	S	4	4
4	Ragi	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	-	'S'	0	-	-	S	S
5	Other Cereals	-	'S'	'S'	'S'	-	'S'	'S'	'S'	'S'	'S'	'S'	'S'	-	'S'	'S'	0	-	S	-	S
6	Mung	-	'S'	16	16	'S'	'S'	12	13	'S'	1	9	10	-	'S'	30	30	-	1	16	17
7	Biri	-	'S'	2	2	'S'	'S'	4	4	-	'S'	3	3	-	'S'	2	2	-	1	2	3
8	Kulthi	-	'S'	-	'S'	'S'	'S'	'S'	'S'	-	'S'	-	'S'	-	'S'	-	0	-	S	-	S
9	Other Pulses	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	'S'	1	1	'S'	'S'	'S'	0	-	S	S	S
10	Til	-	-	1	1	'S'	'S'	1	1	'S'	'S'	1	1	-	'S'	1	1	-	S	1	1
11	Groundnut	'S'	1	12	13	'S'	1	7	8	'S'	'S'	8	8	'S'	2	5	7	-	1	9	10
12	Mustard	-	3	-	3	-	3	-	3	-	2	-	2	-	1	-	1	-	2	-	2
13	Niger	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	'S'	-	0	-	S	-	S
14	Other Oilseeds	-	'S'	2	2	'S'	1	1	2	-	'S'	1	1	-	'S'	1	1	-	3	1	4
15	Jute	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	'S'	'S'	-	-	0	S	-	-	S
16	Potato	-	6	-	6	-	7	-	7	-	4	-	4	-	5	-	5	-	4	-	4
17	Sugarcane	-	9	-	9	-	5	-	5	-	4	-	4	-	7	-	7	-	9	-	9
18	Other Crops	2	28	20	50	2	26	13	40	1	18	13	32	1	24	17	42	1	26	24	51
All crops		26	1118	290	1434	21	1022	266	1309	27	864	260	1151	12	968	333	1313	10	1002	351	1363

'S' denotes Area less than 500 hect.

Contd...

Table No. - 10.0 (concl.)
State Level Estimates of Crop wise & Season wise Irrigated Area (2015-16 to 2024-25)

State :- Odisha

(Area in '000 hect.)

Sl. No.	Crop	2020-21				2021-22				2022-23				2023-24				2024-25			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
1	Paddy	17	1007	340	1364	19	1012	299	1330	16	1098	336	1450	8	1069	387	1464	5	1115	415	1535
2	Wheat	-	-	'S'	'S'	-	-	S	S	-	-	S	S	-	-	S	S	-	-	S	S
3	Maize	-	-	3	3	S	1	4	5	S	S	3	3	S	1	8	9	S	S	16	16
4	Ragi	-	-	'S'	'S'	-	-	S	S	-	S	1	1	S	1	1	2	S	S	1	1
5	Other Cereals	-	'S'	'S'	'S'	-	S	S	S	-	S	S	S	-	S	S	S	-	S	S	S
6	Mung	'S'	'S'	29	30	S	S	13	14	-	S	19	19	S	S	26	26	-	1	25	26
7	Biri	-	'S'	2	2	-	S	2	2	-	S	2	2	-	1	4	5	-	1	5	6
8	Kulthi	-	'S'	'S'	'S'	-	S	S	S	-	S	S	S	-	S	S	S	-	S	S	S
9	Other Pulses	-	'S'	'S'	'S'	S	S	S	1	S	S	S	S	-	1	2	3	S	1	2	3
10	Til	-	'S'	2	2	-	S	2	2	-	-	2	2	-	S	2	2	S	S	2	2
11	Groundnut	'S'	2	17	19	S	1	16	17	1	1	15	17	S	1	17	18	S	-	22	22
12	Mustard	-	2	-	2	-	7	-	7	-	5	-	5	-	11	-	11	-	9	-	9
13	Niger	-	-	-	-	-	S	-	S	-	-	-	-	-	2	-	2	-	S	-	S
14	Other Oilseeds	-	'S'	1	2	-	S	2	2	-	1	2	3	-	S	2	2	-	-	2	2
15	Jute	'S'	-	-	'S'	S	-	-	S	S	-	-	S	S	-	-	S	S	-	-	S
16	Potato	-	6	-	6	-	11	-	11	-	11	-	11	-	12	-	12	-	12	-	12
17	Sugarcane	-	7	-	7	-	7	-	7	-	8	-	8	-	7	-	7	-	13	-	13
18	Other Crops	2	31	26	59	5	55	35	96	7	53	33	93	4	59	40	103	7	54	45	106
All crops		20	1055	421	1496	25	1096	373	1494	24	1177	413	1614	12	1165	489	1666	12	1206	535	1753

'S' denotes Area less than 500 hect.



Table No. - 10.1
District wise and Crop wise Estimates of Irrigated Area 2024-25

SI No.	Name of the District	(Area in Hect)																			% to total irrigated area
		Paddy	Wheat	Maize	Ragi	Other cereals	Mung	Biri	Kulthi	Other Pulses	Til	Ground-nut	Mustard	Niger	Other Oil seeds	Jute	Potato	Sugar cane	Other crops	All Crops	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Angul	14147	-	46	40	-	643	302	-	53	140	513	-	-	2	-	552	19	2329	18786	1.07%
2	Bolangir	14584	4	-	-	27	2783	125	76	645	49	773	157	-	18	-	382	25	8657	28305	1.61%
3	Balasore	99986	6	3	153	60	2419	1622	-	-	782	1958	780	-	52	-	402	411	4485	113119	6.45%
4	Baragarh	236889	45	35	265	5	4347	787	-	427	16	2359	1246	-	96	-	721	158	15166	262562	14.97%
5	Bhadrak	66335	3	4	2	-	1699	506	1	-	60	1	78	-	87	-	48	64	1507	70395	4.01%
6	Boudh	31968	-	3	11	1	207	7	1	-	-	-	-	-	5	-	63	-	446	32712	1.87%
7	Cuttack	54449	1	120	10	-	-	-	-	-	8	553	34	-	38	10	422	225	6568	62438	3.56%
8	Deogarh	634	1	17	-	-	263	92	-	65	13	120	629	-	56	-	326	-	980	3196	0.18%
9	Dhenkanal	38407	25	264	13	-	1476	88	26	5	112	205	39	-	20	-	418	574	4808	46480	2.65%
10	Gajapati	21545	-	145	16	-	-	-	-	-	14	186	-	-	-	-	16	1	502	22425	1.28%
11	Ganjam	196857	-	101	95	-	-	-	-	-	118	2499	-	-	40	-	111	285	7820	207926	11.86%
12	Jagatsinghpur	55497	-	1	-	-	-	-	-	-	-	86	2	-	-	-	55	376	949	56966	3.25%
13	Jajpur	18710	1	1	-	-	435	19	11	-	-	1044	6	-	-	-	369	1868	4462	26926	1.54%
14	Jharsuguda	2009	6	22	6	-	1669	237	-	-	4	362	2024	-	32	-	518	70	1879	8838	0.50%
15	Kalahandi	161722	-	45	-	-	1204	46	-	511	-	316	-	-	72	-	-	1034	4313	169263	9.65%
16	Kandhamal	1222	1	43	2	1	2	-	-	-	-	2	5	-	35	-	608	-	1114	3035	0.17%
17	Kendrapara	36500	-	-	12	4	609	140	21	-	4	544	28	-	11	71	148	225	1617	39934	2.28%
18	Keonjhar	18323	12	16	97	-	914	356	38	327	21	57	473	-	161	-	946	174	3590	25505	1.45%
19	Khurda	21126	-	8	7	-	906	33	114	-	199	249	-	-	90	-	56	91	2229	25108	1.43%
20	Koraput	104441	-	1404	41	-	123	5	-	85	-	401	3	18	134	-	1082	369	7928	116034	6.62%
21	Malkangiri	5352	-	29	-	-	70	13	-	-	-	5989	-	-	3	-	1	-	276	11733	0.67%
22	Mayurbhanj	49883	73	194	58	-	1620	265	3	191	259	1245	607	-	144	-	423	-	6185	61150	3.49%
23	Nuapada	15667	-	-	9	-	112	-	-	-	5	568	75	-	53	-	350	21	1404	18264	1.04%
24	Nayagarh	8306	2	305	77	1	9	-	-	-	12	95	11	-	24	-	63	214	3166	12285	0.70%
25	Nowarangpur	2557	-	13601	71	6	425	123	-	-	-	147	-	-	-	-	244	6996	3146	27316	1.56%
26	Puri	78120	-	1	57	1	-	-	-	-	7	941	3	-	-	-	146	27	1371	80674	4.60%
27	Rayagada	40095	-	18	2	-	-	79	-	-	249	41	-	-	855	-	101	-	440	41880	2.39%
28	Sambalpur	38636	29	31	16	1	1371	178	-	1	2	104	1307	-	-	-	1107	-	1898	44681	2.55%
29	Subarnapur	93415	-	-	10	-	1421	-	-	-	40	183	6	-	-	-	14	-	4120	99209	5.66%
30	Sundargarh	6938	94	74	23	17	1334	733	23	137	119	264	1883	-	266	-	1891	29	2901	16726	0.95%
STATE		1534320	303	16531	1093	124	26061	5756	314	2447	2233	21805	9396	18	2294	81	11583	13256	106256	1753871	100.00%

S' denotes Area less than 0.5 hect.

Table No. -10.2
District wise, Crop wise and Season wise Estimates of Irrigated Area 2024-25

Sl. No.	District	(Area in hect.)																
		Paddy				Wheat Summer	Maize				Ragi				Other Cereals			
		Autumn	Winter	Summer	Total		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Angul	-	11335	2812	14147	-	-	-	46	46	-	-	40	40	-	-	-	-
2	Bolangir	-	5695	8889	14584	4	-	-	-	-	-	-	-	-	-	-	27	27
3	Balasore	-	36071	63915	99986	6	-	1	2	3	-	62	91	153	-	51	9	60
4	Baragarh	839	135113	100937	236889	45	-	21	14	35	-	60	205	265	-	-	5	5
5	Bhadrak	-	63722	2613	66335	3	-	1	3	4	-	-	2	2	-	-	-	-
6	Boudh	159	26404	5405	31968	-	-	1	2	3	-	3	8	11	-	-	1	1
7	Cuttack	115	44956	9378	54449	1	-	89	31	120	-	-	10	10	-	-	-	-
8	Deogarh	-	626	8	634	1	-	-	17	17	-	-	-	-	-	-	-	-
9	Dhenkanal	35	38079	293	38407	25	1	88	175	264	-	5	8	13	-	-	-	-
10	Gajapati	-	19988	1557	21545	-	-	-	145	145	-	-	16	16	-	-	-	-
11	Ganjam	-	196321	536	196857	-	15	-	86	101	11	-	84	95	-	-	-	-
12	Jagatsinghpur	1	54216	1280	55497	-	-	-	1	1	-	-	-	-	-	-	-	-
13	Jajpur	-	14942	3768	18710	1	-	-	1	1	-	-	-	-	-	-	-	-
14	Jharsuguda	-	57	1952	2009	6	-	19	3	22	-	-	6	6	-	-	-	-
15	Kalahandi	254	105319	56149	161722	-	-	3	42	45	-	-	-	-	-	-	-	-
16	Kandhamal	-	776	446	1222	1	1	25	17	43	-	-	2	2	-	-	1	1
17	Kendrapara	13	34374	2113	36500	-	-	-	-	-	1	1	10	12	-	1	3	4
18	Keonjhar	-	17021	1302	18323	12	2	2	12	16	-	-	97	97	-	-	-	-
19	Khurda	-	19373	1753	21126	-	-	-	8	8	-	-	7	7	-	-	-	-
20	Koraput	38	72498	31905	104441	-	-	-	1404	1404	-	-	41	41	-	-	-	-
21	Malkangiri	-	542	4810	5352	-	-	-	29	29	-	-	-	-	-	-	-	-
22	Mayurbhanj	151	40481	9251	49883	73	-	21	173	194	-	-	58	58	-	-	-	-
23	Nuapada	935	7234	7498	15667	-	-	-	-	-	-	-	9	9	-	-	-	-
24	Nayagarh	7	8257	42	8306	2	11	22	272	305	4	3	70	77	-	-	1	1
25	Nowarangpur	-	-	2557	2557	-	-	-	13601	13601	-	-	71	71	-	6	-	6
26	Puri	-	44882	33238	78120	-	-	-	1	1	-	10	47	57	-	-	1	1
27	Rayagada	-	39225	870	40095	-	-	5	13	18	-	-	2	2	-	-	-	-
28	Sambalpur	1023	21009	16604	38636	29	-	-	31	31	-	13	3	16	-	1	-	1
29	Subarnapur	56	52359	41000	93415	-	-	-	-	-	-	-	10	10	-	-	-	-
30	Sundargarh	1592	3684	1662	6938	94	-	8	66	74	2	-	21	23	-	-	17	17
STATE		5218	1114559	414543	1534320	303	30	306	16195	16531	18	157	918	1093	-	59	65	124

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2024-25

(Area in hect.)																
Sl. No.	District	Mung				Biri				Kulthi			Other Pulses			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
1	Angul	-	-	643	643	-	-	302	302	-	-	-	-	-	53	53
2	Bolangir	-	563	2220	2783	-	47	78	125	76	-	76	-	146	499	645
3	Balasore	-	-	2419	2419	-	10	1612	1622	-	-	-	-	-	-	-
4	Baragarh	-	99	4248	4347	-	33	754	787	-	-	-	12	137	278	427
5	Bhadrak	-	-	1699	1699	-	214	292	506	1	-	1	-	-	-	-
6	Boudh	-	1	206	207	-	-	7	7	-	1	1	-	-	-	-
7	Cuttack	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Deogarh	-	1	262	263	-	-	92	92	-	-	-	-	65	-	65
9	Dhenkanal	-	10	1466	1476	-	17	71	88	1	25	26	-	3	2	5
10	Gajapati	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Jajpur	-	-	435	435	-	18	1	19	11	-	11	-	-	-	-
14	Jharsuguda	-	-	1669	1669	-	1	236	237	-	-	-	-	-	-	-
15	Kalahandi	-	-	1204	1204	-	-	46	46	-	-	-	-	-	511	511
16	Kandhamal	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
17	Kendrapara	-	-	609	609	-	58	82	140	21	-	21	-	-	-	-
18	Keonjhar	-	8	906	914	-	12	344	356	36	2	38	-	-	327	327
19	Khurda	-	-	906	906	-	-	33	33	114	-	114	-	-	-	-
20	Koraput	-	-	123	123	-	-	5	5	-	-	-	-	-	85	85
21	Malkangiri	-	-	70	70	-	-	13	13	-	-	-	-	-	-	-
22	Mayurbhanj	-	-	1620	1620	-	-	265	265	3	-	3	-	124	67	191
23	Nuapada	-	-	112	112	-	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	-	-	9	9	-	-	-	-	-	-	-	-	-	-	-
25	Nowarangpur	-	-	425	425	-	-	123	123	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-
28	Sambalpur	-	23	1348	1371	-	11	167	178	-	-	-	-	1	-	1
29	Subarnapur	-	-	1421	1421	-	-	-	-	-	-	-	-	-	-	-
30	Sundargarh	-	-	1334	1334	-	27	706	733	23	-	23	-	110	27	137
STATE		-	705	25356	26061	-	448	5308	5756	286	28	314	12	586	1849	2447

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (contd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2024-25

Sl. No.	District	Til				Groundnut				Mustard Winter	Niger Winter	Other Oilseeds			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total			Autumn	Winter	Summer	Total
1	2	35	36	37	38	39	40	41	42	43	44	45	46	47	48
1	Angul	-	-	140	140	-	-	513	513	-	-	-	-	2	2
2	Bolangir	-	-	49	49	-	44	729	773	157	-	-	-	18	18
3	Balasore	-	-	782	782	-	-	1958	1958	780	-	-	-	52	52
4	Baragarh	-	-	16	16	4	33	2322	2359	1246	-	-	1	95	96
5	Bhadrak	-	-	60	60	-	-	1	1	78	-	-	-	87	87
6	Boudh	-	-	-	-	-	-	-	-	-	-	-	-	5	5
7	Cuttack	-	-	8	8	1	-	552	553	34	-	-	-	38	38
8	Deogarh	-	-	13	13	-	-	120	120	629	-	-	-	56	56
9	Dhenkanal	-	3	109	112	-	3	202	205	39	-	-	-	20	20
10	Gajapati	-	-	14	14	1	-	185	186	-	-	-	-	-	-
11	Ganjam	-	-	118	118	-	-	2499	2499	-	-	-	-	40	40
12	Jagatsinghpur	-	-	-	-	-	13	73	86	2	-	-	-	-	-
13	Jajpur	-	-	-	-	-	-	1044	1044	6	-	-	-	-	-
14	Jharsuguda	-	-	4	4	-	5	357	362	2024	-	-	-	32	32
15	Kalahandi	-	-	-	-	-	-	316	316	-	-	-	9	63	72
16	Kandhamal	-	-	-	-	1	1	-	2	5	-	-	4	31	35
17	Kendrapara	-	-	4	4	-	-	544	544	28	-	-	-	11	11
18	Keonjhar	1	-	20	21	-	-	57	57	473	-	-	-	161	161
19	Khurda	-	-	199	199	-	-	249	249	-	-	-	-	90	90
20	Koraput	-	-	-	-	-	337	64	401	3	18	-	-	134	134
21	Malkangiri	-	-	-	-	-	-	5989	5989	-	-	-	-	3	3
22	Mayurbhanj	-	-	259	259	-	-	1245	1245	607	-	-	47	97	144
23	Nuapada	-	-	5	5	-	-	568	568	75	-	-	14	39	53
24	Nayagarh	-	-	12	12	1	2	92	95	11	-	-	-	24	24
25	Nowrangpur	-	-	-	-	-	-	147	147	-	-	-	-	-	-
26	Puri	-	-	7	7	-	-	941	941	3	-	-	-	-	-
27	Rayagada	-	-	249	249	-	-	41	41	-	-	-	105	750	855
28	Sambalpur	-	-	2	2	-	-	104	104	1307	-	-	-	-	-
29	Subarnapur	-	-	40	40	-	-	183	183	6	-	-	-	-	-
30	Sundargarh	-	-	119	119	-	-	264	264	1883	-	-	20	246	266
STATE		1	3	2229	2233	8	438	21359	21805	9396	18	-	200	2094	2294

S' denotes Area less than 0.5 hect.

(Contd.)

Table No. -10.2 (concl'd.)
District wise, Crop wise and Season wise Estimates of Irrigated Area 2024-25

Sl. No.	District	(Area in hect.)										
		Jute	Potato	Sugarcane	Other Crops				All Crops			
		Autumn	Winter	Winter	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	49	50	51	52	53	54	55	56	57	58	59
1	Angul	-	552	19	-	1213	1116	2329	-	13119	5667	18786
2	Bolangir	-	382	25	1071	3696	3890	8657	1071	10831	16403	28305
3	Balasore	-	402	411	-	2021	2464	4485	-	39809	73310	113119
4	Baragarh	-	721	158	3452	6592	5122	15166	4307	144214	114041	262562
5	Bhadrak	-	48	64	-	693	814	1507	-	64821	5574	70395
6	Boudh	-	63	-	16	243	187	446	175	26715	5822	32712
7	Cuttack	10	422	225	-	3695	2873	6568	126	49421	12891	62438
8	Deogarh	-	326	-	-	430	550	980	-	2077	1119	3196
9	Dhenkanal	-	418	574	25	2875	1908	4808	61	42115	4304	46480
10	Gajapati	-	16	1	64	310	128	502	65	20315	2045	22425
11	Ganjam	-	111	285	84	4326	3410	7820	110	201043	6773	207926
12	Jagatsinghpur	-	55	376	9	527	413	949	10	55189	1767	56966
13	Jajpur	-	369	1868	-	2710	1752	4462	-	19924	7002	26926
14	Jharsuguda	-	518	70	-	397	1482	1879	-	3091	5747	8838
15	Kalahandi	-	-	1034	409	2276	1628	4313	663	108641	59959	169263
16	Kandhamal	-	608	-	11	826	277	1114	13	2245	777	3035
17	Kendrapara	71	148	225	-	939	678	1617	85	35795	4054	39934
18	Keonjhar	-	946	174	262	2003	1325	3590	265	20675	4565	25505
19	Khurda	-	56	91	457	635	1137	2229	457	20269	4382	25108
20	Koraput	-	1082	369	71	5676	2181	7928	109	79983	35942	116034
21	Malkangiri	-	1	-	-	30	246	276	-	573	11160	11733
22	Mayurbhanj	-	423	-	146	3213	2826	6185	297	44919	15934	61150
23	Nuapada	-	350	21	32	719	653	1404	967	8413	8884	18264
24	Nayagarh	-	63	214	345	1210	1611	3166	368	9782	2135	12285
25	Nowrangpur	-	244	6996	-	1808	1338	3146	-	9054	18262	27316
26	Puri	-	146	27	-	649	722	1371	-	45717	34957	80674
27	Rayagada	-	101	-	-	161	279	440	-	39597	2283	41880
28	Sambalpur	-	1107	-	35	1074	789	1898	1058	24546	19077	44681
29	Subarnapur	-	14	-	291	1678	2151	4120	347	54057	44805	99209
30	Sundargarh	-	1891	29	30	1683	1188	2901	1624	9358	5744	16726
STATE		81	11583	13256	6810	54308	45138	106256	12178	1206308	535385	1753871

Table No. -11.0
State Level Estimates of Gross cropped Area irrigated vrs un-irrigated (2015-16 to 2024-25)
State :- Odisha
(Area in ' 000 hect.)

Sl. No.	Year	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	2015-16	26	679	705	1118	2475	3593	290	215	505	1434	3369	4803
2	2016-17	21	709	730	1022	2696	3718	266	170	436	1309	3575	4884
3	2017-18	27	658	685	865	2548	3413	259	145	404	1151	3351	4502
4	2018-19	13	561	564	969	2523	3492	331	127	458	1313	3211	4524
5	2019-20	10	543	553	1002	2592	3594	351	172	523	1363	3307	4670
6	2020-21	19	556	575	1056	2593	3649	421	174	595	1496	3323	4819
7	2021-22	25	667	692	1096	2674	3770	374	162	536	1495	3503	4998
8	2022-23	24	541	565	1177	2701	3878	413	158	571	1614	3400	5014
9	2023-24	13	479	492	1164	2798	3962	489	225	714	1666	3502	5168
10	2024-25	12	449	461	1206	2795	4001	535	263	798	1754	3506	5260



Table No. - 11.1
District wise Estimates of Gross cropped Area, Irrigated vrs. Un-irrigated 2024-25

(Area in ' hect.)

Sl. No.	District	Autumn			Winter			Summer			Total		
		Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total	Irrigated	Un-irrigated	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	-	7009	7009	13119	81189	94308	5667	979	6646	18786	89177	107963
2	Bolangir	1071	46011	47082	10831	207773	218604	16403	9892	26295	28305	263676	291981
3	Balasore	-	1074	1074	39809	136944	176753	73310	-	73310	113119	138018	251137
4	Bargarh	4307	53403	57710	144214	89115	233329	114041	-	114041	262562	142518	405080
5	Bhadrak	-	504	504	64821	72722	137543	5574	494	6068	70395	73720	144115
6	Boudh	175	2237	2412	26715	40096	66811	5822	2928	8750	32712	45261	77973
7	Cuttack	126	3014	3140	49421	80455	129876	12891	27239	40130	62438	110708	173146
8	Deogarh	-	8605	8605	2077	31819	33896	1119	-	1119	3196	40424	43620
9	Dhenkanal	61	3157	3218	42115	61072	103187	4304	3485	7789	46480	67714	114194
10	Gajapati	65	18813	18878	20315	17349	37664	2045	3618	5663	22425	39780	62205
11	Ganjam	110	7702	7812	201043	169789	370832	6773	10076	16849	207926	187567	395493
12	Jagatsinghpur	10	539	549	55189	26292	81481	1767	38476	40243	56966	65307	122273
13	Jajpur	-	20307	20307	19924	102833	122757	7002	15294	22296	26926	138434	165360
14	Jharsuguda	-	6169	6169	3091	32145	35236	5747	-	5747	8838	38314	47152
15	Kalahandi	663	15774	16437	108641	139898	248539	59959	19023	78982	169263	174695	343958
16	Kandhamal	13	3603	3616	2245	49061	51306	777	-	777	3035	52664	55699
17	Kendrapara	85	1728	1813	35795	98428	134223	4054	35414	39468	39934	135570	175504
18	Keonjhar	265	6758	7023	20675	160736	181411	4565	476	5041	25505	167970	193475
19	Khurda	457	613	1070	20269	67947	88216	4382	14651	19033	25108	83211	108319
20	Koraput	109	15340	15449	79983	66400	146383	35942	100	36042	116034	81840	197874
21	Malkangiri	-	14913	14913	573	122348	122921	11160	-	11160	11733	137261	148994
22	Mayurbhanj	297	8037	8334	44919	308229	353148	15934	332	16266	61150	316598	377748
23	Nuapada	967	44781	45748	8413	62710	71123	8884	4141	13025	18264	111632	129896
24	Nayagarh	368	2522	2890	9782	86959	96741	2135	52598	54733	12285	142079	154364
25	Nawarangpur	-	52506	52506	9054	104792	113846	18262	-	18262	27316	157298	184614
26	Puri	-	407	407	45717	46177	91894	34957	22297	57254	80674	68881	149555
27	Rayagada	-	3787	3787	39597	81715	121312	2283	-	2283	41880	85502	127382
28	Sambalpur	1058	31332	32390	24546	76506	101052	19077	1	19078	44681	107839	152520
29	Subarnapur	347	5835	6182	54057	43467	97524	44805	1343	46148	99209	50645	149854
30	Sundargarh	1624	62692	64316	9358	129401	138759	5744	72	5816	16726	192165	208891
STATE		12178	449172	461350	1206308	2794367	4000675	535385	262929	798314	1753871	3506468	5260339

❖❖❖❖❖

Table No. - 12.0
State Level Estimates of Gross Cropped Area, Net Area sown & Cropping Intensity (2015-16 to 2024-25)
State :- Odisha
(Area in ' 000 hecets.)

Sl. No.	Year	Gross cropped area	Net cropped area	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13
1	2015-16	4803	4198	114.41	1434	1230	116.59	3369	2968	113.51	29.86	29.30
2	2016-17	4884	4099	119.15	1309	1122	116.67	3575	2977	120.09	26.80	27.37
3	2017-18	4502	3863	116.54	1151	970	118.66	3351	2893	115.83	25.57	25.11
4	2018-19	4527	4006	113.01	1314	1092	120.34	3213	2914	110.26	29.02	27.25
5	2019- 20	4670	4102	113.83	1363	1137	119.90	3307	2965	111.51	29.19	27.72
6	2020- 21	4819	4179	115.31	1496	1200	124.63	3323	2979	111.56	31.04	28.72
7	2021- 22	4998	4322	115.63	1494	1238	120.71	3503	3084	113.59	29.90	28.64
8	2022-23	5014	4269	117.45	1614	1335	120.90	3400	2934	115.88	32.19	31.27
9	2023-24	5168	4307	119.99	1667	1315	126.77	3502	2993	117.01	32.25	30.52
10	2024-25	5260	4358	120.70	1754	1408	124.52	3506	2950	118.88	33.34	32.32



Table No. - 12.1
District wise Estimates of Gross cropped area, Net area sown & Cropping intensity 2024-25

(Area in '000 hecets.)													
Sl. No.	District	Gross cropped area	Net cropped area	Area sown more than once	Cropping intensity	Gross cropped area irrigated	Net cropped area irrigated	Cropping intensity irrigated	Gross cropped area un-irrigated	Net cropped area un-irrigated	Cropping intensity un-irrigated	% of gross cropped area irrigated	% of net cropped area irrigated
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Angul	108	99	9	109.42	19	16	118.96	89	83	107.60	17.40	16.01
2	Bolangir	292	264	28	110.46	28	26	109.24	264	238	110.59	9.69	9.80
3	Balasore	251	188	63	134.17	113	100	113.56	138	88	157.60	45.04	53.22
4	Baragarh	405	289	116	140.12	263	153	171.29	142	136	104.95	64.82	53.02
5	Bhadrak	144	137	7	105.39	70	67	105.10	74	70	105.67	48.85	48.98
6	Boudh	78	69	9	112.22	33	27	119.77	45	42	107.33	41.95	39.31
7	Cuttack	173	134	39	128.83	62	58	107.00	111	76	145.58	36.06	43.42
8	Deogarh	43	42	1	103.01	3	3	103.63	40	39	102.96	7.33	7.28
9	Dhenkanal	114	105	9	109.46	47	43	109.02	67	62	109.76	40.70	40.87
10	Gajapati	62	54	8	115.78	22	21	108.19	40	33	120.54	36.05	38.58
11	Ganjam	396	279	117	141.78	208	199	104.44	188	80	234.91	52.57	71.37
12	Jagatsingpur	122	82	40	148.71	57	55	102.52	65	27	245.00	46.59	67.58
13	Jajpur	165	136	29	121.23	27	23	116.22	138	113	122.26	16.28	16.99
14	Jharsuguda	47	42	5	112.97	9	5	178.55	38	37	104.15	18.74	11.86
15	Kalahandi	344	264	80	130.31	169	115	147.44	175	149	117.13	49.21	43.49
16	Kandhamal	56	55	1	101.84	3	3	108.74	53	52	101.47	5.45	5.10
17	Kendrapara	176	137	39	128.15	40	39	103.37	136	98	137.89	22.75	28.21
18	Keonjhar	194	189	5	102.06	26	24	104.03	168	165	101.76	13.18	12.93
19	Khurda	108	89	19	121.17	25	22	112.63	83	67	124.00	23.18	24.94
20	Koraput	198	160	38	123.81	116	83	139.53	82	77	106.75	58.64	52.03
21	Malkangiri	149	140	9	106.09	12	10	112.25	137	130	105.59	7.87	7.44
22	Mayurbhanj	378	359	19	105.27	61	56	109.85	317	303	104.43	16.19	15.51
23	Nuapada	130	112	18	115.92	18	13	139.90	112	99	112.76	14.06	11.65
24	Nayagarh	154	94	60	164.46	12	11	113.03	142	83	171.19	7.96	11.58
25	Nawarangpur	184	168	16	109.87	27	26	105.88	157	142	110.59	14.80	15.35
26	Puri	150	108	42	137.31	81	68	117.63	69	40	170.78	53.94	62.97
27	Rayagada	127	122	5	104.40	42	40	105.44	85	82	103.90	32.88	32.55
28	Sambalpur	153	134	19	114.43	45	31	145.47	108	103	105.13	29.30	23.04
29	Subarnapur	150	105	45	143.58	99	56	178.35	51	49	103.90	66.20	53.30
30	Sundargarh	209	202	7	103.26	17	15	109.18	192	187	102.77	8.01	7.57
STATE		5260	4358	902	120.70	1754	1408	124.52	3506	2950	118.88	33.34	32.32

Table No. - 13.1
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2024-25 (Autumn)

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	-	-	-	-	-	-	-	-	-
2	Bolangir	-	2	-	-	-	720	-	349	-	1071
3	Balasore	-	-	-	-	-	-	-	-	-	-
4	Baragarh	1633	-	119	-	-	1668	887	-	-	4307
5	Bhadrak	-	-	-	-	-	-	-	-	-	-
6	Boudh	-	3	-	7	-	165	-	-	-	175
7	Cuttack	-	-	-	-	-	1	125	-	-	126
8	Deogarh	-	-	-	-	-	-	-	-	-	-
9	Dhenkanal	35	-	-	-	-	26	-	-	-	61
10	Gajapati	-	-	-	-	65	-	-	-	-	65
11	Ganjam	-	-	-	-	3	102	5	-	-	110
12	Jagatsinghpur	-	-	-	-	-	-	10	-	-	10
13	Jajpur	-	-	-	-	-	-	-	-	-	-
14	Jharsuguda	-	-	-	-	-	-	-	-	-	-
15	Kalahandi	165	34	21	-	-	199	161	68	15	663
16	Kandhamal	-	-	-	-	2	2	9	-	-	13
17	Kendrapara	-	-	-	-	-	-	83	2	-	85
18	Keonjhar	-	-	-	1	-	2	262	-	-	265
19	Khurda	-	-	-	-	-	50	21	4	382	457
20	Koraput	-	37	-	-	47	-	-	-	25	109
21	Malakangiri	-	-	-	-	-	-	-	-	-	-
22	Mayurbhanja	-	28	1	58	2	45	104	-	59	297
23	Nuapada	-	697	69	-	-	184	17	-	-	967
24	Nayagarh	-	-	-	-	-	4	44	320	-	368
25	Nowrangapur	-	-	-	-	-	-	-	-	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	-	-	-	-	-	-	-	-
28	Sambalpur	1022	-	-	5	-	-	31	-	-	1058
29	Subarnapur	94	-	12	26	15	28	172	-	-	347
30	Sundergarh	-	502	309	17	22	45	716	11	2	1624
STATE		2949	1303	531	114	156	3241	2647	754	483	12178

(Contd.)

Table No. - 13.2

District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2024-25 (Winter)

(Area in hectares)

Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	5518	2551	2869	1	386	1201	593	-	-	13119
2	Bolangir	-	-	1370	75	-	7158	1285	943	-	10831
3	Balasore	-	15637	-	-	95	-	24048	-	29	39809
4	Baragarh	67771	228	2828	961	3733	63851	4842	-	-	144214
5	Bhadrak	-	63694	-	-	-	-	922	-	205	64821
6	Boudh	-	24979	733	532	2	290	179	-	-	26715
7	Cuttack	1239	36375	6504	2	373	2673	1494	-	761	49421
8	Deogarh	-	-	626	148	-	115	1153	35	-	2077
9	Dhenkanal	18323	18271	322	726	50	1416	2663	169	175	42115
10	Gajapati	-	-	-	-	20187	5	-	-	123	20315
11	Ganjam	376	41936	96675	37934	17545	2254	3755	129	439	201043
12	Jagatsinghpur	54204	-	-	-	-	-	985	-	-	55189
13	Jajpur	5205	3569	606	231	-	1116	9131	8	58	19924
14	Jharsuguda	-	-	-	-	-	749	2342	-	-	3091
15	Kalahandi	49272	37910	4949	38	4381	2482	8767	1	841	108641
16	Kandhamal	-	624	114	58	169	667	472	4	137	2245
17	Kendrapara	34255	-	-	-	-	-	1538	-	2	35795
18	Keonjhar	-	11349	5056	693	319	1649	1392	63	154	20675
19	Khurda	423	19282	39	33	259	51	182	-	-	20269
20	Koraput	49061	-	109	682	27410	526	2182	-	13	79983
21	Malakangiri	-	-	542	-	-	-	31	-	-	573
22	Mayurbhanja	218	18054	2985	9445	1062	2313	10405	31	406	44919
23	Nuapada	901	4291	724	-	-	2328	164	2	3	8413
24	Nayagarh	-	2454	441	780	1936	286	3218	161	506	9782
25	Nowrangapur	-	13	-	-	4	1116	7898	8	15	9054
26	Puri	11344	32819	562	-	28	-	964	-	-	45717
27	Rayagada	-	1638	937	5615	30298	561	546	2	-	39597
28	Sambalpur	13782	-	853	-	-	2369	7401	-	141	24546
29	Subarnapur	39159	3601	-	129	-	1541	7150	-	2477	54057
30	Sundergarh	454	607	826	354	1216	1926	3702	75	198	9358
STATE		351505	339882	130670	58437	109453	98643	109404	1631	6683	1206308

(Contd.)

Table No. - 13.3
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2024-25 (Summer)

(Area in hectares)											
Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	-	2491	180	1	180	1388	1387	-	40	5667
2	Bolangir	711	-	24	39	-	15618	11	-	-	16403
3	Balasore	-	-	-	-	-	36	73274	-	-	73310
4	Baragarh	71837	-	-	53	68	37909	4174	-	-	114041
5	Bhadrak	-	553	-	-	-	3	4492	319	207	5574
6	Boudh	-	928	6	203	2	1452	3231	-	-	5822
7	Cuttack	-	-	-	-	158	1768	10920	12	33	12891
8	Deogarh	-	-	-	-	-	252	846	16	5	1119
9	Dhenkanal	498	320	76	353	92	956	1817	112	80	4304
10	Gajapati	-	-	-	-	1932	-	16	9	88	2045
11	Ganjam	-	-	1057	917	553	2048	2142	31	25	6773
12	Jagatsinghpur	-	-	-	-	-	-	1767	-	-	1767
13	Jajpur	-	-	-	14	16	2281	4661	8	22	7002
14	Jharsuguda	-	-	-	-	-	2698	3049	-	-	5747
15	Kalahandi	33724	12045	33	6	397	2426	9073	40	2215	59959
16	Kandhamal	-	29	23	146	261	200	104	-	14	777
17	Kendrapara	-	-	-	-	-	-	4054	-	-	4054
18	Keonjhar	-	326	90	141	76	1271	2264	192	205	4565
19	Khurda	-	978	-	127	107	167	3003	-	-	4382
20	Koraput	21275	1939	148	112	9081	798	2587	-	2	35942
21	Malakangiri	-	1783	4015	-	-	214	5148	-	-	11160
22	Mayurbhanja	-	433	978	450	307	2596	10690	51	429	15934
23	Nuapada	221	3342	514	9	58	4060	680	-	-	8884
24	Nayagarh	-	-	-	70	4	246	1634	37	144	2135
25	Nowrangapur	-	-	-	3	818	4929	12245	203	64	18262
26	Puri	33	57	37	-	-	-	34827	-	3	34957
27	Rayagada	-	-	22	483	1529	61	188	-	-	2283
28	Sambalpur	13175	157	334	22	7	1398	3978	-	6	19077
29	Subarnapur	34176	295	-	-	-	1068	9182	-	84	44805
30	Sundergarh	14	599	7	431	753	1813	2020	25	82	5744
STATE		175664	26275	7544	3580	16399	87656	213464	1055	3748	535385

(Contd.)

Table No. - 13.4
District wise Estimates of Cropped Area Irrigated from different sources of Irrigation 2024-25
(Autumn, Winter & Summer Combined)

(Area in hectares)											
Sl. No.	Name of the District	Flow Irrigation					Lift Irrigation				Irrigated from all sources
		Major	Medium	Minor	Pond	Others	With pumpset		Without pumpset		
							Dugwell	Others	Dugwell	Others	
1	2	3	4	5	6	7	8	9	10	11	12
1	Anugul	5518	5042	3049	2	566	2589	1980	-	40	18786
2	Bolangir	711	2	1394	114	-	23496	1296	1292	-	28305
3	Balasore	-	15637	-	-	95	36	97322	-	29	113119
4	Baragarh	141241	228	2947	1014	3801	103428	9903	-	-	262562
5	Bhadrak	-	64247	-	-	-	3	5414	319	412	70395
6	Boudh	-	25910	739	742	4	1907	3410	-	-	32712
7	Cuttack	1239	36375	6504	2	531	4442	12539	12	794	62438
8	Deogarh	-	-	626	148	-	367	1999	51	5	3196
9	Dhenkanal	18856	18591	398	1079	142	2398	4480	281	255	46480
10	Gajapati	-	-	-	-	22184	5	16	9	211	22425
11	Ganjam	376	41936	97732	38851	18101	4404	5902	160	464	207926
12	Jagatsinghpur	54204	-	-	-	-	-	2762	-	-	56966
13	Jajpur	5205	3569	606	245	16	3397	13792	16	80	26926
14	Jharsuguda	-	-	-	-	-	3447	5391	-	-	8838
15	Kalahandi	83161	49989	5003	44	4778	5107	18001	109	3071	169263
16	Kandhamal	-	653	137	204	432	869	585	4	151	3035
17	Kendrapara	34255	-	-	-	-	-	5675	2	2	39934
18	Keonjhar	-	11675	5146	835	395	2922	3918	255	359	25505
19	Khurda	423	20260	39	160	366	268	3206	4	382	25108
20	Koraput	70336	1976	257	794	36538	1324	4769	-	40	116034
21	Malakangiri	-	1783	4557	-	-	214	5179	-	-	11733
22	Mayurbhanja	218	18515	3964	9953	1371	4954	21199	82	894	61150
23	Nuapada	1122	8330	1307	9	58	6572	861	2	3	18264
24	Nayagarh	-	2454	441	850	1940	536	4896	518	650	12285
25	Nowrangapur	-	13	-	3	822	6045	20143	211	79	27316
26	Puri	11377	32876	599	-	28	-	35791	-	3	80674
27	Rayagada	-	1638	959	6098	31827	622	734	2	-	41880
28	Sambalpur	27979	157	1187	27	7	3767	11410	-	147	44681
29	Subarnapur	73429	3896	12	155	15	2637	16504	-	2561	99209
30	Sundergarh	468	1708	1142	802	1991	3784	6438	111	282	16726
STATE		530118	367460	138745	62131	126008	189540	325515	3440	10914	1753871

❖❖❖❖❖

Table No. - 14.0

State Level Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy, Wheat & Maize (2015-16 to 2024-25)

State :- Odisha

Sl No	Year	Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate	Area	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
Crop -Paddy (Area in " 000 hect. & Yield-rate in Qtls./Hect.)													
1	2015-16	485	11.17	56	8.58	2916	23.31	251	13.06	234	50.84	-	-
2	2016-17	445	20.03	66	15.77	3024	39.87	203	28.93	225	53.50	-	-
3	2017-18	480	16.31	51	18.08	2875	26.85	139	20.12	222	47.48	-	-
4	2018-19	398	17.84	57	15.80	2980	30.74	151	23.55	274	51.15	-	-
5	2019-20	384	28.20	42	19.69	3071	38.40	151	26.98	293	48.31	-	-
6	2020-21	410	30.62	23	24.92	3145	41.45	112	31.59	339	57.83	-	-
7	2021-22	421	21.60	23	24.78	3118	35.69	87	30.20	299	57.53	-	-
8	2022-23	367	28.27	12	26.76	3276	45.45	74	30.99	336	56.39	-	-
9	2023-24	309	30.01	9	26.78	3346	43.16	36	31.56	386	51.08	-	-
10	2024-25	291	27.15	16	18.96	3410	42.48	38	25.12	415	53.69	-	-
Crop - Wheat (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2015-16	-	-	-	-	-	-	-	-	326	13.18	41	15.76
2	2016-17	-	-	-	-	-	-	-	-	56	14.30	1	9.00
3	2017-18	-	-	-	-	-	-	-	-	68	22.24	5	13.40
4	2018-19	-	-	-	-	-	-	-	-	142	18.42	5	10.40
5	2019-20	-	-	-	-	-	-	-	-	113	13.83	5	15.20
6	2020-21	-	-	-	-	-	-	-	-	177	16.42	5	15.40
7	2021-22	-	-	-	-	-	-	-	-	161	20.25	16	23.22
8	2022-23	-	-	-	-	-	-	-	-	219	15.51	4	14.50
9	2023-24	-	-	-	-	-	-	-	-	185	18.48	64	20.27
10	2024-25	-	-	-	-	-	-	-	-	258	17.74	45	19.81
Crop - Maize (Area in hect. & Yield-rate in Qtls./Hect.)													
1	2015-16	46923	20.75	5920	11.25	244	17.67	11	11.09	2482	26.25	7	13.57
2	2016-17	57940	31.04	10517	14.77	958	13.53	386	12.84	2579	29.21	10	10.10
3	2017-18	38409	27.03	6027	12.92	206	14.30	168	13.89	240	27.23	3	13.67
4	2018-19	43434	24.45	5692	12.47	67	24.47	-	-	2849	26.11	6	21.83
5	2019-20	55286	30.08	5755	16.18	73	25.49	22	17.50	3922	33.33	12	16.42
6	2020-21	71905	29.74	3349	17.29	61	25.38	1	41.00	2534	26.48	76	15.16
7	2021-22	92177	24.23	5434	17.15	1059	25.57	50	14.14	3704	26.08	11	23.26
8	2022-23	78053	30.52	3099	16.42	238	27.61	16	19.74	2319	25.74	568	20.44
9	2023-24	79875	35.27	1874	22.03	924	26.01	14	16.29	8098	34.58	42	11.14
10	2024-25	67138	30.93	2514	20.10	300	33.70	65	17.54	16155	31.45	43	29.71

♦♦♦♦♦

Table No. -14.1
District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Paddy 2024-25

SI No	District	(Area in hect. & Yield-rate in Qtls./Hect.)											
		Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	Anugul	2502	45.85	-	-	89011	52.48	-	-	2812	48.73	-	-
2	Bolangir	36475	22.52	123	13.93	155141	38.69	-	-	8889	42.11	-	-
3	Balasore	17	22.76	-	-	172696	37.27	-	-	63915	51.69	-	-
4	Baragarh	38204	31.34	-	-	216897	55.73	-	-	100937	58.56	-	-
5	Bhadrak	-	-	-	-	136199	34.46	-	-	2613	43.64	-	-
6	Boudh	2004	36.99	-	-	62259	47.92	-	-	5405	46.28	-	-
7	Cuttack	515	28.83	-	-	105554	47.68	1026	41.60	9378	53.56	-	-
8	Deogarh	8069	31.30	-	-	32026	39.67	-	-	8	21.88	-	-
9	Dhenkanal	1672	36.02	16	9.56	90952	55.42	-	-	293	35.09	-	-
10	Gajapati	-	-	-	-	33265	33.13	-	-	1557	30.46	-	-
11	Ganjam	-	-	-	-	263837	41.07	72	19.78	536	45.58	-	-
12	Jagatsinghpur	325	25.42	-	-	79644	40.46	-	-	1280	48.41	-	-
13	Jajpur	14990	25.93	3115	12.97	103348	37.10	3932	12.71	3768	40.41	-	-
14	Jharsuguda	5457	17.35	-	-	29724	40.27	-	-	1952	59.02	-	-
15	Kalahandi	12879	24.92	-	-	194845	45.87	-	-	56149	53.83	-	-
16	Kandhamal	149	23.86	614	20.20	28281	28.14	13715	25.60	446	31.76	-	-
17	Kendrapara	798	35.90	-	-	120170	37.19	3962	21.01	2113	49.55	-	-
18	Keonjhar	1436	34.96	248	41.97	170760	47.25	2934	33.12	1302	32.84	-	-
19	Khurda	6	24.17	-	-	87164	46.98	-	-	1753	55.81	-	-
20	Koraput	1989	35.17	3	30.67	89886	50.14	-	-	31905	48.49	-	-
21	Malakangiri	9910	31.51	4023	22.04	104422	39.20	3707	34.42	4810	36.08	-	-
22	Mayurbhanja	3915	27.85	314	17.23	345974	37.93	911	26.41	9251	39.78	-	-
23	Nuapada	35775	31.70	-	-	57887	37.78	-	-	7498	44.14	-	-
24	Nayagarh	48	35.85	-	-	87195	39.78	-	-	42	49.79	-	-
25	Nowrangapur	23407	36.60	-	-	99346	41.56	-	-	2557	41.20	-	-
26	Puri	-	-	-	-	89094	45.22	378	31.75	33238	51.21	-	-
27	Rayagada	-	-	129	16.25	52903	42.76	-	-	870	39.57	-	-
28	Sambalpur	31296	17.77	-	-	96079	41.30	-	-	16604	67.46	-	-
29	Subarnapur	5475	29.53	-	-	93709	51.60	-	-	41000	61.53	-	-
30	Sundergarh	53200	23.58	7341	19.15	121457	28.44	7565	22.51	1662	37.47	-	-
	STATE	290513	27.15	15926	18.96	3409725	42.48	38202	25.12	414543	53.69	-	-

Table No. - 14.2

District wise Estimates of Area and Yieldrate of High Yielding & Local varieties of Wheat & Maize Crop 2024-25

(Area in hect. & Yield-rate in Qtls./Hect.)

Sl No	District	Wheat (Summer)				Maize											
						Autumn				Winter				Summer			
		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local		H.Y.V.		Local	
		Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate	Area	Yieldrate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	Anugul	-	-	-	-	247	26.02	2	17.14	S	27.91	-	-	42	24.23	4	23.50
2	Bolangir	4	27.70	-	-	717	32.06	27	24.39	2	34.17	-	-	-	-	-	-
3	Balasore	S	13.26	6	18.87	-	-	-	-	1	42.85	S	53.61	2	33.56	-	-
4	Baragarh	29	17.03	16	22.53	33	23.39	-	-	21	24.9	-	-	14	15.50	-	-
5	Bhadrak	3	8.31	-	-	-	-	-	-	-	-	1	25.35	-	-	3	19.40
6	Boudh	-	-	-	-	10	16.48	26	10.36	1	14.59	-	-	2	8.51	2	16.06
7	Cuttack	-	-	1	7.88	-	-	-	-	89	43.92	-	-	31	38.77	-	-
8	Deogarh	1	12.65	-	-	34	22.74	-	-	-	-	-	-	17	18.46	-	-
9	Dhenkanal	25	18.05	-	15.69	121	26.05	4	15.78	72	35.52	16	26.80	171	30.82	4	7.46
10	Gajapati	-	-	-	-	17028	25.01	8	26.43	-	-	-	-	145	19.50	-	-
11	Ganjam	-	-	-	-	1903	29.50	490	28.76	-	-	-	-	86	22.19	-	-
12	Jagatsinghpur	-	-	-	-	-	-	-	-	-	-	-	-	1	23.11	S	19.16
13	Jajpur	1	5.05	-	-	-	-	-	-	-	-	-	-	1	13.51	-	-
14	Jharsuguda	3	3.87	3	5.01	82	40.60	-	-	19	23.13	-	-	3	39.09	-	-
15	Kalahandi	-	-	-	-	1856	19.50	55	25.09	3	25.92	-	-	42	18.19	-	-
16	Kandhamal	1	15.56	-	-	640	21.52	1121	14.04	25	20.50	41	11.33	17	20.98	-	-
17	Kendrapara	S	12.07	-	-	-	-	-	-	-	-	-	-	S	7.43	S	16.54
18	Keonjhar	12	14.63	-	-	1035	38.38	230	32.49	2	34.49	-	-	12	29.72	-	-
19	Khurda	-	-	-	-	1	22.79	-	-	-	-	-	-	8	20.82	S	29.12
20	Koraput	-	-	-	-	10915	26.24	42	23.84	-	-	-	-	1404	22.55	-	-
21	Malakangiri	-	-	-	-	461	15.67	175	10.99	1	14.32	-	-	29	16.43	-	-
22	Mayurbhanja	71	15.83	2	3.32	528	23.03	131	15.86	22	23.34	-	-	165	26.00	8	13.22
23	Nuapada	-	-	-	-	1390	20.08	-	-	-	-	-	-	-	-	-	-
24	Nayagarh	1	16.51	1	10.92	265	32.94	174	27.74	22	45.82	-	-	251	38.14	22	43.52
25	Nowrangapur	-	-	-	-	26435	39.97	-	-	-	-	-	-	13601	32.68	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-	-	-	1	41.30	-	-
27	Rayagada	-	-	-	-	2866	18.47	5	16.54	8	15.09	5	31.10	13	14.75	-	-
28	Sambalpur	29	27.63	-	-	92	24.84	6	29.04	5	21.99	-	-	31	28.68	-	-
29	Subarnapur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Sundergarh	78	17.10	16	21.90	479	26.98	18	30.48	7	18.40	2	32.33	66	25.37	-	-
STATE		258	17.74	45	19.81	67138	30.93	2514	20.11	300	33.70	65	17.54	16155	31.45	43	29.71

"S" - denotes area less than 0.5 hect

Table No. - 15.0

State Level Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots (2015-16 to 2024-25)**State :- Odisha**

Area in ' 000 hec.

Yieldrate in Qtls / Hects.

Sl. No.	Year	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-	Area	No. of	Yield-
			C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate		C.C.	rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2015-16	24	468	26.03	517	6238	10.21	1072	3646	33.45	2095	7042	16.43	234	3781	50.84	-	-	-
2	2016-17	19	489	30.41	492	6838	19.41	979	5461	45.53	2247	11038	35.75	225	3525	53.50	-	-	-
3	2017-18	26	367	22.68	504	7024	16.16	835	4833	29.01	2179	12611	25.59	222	3425	47.48	-	-	-
4	2018-19	11	421	23.37	444	2940	17.73	929	9811	33.96	2201	17563	27.77	274	4673	51.15	-	-	-
5	2019-20	9	400	34.70	417	5437	27.00	956	9293	40.46	2267	18710	35.69	293	6188	48.31	-	-	-
6	2020-21	17	452	40.57	415	5174	29.93	1007	9479	44.62	2250	18091	38.38	339	6756	54.57	-	-	-
7	2021-22	19	414	33.09	424	4252	21.18	1012	9868	38.53	2193	17220	32.26	299	6573	54.53	-	-	-
8	2022-23	16	273	35.97	363	3159	27.74	1098	10383	48.91	2252	17555	42.41	336	6894	54.77	-	-	-
9	2023-24	8	177	32.74	310	4169	29.78	1069	2919	46.17	2313	6455	41.17	386	4266	49.69	-	-	-
10	2024-25	5	188	30.61	301	3873	27.26	1115	3141	46.81	2333	6561	39.21	415	5361	50.58	-	-	-



Table No. - 15.1
District wise Estimates of Area & Yieldrate of Paddy from Irrigated & Un-irrigated Plots 2024-25

Sl. No.	District	(Area in hect. & Yieldrate in Qtls / Hect.)																	
		Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate	Area	No. of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Anugul	-	-	-	2502	44	45.85	11335	31	51.81	77676	267	51.57	2812	42	48.55	-	-	-
2	Bolangir	-	-	-	36598	444	22.82	5695	37	42.64	149446	301	38.28	8889	254	42.06	-	-	-
3	Balasore	-	-	-	17	4	22.79	36071	209	38.57	136625	378	35.20	63915	700	51.22	-	-	-
4	Baragarh	839	36	41.48	37365	237	31.24	135113	198	56.19	81784	85	50.39	100937	423	52.58	-	-	-
5	Bhadrak	-	-	-	-	-	-	63722	171	41.56	72477	144	26.90	2613	107	42.78	-	-	-
6	Boudh	159	10	34.92	1845	60	37.63	26404	64	47.88	35855	126	48.04	5405	110	48.93	-	-	-
7	Cuttack	115	6	33.37	400	16	27.20	44956	168	49.27	61624	164	44.93	9378	147	53.87	-	-	-
8	Deogarh	-	-	-	8069	172	31.57	626	6	49.74	31400	114	39.96	8	4	21.91	-	-	-
9	Dhenkanal	35	6	28.73	1653	150	34.83	38079	75	56.79	52873	155	54.99	293	28	32.02	-	-	-
10	Gajapati	-	-	-	-	-	-	19988	83	34.13	13277	187	33.23	1557	110	31.06	-	-	-
11	Ganjam	-	-	-	-	-	-	196321	451	43.15	67588	221	34.45	536	34	44.17	-	-	-
12	Jagatsinghpur	1	2	56.73	324	25	35.38	54216	172	40.63	25428	82	40.41	1280	127	48.03	-	-	-
13	Jajpur	-	-	-	18105	142	24.33	14942	49	37.21	92338	235	34.14	3768	68	42.66	-	-	-
14	Jharsuguda	-	-	-	5457	116	16.93	57	6	29.95	29667	60	37.95	1952	72	61.04	-	-	-
15	Kalahandi	254	23	35.11	12625	293	24.68	105319	166	50.75	89526	275	36.46	56149	368	47.52	-	-	-
16	Kandhamal	-	-	-	763	120	21.65	776	7	26.49	41220	397	27.30	446	70	34.74	-	-	-
17	Kendrapara	13	12	36.38	785	43	32.37	34374	92	39.86	89758	201	34.63	2113	89	45.65	-	-	-
18	Keonjhar	-	-	-	1684	150	35.93	17021	46	59.64	156673	553	46.82	1302	44	41.50	-	-	-
19	Khurda	-	-	-	6	3	24.21	19373	60	49.83	67791	230	45.02	1753	123	50.14	-	-	-
20	Koraput	38	6	47.33	1954	142	36.14	72498	275	46.09	17388	74	51.31	31905	563	44.49	-	-	-
21	Malakangiri	-	-	-	13933	206	30.41	542	3	44.63	107587	201	38.45	4810	58	35.85	-	-	-
22	Mayurbhanja	151	25	34.23	4078	350	25.92	40481	112	40.22	306404	593	37.27	9251	430	39.60	-	-	-
23	Nuapada	935	2	28.52	34840	157	31.78	7234	36	39.17	50653	123	37.01	7498	152	44.18	-	-	-
24	Nayagarh	7	2	30.97	41	20	36.95	8257	34	42.18	78938	267	39.35	42	18	47.49	-	-	-
25	Nowrangapur	-	-	-	23407	213	35.49	-	-	-	99346	210	40.77	2557	76	40.34	-	-	-
26	Puri	-	-	-	-	-	-	44882	165	46.38	44590	162	41.81	33238	464	51.09	-	-	-
27	Rayagada	-	-	-	129	24	16.25	39225	252	39.51	13678	176	40.99	870	96	37.37	-	-	-
28	Sambalpur	1023	23	31.08	30273	208	19.04	21009	40	54.21	75070	203	39.02	16604	223	62.40	-	-	-
29	Subarnapur	56	10	28.45	5419	125	28.56	52359	117	54.75	41350	64	44.04	41000	288	59.20	-	-	-
30	Sundergarh	1592	25	23.77	58949	409	24.92	3684	16	39.10	125338	313	28.89	1662	73	35.75	-	-	-
STATE		5218	188	30.61	301221	3873	27.26	1114559	3141	46.81	2333368	6561	39.21	414543	5361	50.58	-	-	-

Table No. - 15.2**State Level Estimates of Area, Yield-rate of Programmed Crops from Irrigated & Un-irrigated Plots 2024-25**

(Area in hect.)

(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		Irrigated			Un-irrigated			Irrigated			Un-irrigated			Irrigated			Un-irrigated		
		Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate	Area	No.of C.C.	Yield-rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	5218	188	30.61	301221	3873	27.26	1114559	3141	46.81	2333368	6561	39.21	414543	5361	50.58	-	-	-
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	303	81	17.54	-	-	-
3	Maize	30	15	34.47	69622	2179	30.48	306	113	34.59	59	22	14.04	16195	569	31.45	3	5	13.64
4	Ragi	18	7	10.88	9824	655	7.56	157	20	6.1	42072	931	9.03	918	174	7.14	101	12	6.29
5	Mung	-	-	-	11076	479	3.04	705	47	3.72	102888	891	3.06	25356	1169	4.83	208593	1903	4.79
6	Biri	-	-	-	7168	544	3.00	448	43	4.35	63599	1832	4.24	5308	486	4.53	24145	891	4.90
7	Kulthi	-	-	-	-	-	-	286	27	4.14	28138	2227	4.13	28	6	5.92	644	118	4.15
8	Til	1	1	4.24	1715	198	2.44	3	2	1.84	8064	380	3.11	2229	267	2.96	13825	468	2.35
9	Groundnut	8	9	14.34	10899	776	16.51	438	66	18.12	2155	181	18.45	21359	893	23.48	10476	118	21.19
10	Mustard	-	-	-	-	-	-	9396	772	3.92	7202	1080	2.67	-	-	-	-	-	-
11	Nizer	-	-	-	-	-	-	18	2	3.06	7420	331	3.15	-	-	-	-	-	-
12	Jute	81	22	24.99	1704	76	28.26	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	11583	1929	106.16	-	-	-	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	13256	267	513.38	-	-	-	-	-	-	-	-	-

'S' - denotes area less than 0.5 hect.



Table No. - 16.0

State Level Estimates of Yield-rate of Programmed Crops from plots applied with fertiliser / manure & not applied with fertiliser / manure 2024-25

(Yieldrate in Qtls/Hect)

Sl. No.	Crop	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	3654	28.75	213	23.24	194	23.19	8970	41.78	377	30.22	355	31.23	5267	47.82	39	37.80	55	34.60
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	75	15.93	3	5.57	3	7.98
3	Maize	1100	28.09	543	21.22	551	19.69	98	33.14	16	20.28	21	15.94	507	28.63	33	20.76	34	29.50
4	Ragi	315	8.31	185	8.35	162	6.80	276	8.14	196	8.36	479	6.53	107	7.46	32	6.96	47	6.41
5	Mung	213	3.17	53	3.67	213	3.61	130	4.50	130	3.28	678	3.97	941	4.98	224	4.40	1907	4.74
6	Biri	231	3.47	88	3.93	225	3.75	237	4.51	296	4.08	1342	4.16	419	4.84	89	4.11	869	4.77
7	Kulthi	-	-	-	-	-	-	401	4.46	333	4.24	1520	4.25	2	5.60	15	3.51	107	4.31
8	Til	73	2.36	28	3.53	98	2.30	136	3.11	67	2.63	179	2.77	194	2.98	75	2.52	466	2.75
9	Groundnut	500	17.15	88	15.56	197	16.66	116	17.11	41	12.87	90	10.72	922	22.18	15	19.27	74	18.44
10	Mustard	-	-	-	-	-	-	721	4.13	258	2.77	873	2.38	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	63	3.25	55	3.53	215	3.29	-	-	-	-	-	-
12	Jute	74	22.29	8	28.13	16	31.84	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	1759	114.01	53	95.89	117	81.88	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	248	615.00	3	676.00	16	514.50	-	-	-	-	-	-

♦♦♦♦♦

Table No. - 16.1**District wise Estimates of Yield rate of Paddy from plots applied with fertiliser / manure & not applied with fertiliser / manure 2024-25****(Yieldrate in Qtls/Hect)**

Sl. No.	Districts	Autumn						Winter						Summer					
		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure		Applied with fertilizer		Applied with manure		Not applied with fertilizer & manure	
		No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate	No.of C.C.	Yield rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	44	45.85	-	-	-	-	298	51.59	-	-	-	-	42	48.55	-	-	-	-
2	Bolangir	414	22.68	3	20.23	27	25.26	328	38.87	-	-	10	35.15	250	42.08	-	-	4	40.61
3	Balasore	4	22.79	-	-	-	-	586	36.43	-	-	1	17.96	700	51.22	-	-	-	-
4	Baragarh	273	32.59	-	-	-	-	283	54.45	-	-	-	-	423	52.58	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	315	34.86	-	-	-	-	107	42.78	-	-	-	-
6	Boudh	64	37.19	2	34.94	4	39.27	171	48.91	7	38.32	12	40.46	110	48.93	-	-	-	-
7	Cuttack	22	28.88	-	-	-	-	326	47.14	4	49.57	2	40.88	147	53.87	-	-	-	-
8	Deogarh	166	31.68	6	28.79	-	-	118	40.38	2	44.90	-	-	4	21.91	-	-	-	-
9	Dhenkanal	150	35.32	3	11.88	3	21.29	229	55.58	-	-	1	56.51	27	31.79	-	-	1	38.36
10	Gajapati	-	-	-	-	-	-	255	33.46	15	34.39	-	-	106	30.99	4	32.88	-	-
11	Ganjam	-	-	-	-	-	-	658	40.52	6	34.64	8	25.15	34	44.17	-	-	-	-
12	Jagatsinghpur	26	36.30	-	-	1	53.96	254	40.56	-	-	-	-	127	48.03	-	-	-	-
13	Jajpur	138	24.58	2	4.98	2	26.22	284	34.67	-	-	-	-	68	42.66	-	-	-	-
14	Jharasuguda	116	16.93	-	-	-	-	66	37.22	-	-	-	-	72	61.04	-	-	-	-
15	Kalahandi	272	26.38	26	18.73	18	20.90	417	42.49	4	24.41	20	31.68	361	47.95	-	-	7	25.02
16	Kandhamal	12	29.59	52	22.60	56	19.07	46	27.87	161	25.88	197	28.30	23	31.21	11	39.66	36	35.49
17	Kendrapara	55	33.24	-	-	-	-	293	36.28	-	-	-	-	89	45.65	-	-	-	-
18	Keunjhor	129	34.37	6	40.04	15	47.79	590	48.10	9	28.88	-	-	44	41.50	-	-	-	-
19	Khurda	2	24.05	1	24.54	-	-	285	46.24	3	32.26	2	35.59	123	50.14	-	-	-	-
20	Koraput	133	37.41	4	33.06	11	28.01	330	47.88	11	37.20	8	32.53	559	44.58	2	35.19	2	30.27
21	Malkanagiri	160	31.56	35	27.46	11	23.05	171	39.40	33	34.12	-	-	58	35.85	-	-	-	-
22	Mayurbhanja	343	27.03	25	22.04	7	15.15	694	37.74	9	38.04	2	35.38	430	39.60	-	-	-	-
23	Nuapara	159	31.74	-	-	-	-	159	37.50	-	-	-	-	152	44.18	-	-	-	-
24	Nayagarh	12	37.62	10	34.96	-	-	258	41.04	40	31.23	3	34.10	18	47.49	-	-	-	-
25	Nawarangpur	213	35.49	-	-	-	-	210	40.77	-	-	-	-	76	40.34	-	-	-	-
26	Puri	-	-	-	-	-	-	320	44.40	3	32.33	4	30.58	464	51.09	-	-	-	-
27	Rayagarh	2	34.30	4	14.62	18	14.61	306	40.92	52	36.92	70	39.02	70	37.07	22	37.93	4	39.56
28	Sambalpur	231	20.24	-	-	-	-	241	41.70	2	20.21	-	-	223	62.40	-	-	-	-
29	Subarnapur	135	28.55	-	-	-	-	181	50.96	-	-	-	-	288	59.20	-	-	-	-
30	Sundergarh	379	25.82	34	17.79	21	18.77	298	29.75	16	24.60	15	27.23	72	35.88	-	-	1	26.43
STATE		3654	28.75	213	23.24	194	23.19	8970	41.78	377	30.22	355	31.23	5267	47.82	39	37.80	55	34.60

Table No. - 17.0

State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil (2015-16 to 2024-25)

State :- Odisha

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2015-16	Autumn	3957	12.06	1983	12.99	733	14.83	17	9.48	16	7.41
	Winter	2940	19.52	5111	21.19	2559	24.46	50	19.14	28	13.90
	Summer	1158	40.49	1763	40.51	809	38.37	39	44.74	12	33.73
	Total	8055		8857		4101		106		56	
2016-17	Autumn	3554	19.27	2377	21.67	1265	25.09	34	30.29	97	18.47
	Winter	3226	36.19	8197	38.75	4844	40.54	150	39.84	82	38.91
	Summer	849	40.96	1596	44.73	1035	43.56	42	49.18	3	39.78
	Total	7629		12170		7144		226		182	
2017-18	Autumn	3336	17.66	2583	18.77	1400	20.29	34	13.53	38	12.22
	Winter	3369	26.75	8592	25.20	5227	29.23	151	24.86	105	20.58
	Summer	700	42.53	1568	42.71	1093	43.55	41	45.62	23	39.97
	Total	7405		12743		7720		226		166	
2018-19	Autumn	1235	19.58	1335	20.31	734	21.15	27	19.8	30	22.42
	Winter	4596	28.29	15131	29.80	7057	31.50	328	29.24	262	28.92
	Summer	971	43.44	2275	44.31	1358	45.01	41	46.20	28	49.69
	Total	6802		18741		9149		396		320	
2019-20	Autumn	2029	26.70	2480	28.06	1210	30.01	55	33.72	63	28.78
	Winter	4346	36.79	15765	37.25	7176	38.96	428	38.29	288	42.15
	Summer	1117	41.61	3170	45.94	1810	43.16	54	43.33	37	58.61
	Total	7492		21415		10196		537		388	

Contd...

Table No. - 17.0 (concl.d.)**State level Season wise Estimates of Yieldrate of Paddy according to different types of Soil (2015-16 to 2024-25)****State :- Odisha**

(Yield rate in Qtls./Hect.)

Year	Season	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
2020-21	Autumn	1947	30.79	2411	32.83	1185	32.29	52	26.75	31	26.22
	Winter	4187	40.78	15260	39.46	7268	41.06	553	40.07	302	39.67
	Summer	1053	47.34	3725	49.16	1840	50.18	98	56.09	40	51.24
	Total	7187		21396		10293		703		373	
2021-22	Autumn	1706	24.15	2058	25.99	843	25.8	25	32.21	34	26.56
	Winter	4288	34.47	15031	33.58	7095	34.7	495	37.6	179	34.56
	Summer	1180	45.7	3411	48.93	1781	47.66	162	48.88	39	50.41
	Total	7174		20500		9719		682		252	
2022-23	Autumn	1127	30.56	1595	30.9	637	31.94	47	37.04	26	24.39
	Winter	3928	43.36	15628	43.31	7566	43.64	501	44.91	315	44
	Summer	1132	51.29	3909	50.66	1706	50.67	86	56.91	61	57.69
	Total	6187		21132		9909		634		402	
2023-24	Autumn	1231	30.73	2417	30.54	681	30.8	16	32.75	1	32.48
	Winter	1426	40.9	6050	40.73	1814	40.14	68	40.43	16	42.21
	Summer	695	44.78	2744	46.47	755	43.81	59	46.61	13	31.76
	Total	3352		11211		3250		143		30	
2024-25	Autumn	874	26.50	2486	28.98	674	27.81	7	24.69	20	18.94
	Winter	1293	40.60	6571	41.18	1746	40.48	65	43.34	27	25.41
	Summer	857	46.34	3301	47.57	1130	48.60	45	50.32	28	46.48
	Total	3024		12358		3550		117		75	

❖❖❖❖❖

Table No. - 17.1
State Level Estimates of Yieldrate of Programmed Crops According to different Types of Soil 2024-25

(Yield rate in Qtls./Hect.)											
Sl. No.	Crop	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
Season : Autumn											
1	Paddy	874	26.50	2486	28.98	674	27.81	7	24.69	20	18.94
2	Maize	885	23.12	1039	25.24	261	24.20	7	33.52	2	15.85
3	Ragi	225	7.64	321	7.96	115	8.49	1	11.23	-	-
4	Mung	152	3.34	266	3.40	60	3.76	1	1.33	-	-
5	Biri	166	3.57	315	3.56	62	4.37	1	6.75	-	-
6	Til	61	2.30	115	2.44	23	3.30	-	-	-	-
7	Groundnut	364	15.35	321	18.05	100	18.44	-	-	-	-
8	Jute	8	20.86	52	23.69	38	25.94	-	-	-	-
Season : Winter											
1	Paddy	1293	40.60	6571	41.18	1746	40.48	65	43.34	27	25.41
2	Maize	63	23.36	47	34.79	25	32.01	-	-	-	-
3	Ragi	387	7.39	445	6.97	118	8.88	-	-	1	4.61
4	Mung	165	4.58	592	3.74	164	3.77	7	9.71	10	5.01
5	Biri	436	4.11	1103	4.25	323	4.09	6	5.35	7	4.20
6	Kulthi	755	4.24	1150	4.26	334	4.48	8	5.38	7	3.93
7	Til	162	2.75	195	2.88	21	3.57	3	2.27	1	6.87
8	Groundnut	131	12.59	62	14.89	53	16.94	-	-	1	6.88
9	Mustard	475	3.15	1130	3.10	242	3.14	4	3.26	1	1.78
10	Niger	134	3.12	157	3.46	42	3.47	-	-	-	-
11	Potato	650	107.13	878	110.97	387	118.90	14	148.38	-	-
12	Sugarcane	66	596.97	135	643.73	61	549.70	1	652.00	4	573.00
Season : Summer											
1	Paddy	857	46.34	3301	47.57	1130	48.60	45	50.32	28	46.48
2	Wheat	13	20.59	55	15.08	13	15.89	-	-	-	-
3	Maize	138	25.57	325	29.39	109	28.25	2	21.74	-	-
4	Ragi	51	6.77	94	6.73	41	8.37	-	-	-	-
5	Mung	408	5.00	1972	4.70	658	4.87	9	9.00	25	4.89
6	Biri	116	5.35	885	4.62	372	4.87	2	4.94	2	3.43
7	Kulthi	17	4.18	87	4.20	20	4.48	-	-	-	-
8	Til	61	2.98	465	2.66	209	3.02	-	-	-	-
9	Groundnut	361	22.07	436	22.00	211	21.37	1	14.95	2	10.66



Table No. - 17.2
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2024-25 (Autumn)

Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	44	45.85	-	-	-	-	-	-
2	Bolangir	84	24.32	246	23.42	109	20.37	1	15.78	4	23.1
3	Balasore	2	20.35	2	25.23	-	-	-	-	-	-
4	Bargarh	6	31.37	226	32.78	41	31.72	-	-	-	-
5	Bhadrak	-	-	-	-	-	-	-	-	-	-
6	Boudh	33	38.41	32	37.52	5	27.76	-	-	-	-
7	Cuttack	8	24.95	6	34.50	8	28.59	-	-	-	-
8	Deogarh	5	28.66	167	31.66	-	-	-	-	-	-
9	Dhenkanal	17	32.30	114	35.90	25	30.20	-	-	-	-
10	Gajapati	-	-	-	-	-	-	-	-	-	-
11	Ganjam	-	-	-	-	-	-	-	-	-	-
12	Jagatsinghpur	6	37.96	10	39.96	11	33.68	-	-	-	-
13	Jajpur	24	23.46	80	27.36	38	18.49	-	-	-	-
14	Jharsuguda	51	19.16	58	16.81	7	1.67	-	-	-	-
15	Kalahandi	86	25.48	183	25.91	31	26.54	-	-	16	17.69
16	Kandhamal	41	20.71	37	22.72	42	21.64	-	-	-	-
17	Kendrapara	-	-	10	33.16	45	33.26	-	-	-	-
18	Keonjhar	32	26.61	98	38.10	20	40.26	-	-	-	-
19	Khurda	3	24.21	-	-	-	-	-	-	-	-
20	Koraput	101	35.02	13	45.72	34	37.79	-	-	-	-
21	Malkangiri	82	28.68	77	35.16	47	25.66	-	-	-	-
22	Mayurbhanj	86	24.07	241	27.21	44	27.28	4	25.07	-	-
23	Nuapada	27	27.72	92	31.52	40	34.95	-	-	-	-
24	Nayagarh	2	31.25	20	36.93	-	-	-	-	-	-
25	Nawarangpur	3	48.43	121	33.87	88	37.15	1	46.23	-	-
26	Puri	-	-	-	-	-	-	-	-	-	-
27	Rayagada	-	-	24	16.25	-	-	-	-	-	-
28	Sambalpur	49	18.10	162	21.83	20	12.56	-	-	-	-
29	Subarnapur	64	31.21	65	25.86	6	29.31	-	-	-	-
30	Sundargarh	62	19.63	358	25.93	13	21.31	1	8.04	-	-
STATE		874	26.50	2486	28.98	674	27.81	7	24.69	20	18.94

(Contd.)

Table No. - 17.2 (Contd.)
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2024-25 (Winter)

Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	243	51.75	55	50.88	-	-	-	-
2	Bolangir	35	39.26	155	42.27	147	34.89	1	46.07	-	-
3	Balasore	88	37.85	448	36.40	51	33.85	-	-	-	-
4	Bargarh	-	-	200	55.08	83	52.91	-	-	-	-
5	Bhadrak	45	34.11	267	35.03	3	30.86	-	-	-	-
6	Boudh	73	44.30	109	51.01	6	42.80	-	-	2	32.87
7	Cuttack	27	48.63	239	46.52	66	48.73	-	-	-	-
8	Deogarh	-	-	120	40.45	-	-	-	-	-	-
9	Dhenkanal	9	57.74	188	54.81	33	59.40	-	-	-	-
10	Gajapati	-	-	216	33.46	54	33.69	-	-	-	-
11	Ganjam	42	32.98	515	41.08	115	39.38	-	-	-	-
12	Jagatsinghpur	10	41.55	173	40.62	71	40.28	-	-	-	-
13	Jajpur	18	35.09	222	35.76	44	28.99	-	-	-	-
14	Jharsuguda	23	26.57	34	39.04	9	57.55	-	-	-	-
15	Kalahandi	39	47.25	329	41.78	42	47.53	6	43.23	25	24.24
16	Kandhamal	103	28.25	186	26.69	101	27.21	14	28.63	-	-
17	Kendrapara	-	-	193	35.07	100	38.59	-	-	-	-
18	Keonjhar	104	50.45	433	47.25	58	47.79	4	39.31	-	-
19	Khurda	11	33.28	141	46.19	138	46.86	-	-	-	-
20	Koraput	175	48.80	84	43.74	78	44.76	12	63.79	-	-
21	Malkangiri	53	37.93	112	39.45	39	36.76	-	-	-	-
22	Mayurbhanj	130	37.39	433	37.30	136	39.39	6	39.14	-	-
23	Nuapada	13	32.97	123	37.37	23	40.76	-	-	-	-
24	Nayagarh	16	44.84	279	39.53	6	32.38	-	-	-	-
25	Nawarangpur	2	39.80	116	39.23	77	42.83	15	42.25	-	-
26	Puri	22	41.58	273	44.29	32	44.42	-	-	-	-
27	Rayagada	113	44.16	208	39.07	104	37.88	3	38.43	-	-
28	Sambalpur	44	33.01	162	43.01	35	44.08	2	63.22	-	-
29	Subarnapur	49	47.50	130	52.15	2	58.58	-	-	-	-
30	Sundargarh	49	29.25	240	30.87	38	19.74	2	37.36	-	-
STATE		1293	40.60	6571	41.18	1746	40.48	65	43.34	27	25.41

(Contd.)

Table No. - 17.2 (Concl.)
District wise Estimates of Yieldrate of Paddy according to different types of Soil 2024-25 (Summer)

Sl. No.	District	Sandy		Clayey		Loamy		Alluvial		Black Cotton	
		No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate	No. of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12
1	Angul	-	-	42	48.55	-	-	-	-	-	-
2	Bolangir	25	44.36	145	40.90	84	43.36	-	-	-	-
3	Balasore	81	51.00	489	51.54	130	50.13	-	-	-	-
4	Bargarh	23	45.85	268	53.95	132	50.98	-	-	-	-
5	Bhadrak	16	51.64	87	41.33	4	38.93	-	-	-	-
6	Boudh	34	42.53	44	54.08	22	52.38	-	-	10	40.48
7	Cuttack	6	67.61	81	49.34	58	58.18	2	70.79	-	-
8	Deogarh	-	-	4	21.91	-	-	-	-	-	-
9	Dhenkanal	-	-	26	31.79	2	35.10	-	-	-	-
10	Gajapati	4	38.81	94	31.16	12	27.74	-	-	-	-
11	Ganjam	-	-	14	39.43	20	47.48	-	-	-	-
12	Jagatsinghpur	-	-	76	47.19	51	49.29	-	-	-	-
13	Jajpur	-	-	68	42.66	-	-	-	-	-	-
14	Jharsuguda	38	56.49	24	67.25	10	63.44	-	-	-	-
15	Kalahandi	40	50.14	271	45.69	37	58.11	2	31.81	18	49.23
16	Kandhamal	20	36.63	19	34.70	24	35.59	7	26.51	-	-
17	Kendrapara	-	-	58	42.42	31	51.68	-	-	-	-
18	Keonjhar	2	73.62	28	38.60	10	47.66	4	30.31	-	-
19	Khurda	-	-	31	45.89	92	51.57	-	-	-	-
20	Koraput	259	43.82	121	43.50	153	43.68	30	58.39	-	-
21	Malkangiri	31	34.50	15	38.14	12	36.47	-	-	-	-
22	Mayurbhanj	97	38.17	268	39.38	65	42.65	-	-	-	-
23	Nuapada	15	47.11	112	44.21	25	42.31	-	-	-	-
24	Nayagarh	-	-	18	47.49	-	-	-	-	-	-
25	Nawarangpur	3	46.76	36	42.40	37	37.82	-	-	-	-
26	Puri	18	41.27	401	51.19	45	54.10	-	-	-	-
27	Rayagada	32	42.44	62	34.98	2	30.53	-	-	-	-
28	Sambalpur	37	50.15	141	64.39	45	66.22	-	-	-	-
29	Subarnapur	65	60.91	198	58.91	25	57.11	-	-	-	-
30	Sundargarh	11	46.22	60	34.23	2	23.80	-	-	-	-
STATE		857	46.34	3301	47.57	1130	48.60	45	50.32	28	46.48



Table No. - 18.0
State level Estimates of Yield rate of Paddy according to Levels of Land (2015-16 to 2024-25)

State :- Odisha

(Yield rate in Qtls./Hect.)

Sl. No.	Year	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	2015-16	4059	12.26	2638	13.11	9	28.42	97	13.73	7008	22.40	3583	19.9	63	34.75	2246	42.17	1472	37.13
2	2016-17	4781	20.24	2540	22.69	6	25.6	301	34.88	11082	39.84	5116	36.73	119	45.45	2236	46.09	1170	38.44
3	2017-18	4315	18.52	3044	18.39	32	25.69	371	27.94	11709	27.12	5364	25.62	143	47.66	2158	45.21	1124	38.03
4	2018-19	1466	19.72	1739	20.51	156	22.02	878	27.82	19366	31.00	7130	27.43	258	49.27	3067	45.52	1348	40.84
5	2019-20	2252	25.13	3427	29.74	158	33.13	1005	37.08	20033	37.61	6965	37.97	266	43.52	4181	45.36	1741	42.21
6	2020-21	2227	31.00	3333	32.44	66	36.07	1133	39.30	19454	40.28	6983	39.72	228	52.19	4625	50.91	1903	44.93
7	2021-22	1914	24.31	2619	25.77	133	31.01	1374	34.03	19525	34.28	6189	33.54	215	51.31	4404	49.46	1954	44.38
8	2022-23	1365	30.42	2028	31.37	39	33.3	1339	42.86	20664	43.78	5935	42.4	180	53.46	4909	51.87	1805	48.04
9	2023-24	1889	30.68	2384	30.55	73	32.66	184	39.86	6662	40.44	2528	41.25	107	43.85	2839	46.97	1320	43.06
10	2024-25	1519	27.59	2463	28.43	79	32.54	283	36.56	7001	41.13	2418	40.91	145	47.83	3695	48.54	1521	45.33



Table No. - 18.1
State level Estimates of Yieldrate of Programmed Crops according to Levels of Land 2024-25

(Yield rate in Qtls./Hect.)

Sl. No.	Crop	Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Paddy	1519	27.59	2463	28.43	79	32.54	283	36.56	7001	41.13	2418	40.91	145	47.83	3695	48.54	1521	45.33
2	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	17	15.70	57	16.25	7	15.74
3	Maize	1503	23.96	689	24.94	2	33.99	78	24.78	52	33.27	5	48.79	123	25.72	364	28.17	87	32.04
4	Ragi	376	6.93	284	9.27	2	13.13	474	6.31	458	8.41	19	8.93	35	6.95	143	7.18	8	6.53
5	Mung	437	3.43	42	3.35	-	-	151	4.36	641	3.68	146	4.70	247	4.78	2464	4.83	361	4.51
6	Biri	488	3.66	56	3.67	-	-	586	4.84	1155	3.94	134	3.58	71	4.78	1223	4.77	83	4.41
7	Kulthi	-	-	-	-	-	-	1100	4.37	1103	4.20	51	4.33	9	3.23	110	4.27	5	5.30
8	Til	180	2.40	19	3.37	-	-	226	2.91	148	2.83	8	2.18	27	3.13	673	2.79	35	2.53
9	Groundnut	616	16.69	163	17.41	6	18.24	121	12.76	120	15.09	6	20.41	130	21.61	824	22.04	57	19.83
10	Mustard	-	-	-	-	-	-	672	3.26	1114	3.10	66	1.92	-	-	-	-	-	-
11	Niger	-	-	-	-	-	-	184	3.36	139	3.27	10	3.22	-	-	-	-	-	-
12	Jute	14	22.82	82	24.06	2	46.07	-	-	-	-	-	-	-	-	-	-	-	-
13	Potato	-	-	-	-	-	-	743	108.39	1134	113.40	52	116.31	-	-	-	-	-	-
14	Sugarcane	-	-	-	-	-	-	35	645.94	209	596.31	23	675.83	-	-	-	-	-	-



Table No. - 18.2
District wise Estimates of Yield rate of Paddy according to Levels of Land 2024-25

Sl. No.	District	(Yield rate in Qtls./Hect.)																	
		Autumn						Winter						Summer					
		High		Medium		Low		High		Medium		Low		High		Medium		Low	
		No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate	No.of C.C.	Yield Rate
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1	Angul	44	45.85	-	-	-	-	2	52.28	285	51.68	11	49.03	-	-	42	48.55	-	-
2	Bolangir	80	24.52	358	22.59	6	14.02	2	47.50	72	40.40	264	38.25	1	61.85	56	45.04	197	41.11
3	Balasore	-	-	4	22.79	-	-	16	26.30	571	36.68	-	-	2	51.56	698	51.22	-	-
4	Bargarh	82	29.39	189	34.07	2	24.06	4	37.03	150	56.46	129	52.65	35	48.40	311	53.19	77	52.03
5	Bhadrak	-	-	-	-	-	-	-	-	315	34.86	-	-	1	40.13	106	42.81	-	-
6	Boudh	56	36.79	14	39.05	-	-	2	30.27	182	48.39	6	41.57	2	52.25	89	50.64	19	40.59
7	Cuttack	17	29.54	5	26.64	-	-	-	-	306	47.11	26	47.34	5	46.30	126	53.95	16	55.60
8	Deogarh	46	34.03	126	30.68	-	-	-	-	90	39.13	30	44.42	-	-	-	-	4	21.91
9	Dhenkanal	102	32.96	50	37.80	4	36.28	-	-	182	55.58	48	55.58	-	-	18	30.07	10	35.54
10	Gajapati	-	-	-	-	-	-	2	28.24	268	33.55	-	-	-	-	110	31.06	-	-
11	Ganjam	-	-	-	-	-	-	7	30.42	599	40.39	66	40.40	-	-	29	44.93	5	39.75
12	Jagatsinghpur	24	36.74	3	38.71	-	-	4	47.83	210	41.04	40	37.33	8	53.66	107	47.51	12	48.95
13	Jajpur	-	-	137	24.42	5	21.74	8	51.93	244	34.71	32	30.00	-	-	68	42.66	-	-
14	Jharsuguda	44	19.82	72	15.16	-	-	2	22.51	47	36.91	17	39.81	11	59.22	34	59.76	27	63.40
15	Kalahandi	100	26.45	198	24.56	18	29.57	16	27.97	164	44.97	261	40.72	7	49.58	121	49.63	240	46.39
16	Kandhamal	79	20.73	41	23.44	-	-	8	30.29	236	26.52	160	28.26	-	-	12	29.43	58	35.84
17	Kendrapara	-	-	55	33.24	-	-	5	42.08	275	36.25	13	34.66	-	-	71	46.09	18	43.93
18	Keonjhar	107	33.15	40	42.58	3	46.71	73	39.85	385	50.18	141	45.45	9	35.60	24	47.01	11	34.29
19	Khurda	3	24.21	-	-	-	-	11	32.94	263	47.05	16	37.99	-	-	121	50.53	2	26.77
20	Koraput	20	38.19	116	36.16	12	38.13	19	48.74	172	48.21	158	45.90	23	41.24	206	46.74	334	43.33
21	Malkangiri	123	27.82	83	34.25	-	-	3	34.42	160	37.74	41	41.99	-	-	53	35.20	5	42.72
22	Mayurbhanj	201	24.77	171	28.38	3	31.74	33	36.23	563	37.52	109	39.33	12	49.79	347	39.79	71	36.97
23	Nuapada	5	30.53	153	31.76	1	34.65	-	-	25	37.37	134	37.52	-	-	37	43.72	115	44.33
24	Nayagarh	10	40.21	12	33.24	-	-	28	37.16	267	39.93	6	40.07	-	-	18	47.49	-	-
25	Nawarangpur	47	36.32	144	34.73	22	38.68	-	-	99	40.31	111	41.18	-	-	16	42.85	60	39.67
26	Puri	-	-	-	-	-	-	4	7.36	323	44.57	-	-	2	51.31	462	51.09	-	-
27	Rayagada	-	-	24	16.25	-	-	2	42.96	146	38.35	280	41.02	-	-	39	37.40	57	37.35
28	Sambalpur	135	16.81	96	25.05	-	-	6	31.85	99	36.47	138	45.56	15	55.09	115	59.24	93	67.48
29	Subarnapur	67	28.87	68	28.23	-	-	5	46.37	134	51.80	42	48.85	8	51.05	225	60.35	55	55.71
30	Sundargarh	127	19.96	304	26.93	3	21.90	21	26.95	169	28.86	139	30.38	4	26.45	34	35.29	35	37.25
STATE		1519	27.59	2463	28.43	79	32.54	283	36.56	7001	41.13	2418	40.91	145	47.83	3695	48.54	1521	45.33



Table No. - 19.0
State level No. of Crop Cutting experiments conducted on Programmed Crops 2024-25

Sl. No.	Crop	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Paddy	4061	4061	9702	9702	5361	5361	19124	19124
2	Wheat	-	-	-	-	81	81	81	81
3	Maize	2194	2194	135	135	574	574	2903	2903
4	Ragi	662	662	951	951	186	186	1799	1799
5	Mung	479	479	938	938	3072	3072	4489	4489
6	Biri	544	544	1875	1875	1377	1377	3796	3796
7	Kulthi	-	-	2254	2254	124	124	2378	2378
8	Til	199	199	382	382	735	735	1316	1316
9	Groungnut	785	785	247	247	1011	1011	2043	2043
10	Mustard	-	-	1852	1852	-	-	1852	1852
11	Niger	-	-	333	333	-	-	333	333
12	Jute	98	98	-	-	-	-	98	98
13	Potato	-	-	1929	1929	-	-	1929	1929
14	Sugarcane	-	-	267	267	-	-	267	267
Total		9022	9022	20865	20865	12521	12521	42408	42408

Table No. - 19.1
District wise No. of Crop Cutting experiments conducted on PADDY 2024-25

Sl. No.	District	Autumn		Winter		Summer		Total	
		Planned	Conducted	Planned	Conducted	Planned	Conducted	Planned	Conducted
1	2	3	4	5	6	7	8	9	10
1	Angul	44	44	298	298	42	42	384	384
2	Bolangir	444	444	338	338	254	254	1036	1036
3	Balasore	4	4	587	587	700	700	1291	1291
4	Baragarh	273	273	283	283	423	423	979	979
5	Bhadrak	-	-	315	315	107	107	422	422
6	Boudh	70	70	190	190	110	110	370	370
7	Cuttack	22	22	332	332	147	147	501	501
8	Deogarh	172	172	120	120	4	4	296	296
9	Dhenkanal	156	156	230	230	28	28	414	414
10	Gajapati	-	-	270	270	110	110	380	380
11	Ganjam	-	-	672	672	34	34	706	706
12	J.Singhpur	27	27	254	254	127	127	408	408
13	Jajpur	142	142	284	284	68	68	494	494
14	Jharasuguda	116	116	66	66	72	72	254	254
15	Kalahandi	316	316	441	441	368	368	1125	1125
16	Kandhamal	120	120	404	404	70	70	594	594
17	Kendrapara	55	55	293	293	89	89	437	437
18	Keunjhor	150	150	599	599	44	44	793	793
19	Khurda	3	3	290	290	123	123	416	416
20	Koraput	148	148	349	349	563	563	1060	1060
21	Malkanagiri	206	206	204	204	58	58	468	468
22	Mayurbhanja	375	375	705	705	430	430	1510	1510
23	Nuapara	159	159	159	159	152	152	470	470
24	Nayagarh	22	22	301	301	18	18	341	341
25	Nawarangpur	213	213	210	210	76	76	499	499
26	Puri	-	-	327	327	464	464	791	791
27	Rayagarh	24	24	428	428	96	96	548	548
28	Sambalpur	231	231	243	243	223	223	697	697
29	Subarnapur	135	135	181	181	288	288	604	604
30	Sundergarh	434	434	329	329	73	73	836	836
STATE		4061	4061	9702	9702	5361	5361	19124	19124

♦♦♦♦♦

Table No. - 20.1

State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Paddy

Sl. No	Year	Area (in ' 000 hect.)				Yield rate in (qtls/hect.)								Production (in ' 000 M.T.)							
						Paddy				Rice				Paddy				Rice			
		Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total	Aut.	Win.	Sum.	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	1995-96	854	3400	275	4529	14.41	21.55	31.86	20.83	9.51	14.22	21.03	13.75	1230	7327	876	9433	812	4836	578	6226
2	1996-97	822	3378	269	4469	8.27	15.16	34.35	15.05	5.46	10.00	22.67	9.93	680	5120	925	6725	449	3379	610	4438
3	1997-98	827	3434	236	4497	14.89	21.79	29.15	20.90	9.83	14.38	19.24	13.80	1232	7482	687	9401	813	4938	454	6205
4	1998-99	820	3359	268	4447	9.27	19.77	28.62	18.37	6.12	13.05	18.89	12.12	760	6642	767	8169	501	4384	506	5391
5	1999-00	797	3423	382	4602	14.13	15.63	36.19	17.08	6.32	10.32	23.89	11.27	1126	5351	1382	7859	743	3532	912	5187
6	2000-01	855	3372	207	4434	8.23	16.66	32.36	15.77	5.43	10.99	21.36	10.41	703	5618	669	6990	464	3708	442	4614
7	2001-02	853	3375	272	4500	15.15	25.67	32.22	24.07	10.00	16.94	21.27	15.89	1291	8664	876	10831	852	5718	578	7148
8	2002-03	808	3287	178	4273	5.54	11.66	35.64	11.50	3.66	7.70	23.52	7.59	448	3834	633	4915	296	2530	418	3244
9	2003-04	861	3386	254	4501	14.88	23.95	33.99	22.67	9.82	15.81	21.12	14.96	1282	8110	811	10203	846	5353	535	6734
10	2004-05	824	3375	293	4492	12.46	23.38	33.79	22.08	8.22	15.43	22.30	14.55	1027	7889	989	9905	677	5207	653	6537
11	2005-06	781	3373	325	4479	13.22	24.59	32.72	23.20	8.72	16.23	21.60	15.31	1032	8296	1065	10393	681	5475	703	6859
12	2006-07	757	3379	315	4451	15.31	23.94	34.75	23.24	10.11	15.80	22.93	15.34	1159	8089	1093	10341	765	5338	722	6825
13	2007-08	742	3376	334	4452	16.63	26.52	37.08	25.66	10.97	17.50	24.47	16.94	1233	8955	1238	11426	814	5910	817	7541
14	2008-09	707	3417	331	4455	15.76	23.35	37.14	23.17	10.40	15.41	24.51	15.29	1114	7979	1229	10322	735	5266	812	6813
15	2009-10	687	3413	265	4365	13.63	24.77	41.11	24.01	9.00	16.35	27.13	15.85	937	8456	1088	10481	618	5581	718	6917
16	2010-11	678	3255	293	4226	12.59	25.13	44.84	24.48	8.31	16.58	29.59	16.16	853	8178	1314	10345	563	5398	867	6828
17	2011-12	536	3233	236	4005	11.79	21.72	48.69	21.97	7.78	14.33	32.13	14.50	633	7020	1146	8799	418	4633	756	5807
18	2012-13	561	3188	274	4023	26.24	36.40	47.95	35.77	17.32	24.02	31.65	23.61	1471	11603	1315	14389	971	7658	868	9497
19	2013-14	582	3298	300	4180	22.16	26.34	51.84	27.60	14.63	17.39	34.22	18.21	1290	8687	1558	11535	851	5734	1028	7613
20	2014-15	583	3282	301	4166	26.90	36.02	50.64	35.80	17.75	23.78	33.42	23.63	1569	11822	1525	14916	1036	7802	1007	9845
21	2015-16	541	3167	234	3942	10.90	22.50	50.84	22.59	7.19	14.85	33.56	14.91	590	7125	1187	8902	390	4702	783	5875
22	2016-17	512	3226	225	3963	19.48	39.18	53.50	37.45	12.85	25.86	35.31	24.72	996	12641	1203	14840	658	8343	794	9795
23	2017-18	530	3014	222	3766	16.48	26.54	47.48	26.36	10.88	17.51	31.33	17.39	874	7999	1054	9927	577	5279	695	6551
24	2018-19	454	3131	274	3859	17.59	30.39	51.15	30.36	11.61	20.06	33.76	20.04	799	9516	1403	11718	527	6280	926	7733
25	2019-20	426	3222	293	3941	27.36	37.87	48.31	37.51	18.06	24.99	31.88	24.75	1166	12201	1414	14781	769	8053	933	9755
26	2020-21	432	3258	339	4029	30.32	41.11	57.83	41.36	20.01	27.13	38.17	27.30	1311	13392	1962	16665	865	8839	1295	10999
27	2021-22	443	3205	300	3948	21.76	35.54	57.53	35.66	14.36	23.46	37.97	23.54	964	11391	1722	14077	636	7518	1137	9291
28	2022-23	379	3350	335	4064	28.22	45.13	56.39	44.49	18.63	29.79	37.22	29.36	1069	15119	1892	18080	706	9978	1249	11933
29	2023-24	319	3382	386	4087	29.92	43.04	51.08	42.78	19.75	28.41	33.71	28.23	953	14557	1973	17483	629	9608	1302	11539
30	2024-25	306	3448	415	4169	26.72	42.28	53.69	42.27	17.64	27.91	35.43	27.90	819	14579	2226	17624	540	9622	1469	11631

Table No. - 20.2
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Wheat

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	--	4890	4890	--	--	12.41	12.41	--	--	60678	60678
2	1996-97	--	--	5039	5039	--	--	13.11	13.11	--	--	66064	66064
3	1997-98	--	--	6078	6078	--	--	9.98	9.98	--	--	60647	60647
4	1998-99	--	--	3860	3860	--	--	11.50	11.50	--	--	44408	44408
5	1999-00	--	--	5917	5917	--	--	12.96	12.96	--	--	76697	76697
6	2000-01	--	--	8819	8819	--	--	14.63	14.63	--	--	129029	129029
7	2001-02	--	--	6976	6976	--	--	15.15	15.15	--	--	105669	105669
8	2002-03	--	--	4627	4627	--	--	12.47	12.47	--	--	57681	57681
9	2003-04	--	--	5129	5129	--	--	14.65	14.65	--	--	75156	75156
10	2004-05	--	--	4054	4054	--	--	13.10	13.10	--	--	53125	53125
11	2005-06	--	--	3276	3276	--	--	13.69	13.69	--	--	44843	44843
12	2006-07	--	--	3913	3913	--	--	14.83	14.83	--	--	58023	58023
13	2007-08	--	--	5548	5548	--	--	15.72	15.72	--	--	87225	87225
14	2008-09	--	--	5267	5267	--	--	14.02	14.02	--	--	73850	73850
15	2009-10	--	--	3994	3994	--	--	14.48	14.48	--	--	57824	57824
16	2010-11	--	--	2857	2857	--	--	14.61	14.61	--	--	41740	41740
17	2011-12	--	--	1461	1461	--	--	16.40	16.40	--	--	23967	23967
18	2012-13	--	--	1039	1039	--	--	19.00	19.00	--	--	19744	19744
19	2013-14	--	--	678	678	--	--	15.75	15.75	--	--	10676	10676
20	2014-15	--	--	403	403	--	--	16.28	16.28	--	--	6561	6561
21	2015-16	--	--	367	367	--	--	13.47	13.47	--	--	4944	4944
22	2016-17	--	--	57	57	--	--	14.21	14.21	--	--	810	810
23	2017-18	--	--	73	73	--	--	21.63	21.63	--	--	1579	1579
24	2018-19	--	--	147	147	--	--	18.15	18.15	--	--	2668	2668
25	2019-20	--	--	118	118	--	--	13.90	13.90	--	--	1640	1640
26	2020-21	--	--	182	182	--	--	16.40	16.40	--	--	2984	2984
27	2021-22	--	--	177	177	--	--	17.05	17.05	--	--	3018	3018
28	2022-23	--	--	223	223	--	--	15.48	15.48	--	--	3452	3452
29	2023-24	--	--	249	249	--	--	18.94	18.94	--	--	4715	4715
30	2024-25	--	--	303	303	--	--	17.96	17.96	--	--	5443	5443

Table No. - 20.3

State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Maize

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	43247	141	744	44132	10.55	7.09	10.28	10.53	456152	1000	7652	464804
2	1996-97	57618	201	494	58313	12.46	5.81	9.67	12.41	717736	1167	4778	723681
3	1997-98	51349	247	1164	52760	12.33	8.04	8.40	12.23	633307	1986	9779	645072
4	1998-99	50230	417	276	50923	13.11	5.91	8.71	13.03	658656	2465	2404	663525
5	1999-00	53318	55	1050	54423	14.91	6.95	11.84	14.85	795146	382	12431	807959
6	2000-01	53209	214	948	54371	12.69	7.57	12.22	12.67	675445	1620	11587	688652
7	2001-02	50772	154	502	51428	9.00	9.88	15.61	9.07	457190	1521	7834	466545
8	2002-03	41852	161	1087	43100	9.67	12.67	15.92	9.84	404654	2040	17300	423994
9	2003-04	51743	1343	2463	55549	13.85	16.20	19.81	14.18	716888	21755	48804	787447
10	2004-05	58692	1575	2071	62338	16.18	19.72	20.40	16.41	949521	31057	42251	1022829
11	2005-06	56216	5786	1585	63587	15.23	22.19	21.79	16.03	856057	128404	34536	1018997
12	2006-07	53460	5894	1916	61270	15.50	26.25	23.47	16.78	828698	154694	44963	1028355
13	2007-08	64690	6505	2874	74069	18.99	27.36	22.59	19.87	1228786	177948	64932	1471666
14	2008-09	64461	307	2249	67017	19.87	22.00	26.49	20.10	1280533	6753	59582	1346868
15	2009-10	78682	211	2265	81158	21.56	14.30	22.29	21.56	1696593	3017	50490	1750100
16	2010-11	111982	740	4454	117176	25.43	20.65	28.15	25.50	2847435	15280	125391	2988106
17	2011-12	98714	177	3971	102862	20.47	12.85	24.96	20.63	2020482	2274	99118	2121874
18	2012-13	90572	331	3578	94481	23.96	14.59	27.94	24.08	2169873	4828	99984	2274685
19	2013-14	91261	278	3591	95130	27.70	15.10	29.05	27.71	2527769	4198	104303	2636270
20	2014-15	89218	180	2266	91664	20.40	16.70	26.11	20.53	1819812	3006	59173	1881991
21	2015-16	52843	255	2489	55587	19.68	18.02	26.20	19.96	1039966	4594	65209	1109769
22	2016-17	68457	1344	2589	72390	28.54	12.92	29.13	28.27	1953873	17366	75421	2046660
23	2017-18	44436	374	2132	46942	25.12	14.12	27.21	25.13	1116188	5280	58018	1179486
24	2018-19	49126	67	2855	52048	23.07	24.48	26.10	23.24	1133406	1640	74522	1209568
25	2019-20	61041	95	3934	65070	28.78	23.61	33.33	29.05	1756733	2243	131136	1890112
26	2020-21	75254	62	2610	77926	29.19	19.92	26.14	29.08	2196922	1235	68234	2266391
27	2021-22	97611	1109	3715	102435	27.84	26.99	26.97	27.79	2717047	29932	100181	2847160
28	2022-23	81152	254	2887	84293	29.99	27.37	24.80	29.81	2433846	6951	71601	2512398
29	2023-24	81749	938	8140	90827	34.93	25.84	34.45	34.79	2855441	24241	280448	3160130
30	2024-25	69652	365	16198	86215	30.54	30.82	31.44	30.71	2127064	11249	509193	2647506

Table No. - 20.4
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Ragi

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	39232	31347	872	71451	6.55	5.55	7.30	6.12	257109	173831	6364	437304
2	1996-97	39613	41032	722	81367	6.11	5.92	6.84	6.02	241847	242789	4939	489575
3	1997-98	41987	37192	603	79782	6.40	5.29	7.11	5.89	268847	196926	4286	470059
4	1998-99	41039	39112	861	81012	6.58	6.21	6.92	6.40	270150	242714	5962	518826
5	1999-00	39107	41661	984	81752	6.91	6.02	7.99	6.47	270365	250828	7858	529051
6	2000-01	37927	45807	247	83981	6.47	4.77	7.27	5.54	245300	218419	1796	465515
7	2001-02	30797	45059	406	76262	6.03	5.81	7.80	5.91	185602	261990	3166	450758
8	2002-03	31355	45467	273	77095	4.96	4.35	6.92	4.60	155376	197752	1888	355016
9	2003-04	30067	40074	349	70490	5.94	6.60	7.61	6.32	178502	264584	2655	445741
10	2004-05	24161	39385	261	63807	6.54	6.30	8.16	6.40	158119	248188	2130	408437
11	2005-06	26366	38975	226	65567	6.23	6.09	7.91	6.15	164176	237181	1787	403144
12	2006-07	24822	39905	274	65001	6.21	6.88	7.29	6.63	154177	274628	1997	430802
13	2007-08	26217	40826	484	67527	6.62	7.10	8.87	6.93	173552	289908	4291	467751
14	2008-09	26091	39333	289	65713	6.66	5.96	7.86	6.24	173687	234383	2272	410342
15	2009-10	21856	36949	225	59030	6.28	6.42	9.06	6.38	137190	237290	2039	376519
16	2010-11	27570	38276	328	66174	7.04	7.11	8.38	7.09	194223	272066	2749	469038
17	2011-12	20228	34666	114	55008	6.36	5.18	7.14	5.62	128693	179594	814	309101
18	2012-13	17502	39551	119	57172	7.20	7.92	7.82	7.70	126003	313350	931	440284
19	2013-14	15768	40637	229	56634	7.32	8.39	8.34	8.09	115477	341013	1911	458401
20	2014-15	15247	35945	286	51478	7.09	7.50	9.10	7.38	108054	269497	2603	380154
21	2015-16	14230	31166	297	45693	6.17	6.19	8.92	6.20	87800	192811	2649	283260
22	2016-17	14266	32617	78	46961	6.38	7.35	6.96	7.06	91047	239795	543	331385
23	2017-18	10042	32440	110	42592	7.65	7.67	6.86	7.67	76779	248935	755	326469
24	2018-19	8511	27944	212	36667	6.84	6.93	6.24	6.90	58254	193560	1323	253137
25	2019-20	9588	25919	381	35888	7.46	7.24	7.57	7.31	71534	187774	2885	262193
26	2020-21	10164	30685	464	41313	7.50	8.13	6.85	7.96	76198	249585	3180	328963
27	2021-22	16090	38355	529	54974	7.35	8.23	5.19	7.94	118224	315754	2746	436724
28	2022-23	13202	28963	678	42843	7.19	9.47	7.26	8.73	94866	274149	4919	373934
29	2023-24	13923	50302	1290	65515	7.25	8.93	6.63	8.53	100998	449322	8553	558873
30	2024-25	9842	42229	1019	53090	7.57	9.03	6.95	8.72	74509	381184	7077	462770

Table No. - 20.5
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Mung

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	19589	107271	97960	224820	2.93	2.53	3.24	2.88	57414	271421	317709	646544
2	1996-97	28616	66733	107320	202669	2.71	1.57	2.07	2.00	77687	104881	221879	404447
3	1997-98	25625	116564	86561	228750	2.53	2.00	1.90	2.02	64866	233046	164140	462052
4	1998-99	21845	106933	92720	221498	2.35	1.64	2.38	2.02	51233	175370	220771	447374
5	1999-00	23621	106218	61198	191037	2.61	1.77	2.28	2.04	61604	188254	139749	389607
6	2000-01	24128	74508	48804	147440	2.10	1.50	2.68	1.99	50674	111662	130563	292899
7	2001-02	17274	113615	81622	212511	1.68	2.16	2.89	2.40	29089	245708	236138	510935
8	2002-03	20236	68877	79192	168305	1.98	1.47	3.06	2.28	40010	101148	242299	383457
9	2003-04	22115	110561	124585	257261	1.89	2.21	2.52	2.34	41818	244608	314362	600788
10	2004-05	18750	82486	111395	212631	2.33	2.00	3.17	2.64	43718	165141	352583	561442
11	2005-06	20063	104909	132266	257238	2.16	1.84	3.21	2.57	43435	193158	425070	661663
12	2006-07	22715	85385	127125	235225	2.29	2.07	2.70	2.43	52002	176725	343122	571849
13	2007-08	23687	86079	148138	257904	2.50	2.11	2.63	2.45	59292	181845	389834	630971
14	2008-09	22676	85557	125260	233493	2.34	2.20	2.91	2.60	52993	188520	365108	606621
15	2009-10	21731	120690	147688	290109	2.28	2.26	3.15	2.71	49511	272526	464901	786938
16	2010-11	25378	78502	184234	288114	2.55	2.21	3.32	2.95	64792	173786	612484	851062
17	2011-12	24786	41861	147141	213788	2.12	2.03	3.23	2.87	52523	84953	475848	613324
18	2012-13	21882	99426	159285	280593	2.74	2.76	3.41	3.13	60002	274413	543392	877807
19	2013-14	24135	90618	137237	251990	3.20	2.69	4.12	3.52	77285	244210	565437	886932
20	2014-15	22009	97798	175592	295399	2.23	3.05	4.00	3.56	49051	298459	702703	1050213
21	2015-16	19391	70356	200039	289786	2.43	2.20	3.25	2.94	47153	154934	650138	852225
22	2016-17	40753	128055	157356	326164	4.38	3.26	4.71	4.10	178458	416941	740834	1336233
23	2017-18	26254	82357	127403	236014	3.19	3.10	4.52	3.88	83809	255572	575676	915057
24	2018-19	10615	62479	143548	216642	2.63	2.76	3.54	3.27	27966	172208	508427	708601
25	2019-20	10656	60116	169358	240130	2.95	3.33	3.40	3.36	31430	199993	575671	807094
26	2020-21	8120	51598	175651	235369	2.75	3.57	2.12	2.46	22318	184054	372780	579152
27	2021-22	25988	72839	150811	249638	3.05	3.08	3.85	3.54	79223	224351	581113	884687
28	2022-23	18031	101890	147998	267919	3.05	3.01	4.20	3.67	54950	306266	622116	983332
29	2023-24	12778	86307	211533	310618	3.23	2.98	4.49	4.02	41252	256955	949478	1247685
30	2024-25	11076	103593	233949	348618	3.04	3.07	4.80	4.23	33668	317720	1123316	1474704

Table No. - 20.6
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Biri

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	31902	94774	2246	128922	3.10	2.97	3.74	3.01	98973	281216	8394	388583
2	1996-97	34991	83356	4777	123124	2.49	2.69	2.87	2.64	87274	224316	13724	325314
3	1997-98	32117	118618	2083	152818	2.66	3.25	2.30	3.12	85362	386098	4796	476256
4	1998-99	35494	100561	2544	138599	2.54	2.84	2.08	2.75	90300	285773	5287	381360
5	1999-00	28379	81607	2085	112071	3.96	2.19	1.70	2.63	112445	178328	3552	294325
6	2000-01	30520	77621	960	109101	2.20	2.61	2.85	2.50	67274	202547	2735	272556
7	2001-02	34652	112342	1940	148934	2.05	3.28	3.07	2.99	71160	368412	5955	445527
8	2002-03	26458	88788	2047	117293	1.71	2.45	3.79	2.31	45308	217603	7767	270678
9	2003-04	29490	102856	3648	135994	1.81	2.94	3.30	2.71	53444	302417	12048	367909
10	2004-05	27222	92216	4605	124043	2.15	2.70	4.09	2.63	58659	249147	18855	326661
11	2005-06	27147	100077	6116	133340	1.99	2.58	4.02	2.52	54083	257707	24575	336365
12	2006-07	27628	92126	6118	125872	2.17	3.10	3.53	2.91	59915	285296	21621	366832
13	2007-08	32628	106962	9397	148987	2.29	3.30	3.80	3.11	74561	352974	35664	463199
14	2008-09	28830	90687	9669	129186	2.37	2.94	3.87	2.88	68223	266690	37445	372358
15	2009-10	29523	93222	7333	130078	2.21	3.25	3.37	3.02	65124	302688	24747	392559
16	2010-11	35912	89773	8014	133699	2.37	3.13	3.72	2.96	85140	281318	29800	396258
17	2011-12	29714	76386	5980	112080	2.03	2.88	3.46	2.68	60315	219724	20695	300734
18	2012-13	27091	79881	5021	111993	2.93	3.45	3.79	3.34	79391	275424	19021	373836
19	2013-14	27587	54210	3008	84805	3.01	3.08	4.46	3.11	82980	166940	13421	263341
20	2014-15	22843	56121	2800	81764	2.62	3.64	4.00	3.37	59779	204528	11210	275517
21	2015-16	20281	46473	7564	74318	2.47	3.49	4.19	3.28	50044	162053	31714	243811
22	2016-17	27899	65569	15269	108737	3.98	4.57	5.44	4.54	111148	299927	83097	494172
23	2017-18	20431	42760	13987	77178	3.14	3.58	4.98	3.72	64105	153183	69600	286888
24	2018-19	13720	39560	4571	57851	2.61	3.32	5.11	3.29	35844	131219	23365	190428
25	2019-20	10170	38948	8522	57640	2.94	3.86	3.77	3.68	29856	150176	32101	212133
26	2020-21	13465	47268	13762	74495	2.60	3.86	2.81	3.44	34982	182320	38720	256022
27	2021-22	18379	61580	12054	92013	3.09	3.46	3.51	3.39	56739	213271	42297	312307
28	2022-23	12921	57113	14994	85028	2.97	3.86	4.37	3.82	38389	220485	65527	324401
29	2023-24	8498	74972	19787	103257	3.29	4.15	4.30	4.11	27998	311218	85088	424304
30	2024-25	7168	64047	29453	100668	3.00	4.22	4.83	4.31	21478	270261	142312	434051

Table No. - 20.7**State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Kulthi**

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	107453	344	107797	--	3.58	3.15	3.58	--	385090	1085	386175
2	1996-97	--	101472	606	102078	--	2.14	2.20	2.14	--	216854	1332	218186
3	1997-98	--	114835	956	115791	--	2.86	2.64	2.86	--	328090	2527	330617
4	1998-99	--	96407	528	96935	--	2.47	1.54	2.47	--	238382	813	239195
5	1999-00	--	89180	599	89779	--	2.55	2.61	2.55	--	227210	1566	228776
6	2000-01	--	75812	184	75996	--	1.92	2.91	1.92	--	145378	535	145913
7	2001-02	--	90933	238	91171	--	3.08	2.18	3.07	--	279642	519	280161
8	2002-03	--	75923	29	75952	--	1.88	4.28	1.89	--	143082	124	143206
9	2003-04	--	87525	301	87826	--	2.82	2.72	2.82	--	246685	820	247505
10	2004-05	--	78105	240	78345	--	2.66	2.56	2.66	--	207930	614	208544
11	2005-06	--	75000	439	75439	--	2.79	1.92	2.78	--	209024	841	209865
12	2006-07	--	73305	197	73502	--	2.88	1.29	2.88	--	211396	254	211650
13	2007-08	--	71956	152	72108	--	2.93	2.76	2.93	--	210846	419	211265
14	2008-09	--	58696	94	58790	--	2.74	2.61	2.74	--	160893	245	161138
15	2009-10	--	64317	276	64593	--	3.09	2.70	3.09	--	198529	745	199274
16	2010-11	--	69005	404	69409	--	3.20	2.95	3.20	--	220907	1191	222098
17	2011-12	--	44164	90	44254	--	2.42	3.04	2.42	--	106679	274	106953
18	2012-13	--	48249	61	48310	--	3.62	3.15	3.62	--	174658	192	174850
19	2013-14	--	42038	62	42100	--	3.58	3.35	3.57	--	150294	208	150502
20	2014-15	--	38245	118	38363	--	3.44	3.29	3.44	--	131745	388	132133
21	2015-16	--	33206	156	33362	--	2.84	1.70	2.83	--	94162	265	94427
22	2016-17	--	34046	40	34086	--	4.36	3.95	4.36	--	148336	158	148494
23	2017-18	--	25841	373	26214	--	4.12	3.81	4.11	--	106391	1421	107812
24	2018-19	--	23569	38	23607	--	3.68	3.55	3.68	--	86790	135	86925
25	2019-20	--	22722	36	22758	--	3.96	6.25	3.96	--	89976	225	90201
26	2020-21	--	26322	53	26375	--	3.99	1.92	3.98	--	104928	102	105030
27	2021-22	--	41635	165	41800	--	3.89	2.82	3.88	--	161823	466	162289
28	2022-23	--	31653	94	31747	--	4.06	2.81	4.06	--	128566	264	128830
29	2023-24	--	40387	183	40570	--	4.49	4.20	4.49	--	181280	768	182048
30	2024-25	--	28424	672	29096	--	4.13	4.22	4.14	--	117503	2838	120341

Table No. - 20.8
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Til

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	4314	49225	9821	63360	1.54	2.32	2.31	2.27	6640	114206	22702	143548
2	1996-97	6460	63305	7814	77579	1.62	1.73	2.71	1.82	10482	109646	21160	141288
3	1997-98	7295	48551	16107	71953	2.23	1.71	2.52	1.95	16259	83159	40650	140068
4	1998-99	7694	37995	7864	53553	1.65	1.76	2.14	1.80	12693	66688	16830	96211
5	1999-00	7637	35267	10001	52905	2.28	1.78	2.15	1.93	17433	62897	21543	101873
6	2000-01	10770	35944	3788	50502	1.30	1.21	2.65	1.33	14001	43336	10036	67373
7	2001-02	6878	38242	6453	51573	1.45	2.23	2.81	2.20	9992	85291	18110	113393
8	2002-03	7082	28610	7779	43471	1.57	1.42	2.36	1.61	11104	40722	18373	70199
9	2003-04	3141	27089	7486	37716	1.50	2.09	2.18	2.06	4725	56712	16314	77751
10	2004-05	4001	36428	8284	48713	2.44	2.12	2.64	2.23	9774	77183	21846	108803
11	2005-06	3014	41341	10331	54686	1.38	2.38	2.70	2.38	4161	98361	27866	130388
12	2006-07	3320	37416	9607	50343	1.84	2.04	2.52	2.12	6100	76349	24170	106619
13	2007-08	4528	30132	13819	48479	1.69	2.06	2.30	2.10	7662	62197	31791	101650
14	2008-09	3550	28319	5755	37624	1.37	1.87	2.52	1.93	4854	53082	14521	72457
15	2009-10	4560	31783	9198	45541	1.72	2.27	2.71	2.30	7852	72140	24925	104917
16	2010-11	6354	37563	7833	51750	2.01	2.19	2.67	2.24	12793	82197	20924	115914
17	2011-12	4517	16749	5247	26513	1.65	1.50	2.95	1.81	7452	25068	15480	48000
18	2012-13	3270	15445	3008	21723	1.78	2.44	3.21	2.45	5811	37735	9649	53195
19	2013-14	2737	16171	4631	23539	2.06	2.37	2.61	2.38	5646	38375	12076	56097
20	2014-15	3679	17919	4255	25853	2.26	2.54	3.00	2.57	8328	45442	12753	66523
21	2015-16	2959	12434	4633	20026	2.11	1.85	2.63	2.07	6235	22984	12177	41396
22	2016-17	3571	11000	1435	16006	2.88	3.12	3.06	3.06	10273	34286	4396	48955
23	2017-18	2441	10515	1848	14804	2.45	2.88	2.75	2.79	5980	30282	5085	41347
24	2018-19	1592	11056	2229	14877	3.08	2.32	2.01	2.35	4898	25634	4491	35023
25	2019-20	1935	9457	2603	13995	3.06	3.08	2.19	2.91	5928	29144	5701	40773
26	2020-21	1551	14453	5328	21332	1.84	2.76	1.85	2.47	2855	39894	9865	52614
27	2021-22	5073	12593	6716	24382	2.51	2.65	2.12	2.48	12750	33367	14254	60371
28	2022-23	2134	10567	7078	19779	1.96	3.32	2.15	2.76	4177	35099	15225	54501
29	2023-24	1809	9642	11583	23034	2.02	2.81	2.07	2.38	3652	27134	23967	54753
30	2024-25	1716	8067	16054	25837	2.44	3.10	2.45	2.65	4189	25026	39274	68489

Table No. - 20.9

State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Groundnut

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	32393	4735	53962	91090	9.35	9.03	10.69	10.13	302937	42768	577059	922764
2	1996-97	38166	9399	49009	96574	6.40	8.74	9.42	8.16	244174	82193	461656	788023
3	1997-98	37465	8175	39729	85369	9.19	10.91	12.29	10.79	344343	89045	488154	921542
4	1998-99	32001	5987	45581	83569	8.45	8.66	8.76	8.63	270509	51844	399118	721471
5	1999-00	32485	3191	34459	70135	8.98	9.39	12.45	10.70	291601	29956	429023	750580
6	2000-01	33702	3375	35280	72357	6.23	9.25	9.45	7.94	210007	31227	333511	574745
7	2001-02	27920	3081	30066	61067	7.26	11.11	12.04	9.81	202637	34245	362142	599024
8	2002-03	24125	3113	28899	56137	6.71	8.02	10.43	8.70	161891	24968	301488	488347
9	2003-04	28516	2613	46047	77176	8.44	10.67	14.39	12.07	240817	27884	662633	931334
10	2004-05	30494	3187	54029	87710	8.24	11.05	13.71	11.71	251145	35207	740738	1027090
11	2005-06	34909	3171	52720	90800	8.30	8.92	14.14	11.71	289798	28283	745243	1063324
12	2006-07	32928	3535	42429	78892	8.75	11.47	12.92	11.11	287957	40532	547983	876472
13	2007-08	31474	2094	50530	84098	9.73	11.49	13.76	12.20	306318	24060	695423	1025801
14	2008-09	32265	2065	49116	83446	9.73	11.07	12.78	11.56	314065	22857	627884	964806
15	2009-10	30731	3685	41875	76291	9.40	12.04	13.35	11.69	288742	44385	558894	892021
16	2010-11	32004	3074	37698	72776	9.60	11.72	13.62	11.77	307281	36035	513329	856645
17	2011-12	27791	2140	36351	66282	8.12	10.62	14.86	11.89	225551	22736	540076	788363
18	2012-13	25179	2487	38683	66349	10.52	12.60	13.45	12.31	264909	31345	520280	816534
19	2013-14	24161	1669	34063	59893	10.93	13.85	17.04	14.49	264099	23109	580460	867668
20	2014-15	20519	1916	26407	48842	10.32	10.10	14.71	12.68	211777	19357	388399	619533
21	2015-16	16983	1404	32819	51206	8.00	12.90	12.42	10.97	135935	18110	407567	561612
22	2016-17	21190	4355	19389	44934	9.45	12.56	15.33	12.29	200290	54679	297327	552296
23	2017-18	14414	1817	17089	33320	8.99	13.57	13.08	11.34	129574	24649	223553	377776
24	2018-19	10974	1977	14924	27875	10.24	13.50	14.53	12.77	112362	26697	216836	355895
25	2019-20	9663	1422	18352	29437	11.89	15.91	22.35	18.60	114862	22626	410134	547622
26	2020-21	7455	2441	28571	38467	14.31	16.72	22.08	20.23	106704	40805	630843	778352
27	2021-22	19125	3486	23539	46150	16.24	18.35	21.36	19.01	310518	63960	502705	877183
28	2022-23	15833	4161	23977	43971	16.86	17.95	20.24	18.81	266977	74706	485409	827092
29	2023-24	12629	3201	28488	44318	16.69	20.49	21.24	19.89	210739	65583	605021	881343
30	2024-25	10907	2593	31835	45335	16.50	18.67	22.67	20.95	179959	48401	721549	949909

Table No. - 20.10
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Mustard

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	22913	102	23015	--	1.69	1.74	1.69	--	38800	177	38977
2	1996-97	--	19148	240	19388	--	1.47	2.17	1.47	--	28071	521	28592
3	1997-98	--	19810	78	19888	--	1.62	1.95	1.62	--	32149	152	32301
4	1998-99	--	19020	--	19020	--	1.25	--	1.25	--	23764	--	23764
5	1999-00	--	17061	--	17061	--	1.53	--	1.53	--	26019	--	26019
6	2000-01	--	12395	--	12395	--	1.33	--	1.33	--	16483	--	16483
7	2001-02	--	14159	--	14159	--	1.57	--	1.57	--	22200	--	22200
8	2002-03	--	12193	--	12193	--	1.32	--	1.32	--	16049	--	16049
9	2003-04	--	15907	--	15907	--	1.93	--	1.93	--	30651	--	30651
10	2004-05	--	15863	--	15863	--	1.91	--	1.91	--	30294	--	30294
11	2005-06	--	17401	--	17401	--	1.91	--	1.91	--	33304	--	33304
12	2006-07	--	15161	--	15161	--	1.70	--	1.70	--	25771	--	25771
13	2007-08	--	15884	--	15884	--	2.03	--	2.03	--	32314	--	32314
14	2008-09	--	13736	--	13736	--	1.84	--	1.84	--	25252	--	25252
15	2009-10	--	12841	--	12841	--	2.13	--	2.13	--	27354	--	27354
16	2010-11	--	15925	--	15925	--	2.10	--	2.10	--	33433	--	33433
17	2011-12	--	10335	--	10335	--	2.12	--	2.12	--	21922	--	21922
18	2012-13	--	14631	--	14631	--	2.75	--	2.75	--	40297	--	40297
19	2013-14	--	13442	--	13442	--	2.69	--	2.69	--	36199	--	36199
20	2014-15	--	10119	--	10119	--	2.44	--	2.44	--	24702	--	24702
21	2015-16	--	7308	--	7308	--	2.05	--	2.05	--	14966	--	14966
22	2016-17	--	9698	--	9698	--	3.46	--	3.46	--	33522	--	33522
23	2017-18	--	8650	--	8650	--	3.26	--	3.26	--	28169	--	28169
24	2018-19	--	6019	--	6019	--	2.75	--	2.75	--	16553	--	16553
25	2019-20	--	6952	--	6952	--	2.93	--	2.93	--	20348	--	20348
26	2020-21	--	6868	--	6868	--	2.80	--	2.80	--	19231	--	19231
27	2021-22	--	17768	--	17768	--	3.23	--	3.23	--	57469	--	57469
28	2022-23	--	14641	--	14641	--	3.50	--	3.50	--	51240	--	51240
29	2023-24	--	21209	--	21209	--	3.63	--	3.63	--	77001	--	77001
30	2024-25	--	16598	--	16598	--	3.42	--	3.42	--	56815	--	56815

Table No. - 20.11**State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Nizer**

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	--	--	--	--	--	--	--	--	--	--	--
2	1996-97	--	--	--	--	--	--	--	--	--	--	--	--
3	1997-98	--	--	--	--	--	--	--	--	--	--	--	--
4	1998-99	--	--	--	--	--	--	--	--	--	--	--	--
5	1999-00	--	--	--	--	--	--	--	--	--	--	--	--
6	2000-01	--	--	--	--	--	--	--	--	--	--	--	--
7	2001-02	--	--	--	--	--	--	--	--	--	--	--	--
8	2002-03	--	42909	--	42909	--	1.5	--	1.5	--	64384	--	64384
9	2003-04	--	54026	--	54026	--	2.49	--	2.49	--	134431	--	134431
10	2004-05	--	59606	--	59606	--	2.11	--	2.11	--	125822	--	125822
11	2005-06	--	58300	--	58300	--	2.3	--	2.3	--	134167	--	134167
12	2006-07	--	54942	--	54942	--	2.33	--	2.33	--	128104	--	128104
13	2007-08	--	50442	--	50442	--	2.57	--	2.57	--	129798	--	129798
14	2008-09	--	48165	--	48165	--	1.89	--	1.89	--	91172	--	91172
15	2009-10	--	44401	--	44401	--	2.16	--	2.16	--	96015	--	96015
16	2010-11	--	46998	--	46998	--	2.40	--	2.40	--	112754	--	112754
17	2011-12	--	31844	--	31844	--	1.50	--	1.50	--	47689	--	47689
18	2012-13	--	35285	--	35285	--	2.22	--	2.22	--	78242	--	78242
19	2013-14	--	35383	--	35383	--	2.98	--	2.98	--	105306	--	105306
20	2014-15	--	32757	--	32757	--	2.49	--	2.49	--	81428	--	81428
21	2015-16	--	21910	--	21910	--	1.81	--	1.81	--	39665	--	39665
22	2016-17	--	15018	--	15018	--	3.07	--	3.07	--	46164	--	46164
23	2017-18	--	18348	--	18348	--	3.27	--	3.27	--	59910	--	59910
24	2018-19	--	18987	--	18987	--	2.74	--	2.74	--	51943	--	51943
25	2019-20	--	15898	--	15898	--	3.58	--	3.58	--	56989	--	56989
26	2020-21	--	13471	--	13471	--	2.98	--	2.98	--	40170	--	40170
27	2021-22	--	17517	--	17517	--	3.31	--	3.31	--	57958	--	57958
28	2022-23	--	10991	--	10991	--	3.25	--	3.25	--	35724	--	35724
29	2023-24	--	13704	--	13704	--	3.03	--	3.03	--	41573	--	41573
30	2024-25	--	7438	--	7438	--	3.15	--	3.15	--	23451	--	23451

N.B: Nizer has been estimated under EARAS since 2002-03.

Table No. - 20.12
State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Jute

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	8420	--	--	8420	15.49	--	--	15.49	130414	--	--	130414
2	1996-97	12041	--	--	12041	15.99	--	--	15.99	192542	--	--	192542
3	1997-98	9201	--	--	9201	13.39	--	--	13.39	123211	--	--	123211
4	1998-99	5313	--	--	5313	14.09	--	--	14.09	74865	--	--	74865
5	1999-00	4114	--	--	4114	17.18	--	--	17.18	70674	--	--	70674
6	2000-01	3896	--	--	3896	16.87	--	--	16.87	65729	--	--	65729
7	2001-02	4612	--	--	4612	14.74	--	--	14.74	67996	--	--	67996
8	2002-03	5610	--	--	5610	16.43	--	--	16.43	92178	--	--	92178
9	2003-04	2590	--	--	2590	12.61	--	--	12.61	32670	--	--	32670
10	2004-05	2520	--	--	2520	17.66	--	--	17.66	44513	--	--	44513
11	2005-06	2724	--	--	2724	16.28	--	--	16.28	44359	--	--	44359
12	2006-07	4858	--	--	4858	17.72	--	--	17.72	86103	--	--	86103
13	2007-08	5818	--	--	5818	15.42	--	--	15.42	89708	--	--	89708
14	2008-09	2429	--	--	2429	14.74	--	--	14.74	35807	--	--	35807
15	2009-10	2935	--	--	2935	18.62	--	--	18.62	54663	--	--	54663
16	2010-11	3181	--	--	3181	20.56	--	--	20.56	65407	--	--	65407
17	2011-12	3910	--	--	3910	14.77	--	--	14.77	57751	--	--	57751
18	2012-13	1776	--	--	1776	17.52	--	--	17.52	31121	--	--	31121
19	2013-14	1971	--	--	1971	18.09	--	--	18.09	35665	--	--	35665
20	2014-15	1057	--	--	1057	16.25	--	--	16.25	17174	--	--	17174
21	2015-16	1204	--	--	1204	21.74	--	--	21.74	26169	--	--	26169
22	2016-17	753	--	--	753	16.78	--	--	16.78	12638	--	--	12638
23	2017-18	947	--	--	947	24.92	--	--	24.92	23603	--	--	23603
24	2018-19	200	--	--	200	15.60	--	--	15.60	3121	--	--	3121
25	2019-20	147	--	--	147	21.69	--	--	21.69	3189	--	--	3189
26	2020-21	759	--	--	759	24.05	--	--	24.05	18253	--	--	18253
27	2021-22	3471	--	--	3471	25.44	--	--	25.44	88311	--	--	88311
28	2022-23	2552	--	--	2552	23.33	--	--	23.33	59548	--	--	59548
29	2023-24	2778	--	--	2778	26.20	--	--	26.20	72773	--	--	72773
30	2024-25	1785	--	--	1785	28.06	--	--	28.06	50093	--	--	50093


Table No. - 20.13**State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Potato**

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	8939	--	8939	--	96.95	--	96.95	--	866593	--	866593
2	1996-97	--	10080	--	10080	--	114.80	--	114.80	--	1157223	--	1157223
3	1997-98	--	8887	--	8887	--	98.36	--	98.36	--	874125	--	874125
4	1998-99	--	7955	--	7955	--	116.43	--	116.43	--	926240	--	926240
5	1999-00	--	8738	--	8738	--	104.25	--	104.25	--	910916	--	910916
6	2000-01	--	8251	--	8251	--	104.07	--	104.07	--	858709	--	858709
7	2001-02	--	7580	--	7580	--	102.97	--	102.97	--	780483	--	780483
8	2002-03	--	7076	--	7076	--	99.37	--	99.37	--	703173	--	703173
9	2003-04	--	7303	--	7303	--	103.82	--	103.82	--	758223	--	758223
10	2004-05	--	8506	--	8506	--	94.96	--	94.96	--	807695	--	807695
11	2005-06	--	8305	--	8305	--	90.40	--	90.40	--	750775	--	750775
12	2006-07	--	8176	--	8176	--	97.01	--	97.01	--	793177	--	793177
13	2007-08	--	8514	--	8514	--	110.70	--	110.70	--	942538	--	942538
14	2008-09	--	7315	--	7315	--	103.32	--	103.32	--	755758	--	755758
15	2009-10	--	7877	--	7877	--	123.14	--	123.14	--	969968	--	969968
16	2010-11	--	6528	--	6528	--	116.74	--	116.74	--	762056	--	762056
17	2011-12	--	5779	--	5779	--	109.03	--	109.03	--	630061	--	630061
18	2012-13	--	5324	--	5324	--	122.12	--	122.12	--	650153	--	650153
19	2013-14	--	6151	--	6151	--	115.98	--	115.98	--	713407	--	713407
20	2014-15	--	8445	--	8445	--	123.24	--	123.24	--	1040801	--	1040801
21	2015-16	--	5626	--	5626	--	101.73	--	101.73	--	572336	--	572336
22	2016-17	--	6524	--	6524	--	125.93	--	125.93	--	821580	--	821580
23	2017-18	--	3966	--	3966	--	105.43	--	105.43	--	418117	--	418117
24	2018-19	--	4900	--	4900	--	111.13	--	111.13	--	544547	--	544547
25	2019-20	--	4397	--	4397	--	106.80	--	106.80	--	469586	--	469586
26	2020-21	--	5535	--	5535	--	108.87	--	108.87	--	602614	--	602614
27	2021-22	--	10932	--	10932	--	106.22	--	106.22	--	1161223	--	1161223
28	2022-23	--	11307	--	11307	--	101.41	--	101.41	--	1146614	--	1146614
29	2023-24	--	12167	--	12167	--	119.19	--	119.19	--	1450216	--	1450216
30	2024-25	--	11583	--	11583	--	106.16	--	106.16	--	1229686	--	1229686

Table No. - 20.14

State Level Estimates of Area, Yield rate & Production of Programmed crops (1995-96 to 2024-25)-Sugarcane

Sl. No	Year	Area (in hect.)				Yield rate in (qtls/hect.)				Production (in quintals.)			
		Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total	Autumn	Winter	Summer	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	1995-96	--	27302	--	27302	--	583.90	--	583.90	--	15941597	--	15941597
2	1996-97	--	23518	--	23518	--	566.41	--	566.41	--	13320831	--	13320831
3	1997-98	--	18698	--	18698	--	612.21	--	612.21	--	11447180	--	11447180
4	1998-99	--	22325	--	22325	--	658.24	--	658.24	--	14695287	--	14695287
5	1999-00	--	20653	--	20653	--	579.31	--	579.31	--	11964546	--	11964546
6	2000-01	--	16775	--	16775	--	574.61	--	574.61	--	9639152	--	9639152
7	2001-02	--	10988	--	10988	--	586.10	--	586.10	--	6440051	--	6440051
8	2002-03	--	14177	--	14177	--	531.28	--	531.28	--	7531932	--	7531932
9	2003-04	--	14565	--	14565	--	589.15	--	589.15	--	8580944	--	8580944
10	2004-05	--	14486	--	14486	--	639.30	--	639.30	--	9260853	--	9260853
11	2005-06	--	16332	--	16332	--	657.00	--	657.00	--	10730083	--	10730083
12	2006-07	--	20095	--	20095	--	634.17	--	634.17	--	12743706	--	12743706
13	2007-08	--	19819	--	19819	--	539.50	--	539.50	--	10692274	--	10692274
14	2008-09	--	10763	--	10763	--	600.43	--	600.43	--	6462437	--	6462437
15	2009-10	--	7968	--	7968	--	614.88	--	614.88	--	4899401	--	4899401
16	2010-11	--	13142	--	13142	--	686.88	--	686.88	--	9026973	--	9026973
17	2011-12	--	14499	--	14499	--	610.19	--	610.19	--	8847131	--	8847131
18	2012-13	--	14530	--	14530	--	655.45	--	655.45	--	9523669	--	9523669
19	2013-14	--	14213	--	14213	--	658.91	--	658.91	--	9365122	--	9365122
20	2014-15	--	10047	--	10047	--	719.51	--	719.51	--	7228906	--	7228906
21	2015-16	--	8962	--	8962	--	644.00	--	644.00	--	5771572	--	5771572
22	2016-17	--	5493	--	5493	--	626.79	--	626.79	--	3442953	--	3442953
23	2017-18	--	3713	--	3713	--	647.04	--	647.04	--	2402455	--	2402455
24	2018-19	--	6778	--	6778	--	616.22	--	616.22	--	4176730	--	4176730
25	2019-20	--	8948	--	8948	--	564.23	--	564.23	--	5048705	--	5048705
26	2020-21	--	7000	--	7000	--	544.73	--	544.73	--	3813094	--	3813094
27	2021-22	--	7050	--	7050	--	563.98	--	563.98	--	3976048	--	3976048
28	2022-23	--	7333	--	7333	--	537.81	--	537.81	--	3943755	--	3943755
29	2023-24	--	7175	--	7175	--	574.02	--	574.02	--	4118621	--	4118621
30	2024-25	--	13256	--	13256	--	513.38	--	513.38	--	6805398	--	6805398



DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA, BHUBANESWAR-751001

TECHNICAL REPORT ON EARAS 2024-25

DIRECTORATE OF ECONOMICS & STATISTICS, ODISHA, BHUBANESWAR