

SCALE: 1" = 30'

CURVE	POINT	STATION	OFFSET	LENGTH	RADIUS	DELTA	ELEVATION
1	PC PRC	10+78.06 10+88.24	65.26L 49.58L	22.55'	10.00'	129°10'34.0"	12.93' 13.62'
2	PRC PT	10+88.24 N.A.	49.58L	3.17'	5.00'	33°41'30.0"	13.62' N.A.
3	PC PT	N.A.	*	11.12'	73.00'	13°06'53.0"	N.A.
4	PC PT	N.A.	*	16.71	73.00'	8°43'42.0"	N.A.
5	PC PRC	N.A. 11+40.22	* 50.83L	47.90'	21.00'	130°42'11.0"	14.94, 15.50
6	PRC PCC	11+40.22 12+70.00	50.83L 08.82R	144.39'	259.00'	32*49'32.0"	15.50', 18.52'
7	PCC PT	12+70.00 14+56.23	08.82R 21.72R	186.78	1321.00'	1°45'16.0"	18.52' 21.04'
8	PC PT	15+00.00 N.A.	21.14R *	11.34'	7.00'	92*53'45.0"	21.80' 21.92'
9	PC PT	N.A. 15+23.85	* 21.05R	9.97'	7.00'	84°39'22.0"	22.19' 22.40'
10	PC PT	17+43.20 N.A.	21.95R *	22.25'	15.00'	84*59'08.0"	21.95', 22.69'

NOTES:

- 1. SCAFFOLDING FOR WORK ON ADJACENT BUILDING MAY BE LOCATED AT SOME OF THE PROPOSED WORK LOCATIONS FOR THIS PROJECT. THE CONTRACTOR IS ADVISED TO COORDINATE THE CONSTRUCTION SCHEDULE WITH STAKEHOLDERS SO AS TO HAVE MINIMAL DELAYS DUE TO THE PRESENCE OF SCAFFOLDING AT LOCATIONS OF PROPOSED WORK. THE COST OF ANY ADDITIONAL WORK OR DELAY DUE TO THE CONFLICTS WITH SCAFFOLDING WILL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- 2. ALL PROPOSED SIDEWALKS WILL BE PIGMENTED CONCRETE SIDEWALK UNLESS OTHERWISE NOTED. PROPOSED SIDEWALKS AT CORNER QUADRANTS AND DRIVEWAYS MUST BE 7" CONCRETE SIDEWALK, WHILE ALL OTHERS PROPOSED SIDEWALK LOCATIONS MUST BE 4" CONCRETE SIDEWALK.
- 3. FURNISHING AND INSTALLING NEW GRANITE BLOCK PAVEMENT MUST BE PAID UNDER ITEMS 6.04 BB & 6.04 BC, RESPECTIVELY. FURNSIHING AND INSTALLING ADA COMPLIANT GRANITE BLOCK PAVEMENT MUST BE PAID UNDER ITEM 6.04 ADA. CLEANING GRANITE BLOCK SHALL BE PAID UNDER ITEM 6.04 BA.
- 4. FOR GENERAL NOTES SEE DRAWINGS GN1 TO GN3.
- 5. ALL PROPOSED CURBS MUST BE 6" WIDE GRANITE CURB UNLESS OTHERWISE NOTED ON THE PLANS.
- 6. ALL PEDESTRIAN RAMPS MUST BE IN ACCORDANCE WITH NYSDOT SIDEWALK CURB RAMP STANDARD DETAILS 608-01, EXCEPT OTHERWISE NOTED.

SCALE

AS SHOWN

7. ALL PROPOSED CORNER RADII MUST BE 12' UNLESS OTHERWISE

- 8. ALL EXISTING SUBWAY GRATES MUST BE MAINTAINED.
- 9. FOR UTILITY PLANS SEE DRAWINGS U1 AND U2.
- 10. FOR PAVEMENT MARKING PLANS SEE DRAWINGS PM1 AND PM2.
- 11. FOR PROPOSED TRAFFIC SIGNALS SEE DRAWING TS1 AND TS2.

 12. FOR PROPOSED STREET LIGHTING PLANS SEE DRAWINGS SL1 AND
- 13. PROPOSED CATCH BASIN ELEVATION TO BE DETERMINED BASED ON EXISTING FIELD CONDITIONS. THE CONTRACTOR MUST CONSTRUCT

THE CATCH BASIN AS APPROVED AND DIRECTED BY THE ENGINEER.

- 14. THE EXISTING BENCHES MUST BE REMOVED AND DISPOSED OF DURING THE CONSTRUCTION OF THE PROPOSED SIDEWALK. THERE WILL BE NO SEPARATE PAYMENT FOR REMOVAL.
- 15. THE CONTRACTOR MUST EXERCISE EXTREME CARE WHEN WORKING WITHIN THE VICINITY OF THE EXISTING UNDERGROUND VAULT, PAID UNDER ITEM NO. 8.02 A. PRIOR TO STARTING CONSTRUCTION THE CONTRACTOR MUST PERFORM TEST PITS (PAID UNDER ITEM 9.00 C) AT THE LOCATION OF THE PROPOSED CATCH BASIN ADJACENT TO THE VAULT TO DETERMINE EXISTING FIELD CONDITIONS. THE CONSTRUCTION OF THE PROPOSED CATCH BASIN MUST PROCEED BASED ON EXISTING FIELD CONDITIONS AND AS DIRECTED BY THE ENGINEER. THE COST FOR THIS WORK MUST BE INCLUDED IN THE CONTRACTOR'S BID PRICE.

MINISONAL ENGIN

16. THE CONTRACTOR MUST COORDINATE WITH THE PRIVATE DEVELOPER(S) PRIOR TO WORK.

17. THE CONTRACTOR MUST COORDINATE ALL WORK WITH NYPD COUNTERTERRORISM PRIOR TO WORK. NYPD COUNTERTERRORISM CONTACT INFORMATION:

SGT. MARTIN WINGERT
NYPD COUNTERTERRORISM DIVISION (CTD)
THREAT REDUCTION, INFRASTRUCTURE PROTECTION SECTION
PRIMARY: (917)414-2750
FAX: (718)449-5626

ADDITIONAL NYPD CONTACTS:

MARTIN.WINGERT@NYPD.ORG


APPROXIMATE LIMITS OF FORMER VAULT LIGHT ACCORDING TO NYCT RECORDS. EXISTING SIDEWALK TO REMAIN AT THESE LOCATIONS.

LT. ANDREW CHILDS
SGT. BRIAN SPERZEL
DET. JAMES TOBIN

ANDREW.CHILDS@NYPD.ORG
BRIAN.SPERZEL@NYPD.ORG
JAMES.TOBIN@NYPD.ORG

- 18. THE COST OF WATERPROOFING ANY NON-NYCT BELOW GROUND STRUCTURE WILL BE PAID UNDER ITEM 8.22 D.
- 19. CONTRACTOR MUST EXERCISE EXTREME CARE WHILE WORKING IN VICINITY OF EXISTING VAULT LIGHT LOCATION IN THE FIELD. THE CONSTRUCTION OF THE PROPOSED PEDESTRIAN RAMP MUST PROCEED BASED ON EXISTING FIELD CONDITIONS AND AS DIRECTED

- BY THE ENGINEER. THE COST FOR THIS WORK WILL BE INCLUDED IN THE CONTRACTOR BID PRICE.
- 20. PRIOR TO STARTING CONSTRUCTION THE CONTRACTOR MUST SUBMIT FOR NEW YORK CITY TRANSIT (NYCT) APPROVAL DETAILED DRAWINGS WITH A N.Y.S. P.E. STAMP FOR ALL THE WORK NEAR TRANSIT AUTHORITY STRUCTURE.
- 21. THE CONTRACTOR IS ADVISED THAT THERE MUST BE NO MACHINE EXCAVATION WITHIN 3' (THREE FEET) OF A NYCT STRUCTURE, POWER DUCT LINES OR ANY OTHER FACILITIES UNTIL THEY HAVE BEEN CAREFULLY EXPOSED BY HAND EXCAVATION.
- 22. RESET BASEMENT ACCESS WILL BE PAID UNDER ITEM NO. 7.20 AS DIRECTED BY THE ENGINEER.
- 23. SEE DWGS. TSC1 TO TSC3 FOR TYPICAL SECTIONS AND DETAILS.



IT IS A VIOLATION OF SECTION 7209.2 OF THE NEW YORK STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING					
UNDER THE DIRECTION OF A LICENSED PROFESSIONAL					
ENGINEER, TO ALTER IN ANY WAY PLANS, SPECIFICATIONS,					
PLATS OR REPORTS TO WHICH THE SEAL OF A PROFESSIONAL					
ENGINEER HAS BEEN APPLIED. IF AN ITEM BEARING THE SEAL				1	
OF A PROFESSIONAL ENGINEER IS ALTERED, THE ALTERING					
ENGINEER SHALL AFFIX TO THE ITEM THEIR SEAL AND THE					
NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE	NO.	DATE	DESCRIPTIONS	BY	APPR'D
DATE, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.			REVISIONS		

AECOM

USA, INC.

FINAL DESIGN PREPARED BY:

AECOM

TOURAJ TEHRANI

DRAWN BY B. LEVY

CADD FILE HWMWTCB7-C-HWY CONS.dwg

DATE

CITY OF NEW YORK
DEPARTMENT OF DESIGN + CONSTRUCTION
DIVISION OF INFRASTRUCTURE
BUREAU OF DESIGN

HIGHWAY CONSTRUCTION PLAN - I

RECONSTRUCTION OF TRINITY PLACE FROM MORRIS ST. TO CEDAR ST.

BOROUGH OF MANHATTAN

PROJECT ID. HWMWTCB7 DATE:
DECEMBER 2022 SHEET 23 OF 66