Fiji Side Toolbar

Fiji's toolbar as a vertical bar along the side of the screen, with buttons you can add, edit, move and remove freely

21 October 2026

What it does

Fiji's toolbar is a fixed horizontal strip. **Side Toolbar** turns it into a vertical bar along the left (or right) edge of the screen and makes every button editable:

- **All of ImageJ's tools, unchanged.** Click to select a tool, double-click for its options, right-click (or hold the mouse button) for its menu: rectangle types, line types, point/multi-point, zoom menu, colour picker menu, macro and plugin tools, menu tools (Dev, Stk, LUT) and the » menu that switches toolsets.
- **Move a button:** drag it. The other buttons slide aside to show where it will land.
- **Remove a button:** drag it off the bar (a red cross appears on it), or right-click › **Remove**. Every change can be undone.
- **Add buttons:** click + at the bottom of the bar and search every Fiji command and tool. Double-click an entry, or drag it onto the bar where you want it. Macro and script files dragged onto the bar from the Finder become buttons.
- **Open images:** drag image files or folders from the Finder onto the bar; they open in Fiji, as they did when dropped on ImageJ's old toolbar (the bar is outlined in blue while you drag).
- **Two small buttons at the bottom:** + (above) adds buttons; ●●● (below) holds the bar's own menu (settings, undo, export, import, reset, classic toolbar, help). They are compact rows, so the default toolbar still fits one column on a 14-inch screen.
- **Undo History:** when that plugin is installed, an Undo History button (a blue curved arrow) is added once, above ».
- **Edit a button:** name, icon, command options, macro code. Icons can be ImageJ's tool pictures, the icons of macro tools, image files, letters or emoji.
- **Groups:** one button that opens a menu of buttons.
- **Springs:** empty space that pushes the buttons below it to the bottom of the bar.

Everything is saved as soon as you change it.

How it works with Fiji's window

ImageJ's own toolbar is hidden, not removed: it keeps running underneath, and the side toolbar drives it. This is why every tool behaves exactly as before, including tools that macros and plugins install later.

Without its toolbar, the ImageJ window keeps only its status line, progress bar and Fiji's search bar. Side Toolbar turns it into a **status strip** across the top of the screen (or the bottom), beside the bar. The strip keeps its title bar: on macOS a window without one cannot receive typing, so Fiji's search bar and Cmd+Q would stop working. When you type in Fiji's search bar, the results open below it, as before.

The bar never takes the keyboard focus, so clicking a tool leaves your image active and Fiji's menu bar unchanged.

Window Layouts. If the Window Layouts plugin is installed, its layouts fill the screen beside the bar and below (or above) the status strip. Changing the bar's side or width re-arranges the windows.

Installation

Two files go into the Fiji folder (`/Applications/Fiji` on this Mac):

File	Where
`Side_Toolbar.jar`	`plugins/`
`Side_Toolbar_Startup.ijm`	`macros/AutoRun/` (shows the bar when Fiji starts)

With Fiji closed:

```
git clone https://github.com/AIHector/Fiji-Side-Toolbar.git
cd Fiji-Side-Toolbar
./test.sh    # 95 headless unit tests
./build.sh   # compiles with Fiji's own Java, installs both files
```

Then start Fiji. To uninstall, delete the two files; ImageJ's toolbar comes back unchanged.

Using the bar

Tools

Action	Effect
Click	Selects the tool (as on ImageJ's toolbar)
Double-click	The tool's options (Point Tool, Wand Tool, Fonts, line width, Roi Defaults, …)
Right-click, or press and hold	The tool's menu (rectangle / rounded / rotated; straight / segmented / freehand / arrow; zoom commands; colours), then the button's own entries
Click Dev, Stk, LUT (menu tools)	Their menu
Click »	Switch toolsets, add ImageJ's extra tools (Brush, Pencil, Arrow, Pixel Inspector, …)

A small red triangle marks a tool that has a menu, as on ImageJ's toolbar. The selected tool is highlighted. Moving the mouse over a button shows ImageJ's usual hint in the status strip and, after a moment, a tooltip beside the bar.

When a toolset or plugin adds a tool to ImageJ's toolbar, it appears on the side toolbar just above ». When a toolset is switched off, its buttons are hidden but keep their place for the next time. A tool you removed yourself is not added back.

Command, macro and script buttons

A click runs the command, macro or script. Commands without options open their dialog, as from the menu; with options (for example `sigma=2 stack`) they run directly. The options are the text the Macro Recorder writes (Plugins › Macros › Record…).

Changing the bar

To	Do
Move a button	Drag it; release where the dashed gap is
Remove a button	Drag it off the bar until a red cross appears, release; or right-click › Remove
Undo	The notice “Removed … Undo” that appears beside the bar, or right-click › Undo, or ●●● › Undo, or Plugins › Side Toolbar › Undo Side Toolbar Change
Add buttons	+ › Add Buttons…, search, double-click or drag onto the bar
Add a recent command	+ › Recent Commands
Add a macro / a script file	+ › Macro Button… / Script or Macro File…, or drag the file from the Finder onto the bar (.ijm .py .groovy .js .bsh .rb .clj .scala .r)
Open an image or a folder	Drag it from the Finder onto the bar
Put a button in a group	Drag it onto the middle of the group button (the group is highlighted)
Add a separator, spring, group	+ menu, or right-click a button › Insert Below
Edit	Right-click › Edit Button…
Copy a button	Right-click › Duplicate

The Edit dialog

Field	Meaning
Name	Tooltip text and the label in label mode. Empty = automatic
Command, Options	The Fiji command (**Choose**… searches them) and its options
Macro code	ImageJ macro language
File, Argument	A macro or script file; `.ijm` files get the argument with `getArgument()`, other languages run through Fiji’s Run…
Buttons (groups)	The group’s buttons, with Up, Down, Edit, Add, Separator, Remove
Icon	**Automatic**: tools show their own icon, other buttons a coloured badge with their initials. **Letters or emoji**: up to three characters. **ImageJ icon code**: the language of macro tool icons (see imagej.net/ij/developer/macro/macros.html#icons). **Image file**: PNG, GIF or JPEG. **Picture of an ImageJ tool**. **Gallery**… offers all of these ready-made. **Colour**… sets the colour of letters and badges

Settings

●●● › Side Toolbar Settings… or Plugins › Side Toolbar › Side Toolbar Settings…

Setting	Choices	Default
Side of the screen	Left, Right	Left
Button size	26, 32, 40, 50 px	32 px
Columns	Automatic, 1, 2, 3	Automatic: one column, a second only when the buttons do not fit the screen's height. With 1, 2 or 3 the bar keeps that many columns, and adds one only if the buttons would not fit. Widths with 32 px buttons: 40, 74, 108 px
Show button names beside the icons	on/off	off
ImageJ status bar	Top, Bottom, Classic ImageJ window (both toolbars)	Top
Keep the toolbar above Fiji's windows	on/off. Only while Fiji is the active application; other applications can cover it	on

Menu commands (Plugins › Side Toolbar)

Start Side Toolbar · Add Buttons to Side Toolbar… · Side Toolbar Settings… · Undo Side Toolbar Change · Export Side Toolbar… · Import Side Toolbar… · Reset Side Toolbar… · Show Classic Toolbar · Side Toolbar Help

- **Export** / **Import** save and load the bar's contents as a text file, to keep versions or share them.
- **Reset** restores ImageJ's tools in their usual order (undoable).
- **Show Classic Toolbar** brings back ImageJ's own toolbar and window and switches the side toolbar off, also at the next start. Start Side Toolbar switches it on again with the same buttons.

The shelf: open tools, image previews, macro buttons

A second kind of bar, the **shelf**, sits at the bottom of the screen by default (56 px high), between the toolbar and the right edge. It has three sections:

Section	Shows	Click	Right-click
Tools (left)	the tools you pinned (ROI Manager, B&C, Channels, Results, Log, Undo History by default), then any other open tool window. A dot under a tool means its window is open; a faded tool is closed	open tool: bring it to the front; closed tool: open it	bring to front, close the window, keep it in the shelf (pin), rename / initials / icon, move earlier or later, remove

Section	Shows	Click	Right-click
Images (centre)	a live preview of each open image (redrawn at most twice a second); the active image is outlined in blue. Many images scroll with the mouse wheel	bring the image to the front	Duplicate, Copy to Clipboard (to paste in other apps), Copy (ImageJ), **Place on Screen** (halves, quarters, thirds, centre, whole screen, back to where it was), **Move to Display** (next, previous), **Apply Layout** (0 to 9), **Zoom**, **Image** (rename, properties, info), **Undo History**, Save, **Save As** (TIFF, PNG, JPEG, GIF, BMP, TIFF in ZIP, OME-TIFF through Bio-Formats, AVI for stacks, PDF with one page per plane), Close
Macros (right)	one button per macro file (.ijm), with a name, initials or icon you choose; + adds one	runs the macro: on the image if one is open; with several, a dialog asks which (the active one is ticked; All open images ticks them all)	run, run on chosen images, edit the macro, rename / initials / icon, move, remove (the file stays)

Adding macros: + › Add Macro File (.ijm)…, or New Macro… (creates the file in Fiji's `macros/Side Toolbar` folder and opens it in the editor), or drop .ijm files on the shelf. Images dropped on the shelf open in Fiji.

Every image in a folder (optional). Off by default, to spare memory. When switched on in the settings, the image dialog offers it: each image of the folder is opened without being shown, processed, saved as TIFF in a folder you choose, and closed before the next, so only one is in memory at a time.

Moving things. Right-click an empty part of a section:

- ‹Section› Section › move it **to the bottom bar**, **to a bar at the top**, **as a column beside the toolbar**, **as a column at the right edge**, or **to a new floating bar**; move it left or right (up or down) within its bar; hide it.
- This Bar › place the whole bar at the bottom, at the top, beside the toolbar, at the right edge, or floating; show hidden sections again; size and options; undo the last bar change.

A floating bar moves when you drag its empty area; **drag it onto a docked bar** (it is outlined in blue) and its sections join that bar where you drop them (on the right of the activity bar if you drop it there). Every position in these menus has a small picture of where things go on the screen. Descriptions shown when the mouse rests on a button open on the side away from the bar and always fit on the screen. Bars and columns stay open until you close or hide them; docked ones push the windows aside (Window Layouts keeps clear of all of them).

Settings (+ › Side Toolbar Settings…): show the shelf, its size (36 to 120 px: the height of a bar, the width of a column), and whether macros may run on a whole folder.

The shelves are saved in `~/Library/Preferences/IJ_Side_Toolbar_Shelves.txt` after every change.

Going back to ImageJ's horizontal toolbar

- **To show it:** ●●● › Show Classic Toolbar (or Plugins › Side Toolbar › Show Classic Toolbar). The side toolbar and the shelf close, ImageJ's own window with its horizontal toolbar comes back, and it stays so at the next start.
- **To hide it again:** Plugins › Side Toolbar › Start Side Toolbar. Your buttons and shelves come back as they were.
- **Both at once:** Side Toolbar Settings… › ImageJ status bar › Classic ImageJ window (with its own toolbar too).

Files

Path	Content
~/Library/Preferences/IJ_Side_Toolbar.txt	The bar's buttons, one per line (readable; edit only with Fiji closed)
~/Library/Preferences/IJ_Side_Toolbar_Shelves.txt	The shelf bars: their places, sections and pinned buttons
~/Library/Preferences/IJ_Prefs.txt	The settings, keys `sidetoolbar.*`

The contents file is written through a temporary file, so a crash never leaves it half-written. Example:

```
tool    target=rectangle
separator
slot    target=Stacks Menu Tool
command target=Gaussian Blur... args=sigma=2    label=Blur 2    icon=text:G
group   label=Filters
  command   target=Median...
end
spring
more
```

For developers

Other plugins can keep clear of the bar: it publishes its rectangle (screen coordinates) as the system property `sidetoolbar.reserved`, a `java.awt.Rectangle`, removed when the bar is off. Window Layouts uses it.

Source	Content
src/sidetoolbar/Side_Toolbar.java	menu commands, settings
src/sidetoolbar/Dock.java	the bar: layout, animation, dragging, menus
src/sidetoolbar/Bridge.java	drives ImageJ's own toolbar
src/sidetoolbar/Chrome.java	places the bar and the status strip
src/sidetoolbar/Icons.java, Gallery.java	icons (ImageJ's drawings and icon language, redrawn as vectors)
src/sidetoolbar/Editor.java	Add and Edit dialogs
src/sidetoolbar/Item.java, Store.java	button model, file format, undo
test/sidetoolbar/StoreTests.java	headless unit tests (./test.sh)
test/harness/sidetoolbar/TestHarness.java	development-only live-test helper (not installed)

Requires Fiji with ImageJ 1.54 or later; compiled for Java 8.

Test record

Tested on 21 October 2026 with Fiji 2.18 / ImageJ 1.54p / Java 21 on macOS (1512 × 982 display): first in a separate copy of Fiji with its own preferences, then in the installed Fiji with real mouse and keyboard events (macOS Quartz events, the same a physical mouse produces).

Verified with the real mouse and keyboard, in the installed Fiji

- Startup: no plugin error; the bar at the left (40 px, one column: ImageJ's 12 tools, a separator, the 11 tools Fiji's startup installs, »); the ImageJ window as a 1472 × 55 strip beside it with the status line and Fiji's search bar; an opened image placed by Window Layouts at (40, 89), beside the bar and below the strip.
- A click on a tool selects it while the image window keeps the keyboard focus and Fiji's menu bar stays; after five tool changes nothing is drawn on the strip.
- Right-click on the rectangle tool: its menu, then the button entries; choosing Rounded Rectangle switched the tool and its icon. Holding the mouse on the line tool opened the line menu. Hovering showed the tooltip.
- Dragging a button down the bar moved it (the gap and the following button seen on screen); dragging one off the bar showed the red cross, removed it and showed the "Removed … Undo" notice; clicking Undo there restored it; right-click › Undo and right-click › Remove worked.
- + › Add Buttons…: typing filtered about 3,000 commands at once, names starting with the typed word first; dragging Gaussian Blur from the list onto the bar inserted it where it was dropped; clicking it opened Gaussian Blur's dialog for the image.
- A button that did not fit made the bar switch to two columns; removing it switched back to one.
- Typing in Fiji's search bar and Cmd+Q work.

Verified in the separate copy (Java mouse events)

- Double-click options (Point Tool, Wand Tool); Stk menu; » menu, switching to Drawing Tools and back; macro buttons, commands with options, groups, dropping a button into a group.
- Settings: right side with names, strip at the bottom, classic mode, Show Classic Toolbar (original 1512 × 86 ImageJ window back) and Start Side Toolbar.
- After a restart, the contents file was byte-identical and the settings were restored.
- Window Layouts 1 to 5 with two images, ROI Manager, B&C and Log: every window beside the bar and below the strip (or above it, with the strip at the bottom). Window Layouts' 519 unit tests pass, 4 of them new for the bar.
- 80 headless unit tests: file format (tabs, newlines, emoji, nested groups), tool synchronisation, removed tools staying removed, undo, short names.

Bugs found by these tests and fixed

- A strip without a title bar could not receive typing (Fiji's search, Cmd+Q): the strip now keeps its title bar.
- ImageJ drew tool buttons onto the strip when the tool changed: the hidden toolbar now has no size.
- Typing in the Add dialog froze it (the list re-measured thousands of rows per keystroke): the list is now updated once per keystroke with fixed row sizes.
- When the bar changed width (one to two columns), windows beside it were not moved: they are now re-arranged.

Verified on 22 October 2026, in the installed Fiji, real mouse

- Column settings: 1, 2, 3 columns gave bars of 40, 74 and 108 px, the strip beside them; Automatic gave 40 px with the default buttons and the Undo History button.
- An image dragged from the Finder onto the bar opened in Fiji (placed by Window Layouts beside the bar).
- A macro (.ijm) dragged from the Finder showed the dashed gap while dragging, became a button where it was dropped, and the button ran the macro (its message appeared in the Log). Its extra button made the bar switch to two columns, and the image was re-tiled beside the wider bar.
- Dragging a button off the bar removed it.

Not verified

- The blue outline while an image is dragged over the bar was not seen in the test captures (the image opened correctly on drop).
- Two displays, the Dock on the left or right side of the screen, GUI scales other than 1.
- Plugin tools with their own right-click menu (Tool menu…).

License

MIT License, © 2026 Ettore Colombo. See LICENSE.