Chronic Kidney Disease Prediction

Problem Statement:

- Machine Learning → Here the input is in excel format, so we can consider the Input as Numbers. So in AI if input is Number we can give solution with Machine Learning.
- **Supervised** → In this problem we have clear idea about the requirement and the dataset, so we can continue with Supervised learning.
- **Classification** → Here the output is in categorical type (Classification), so we can continue with Classification.

Machine Learning → Supervised Learning → Classification

Basic Information about dataset:

- It has 25 columns and 339 rows.
- This dataset includes the client's personal details as input like Age, BP, Sugar etc.
- We need to predict the output as Classification (CKD is yes/no) and the output details are given in the dataset.

Pre-processing Method:

• In this model Pre-processing method is done for 12 columns which is

Ordinal data

- 1. RBC (normal/abnormal) to (0/1)
- 2. PC (normal/abnormal) to (0/1)
- 3. PCC (present/notpresent) to (0/1)
- 4. BA (present/notpresent) to (0/1)
- 5. HTN (yes/no) to (0/1)
- 6. DM (yes/no) to (0/1)
- 7. CAD (yes/no) to (0/1)
- 8. Appet (yes/poor) to (0/1)
- 9. PE (yes/poor) to (0/1)
- 10. ANE (yes/no) to (0/1)
- 11. Classification (yes/no) to (0/1)

> Nominal data

1. SG (a/b/c/d/e) to (0000/1000/0100/0010/0001)

Machine Learning Algorithms:

- 1. Support Vector Machine
- 2. Decision Tree
- 3. Random Forest
- 4. Logistic Regression
- 5. KNN
- 6. Navie Bayes

1. Support Vector Machine:

Accuracy = 0.98

```
The confusion Matrix:
[[51 0]
[ 2 80]]
```

The report:

	precision	recall	f1-score	support
0	0.96	1.00	0.98	51
1	1.00	0.98	0.99	82
accuracy			0.98	133
macro avg	0.98	0.99	0.98	133
weighted avg	0.99	0.98	0.99	133

The f1_macro value for best parameter {'C': 10, 'gamma': 'auto', 'kernel': 'sigmoid'}: 0.9850141736106648

2. Decision Tree:

```
Accuracy = 0.93
ROC AUC = 0.94
```

The confusion Matrix:

[[51 0] [9 73]

The report:

The report:	precision	recall	f1-score	support
0	0.85	1.00	0.92	51
1	1.00	0.89	0.94	82
accuracy			0.93	133
macro avg	0.93	0.95	0.93	133
weighted avg	0.94	0.93	0.93	133

The f1_macro value for best parameter {'criterion': 'gini', 'max_features': 'log2', 'splitter': 'best'}: 0.9331095830246935

3. Random Forest:

```
Accuracy = 0.99
ROC AUC = 0.99
```

```
The confusion Matrix:
[[51 0]
[ 1 81]]
The report:
                precision
                               recall f1-score
                                                    support
                     1.00
                                0.99
                                            0.99
                                                         82
                                            0.99
                                                        133
    accuracy
                     0.99
                                0.99
                                            0.99
                                                        133
weighted avg
                                           0.99
                                                        133
                     0.99
                                0.99
```

The f1 macro value for best parameter {'criterion': 'gini', 'max features': 'log2', 'n estimators': 100}: 0.9924946382275899

4. Logistic Regression:

Accuracy = 0.99 ROC_AUC = 1.0

```
The confusion Matrix:
 [[51 0]
 [ 1 81]]
The report:
                             recall f1-score
               precision
                                                 support
           0
                    0.98
                              1.00
                                        0.99
                                                     51
           1
                   1.00
                              0.99
                                        0.99
                                                     82
    accuracy
                                        0.99
                                                    133
                    0.99
                              0.99
                                        0.99
                                                    133
   macro avg
weighted avg
                    0.99
                              0.99
                                        0.99
                                                    133
```

The f1_macro value for best parameter {'penalty': '12', 'solver': 'newton-cg'}: 0.9924946382275899

5. KNN:

```
The confusion Matrix:
[[51 0]
[ 6 76]]
The report:
                               recall f1-score
                 precision
                                                    support
                     1.00
                                           0.96
                                                         82
                                           0.95
                                                        133
    accuracy
   macro avg
                                           0.95
                                                        133
weighted avg
                     0.96
                                0.95
                                           0.96
                                                        133
```

The f1_macro value for best parameter {'algorithm': 'auto', 'metric': 'minkowski', 'n_neighbors': 5, 'p': 2, 'weights': 'distance'}: 0.955283779067923

6. Navie Bayes:

```
Fitting 5 folds for each of 1 candidates, totalling 5 fits The confusion Matrix:
```

[[51 0] [1 81]]

The report:

	precision	recall	f1-score	support
0	0.98	1.00	0.99	51
1	1.00	0.99	0.99	82
accuracy			0.99	133
macro avg	0.99	0.99	0.99	133
weighted avg	0.99	0.99	0.99	133

The f1_macro value for best parameter {}: 0.9924946382275899

Final Model:

Considering the Accuracy and ROC_AUC_Score value **Logistic Regression algorithm** is the best model from the above algorithms with high accuracy and threshold value.

 $\frac{Accuracy = 0.99}{ROC_AUC = 1.0}$