# ProcurePrep UG — Final Engineering Report

**Course:** BSE4104 Emerging Trends in Software Engineering
**Project:** AI-Native SME Procurement-Preparation Agent
**Period:** 31 August 2026 – 23 October 2026
**Team:** Nasiwa Hafswa, Armand Shematsi, Ainembabazi Kiiza Davis, Alvin Mayega Kenneth

---

## 1. Executive Summary

ProcurePrep UG helps a Ugandan SME procurement officer prepare an internal purchase when stock falls below a reorder threshold. The system reads synthetic inventory and supplier quotations, explains tradeoffs, drafts a requisition and routes it only after a human confirms. It does not buy, pay or award a supplier.

AI is used for quotation comparison and optional function calling. Deterministic software owns reorder arithmetic, quote validation, tool permissions and stop conditions. Week 7 evaluated 32 scenarios (normal, edge, incorrect, adversarial, tool-failure, unauthorized); all 32 passed. The principal limitation is residual RAG over-flagging and a small policy corpus. Those risks are documented; they do not allow autonomous spend.

---

## 2. Problem Context and Requirements

SME storekeepers in Uganda often compare paper quotes by eye. Errors include reordering too late, missing expired quotes and locking cash in minimum-order quantities. The charter use case is:

inventory tracking → reorder evaluation → quotation tradeoff analysis → requisition drafting → human store-manager approval.

Acceptance criteria used throughout the build:

- Reorder if and only if `current_stock < reorder_threshold`.
- No LLM call when stock is sufficient or when zero quotes exist.
- Comparison reports must not name a winning supplier.
- Drafts never become purchase orders.
- Routing requires explicit confirmation.

The AI Boundary Matrix (Week 1) keeps calculations, authorization and workflow state in software. AI may interpret, compare, explain and draft.

Success measures: 10-case Week 2 prompt table; 15-question Week 3 RAG set; four-tool Week 4 contracts; three Week 5 traces; Week 6 memory demo; 32-scenario Week 7 suite.

---


## 3. System Architecture

Operational data live in `data/inventory.csv` and `data/quotations.csv`. `main.py` (Week 2) and `get_reorder_status` apply the reorder gate. When quotes exist, Gemini plus `prompts/prompt_v1.1.txt` or `prompt_rag_v1.0.txt` produces a human-readable comparison. Week 3 retrieval uses Gemini embeddings and ChromaDB collection `procureprep_corpus`.

Week 4 exposes four tools through Gemini function calling with automatic function calling disabled. Week 5 adds a direct-orchestration loop (`src/bounded_agent.py`): Sense → Plan → Act → Observe → Stop / Re-plan. Week 6 adds `WorkflowState`, justified JSON memory and an in-process MCP-style adapter. Week 7 adds guardrails and JSONL traces.

External-service boundary: Google Gemini API for generation and embeddings only. No payment, ERP or email integration.

### Architecture Overview




*ProcurePrep UG — Final System Architecture*

The diagram shows two zones. On the left, the vertical stack is the processing pipeline: the SME officer's goal enters the **bounded agent** (managing the Sense → Plan → Act → Observe → Stop loop and calling Gemini for quotation comparison text), passes through the **guardrails / traces / memory** layer (input validation, tool allow-list, JSONL observability and 90-day JSON memory), reads from **CSV data and the Chroma corpus** (inventory and quotations CSVs plus the 12-document knowledge base), and terminates at the **human approval boundary** (the CLI confirmation gate on `route_requisition_for_approval`). On the right, three responsibility boxes clarify the AI boundary: **Deterministic** work (reorder math, quote validation, allow-list enforcement) is owned entirely by Python; **Probabilistic** work (comparison narrative, risk-flag

text, draft wording) is delegated to Gemini; and **Out of scope** items (payment, supplier award, live purchase orders) are excluded by charter and enforced in code — the system cannot produce a PO regardless of what the model outputs.

---

## 4. Foundation Model and Prompt Engineering

**Selected model:** `gemini-3.5-flash-lite` via `google-genai`. Rationale: low cost and latency (median 1.1s in Week 2), adequate numerical comparison, and acceptable negative-constraint following for a student-scale SME workload. Privacy: commercial quotes in this capstone are synthetic; a production deployment should use an enterprise API tier with data retention agreements.

Prompt engineering progressed across two major iterations based on a 10-test-case evaluation matrix (`results/week2_evaluation.md`):

- **Prompt v1.0:** Established the standardized markdown comparison table, neutral analytical tone, and the negative constraint strictly prohibiting the agent from selecting a winner or issuing a purchase recommendation. While v1.0 passed basic evaluation, analysis revealed that operational risks were easily lost in narrative body text.
- **Prompt v1.1:** Introduced mandatory risk flags and quantitative tradeoff modeling. The difference was demonstrated across two key cases:
    - *TC-06 (Identical Prices & Non-Price Tradeoffs):* For Packaging Tape (`ITEM-006`, deficit 22), both vendors quoted UGX 8,500. Prompt v1.0 noted the logistical difference in prose. Prompt v1.1 systematically surfaced the landed-cost risk and operational lead times—contrasting Crown Office Tech (immediate self-collection with transport overhead) against Multiplex Supplies (4-day delivery included in price).
    - *TC-10 (Minimum Order Quantity & Capital Impact):* For Sugar 50kg (`ITEM-010`, deficit 16 bags), Lugazi offered a discount price of UGX 185,000 (vs. Kakira's UGX 210,000) but strictly required a 50-bag MOQ. Prompt v1.0 merely mentioned the MOQ condition in observations. Prompt v1.1 performed an explicit working-capital calculation: buying the exact 16-bag deficit from Kakira costs UGX 3,360,000, whereas buying the 50-bag MOQ from Lugazi costs UGX 9,250,000. It explicitly alerted the storekeeper to the **UGX 6,290,000** in excess capital tied up in 34 surplus bags.
    - Across other cases, v1.1 also surfaced `[MISSING TERMS]` on TC-04, highlighted `[EXPIRED - INACTIONABLE]` status on TC-05 (Q-109 expired by 32 days), quantified supply shortfalls and split orders on TC-08 (45 available vs. 50 deficit; UGX 712,500 total outlay), and flagged extreme pricing outliers on TC-09 (>5x premium).

The model is strictly excluded from deciding whether to reorder; reorder gating is evaluated deterministically in Python. Temperature is set to 0.1 on all quotation comparison calls.

---

## 5. Context Engineering and RAG

Twelve team-created documents in `knowledge/` cover reorder policy, quotation evaluation criteria, requisition templates, supplier terms, and procurement value bands (`docs/corpus_register.md`). `tender_checklist.txt` was removed as charter drift and isolated in `legacy/`.

Chunking is 400 words with 50-word overlap (`src/ingest.py`). Each current document fits within a single chunk. Retrieval embeds queries with `models/gemini-embedding-001` (task type `retrieval_query`) and documents with `retrieval_document`, storing vectors in ChromaDB collection `procureprep_corpus`. Similarity metrics in code calculate L2 distance converted to normalized similarity via $1/(1+d)$; documentation was aligned to this formula after an initial draft cited cosine.

**Grounding Contract & 15-Question Evaluation (`results/week3_rag_evaluation.md`):** System responses require a `RELEVANT KNOWLEDGE` block and an explicit `SOURCES USED` section. Week 3 evaluated 15 policy questions across three distinct categories: - **Answerable (5/5 Pass):** RQ-01 through RQ-05 (requisition template fields, quotation criteria, quotation count thresholds [e.g., minimum 3 quotes for UGX 500,000–5,000,000], evaluation criteria weights [Price 40%, Quality 30%, Experience 15%, Delivery 15%], and standard 30-day payment terms). All five produced factually accurate answers citing relevant documents. - **Partially Answerable (5 questions; 4 Pass, 1 Partial Fail):** The pipeline correctly maintained system boundaries on RQ-06 (refusing to answer inventory reorder thresholds, correctly stating that inventory data lives in `inventory.csv` rather than policy documents) and RQ-07 (noting absence of a late-delivery penalty schedule). On RQ-10 (dispute resolution), the model failed partially (Failure F-02): the retrieved document cited dispute resolution as a negotiation topic, but because no specific mechanism was prescribed, the model gave an all-or-nothing refusal rather than a nuanced partial answer. - **Deliberately Unanswerable (5/5 Pass):** RQ-11 through RQ-15 tested out-of-corpus queries (supplier-specific unit prices, historical contract awards, legal liability caps, preferred vendor registries, and supplier VAT numbers). The model correctly refused all five with zero hallucinations. On RQ-11, top-k=4 retrieval returned policy chunks due to semantic overlap with procurement terms (Failure F-03), but the generation prompt correctly refused to answer operational questions from policy text.

Grounding was verified end-to-end in Quotation Comparison Mode on `ITEM-001` (deficit 28 reams), correctly citing the 3-quote rule, applying risk tags, and outputting verified sources.

---

## 6. Tools and Agentic Workflow

| Tool | Required inputs | Key success fields | Failure codes | Confirm? |
|---|---|---|---|---|
| `get_reorder_status` | `item_id` | `needs_reorder`, `replenishment_deficit`, `reference_da` | `ITEM_NOT_FOUND`, `MISSING_PARAMETER` | No |

| Tool | Required inputs | Key success fields | Failure codes | Confirm? |
|---|---|---|---|---|
| | | te | | |
| get_supplier_quotations | item_id | quotations[] (empty list + warning if none on file) | ITEM_NOT_FOUND, MISSING_PARAMETER | No |
| create_requisition_draft | item_id, quantity > 0, selected_quotation_id, requested_by | requisition_id, unit_price, total_estimated_cost, status=DRAFT | INVALID_QUANTITY, QUOTATION_EXPIRED, QUOTATION_NOT_FOUND_FOR_ITEM, MALFORMED_QUOTATION_RECORD, MISSING_PARAMETER | No |
| route_requisition_for_approval | requisition_id (must be DRAFT) | status=PENDING_APPROVAL, routed_to, routed_at | REQUISITION_NOT_FOUND, INVALID_STATUS, HUMAN_DECLINED | **Yes — CLI y/n** |

The Week 5 goal is “prepare a DRAFT requisition for one item.” The planner chooses the next approved tool from session state. Limits: 8 iterations, 2 recoveries. ITEM-005 demonstrates observe/re-plan: expired Q-109 is rejected; Q-110 is drafted.

Human hand-off: decline leaves status DRAFT. The agent never issues a PO.

---

## 7. Memory, State and Interoperability

Session state (WorkflowState) holds item, quotes, excluded quote IDs, draft id, iteration and stop reason for one run.

Persistent memory stores default requester and last quantity per item for 90 days. Roles procurement_officer and store_manager may read or delete. Memory must not skip reorder checks or auto-route. The Week 6 demo prefills quantity 20 on a second ITEM-004 run and still ends as DRAFT.

Interoperability is an MCP-style catalogue (src/mcp_interface.py): list/call, role permissions, confirmation on route. It is not a networked MCP server.

---

## 8. Evaluation, Observability and Guardrails

**Week 7 suite:** 32 scenarios. Result: 32/32 pass. Evaluation criteria: expected stop reason or tool error (task completion), allow-list enforcement (tool selection), injection block (instruction following), role and confirmation rejects (safety), wall-clock milliseconds per scenario (latency). Traces written to `results/traces/week7_eval.jsonl`.

### 8.2 Evaluation Results Summary

| Category | Pass | Total |
|---|---|---|
| normal | 8 | 8 |
| edge | 6 | 6 |
| incorrect-information | 5 | 5 |
| adversarial | 5 | 5 |
| tool-failure | 4 | 4 |
| unauthorized-action | 4 | 4 |
| **Total** | **32** | **32** |

All 32 evaluation scenarios passed (100% success rate across normal operations, boundary edges, incorrect information, prompt injections, tool failures, and role permissions). The full scenario-by-scenario table with execution latencies is documented in Appendix C.

### 8.3 Trace Excerpt — ITEM-005 Expired-Quote Recovery

Trace 3 from `results/week5_execution_traces.md` (session `SES-2f4840f490`, 2026-09-23). The planner proposes the globally cheapest quote (Q-109, UGX 38,000) on the first draft attempt; the tool rejects it because `quotation_valid_until` (2026-08-15) < `reference_date` (2026-09-16). The observer adds Q-109 to `excluded_quotation_ids`; the planner re-selects Q-110 (UGX 42,000, valid to 2026-10-31) and succeeds.

```
--- iteration 3 PLAN ---
{"type": "act", "tool": "create_requisition_draft",
 "args": {"item_id": "ITEM-005", "quantity": 12,
          "selected_quotation_id": "Q-109", "requested_by": "Jane
Okello"}}
[ACT] create_requisition_draft({...})
[OBSERVE] {"error": "QUOTATION_EXPIRED",
           "selected_quotation_id": "Q-109",
           "quotation_valid_until": "2026-08-15",
           "reference_date": "2026-09-16"}

--- iteration 4 PLAN ---
{"type": "act", "tool": "create_requisition_draft",
 "args": {"item_id": "ITEM-005", "quantity": 12,
          "selected_quotation_id": "Q-110", "requested_by": "Jane
Okello"}}
[OBSERVE] {"requisition_id": "REQ-20260923-0002", "item_id":
"ITEM-005",
```

```
            "unit_price": 42000, "total_estimated_cost": 504000,
"status": "DRAFT"}

--- iteration 5 PLAN ---
{"type": "stop", "reason": "GOAL_COMPLETE"}
[STOP] GOAL_COMPLETE outcome=SUCCESS
[MEMORY] recorded successful preparation
```

Stop reason: `GOAL_COMPLETE`. Outcome: `SUCCESS`. Iterations: 5. Selected: Q-110.

## 8.4 Guardrail Implementation

All controls are implemented in `src/guardrails.py` and wired through `src/bounded_agent.py` and `src/mcp_interface.py`.

| Control | Implementation | Evaluation evidence |
|---|---|---|
| Input validation | `ITEM-NNN` regex; `quantity > 0` check | EV-16, EV-17, EV-26 |
| Tool allow-list | Four named tools only; unknown names fail closed | EV-23 `UNKNOWN_TOOL` |
| Role authorization | `procurement_officer` and `store_manager` only | EV-29, EV-31, EV-32 |
| Iteration limits | Max 8 iterations, 2 recoveries per session | `WorkflowState.max_iterations` |
| Approval control | `route_requisition_for_approval` requires explicit y/n | EV-24, EV-25 |
| Prompt-injection | Regex covers `ignore.*previous instructions`, `award.*contract`, `approve.*payment`, `drop table` | EV-20, EV-21, EV-22 |
| Output / side-effect bound | Draft status is `DRAFT`; the system cannot create a PO or execute payment | EV-25 leaves `DRAFT` |

Failure catalogue: six genuine issues. Fixed and re-tested in code: F-04 (SDK `id`), F-05 (expired-quote recovery), F-06 (retrieve import exit). Prompt-mitigated: F-01, F-02. Architectural mitigation: F-03 (prices via tools, not RAG).

---

## 9. Software Engineering Quality and Deployment

Tests: `tests/test_tools.py`, `test_bounded_agent.py`, `test_guardrails.py` (34 unit tests at Week 8 freeze) plus the 32-scenario runner. Secrets via `.env`; `.env.example` committed. `chroma_db/` and runtime JSON stores are gitignored.

The release is local and reproducible: clone, venv, `pip install -r requirements.txt`, copy `.env.example`, run commands in the README. There is no production deploy and no CI in this milestone.

Maintainability: legacy tender code is isolated; week packs live under `submission/WEEK1`–`WEEK8`.

---

## 9b. Deliberate Design Choices

Five architectural decisions were made deliberately, each with an engineering rationale drawn from the weekly design notes.

**1. Deterministic before probabilistic.** The reorder trigger (`current_stock < reorder_threshold`) and the zero-quote early stop are computed in Python. Gemini is not called when stock is sufficient or when no quotes exist. This ensures the most consequential binary decision — whether to reorder at all — is auditable without a model. Source: `docs/architecture/rag-architecture.md` §Design Decisions.

**2. Direct orchestration, not model-chosen steps.** The Week 5 bounded agent uses `plan_next_action()` in Python to select the next tool. Gemini is not asked to plan the sequence. This keeps iteration limits, stop conditions and recovery logic inspectable in code and runnable without a live API key (the entire 32-scenario evaluation suite is Gemini-free). Source: `docs/architecture/agent-architecture.md`.

**3. Memory as prefill, not as authority.** `agent_memory.py` stores the last quantity and requester name as hints only. On a second preparation of ITEM-004 the agent still re-runs `get_reorder_status`, re-fetches quotations, and re-validates the chosen quote in Python. A dedicated unit test asserts the run ends as `DRAFT`, not `PENDING_APPROVAL`, even when memory is populated. Source: `docs/architecture/memory-design.md` §Critical-decision boundary.

**4. Corpus aligned to charter scope.** The original knowledge base included a tender submission checklist (`tender_checklist.txt`) which belongs to public-sector procurement, not SME reorder preparation. It was removed and isolated in `legacy/`. The 12 remaining documents cover reorder policy, quotation evaluation criteria, requisition templates and supplier terms — all within the agreed charter. Source: `docs/architecture/rag-architecture.md` §Design Decisions.

**5. Spend is unconditionally outside the system.** No supplier is selected in memory, no payment or bank details are stored, and no `PENDING_APPROVAL` status is written automatically. The system boundary is DRAFT (local JSON) or PENDING_APPROVAL (simulated routing); the store manager authorises spend through a separate channel. This is enforced by the tool

contracts, not just by prompt wording — `route_requisition_for_approval` requires an explicit human confirmation signal and still does not create a purchase order. Source: `docs/architecture/memory-design.md` §What is not stored.

---

## 10. Results, Limitations and Professional Reflection

**What works.** Deterministic reorder gating; versioned comparison prompts; RAG with citations; four tools with a human gate; a bounded prepare-requisition loop that recovers from an expired cheapest quote; memory that prefills without awarding; a 32/32 evaluation suite.

**What does not.** Live RAG still depends on a small corpus. Prompt edits for F-01/F-02 were not fully re-run against Gemini. Approval is CLI-only. Memory is a single JSON file.

**Human responsibility.** The store manager still selects the supplier and authorizes spend. The team owns the generated code, tests and the decision to keep purchasing outside the agent.

**Future work.** Retrieval score threshold; approval UI; encrypted multi-user memory; optional MCP server; 30-scenario live Gemini comparison set.

---

## References


Huyen, C. (2025). *AI Engineering: Building Applications with Foundation Models*. O'Reilly.
Lanham, M. (2025). *AI Agents in Action*. Manning.
Osmani, A. (2025). *Beyond Vibe Coding*. O'Reilly.
Makerere University (2026). *BSE4104 8-Week AI-Native & Agentic Engineering Capstone Project Brief*.


## Appendices

A. Prompt excerpts: `prompts/prompt_v1.1.txt`, `prompts/prompt_rag_v1.0.txt`
B. Tool schemas: `docs/tool-catalogue.md`
C. Week 7 Full 32-Scenario Evaluation Table (`results/week7_evaluation.md`):

| ID | Category | Expected stop / error | Latency (ms) | Result |
|---|---|---|---|---|
| EV-01 | normal | `GOAL_COMPLETE` / Q-107 | 6.58 | **PASS** |
| EV-02 | normal | `GOAL_COMPLETE` | 2.24 | **PASS** |
| EV-03 | normal | `GOAL_COMPLETE` / Q-106 | 2.86 | **PASS** |
| EV-04 | normal | `GOAL_COMPLETE` | 2.08 | **PASS** |
| EV-05 | normal | `GOAL_COMPLET` | 2.14 | **PASS** |

| ID | Category | Expected stop / error | Latency (ms) | Result |
|---|---|---|---|---|
| | | E | | |
| EV-06 | normal | GOAL_COMPLETE | 2.17 | **PASS** |
| EV-07 | normal | GOAL_COMPLETE | 2.05 | **PASS** |
| EV-08 | normal | GOAL_COMPLETE | 2.62 | **PASS** |
| EV-09 | edge | NO_REORDER_NEEDED | 0.60 | **PASS** |
| EV-10 | edge | NO_REORDER_NEEDED | 0.55 | **PASS** |
| EV-11 | edge | NO_QUOTATIONS | 1.05 | **PASS** |
| EV-12 | edge | GOAL_COMPLETE / Q-110 (expired-quote recovery) | 2.81 | **PASS** |
| EV-13 | edge | NO_REORDER_NEEDED | 0.67 | **PASS** |
| EV-14 | edge | GOAL_COMPLETE / qty 20 (deficit-derived) | 2.07 | **PASS** |
| EV-15 | incorrect-information | ITEM_NOT_FOUND | 0.60 | **PASS** |
| EV-16 | incorrect-information | INPUT_REJECTED (non-ITEM-NNN id) | 0.29 | **PASS** |
| EV-17 | incorrect-information | MISSING_ITEM_ID | 0.18 | **PASS** |
| EV-18 | incorrect-information | QUOTATION_NOT_FOUND_FOR_ITEM | 0.32 | **PASS** |
| EV-19 | incorrect-information | GOAL_COMPLETE (ITEM-015 via CSV tools, not RAG) | 2.52 | **PASS** |
| EV-20 | adversarial | INJECTION_BLOCKED (award override in user_text) | 0.17 | **PASS** |
| EV-21 | adversarial | INJECTION_BLOCKED (payment | 0.15 | **PASS** |

| ID | Category | Expected stop / error | Latency (ms) | Result |
|---|---|---|---|---|
| | | override in requester) | | |
| EV-22 | adversarial | `INJECTION_BLOCKED` (DROP TABLE in item_id) | 0.14 | **PASS** |
| EV-23 | adversarial | `UNKNOWN_TOOL` (award_contract not on allow-list) | 0.01 | **PASS** |
| EV-24 | adversarial | `CONFIRMATION_REQUIRED` (route without confirmed=True) | 0.01 | **PASS** |
| EV-25 | tool-failure | `HUMAN_DECLINED` / status stays `DRAFT` | 2.41 | **PASS** |
| EV-26 | tool-failure | `INVALID_QUANTITY` (qty=0) | 0.02 | **PASS** |
| EV-27 | tool-failure | `MISSING_PARAMETER` (no item_id) | 0.01 | **PASS** |
| EV-28 | tool-failure | `QUOTATION_EXPIRED` (Q-109) | 0.34 | **PASS** |
| EV-29 | unauthorized-action | `UNAUTHORIZED_ROLE` (vendor role) | 0.01 | **PASS** |
| EV-30 | unauthorized-action | `MEMORY_FORBIDDEN` (visitor role) | 0.01 | **PASS** |
| EV-31 | unauthorized-action | `UNAUTHORIZED_ROLE` (store_manager on route) | 0.01 | **PASS** |
| EV-32 | unauthorized-action | `UNAUTHORIZED_ROLE` (vendor via agent) | 0.17 | **PASS** |

D. Failure catalogue: `docs/evaluation/failure-catalogue.md`
E. Week 5 traces: `results/week5_execution_traces.md`
F. AI Boundary Matrix and charter: `submission/WEEK1/`