

BASEROW IMPLEMENTATION SCHEMA

VirtuaLab Digital

Database Field Specifications for the Systematic Ecosystem

AISEO Framework | 40+ Tables | 7 Domains | n8n + GHL Integration Ready

Prepared by: Asymmetric SEO Strategist & Parasite SEO Strategist | August 2026 | Version 1.0
Classification: Internal Operations | Systematic Approach Foundation

Table of Contents

1. Schema Overview & Design Principles
2. Domain 1: Master Data (5 tables)
3. Domain 2: Client & Campaign Management (6 tables)
4. Domain 3: Content Operations (7 tables)
5. Domain 4: Off-Page & Parasite SEO (6 tables)
6. Domain 5: Technical SEO & Indexing (5 tables)
7. Domain 6: GEO & AI Citation Tracking (5 tables)
8. Domain 7: Reporting & Analytics (4 tables)
9. Pre-Populated Data: Keywords, Competitors, ICPs
10. n8n Workflow Trigger Specifications
11. GHL Pipeline Configuration

1. Schema Overview & Design Principles

This document provides the complete field-level specification for every Baserow table in the VirtuaLab Digital systematic ecosystem. Each table definition includes the exact field names, Baserow field types, configuration options, default values, validation rules, and the n8n workflows that read from or write to it. The schema is designed to be directly implementable: a Baserow user can create every table by following these specifications without additional design decisions. This eliminates the primary source of operational inconsistency across client engagements, ensuring that every keyword cluster, every competitor analysis, and every content brief follows the same structured format.

The schema is organized into seven functional domains. Master Data tables store brand configuration, competitor intelligence, and reusable ICP templates that persist across all engagements. Client and Campaign Management tables track each client relationship from onboarding through monthly reporting. Content Operations tables manage the full lifecycle from keyword seed to published and reviewed content. Off-Page and Parasite SEO tables systematize platform scoring, content distribution, and backlink monitoring. Technical SEO and Indexing tables store audit results, schema deployments, and crawl issue tracking. GEO and AI Citation Tracking tables implement the citation probing, trend analysis, and recommendation system described in the strategic blueprint. Reporting and Analytics tables aggregate data from all other domains for monthly client deliverables.

1.1 Design Principles

Principle 1 — Single Source of Truth: Every piece of strategic data exists in exactly one Baserow table and one field. No data is duplicated across tables unless explicitly linked via Baserow Link-to-Table fields. This prevents the synchronization problems that plagued the previous document-based approach, where the same competitor name or keyword might appear in three different Google Doc tabs with slightly different spellings or metrics. When a keyword volume is updated in the keywords table, every view, filter, and report that references that keyword sees the updated value immediately.

Principle 2 — Workflow-Readable Structure: Every table is designed so that n8n workflows can read from and write to it using the Baserow API without complex data transformation. Field names use snake_case conventions. Select options use human-readable labels that match the exact strings used in n8n workflow conditions. Date fields use ISO 8601 format (YYYY-MM-DD). This eliminates the need for n8n Set nodes that translate between display labels and stored values, reducing workflow complexity and failure points.

Principle 3 — Audit Trail via Status Fields: Every operational table includes a status field with predefined options that correspond to n8n workflow stages. When a keyword research job transitions from "pending" to "in_progress" to "completed", the n8n workflow updates this single field. Any record stuck in a non-terminal status for more than a defined threshold triggers an escalation to the quality_audit_log table. This replaces the previous approach where task completion was tracked only in the operators memory or scattered across email threads and Slack messages.

1.2 Baserow Field Type Reference

Baserow Type	Used For	Example in This Schema
Text (single line)	Names, URLs, short identifiers	Competitor domain, keyword string
Long Text	Descriptions, briefs, JSON payloads	Content brief body, SERP analysis notes
Number (integer)	Counts, IDs, scores (0-100)	Search volume, difficulty, citation count
Number (decimal)	Percentages, ratios, monetary values	CTR, conversion rate, budget allocation
Select (single)	Status fields, category choices	Intent (info/nav/commercial/transactional)
Select (multiple)	Multi-category tagging	Vertical tags, tool types used
Date	Timestamps, deadlines	Publish date, audit date, contract end
Created On / Last Modified	Auto-tracked timestamps	Every table includes these system fields

Baserow Type	Used For	Example in This Schema
Link to Table	Foreign key relationships	Client ID on every client-scoped table
Formula	Computed values	Days since last audit, ROI calculation
Rollup	Aggregated counts from linked tables	Total keywords per cluster, total content per client
Lookup	Display linked field values	Client name (looked up from client ID)
File	Uploaded documents	SERP screenshot, audit PDF export
Boolean (Checkbox)	Yes/No flags	Is priority, index status, TOS compliant

Table 1.1: Baserow Field Type Mapping

2. Domain 1: Master Data

Master Data tables store persistent, cross-engagement configuration that does not change with individual clients. These tables are populated once during initial system setup and updated only when the VirtuaLab Digital brand, competitive landscape, or service offerings change. All other tables reference Master Data through Link-to-Table relationships, ensuring that a single update to brand_settings propagates consistently across every content brief, client report, and automated workflow.

2.1 brand_settings

This is a singleton table (exactly one row) that stores the VirtuaLab Digital brand identity, positioning rules, and content standards that govern all output. Every content brief, every client-facing report, and every automated email template references this table for brand voice, allowed claims, and prohibited language. The n8n Content Production Pipeline reads the brand_voice_rules and claims_to_avoid fields before generating any client-facing content, ensuring that no output violates the established brand standards.

Field Name	Type	Config / Options	Default	Notes
brand_name	Text	Max length: 100	VirtuaLab Digital	Used in all report headers and email signatures
tagline	Text	Max length: 200	The SEO AI Scientist	Used in homepage hero and meta descriptions
positioning_statement	Long Text	-		Core brand positioning narrative (2-3 paragraphs)
target_markets	Select (multiple)	US Suburban Local Services, US Healthcare, US Education, US Real Estate, US E-Commerce	US Suburban Local Services	Defines which ICP templates are active
primary_verticals	Select (multiple)	HVAC, Plumbing, Roofing, Electrical, General Contractors, Landscaping, Pest Control, Moving Services	HVAC, Plumbing, Roofing	Ordered by current revenue contribution
brand_voice_rules	Long Text	-		Tone guidelines, reading level (8th-10th grade), prohibited words
claims_allowed	Long Text	-		Specific data-backed claims that may be used in content
claims_to_avoid	Long Text	-		See extraction data: no guaranteed rankings, no superlatives without evidence
content_standards	Long Text	-		BLUF format, min 3 stats/1000 words, min 2 quotes, min 3 external refs, FAQ schema for 3+ questions
schema_types_used	Select (multiple)	LocalBusiness, Service, FAQPage, Organization, WebSite, BreadcrumbList, Person, OfferCatalog	All listed	Nested schema configuration reference
robots_txt_ai_crawlers	Long Text	-		Pre-configured GPTBot, PerplexityBot, Google-Extended rules
free_tools_enabled	Select (multiple)	Local Marketing ROI Calculator, Local Proximity Visualizer, Lead Prioritization Matrix	All listed	Which lead-gen tools are active on the website
updated_at	Last Modified	Auto	Auto	Track when brand settings were last changed

Table 2.1: brand_settings — Singleton brand configuration

2.2 competitor_registry

This growing table stores every identified competitor with their classification, strengths, weaknesses, and strategic gaps. The data is sourced from the competitive analysis in the AISEO Framework and supplemented by ongoing monitoring. The n8n Client Onboarding Pipeline reads this table to populate the initial competitor benchmarking for new clients. The competitor_agent in Eli-OS queries this table to identify cross-client competitive patterns. Each competitor entry is tagged with its type (national full-service, niche specialist, or boutique advisory) to enable filtered views that match the current engagement scope.

Field Name	Type	Config / Options	Default	Notes
competitor_name	Text	Max: 200		Company or brand name
domain	Text (URL)	-		Primary domain (https://)
competitor_type	Select (single)	National Full-Service, Niche Specialist, Boutique Advisory, Platform/Proprietary, YouTube/Content Creator	Niche Specialist	Classification from AISEO Framework
primary_verticals	Select (multiple)	HVAC, Plumbing, Roofing, Electrical, General Contractors, Pest Control, Healthcare, Legal, Real Estate, E-Commerce		Which verticals they serve
pricing_model	Text	Max: 300		e.g. "Starting at \$2,800/mo, \$1M+ revenue minimum" (Hook Agency)
key_strengths	Long Text	-		From extraction: transparent pricing, live dashboards, trade specialty, high visual appeal
key_weaknesses	Long Text	-		From extraction: no GEO education, no un-gated content, enterprise-only focus
strategic_gaps	Long Text	-		Exploitable deficiencies: no AI readiness, no CRM integration, no local suburb content
our_counter_strategy	Long Text	-		How VirtuaLab should position against this competitor
min_revenue_threshold	Text	Max: 100		If they require minimum revenue (e.g. \$1M for Hook Agency)
contract_requirements	Text	Max: 200		e.g. "12-month contract lock"
da_score	Number (integer)	0-100		Domain Authority, updated monthly
visible_keywords_count	Number (integer)	0+		Number of keywords they rank for (from SEMrush/Ahrefs)
status	Select (single)	Active, Inactive, Acquired, Rebranded	Active	Lifecycle status
last_analyzed	Date	-		Date of most recent competitive analysis

Table 2.2: competitor_registry — Pre-populated with 7 competitors from extraction

2.3 icp_templates

This table stores the three segmented Ideal Customer Profile archetypes (Operator, Practitioner, Institution) defined in the AISEO Framework. Each ICP template contains the complete psychographic, demographic, and behavioral profile that the n8n Content Production Pipeline uses to tailor content briefs. When a new client is onboarded, the system matches the client to the closest ICP archetype and creates a client-specific profile in client_icp_profiles that inherits all fields from the matched template. This ensures that content for a plumbing company in Dallas follows the same structural and tonal guidelines as content for an HVAC company in Atlanta, while allowing for client-specific overrides.

Field Name	Type	Config / Options	Notes
_name	Text	Max: 100	e.g. "The Operator", "The Practitioner", "The Institution"

Field Name	Type	Config / Options	Notes	
vertical	Select (multiple)	HVAC, Plumbing, Roofing, Electrical, General Contractors, Landscaping, Dentistry, Physical Therapy, Law Firms, Real Estate, Private Schools, Sports Facilities	Primary verticals for this ICP	
business_size_range	Text	Max: 100	e.g. "1-25 employees" or "20-100+ administrative staff"	
annual_revenue_rang	Text	Max: 100	e.g. "\$500K-\$5M (sweet spot: \$1M-\$10M)"	
service_area_type	Select (single)	Hyper-local Suburban, Multi-city Regional, Fixed Physical Clinic, District/County Regional	Defines content localization strategy	
digital_maturity	Select (single)	Very Low, Low, Moderate, High, Very High	Determines depth of technical recommendations	
dependency_level	Select (single)	Very High (LSA+Ads+Aggregators), High (Google Ads+LSA), Moderate (Search+Social), Low (Community+Referral), Very Low (Organic Only)	Drives messaging about owned vs rented assets	
po_maturity	Select (single)	None (Zero Visibility), Low (Thin Pages), Moderate (Fragmented), High (Optimized but Stagnant)	Determines starting point for strategy	
op_maturity	Select (single)	Unmanaged, Basic Setup, Moderate Visibility, High Prominence	Determines GBP audit intensity	
website_quality	Select (single)	Legacy/Unresponsive, Templated/Basic, Clean/Low Depth, Custom/High Quality	Determines technical audit scope	
tracking_maturity	Select (single)	None, Basic (Call Counts), Moderate (CRM Integration), Advanced (Full Attribution)	Determines GHL integration complexity	
primary_pain_points	Long Text	-	From extraction: Lead Aggregator Fatigue, Ad Budget Volatility, Maps Invisibility, Reporting Confusion, Page 2 Syndrome, Leaky Lead Capture	
decision_speed	Select (single)	Very Slow (6+ months), Slow (3-6 months), Moderate (1-3 months), Fast (Under 1 month)	Determines nurture sequence length	
risk_tolerance	Select (single)	Very Low, Low, Moderate, High	Frames messaging: "long-term risk reduction" for low tolerance	
messaging_angle	Text	Max: 300	Primary value proposition angle for this ICP	
next_cta	Text	Max: 200	e.g. "Request a Local Visibility Diagnostic Audit (Delivered in 48 Hours)"	
current_ad_spend_ran	Text	Max: 100	e.g. "\$2,000-\$10,000/month"	
typical_cac_range	Text	Max: 100	Customer acquisition cost range	
status	Select (single)	Active, Draft, Archived	Active	

Table 2.3: *icp_templates* — 3 pre-populated archetypes from AISEO Framework

2.4 team_members

Field Name	Type	Config / Options	Notes
name	Text	Max: 100	Team member name

Field Name	Type	Config / Options	Notes
role	Select (single)	SEO Strategist, Content Writer, Technical SEO, Web Developer, Project Manager, Sales/Account Manager	Primary role
specializations	Select (multiple)	Local SEO, Technical SEO, Content Strategy, GEO/AEO, Parasite SEO, GHL/CRM, Web Design, Video/YouTube	Skill areas
agent_assignments	Select (multiple)	keyword_agent, technical_seo, on_page_seo, entity_agent, competitor_agent, local_seo, parasite_seo, geo_agent, ai_citation, indexing_agent, qa_agent, report_agent	Which Eli-OS agents this human oversees
capacity_allocation	Select (single)	Full (40h/week), Three-Quarter (30h), Half (20h), Quarter (10h)	Available capacity for new work
email	Text (Email)	-	For automated notifications
status	Select (single)	Active, On Leave, Inactive	Active

Table 2.4: team_members

2.5 tech_stack

Field Name	Type	Config / Options	Notes
tool_name	Text	Max: 100	Display name
category	Select (single)	SEO Tool, CMS, CRM, Automation, AI Platform, Analytics, Crawler, Schema, Communication	Functional category
api_available	Boolean		Whether API access is configured
api_key_reference	Text	Max: 200	Reference to stored key (never store actual keys in Baserow)
integration_status	Select (single)	Not Started, In Progress, Active, Broken	Current connection status
n8n_node_type	Text	Max: 100	e.g. "HTTP Request", "Baserow", "GoHighLevel"
used_by_workflows	Select (multiple)	WF-01 through WF-06	Which workflows use this tool

Table 2.5: tech_stack

3. Domain 2: Client & Campaign Management

Client and Campaign Management tables form the operational backbone of every engagement. These tables are created and populated by the n8n Client Onboarding Pipeline (WF-01) when a new client record is created in Baserow. Each subsequent workflow reads from and writes to these tables, creating a complete audit trail from initial contact through monthly reporting. The Link-to-Table relationships between these tables and the Content Operations, Off-Page, Technical SEO, and GEO tables ensure that every piece of data can be traced back to the specific client and campaign it serves.

3.1 clients

Field Name	Type	Config / Options	Notes
client_name	Text	Max: 200	Business name
contact_name	Text	Max: 100	Primary contact person
email	Text (Email)	-	Contact email (used for GHL sync)
phone	Text (Phone)	-	Contact phone (used for GHL sync)
website_url	Text (URL)	-	Client website to audit
industry_vertical	Link to Table (icp_templates)		Links to ICP archetype for inheritance
service_area	Text	Max: 500	Cities, zip codes, radius descriptions
contract_start	Date	-	Service start date
contract_end	Date	-	Service end date
ghl_contact_id	Text	Max: 50	GoHighLevel contact ID for API sync
ghl_pipeline_id	Text	Max: 50	GHL sales pipeline ID
assigned_team_lead	Link to Table (team_members)		Primary responsible team member
onboarding_status	Select (single)	Not Started, Diagnostic Running, Strategy Formation, Active, Churned	Lifecycle stage
icp_archetype	Select (single)	A: The Operator, B: The Practitioner, C: The Institution	Auto-matched from industry_vertical
notes	Long Text	-	Internal team notes

Table 3.1: clients — Created by GHL webhook or manual entry

3.2 client_icp_profiles

Field Name	Type	Config / Options	Notes
client	Link to Table (clients)		Foreign key to clients table
icp_archetype	Link to Table (icp_templates)		Inherited template
verified_pain_points	Long Text	-	Client-confirmed pain points from discovery call
digital_maturity_score	Number (integer)	0-100	Composite score from technical audit
ad_dependency_score	Number (integer)	0-100	Percentage of leads from paid sources
current_monthly_ad_spend	Number (decimal)	\$0.00	Current verified ad spend per month
current_monthly_leads	Number (integer)	0	Current verified inbound leads per month
current_cac	Number (decimal)	\$0.00	Current customer acquisition cost
target_cac	Number (decimal)	\$0.00	Target CAC after SEO implementation
competitor_names	Long Text	-	Top 3-5 competitors named by client
buyer_triggers	Long Text	-	Events that trigger buying intent (CPC spike, lost deal, etc.)
objections	Long Text	-	Common objections heard during sales process
custom_messaging_notes	Long Text	-	Client-specific messaging adjustments

Table 3.2: client_icp_profiles — Per-client ICP overrides

3.3 campaigns, campaign_goals, gbp_profiles, service_area_targets

The campaigns table tracks each active engagement type (SEO, Local, GEO, Parasite) with its budget allocation and timeline. The campaign_goals table breaks each campaign into measurable targets (organic sessions, map pack impressions, calls tracked, leads generated, revenue attributed) with current values that the n8n Client Reporting Pipeline aggregates monthly. The gbp_profiles table stores Google Business Profile data including NAP consistency scores, review counts and ratings, and last audit dates. The service_area_targets table defines the geographic priority matrix that drives content localization decisions. Together, these four tables provide the complete engagement management layer.

Table 3.3.campaigns

Field Name	Type	Config / Options	Notes
campaign_name	Text	Max: 200	e.g. "Dallas Plumber SEO Q3 2026"
client	Link to Table (clients)		FK to clients
campaign_type	Select (single)	Organic SEO, Local SEO, GEO/AEO, Parasite SEO, Full Service	Primary focus
start_date	Date	-	Campaign start
end_date	Date	-	Campaign end (blank = ongoing)
status	Select (single)	Planning, Active, Paused, Completed	Active
budget_monthly	Number (decimal)	\$0.00	Monthly budget allocation
assigned_agents	Select (multiple)	keyword_agent, technical_seo, competitor_agent, geo_agent, parasite_seo, local_seo	Which Eli-OS agents are assigned

Table 3.3.campaign_goals

Field Name	Type	Config / Options	Notes
campaign	Link to Table (campaigns)		FK to campaigns
metric	Select (single)	Organic Sessions, Map Pack Impressions, Map Pack Clicks, Calls Tracked, Leads Generated, Revenue Attributed, AI Citation Rate, Keyword Rankings (Top 10), Keyword Rankings (Top 3)	KPI to track
target_value	Number (decimal)	0	Target value for period end
current_value	Number (decimal)	0	Latest measured value
baseline_value	Number (decimal)	0	Value at campaign start
unit	Select (single)	Count, Percentage, Currency (\$)	Unit for display in reports
deadline	Date	-	Target achievement date
measurement_source	Text	Max: 200	e.g. "GHL CRM", "Google Search Console", "Manual AI probe"

Table 3.3.gbp_profiles

Field Name	Type	Config / Options	Notes
client	Link to Table (clients)		FK to clients

Field Name	Type	Config / Options	Notes
gbp_id	Text	Max: 100	Google Business Profile ID
primary_category	Text	Max: 100	e.g. "HVAC Contractor"
secondary_categories	Select (multiple)	Air Conditioning, Heating, Duct Cleaning, Ventilation, Emergency Services	Additional GBP categories
business_name	Text	Max: 200	GBP display name
address	Text	Max: 300	Street address
city	Text	Max: 100	City
state	Text	Max: 50	State
zip_code	Text	Max: 20	ZIP code
phone	Text (Phone)	-	GBP phone number
website_url	Text (URL)	-	GBP linked website
nap_consistency_score	Number (integer)	0-100	NAP consistency across directories (from Whitespark audit)
review_count	Number (integer)	0	Total Google reviews
avg_rating	Number (decimal)	0.0-5.0	Average Google rating
last_audit_date	Date	-	Most recent GBP audit

Table 3.3.service_area_targets

Field Name	Type	Config / Options	Notes
client	Link to Table (clients)		FK to clients
city	Text	Max: 100	Target city
state	Text	Max: 50	State
zip_codes	Text	Max: 500	Comma-separated ZIP codes
priority_tier	Select (single)	Tier 1 (Core Market), Tier 2 (Expansion), Tier 3 (Opportunistic)	Content investment priority
assigned_content_cluster	Link to Table (keyword_clusters)		Which keyword cluster serves this area
population_estimate	Number (integer)	0	Approximate population for opportunity sizing

Field Name	Type	Config / Options	Notes
competitor_density	Select (single)	Low, Medium, High	Number of competitors in local pack
status	Select (single)	Not Started, Content Drafted, Published, Optimized	Content deployment status

4. Content Operations

The tables in this domain are accessed by the n8n workflows defined in the ecosystem blueprint. Each table includes a Link-to-Table field pointing back to the clients table, ensuring that all data is scoped to the correct engagement. The status fields in each table use the exact option strings shown here, which match the condition checks in the corresponding n8n workflow branches. This eliminates the need for data transformation between Baserow storage and workflow logic, a common source of bugs in automation systems.

k

Field Name	Type	Config / Options	Notes
k	e	y	w
('client', 'Link to Table (clients)', '', 'FK to clients')	('seed_keywords', 'Long Text', '-', 'Comma-separated seed keyword list')	('analysis_type', 'Select (single)', 'Initial Research, Expansion, Gap Analysis, Competitor Gap', 'Type of research to perform')	('status', 'Select (single)', 'Pending, In Progress, Completed, Failed', 'Workflow stage')

k

Field Name	Type	Config / Options	Notes
k	e	y	w
('keyword', 'Text', 'Max: 200', 'Keyword string')	('search_volume', 'Number (integer)', '0', 'Monthly search volume (from SEMrush/Ahrefs)')	('difficulty', 'Number (integer)', '0-100', 'Keyword difficulty score')	('intent', 'Select (single)', 'Informational, Navigational, Commercial, Transactional', 'Search intent classification')

k

Field Name	Type	Config / Options	Notes
k	e	y	w
('cluster_label', 'Text', 'Max: 300', 'Descriptive cluster name')	('client', 'Link to Table (clients)', '', 'FK to clients')	('primary_keyword', 'Link to Table (keywords)', '', 'Primary keyword for this cluster')	('keyword_count', 'Formula', 'count(link(keywords.cluster))', 'Auto-count of linked keywords')

C

Field Name	Type	Config / Options	Notes
c	o	n	t
('cluster', 'Link to Table (keyword_clusters)', '', 'FK to keyword_clusters')	('target_keyword', 'Link to Table (keywords)', '', 'Primary target keyword')	('secondary_keywords', 'Long Text', '-', 'Secondary keywords to include')	('word_count_target', 'Number (integer)', '0', 'Target word count from SERP analysis')

C

Field Name	Type	Config / Options	Notes
c	o	n	t
('brief', 'Link to Table (content_briefs)', '', 'FK to content_briefs')	('title', 'Text', 'Max: 300', 'Content title')	('url', 'Text (URL)', '-', 'Published URL')	('word_count', 'Number (integer)', '0', 'Actual word count of published content')

a

Field Name	Type	Config / Options	Notes
a	i	—	r
('content_piece', 'Link to Table (content_pieces)', ", 'FK')	('platform', 'Select (single)', 'Gemini, ChatGPT, Perplexity, Google AI Overview, Bing/Copilot, Claude', 'AI platform used for review')	('review_date', 'Date', '-', ")	('score', 'Number (decimal)', '0.0-10.0', 'Quality score assigned by AI')

p

Field Name	Type	Config / Options	Notes
p	a	g	e
('template_name', 'Text', 'Max: 200', 'e.g. "Visibility Hub Page", "Service Area Page", "Conversion Page")	('template_type', 'Select (single)', 'Visibility Hub, Service Area, Conversion, Industry Page, Service Page', ")	('h_tag_blueprint', 'Long Text', '-', 'H-tag structure template')	('schema_template', 'Long Text', '-', 'JSON-LD schema template')

5. Off-Page & Parasite SEO

The tables in this domain are accessed by the n8n workflows defined in the ecosystem blueprint. Each table includes a Link-to-Table field pointing back to the clients table, ensuring that all data is scoped to the correct engagement. The status fields in each table use the exact option strings shown here, which match the condition checks in the corresponding n8n workflow branches. This eliminates the need for data transformation between Baserow storage and workflow logic, a common source of bugs in automation systems.

p

Field Name	Type	Config / Options	Notes
p	a	r	a
('platform_name', 'Text', 'Max: 100', '')	('da_score', 'Number (integer)', '0-100', 'Domain Authority')	('tos_risk_level', 'Select (single)', 'Low, Medium, High, Unacceptable', '')	('topical_relevance', 'Number (decimal)', '0.0-1.0', 'NLP similarity score to client vertical')

p

Field Name	Type	Config / Options	Notes
p	a	r	a
('client', 'Link to Table (clients)', '', 'FK')	('platform', 'Link to Table (parasite_platforms)', '', 'FK')	('content_title', 'Text', 'Max: 300', '')	('source_content', 'Link to Table (content_pieces)', '', 'FK to content being distributed')

b

Field Name	Type	Config / Options	Notes
b	a	c	k
('client', 'Link to Table (clients)', '', 'FK')	('source_url', 'Text (URL)', '-', '')	('da', 'Number (integer)', '0-100', '')	('anchor_text', 'Text', 'Max: 200', '')

a

Field Name	Type	Config / Options	Notes
a	n	c	h
('client', 'Link to Table (clients)', '', 'FK')	('anchor_text', 'Text', 'Max: 200', '')	('type', 'Select (single)', 'Exact Match, Partial Match, Branded, Naked URL, Generic', '')	('occurrence_count', 'Number (integer)', '0', '')

y

Field Name	Type	Config / Options	Notes
y	o	u	t
('client', 'Link to Table (clients)', '', 'FK')	('title', 'Text', 'Max: 300', '')	('url', 'Text (URL)', '-', '')	('publish_date', 'Date', '-', '')

s

Field Name	Type	Config / Options	Notes
s	o	c	i

Field Name	Type	Config / Options	Notes
('platform', 'Select (single)', 'YouTube, Instagram, Facebook, LinkedIn, TikTok, Twitter/X, Google Business Profile', '')	('profile_url', 'Text (URL)', '-:', '')	('client', 'Link to Table (clients)', '', 'FK')	('follower_count', 'Number (integer)', '0', '')

6. Technical SEO & Indexing

The tables in this domain are accessed by the n8n workflows defined in the ecosystem blueprint. Each table includes a Link-to-Table field pointing back to the clients table, ensuring that all data is scoped to the correct engagement. The status fields in each table use the exact option strings shown here, which match the condition checks in the corresponding n8n workflow branches. This eliminates the need for data transformation between Baserow storage and workflow logic, a common source of bugs in automation systems.

t

Field Name	Type	Config / Options	Notes
t	e	c	h
('client', 'Link to Table (clients)', '', 'FK')	('url', 'Text (URL)', '-', 'Audited URL')	('audit_date', 'Date', '-', '')	('http_status', 'Text', 'Max: 50', 'e.g. "200 OK"')

s

Field Name	Type	Config / Options	Notes
s	c	h	e
('client', 'Link to Table (clients)', '', 'FK')	('url', 'Text (URL)', '-', '')	('schema_type', 'Select (single)', 'FAQPage, HowTo, LocalBusiness, Service, Organization, WebSite, BreadcrumbList, Person, OfferCatalog, VideoObject', '')	('deployment_date', 'Date', '-', '')

i

Field Name	Type	Config / Options	Notes
i	n	d	e
('client', 'Link to Table (clients)', '', 'FK')	('url', 'Text (URL)', '-', '')	('submission_method', 'Select (single)', 'IndexNow, GSC, Sitemap, Manual', '')	('submission_date', 'Date', '-', '')

c

Field Name	Type	Config / Options	Notes
c	r	a	w
('client', 'Link to Table (clients)', '', 'FK')	('url', 'Text (URL)', '-', '')	('issue_type', 'Select (single)', 'Noindex, Redirect, Soft 404, Canonical Conflict, Orphan Page, Crawl Budget Waste', '')	('discovered_date', 'Date', '-', '')

i

Field Name	Type	Config / Options	Notes
i	n	t	e
('client', 'Link to Table (clients)', '', 'FK')	('source_url', 'Text (URL)', '-', '')	('target_url', 'Text (URL)', '-', '')	('anchor_text', 'Text', 'Max: 200', '')

7. GEO & AI Citation Tracking

The tables in this domain are accessed by the n8n workflows defined in the ecosystem blueprint. Each table includes a Link-to-Table field pointing back to the clients table, ensuring that all data is scoped to the correct engagement. The status fields in each table use the exact option strings shown here, which match the condition checks in the corresponding n8n workflow branches. This eliminates the need for data transformation between Baserow storage and workflow logic, a common source of bugs in automation systems.

g

Field Name	Type	Config / Options	Notes
g	e	o	—
('client', 'Link to Table (clients)', '', 'FK')	('query', 'Text', 'Max: 300', 'Test query sent to AI platform')	('platform', 'Select (single)', 'ChatGPT, Claude, Perplexity, Bing Copilot, Google AI Overview', '')	('probe_date', 'Date', '-', '')

g

Field Name	Type	Config / Options	Notes
g	e	o	—
('probe', 'Link to Table (geo_citation_probes)', '', 'FK')	('citation_url', 'Text (URL)', '-', 'URL cited by AI as source')	('citation_text_excerpt', 'Long Text', '-', 'Excerpt of text that was cited')	('competitor_cited', 'Text', 'Max: 200', 'Competitor mentioned alongside or instead')

g

Field Name	Type	Config / Options	Notes
g	e	o	—
('client', 'Link to Table (clients)', '', 'FK')	('platform', 'Select (single)', 'ChatGPT, Claude, Perplexity, Bing Copilot, Google AI Overview', '')	('month', 'Date', '-', 'Month start date')	('citation_rate', 'Number (decimal)', '0.0-100.0', 'Percentage of queries where brand was cited')

g

Field Name	Type	Config / Options	Notes
g	e	o	—
('client', 'Link to Table (clients)', '', 'FK')	('priority', 'Select (single)', 'Critical, High, Medium, Low', '')	('action', 'Long Text', '-', 'Specific recommendation text')	('rationale', 'Long Text', '-', 'Why this action is recommended')

I

Field Name	Type	Config / Options	Notes
I	I	m	s
('client', 'Link to Table (clients)', '', 'FK')	('version', 'Text', 'Max: 20', 'e.g. "v1.0"')	('content', 'Long Text', '-', 'Full llms.txt file content')	('deployment_url', 'Text (URL)', '-', 'e.g. "https://clientdomain.com/llms.txt"')

9. Pre-Populated Data Specifications

The following data should be imported into Baserow during initial system setup. This data is derived directly from the extracted AISEO Framework documents and keyword research files, ensuring that the system begins with real strategic intelligence rather than empty tables. Each data set below specifies the target Baserow table, the source of the data, and the exact records to create. After import, every record should be verified to ensure that field values match the Select option definitions in the corresponding table schema from the previous chapters.

9.1 Competitors to Pre-Load

Competitor	Domain	Type	Key Weakness to Exploit
Hook Agency	hookagency.com	National Full-Service	No GEO/AEO education; \$1M+ revenue minimum excludes growing suburban trades
Rival Digital	rivaldigital.com	Agency	High pricing; no plain-English technical guides; multi-service scope overwhelms
PlumberSEO.net	plumberseo.net	Speciality	Sales-heavy; no un-gated technical algorithm breakdowns
Sequoia GEO	sequoiageo.com	Boutique Advisory	Boutique scale limits delivery; few standardized templates
RYNO Strategic	ryno.com	Enterprise	Complex packages; enterprise-only; heavy paid focus
Blue Corona	bluecorona.com	Agency	High entry pricing; heavy paid allocation; sales-heavy content
Scorpion	(unverified)	Platform	Proprietary tech limits portability; franchise-only focus

Table 9.1: competitor_registry — Pre-load from AISEO Framework Tab 3

9.2 ICP Templates to Pre-Load

ICP Name	Vertical	Revenue Range	Ad Dependency	Key Pain Point
The Operator	HVAC, Plumbing, Roofing, Electrical	\$500K-\$5M (sweet spot \$1M-\$10M)	Very High	Ad Budget Volatility, Lead Aggregator Fatigue
The Practitioner	Dentistry, Physical Therapy, Law, Real Estate	\$800K-\$2M per location	Moderate	Fragmented Local Listings, Weak Backlink Profiles
The Institution	Private Schools, Sports Facilities, Foundations	\$2M-\$15M budgets	Low	Low Digital Focus, Outdated Legacy Platforms

Table 9.2: icp_templates — Pre-load from AISEO Framework Tab 1

9.3 Keyword Data Integration

The 16 keyword research JSON files (160 total keyword entries) should be imported into the keywords table. Each file represents a different research dimension: asymmetric SEO, cloud stacking, clustering, competitors detail, contractor SEO, entity SEO, GBP, GEO, home services, LLM citation, parasite SEO, pest SEO, pest control, programmatic SEO, trades SEO, and YouTube SEO. During import, the intent field should be classified using the keyword_agent intent classifier, and keywords should be clustered using embedding-based similarity. The search volume and difficulty values from the research files should be preserved as the initial values, with the understanding that verified SEMrush/Ahrefs data will replace them during the first automated Keyword Research Pipeline execution.

9.4 Site Architecture URLs to Pre-Load

The 48-URL sitemap inventory from the AISEO Framework should be imported into a url_registry table (not shown in previous chapters but recommended as an addition). Each URL record should include: the URL path, the page type (Core, Service, Industry, Utility), the pillar it belongs to (Get Found, Get Noticed, Convert More, Operate Smarter), the target keyword cluster, and the current content status. This creates the baseline that the Content Production Pipeline

uses to identify gaps between the planned site architecture and the actually published content. Any URL in the planned architecture that has no corresponding content_piece record represents a content gap that should be prioritized in the next production cycle.

10. n8n Workflow Trigger Specifications

Each n8n workflow has a defined trigger mechanism, execution schedule, and Baserow read/write operations. The following table summarizes the six core workflows. The Baserow API endpoint for each trigger is the table webhook URL, which can be generated in the Baserow table settings. When a trigger fires, the n8n workflow reads the relevant record(s), executes its defined steps, and writes results back to the appropriate tables. Failed executions are logged with full context for debugging, and executions that exceed timeout thresholds trigger alerts to the assigned team member.

Workflow	Trigger	Schedule	Reads From	Writes To	Timeout
WF-01: Client Onboarding	Baserow webhook (clients table create)	On-demand	clients, competitor_registry, icp_templates, gbp_profiles	client_icp_profiles, keyword_research_jobs, geo_citation_probes, campaign_goals, ghl_contacts	30 min
WF-02: Keyword Research	Manual + Weekly cron	Weekly (active campaigns)	keyword_research_jobs, keywords, competitor_registry	keywords, keyword_clusters, keyword_gap_results	15 min/job
WF-03: Content Production	Manual + Baserow webhook (cluster status change)	On-demand	keyword_clusters, content_briefs, brand_settings	content_briefs, content_pieces, ai_review_log	20 min/brief
WF-04: Parasite Distribution	Manual + Baserow webhook (content_pieces.assigned_to_parasite = true)	On-demand	content_pieces, parasite_platforms, anchor_text_log	parasite_campaigns, backlink_profile	10 min/piece
WF-05: GEO Citation Monitor	Cron schedule	High-priority: every 6h; Standard: every 24h	keyword_clusters, geo_citation_probes	geo_citation_probes, geo_citation_logs, geo_citation_trends, geo_recommendations	5 min/batch
WF-06: Client Reporting	Monthly cron (1st of month) + Manual	Monthly	campaign_goals, keyword_clusters, geo_citation_trends, backlink_profile, tech_seo_audits, kpi_snapshots	report_registry	10 min/report

Table 10.1: n8n Workflow Trigger & Data Flow Matrix

11. GHL Pipeline Configuration

The GoHighLevel CRM integration completes the data loop between SEO operations and business outcomes. The following configuration specifies the GHL pipeline stages, webhook endpoints, and field mappings that enable end-to-end lead attribution from search query to booked job. The n8n Client Onboarding Pipeline creates the initial GHL contact and pipeline entry. Subsequent n8n workflows update pipeline stages as leads progress through the buyer journey. The monthly Client Reporting Pipeline reads GHL pipeline data to include business outcome metrics alongside SEO metrics in client reports.

11.1 Pipeline Stage Mapping

GHL Stage	Buyer Journey Phase	Trigger Condition	Data Written to Baserow
New Lead	Problem Awareness	Form submission or phone call with UTM data	clients (GHL contact ID), campaign_goals (first touch attribution)
Qualified	Agency Comparison	Email opened + website visited + 2+ pages viewed	client_icp_profiles (verified pain points updated)
Consultation Booked	Solution Evaluation	Calendar appointment confirmed	campaign_goals (stage transition date, estimated deal value)
Proposal Sent	Trust Validation	Proposal document sent via GHL	campaigns (budget allocation updated if proposal accepted)
Client Onboarded	Commitment	Contract signed, first payment received	clients (onboarding_status = Active), all sub-tables created
Review (Monthly)	Retention	Monthly report delivered, satisfaction check	report_registry (new report record), campaign_goals (current_value updated)

Table 11.1: GHL Pipeline Stage to Buyer Journey Mapping

11.2 UTM Parameter Schema

All internal links from content pieces to conversion pages must include UTM parameters that identify the source keyword cluster, content piece, and campaign. The n8n Content Production Pipeline automatically appends these parameters to internal links when generating published content. GHL webhooks capture UTM data as custom fields on the contact record, enabling the Reporting Pipeline to attribute leads and revenue to specific SEO activities.

UTM Parameter	Source	Example Value	Used By
utm_source	Fixed per channel	google, bing, chatgpt, perplexity, claude	Lead source identification in GHL
utm_medium	Fixed per channel	organic, ai-citation, referral, social	Medium categorization in reports
utm_campaign	Keyword cluster label	dallas-plumber-seo, hvac-map-pack-optimization	Campaign attribution in Baserow
utm_content	Content piece title	how-to-choose-plumber-dallas-tx	Content performance tracking
utm_term	Target keyword	best plumber in dallas texas	Keyword-level ROI tracking

Table 11.2: UTM Parameter Schema for Lead Attribution