



MAXXWELL PRODUCTION

CONTINUOUS MOVING JET SLOTTING PERFORATION TECHNOLOGY FOR VERTICAL AND HORIZONTAL WELLS

PROGRAM FOR CALCULATION OF THE TECHNOLOGICAL PARAMETERS FOR HSP PROCESS

INITIAL PARAMETERS

WELL

BPTD	TOTAL	3150.00	feet	0.00	meters
	PACKER	0.00	feet	0.00	meters
CASING	OD	5.50	inches	0	mm
	ID	4.95	inches	0	mm
TUBING	OD	2.88	inches	0	mm
	ID	2.00	inches	0	mm
CEMENT	DRILL BIT	7.87	inches	200	mm

TOOL

LENGTH	TOTAL	21.30	feet	0.00	meters
	TOOL	11.20	feet	3.41	meters
	PIPE JOINT	6.00	feet	1.83	meters
	MARKER	4.10	feet	1.25	meters
	TUBING	31.50	feet	9.60	meters

NOZZLES

QUANTITY	2	3	4	5
	No	No	Yes	No

SETTINGS

TEMPERATURE TD	90	F°	32	C°
PRESSURE	5000	psi	34.5	Mpa
SAND CONCENTRAT	0.25	ppg	30	kg/m³
DENSITY	8.48	ppg		
SLURRY RATE	5.54	bbl./min	0.65	m³/min



NITROGEN

PERCENTAGE	5%	10%	15%	20%
	No	No	Yes	No

SPEED

Conformity by graph	95.0	C°	4.50	mm/min
---------------------	------	----	------	--------

INTERVALS



1	2848.00	→	2849.50	feet	0.00	→	0.00	meters		
2	2846.00	→	2847.50	feet	0.00	→	0.00	meters		
3	2844.00	→	2845.50	feet	0.00	→	0.00	meters		
4	2791.00	→	2792.00	feet	0.00	→	0.00	meters		
5	2789.00	→	2790.50	feet	0.00	→	0.00	meters		
6	2787.00	→	2788.50	feet	0.00	→	0.00	meters		
7	2779.00	→	2780.00	feet	0.00	→	0.00	meters		
8	2777.00	→	2778.50	feet	0.00	→	0.00	meters		
9	2775.00	→	2776.50	feet	0.00	→	0.00	meters		
10	0.00	→	0.00	feet	0.00	→	0.00	meters		
11	0.00	→	0.00	feet	0.00	→	0.00	meters		

12	0.00	→	0.00	feet	0.00	→	0.00	meters		
13	0.00	→	0.00	feet	0.00	→	0.00	meters		
14	0.00	→	0.00	feet	0.00	→	0.00	meters		
15	0.00	→	0.00	feet	0.00	→	0.00	meters		
16	0.00	→	0.00	feet	0.00	→	0.00	meters		
17	0.00	→	0.00	feet	0.00	→	0.00	meters		
18	0.00	→	0.00	feet	0.00	→	0.00	meters		
19	0.00	→	0.00	feet	0.00	→	0.00	meters		
20	0.00	→	0.00	feet	0.00	→	0.00	meters		

OUTGOING RESULTS

TOOLS

TUBING	91	sections		
SCRAPER	4.93	inches	0.00	mm
CALIBER	4.93	inches	0.00	mm

VOLUMES

VOLUME	WELL (CASING)	75.0	Bbl.	0.0	m³				
	TUBING (UP/DOWN)	11.5	→	11.8	Bbl.	0.0	→	0.0	m³
	WATER TANK	107.4	Bbl.	0.0	m³				
	CUTTING TANK	75.8	Bbl.	0.0	m³				
LEVEL	(MAX IN THE WELL)	496.1	feet	#DIV/0!	meters				

SAND

SAND	38	US tons	0	tons
------	----	---------	---	------

TIME

CUTTING	14.11	hours	0	min	ROCK				
FLUSHING	2.57	hours	1	min	SAND → NOZZLES	2	min		
LIFTING ↕	4.27	hours	3	min	NOZZLES → SURFACE	10	min		

NOZZLES

NOZZLES REPLACEMENT AFTER	6	interval	2787.00	feet	0.00	meters
---------------------------	---	----------	---------	------	------	--------

INSTALLATION

TUBING ELONGATION ↑		0.59	feet	#DIV/0!	meters
TUBING ELONGATION ↓		0.68	feet	#DIV/0!	meters
DEPTH	FOR LOGGING	0.00	feet	0.00	meters
	FIRST INTERVAL	2848.00	feet	0.00	meters
	INITIAL POSITION	2847.36	feet	#DIV/0!	meters

PRESSURE

HYDROSTATIC PRESSURE		1276	psi	0.0	Mpa
LOSSES	SURFACE	147	psi	1.0	Mpa
	TUBING	243	psi	0.0	Mpa
	PERFORATOR	294	psi	2.0	Mpa
	SHAKER	220	psi	1.5	Mpa
	TOTAL	904	psi	4.6	Mpa
NOZZLES DIFFERENCE		4393	psi	31.1	Mpa

TREATMENT

SLOTS	GROSS	74.50	feet	0.00	meters	ROCK				
	NET	12.50	feet	0.00	meters	VOLUME	7.31	feet²	0.00	meters²
DRAINAGE AREA		226	feet²	0	meters²	WEIGHT	0.58	US tons	0.00	tons

SLOTTING

FIRST INTERVAL INSTALLATION				0.00	feet	0.00	meters	with elongation		
CUTTING	1	interval	2848.00	→	2849.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	2	interval	2846.00	→	2847.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	3	interval	2844.00	→	2845.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				53.00	feet	0.00	meters			
CUTTING	4	interval	2791.00	→	2792.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	5	interval	2789.00	→	2790.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	6	interval	2787.00	→	2788.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				8.00	feet	0.00	meters			
CUTTING	7	interval	2779.00	→	2780.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	8	interval	2777.00	→	2778.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				2.00	feet	0.00	meters			
CUTTING	9	interval	2775.00	→	2776.50	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	10	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	11	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	12	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	13	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	14	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	15	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	16	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	17	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	18	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	19	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			
CUTTING	20	interval	0.00	→	0.00	feet	0.00	→	0.00	meters
LIFTING TUBING TO THE NEXT INTERVAL				0.00	feet	0.00	meters			

FLUSHING

LOWERING TUBING TO THE DEPTH				2848	feet	0	meters	flushing	0	minutes
------------------------------	--	--	--	------	------	---	--------	----------	---	---------

