

LAB# 6

Introduction to MySQL SELECT statement

The SELECT statement allows you to select data from one or more tables. To write a SELECT statement in MySQL, you use this syntax: `SELECT select_list FROM table_name;`

In this syntax:

First, specify one or more columns from which you want to select data after the SELECT keyword. If the select_list has

Multiple columns, you need to separate them by a comma (,).

Second, specify the name of the table from which you want to select data after the FROM keyword.

The semicolon (;) is optional. It denotes the end of a statement. If you have two or more statements, you need to use the semicolon(;) to separate them so that MySQL will execute each statement individually.

Using the MySQL SELECT statement to retrieve data from a single column example

The following example uses the SELECT statement to select the last names of all employees:

```
SELECT lastName FROM employees;
```

```
+-----+
```

```
| lastName |
```

```
+-----+
```

```
| Murphy  |
```

```
| Patterson |
```

| Firrelli |

| Patterson |

| Bondur |

| Bow |

| Jennings |

...

The result of a SELECT statement is called a result set as it's a set of rows

That results from the query.

Introduction to MySQL WHERE clause

The WHERE clause allows you to specify a search condition for the rows returned by a query. The following shows the syntax of the WHERE clause:

```
SELECT
    select_list
FROM table_name WHERE
    search_condition;
```

Using MySQL WHERE clause with equality operator example

The following query uses the WHERE clause to find all employees whose job titles are Sales Rep:

```
SELECT last_name, first_name, job_title
FROM employees WHERE
    job_title = 'Sales Rep';
```

```
+-----+-----+-----+
| last_name | first_name | job_title |
+-----+-----+-----+
| Jennings | Leslie     | Sales Rep |
| Thompson  | Leslie     | Sales Rep |
| Firrelli  | Julie      | Sales Rep |
| Patterson | Steve      | Sales Rep |
| Tseng     | Foon Yue   | Sales Rep |
| Vanauf    | George     | Sales Rep |
```

Bondur	Loui	Sales Rep
Hernandez	Gerard	Sales Rep
Castillo	Pamela	Sales Rep
Bott	Larry	Sales Rep
Jones	Barry	Sales Rep
Fixter	Andy	Sales Rep
Marsh	Peter	Sales Rep
King	Tom	Sales Rep
Nishi	Mami	Sales Rep
Kato	Yoshimi	Sales Rep
Gerard	Martin	Sales Rep

+-----+-----+-----+

17 rows in set (0.00 sec)

17 rows in set (0.00 sec)

In this example, the SELECT statement examines all rows of the employees table and selects only rows whose values in the jobTitle column are Sales Rep.