

TMMT OS Dispatch System

How jobs flow from staff intake to your GHL locations
May 2026 | TMMT x AIXMOS


ONE SENTENCE

You or staff enter a dispatch job in TMMT OS. The system saves a ticket, runs protocols (routing, ClickUp, GHL tags, dispatch loads). Each configured GHL location receives a webhook. GHL workflows create contacts, deals, tags, and tasks.

1. The big picture

TMMT OS	Command center where jobs are entered and tracked
Local vendor	Shop that outsources work to TMMT
GHL location	Each TMMT app sub-account (Rentals, Moving, etc.)
Inbound webhook	The doorbell in GHL that TMMT rings
Workflow	What GHL does after the doorbell (contact, deal, SMS, task)

2. End-to-end flow



3. Webhook payload (flat GHL keys)

tmmt_job_ref	Ticket number
tmmt_job_subject	Job title
tmmt_work_type	dispatch_pickup dispatch_delivery dispatch_full
tmmt_vendor_company	Local shop name
tmmt_vendor_email	Shop contact email
tmmt_pickup / tmmt_dropoff	Route addresses
tmmt_offered_price	Price offered
tmmt_job_details	Notes

TMMT OS Dispatch System

tmmt_case_id

Internal case ID

4. Protocol chain (automatic)

- Intake created - intake row + case
- Routing - work type, ClickUp task
- Dispatch load - pickup/dropoff row
- Agent draft - TANK/STICKS checklist
- GHL notify - tags on main account
- Vendor assignment - if vendor selected
- Partner delivery - POST to GHL webhooks

5. Your four GHL locations

Launchpad URLs are NOT webhook URLs. Each needs an Inbound Webhook workflow.

#	Location ID	Slug	Notes
1	Xcd8DZt5T4GWnBtBEC5V	tmmt_rentals	TMMT Rentals (main GHL_LOCATION_ID)
2	s8QGoe5XXzyaDtHPUtBR	vendor_connect	Confirm sub-account name
3	MzniJxhyYzUndJDjMkvm	moving	Confirm sub-account name
4	IUOTthggAD347OwGX6qZZ	fleet_manager	Confirm sub-account name

6. Auto-routing

TMMT rings these slugs when webhook URL is in PARTNER_APP_WEBHOOKS_JSON:

- Pickup: hub (vendor_connect, freight_logistics, fleet_manager) + moving, rentals, express, auto, etc.
- Delivery: hub + moving, rentals, express, black, luxury, auto, etc.
- Full move: hub + moving, service_arbitrage, cleaning, rentals, property, etc.

7. Setup per GHL location

1. Add 15 contact custom fields (tmmt_job_ref, tmmt_pickup, etc.)
2. Create pipeline TMMT Dispatch Jobs: New -> Assigned -> In Progress -> Complete -> Closed
3. Workflow TMMT - Dispatch Job Received: Inbound Webhook trigger
4. Map webhook flat keys to contact fields; create opportunity; tag tmmt-dispatch-job-new
5. Copy hook URL to PARTNER_APP_WEBHOOKS_JSON in Vercel; redeploy TMMT
6. Test at /internal/dispatch/new

8. TMMT prerequisites (once)

- Migration: supabase/migrations/0032_job_dispatch_hub.sql
- GHL_API_KEY + GHL_LOCATION_ID=Xcd8DZt5T4GWnBtBEC5V
- PARTNER_APP_WEBHOOKS_JSON with all hook URLs
- OPS_COMMAND_SECRET for API / Codex test scripts

9. Codex automation

Paste scripts/codex/PROMPT_GHL_DISPATCH.txt into Codex:

```
npm run ghl-dispatch:migrate
npm run ghl-dispatch:fields
npm run ghl-dispatch:env:write
npm run ghl-dispatch:test
```

Manual in GHL: inbound webhook workflows + pipeline (Codex can use browser).

10. Affiliate apps (you don't control GHL)

- Jobs stay in TMMT OS cases + vendor portal
- Use Zapier/Make if affiliate allows
- Staff handoff via /internal/dispatch/new

11. Key paths

/internal/dispatch/new	Staff dispatch form
/internal/dispatch	Dispatch loads view
POST /api/jobs/dispatch	API for automations
docs/GHL_DISPATCH_SETUP.md	Full GHL guide
scripts/ghl-dispatch/locations.json	Your 4 location config

SUCCESS LOOKS LIKE

Staff submits job. Case ref appears. GHL workflow runs. Contact fields filled. Opportunity in New. Team gets SMS/task. Optional vendor accepts in TMMT vendor portal.