



PRACTICAL USER GUIDE

GSF Hub Staff Content Operations Guide

Operate Newsletter, Data Centre, Learn, Case Studies, Resources, and Forums.

Guide detail	Description
Audience	GSF content staff, MEAL officers, CBF staff, course managers, and forum moderators.
Scope	Day-to-day content and data operations. Platform-level updates, plugins, themes, users, and settings belong to administrators.
Tested against	GSF Hub local test site at localhost:8090
Version date	July 28, 2026

How to use this guide

Follow the numbered procedures in order. Screenshots show the current local test build; labels may move slightly after WordPress, theme, or plugin updates.

Contents

- 1. Access and publishing standard**
- 2. Newsletter and mailing-list form**
3. Data Centre
4. Learn
5. Resources
6. Case Studies
7. Forums
8. Quality assurance and escalation

1. Access and publishing standard

Open /wp-admin/ and use the menu for your assigned role. The visible menu can differ by role; contact an administrator if a required area is missing.

Work area	Typical access
Newsletter form	Administrator or a role specifically granted Mailchimp settings access.
Data Centre	GSF MEAL Officer, GSF CBF Staff, GSF Admin, or Administrator.
Learn	GSF Content Staff with Learn capability, course manager, or Administrator.
Resources and Case Studies	GSF Content Staff, Editor-equivalent role, or Administrator.
Forum participation	bbPress Participant.
Forum moderation	bbPress Moderator, Keymaster, or Administrator.

If access is missing

Do not borrow another person's account. Ask an administrator to assign the smallest role or capability set needed for your duties.

Standard publish cycle

1. Prepare the approved text, files, image, language, metadata, and owner.
2. Create or edit the item in WordPress.
3. Save as Draft and review the preview.
4. Check links, downloads, spelling, accessibility, and filters.
5. Publish only after content approval.
6. Open the public page in a signed-out view and verify the result.

Multilingual content

- Select the correct language before publishing.
- Connect translations using the Languages panel; do not overwrite one language with another.
- Verify each language's title, body, metadata, file, and public URL.

2. Newsletter and mailing-list form

The current WordPress integration manages the website signup form and selected Mailchimp audience. Campaign creation and sending remain in Mailchimp.

GSF Hub | 13 | English | WP Mail SMTP | Howdy, gsfadmin

WP Mail SMTP: One or more emails recently failed to send. [View details](#)

Action Scheduler: 3 [past-due actions](#) found; something may be wrong. [Read documentation](#)

Please select the Mailchimp list you'd like to connect to your form.

Note: List settings are fetched from Mailchimp, fetching a new list will override your current settings.

GSF Hub

Form copy

Header

Add your own text, HTML markup (including image links), or keep it blank.

Sub-header

Add your own text, HTML markup (including image links), or keep it blank. This will be displayed under the heading and above the form.

Submit Button

Form preview

Email Address

Figure 1. Mailchimp Form Settings in WordPress.

Configure the website signup form

1. Open Mailchimp > Form Settings.
2. Confirm the selected audience or list is GSF Hub.
3. Review Form copy, button text, and any success or error messaging.
4. Select only the audience fields the website form should collect.
5. Review the Form preview.
6. Save changes, then submit a test address from the public site footer.

Create and send a newsletter

- Create the campaign in the connected Mailchimp account, not in the current WordPress plugin.
- Use the correct audience, subject, preview text, sender identity, and approved content.
- Send a test to internal reviewers and check desktop, mobile, links, alt text, and unsubscribe.
- Schedule or send only after approval; review delivery, opens, clicks, and unsubscribes in Mailchimp.

Local testing

WordPress transactional email is routed to Mailpit at localhost:8025. Mailchimp campaign sending may still require the external Mailchimp account and should not be tested with real audiences from localhost.

3. Data Centre

The Data Centre combines the PMF dashboard with indicators, results, disaggregation, organizations, projects, evidence, activities, Ecoequity, CSV tools, and settings.




Figure 2. Data Centre dashboard and its operating menu.

Recommended data-entry order

1. Confirm the organization exists.
2. Create or update the project and its classification fields.
3. Confirm the relevant PMF indicator exists.
4. Add or update the indicator result for the correct reporting period.
5. Add disaggregated rows that reconcile to the result total.
6. Attach supporting evidence and activity records.
7. Review the public dashboard and exported report.

Dashboard and indicators

WordPress 7.0.2 is available! Please update now.

Are you enjoying using Members?
Yes, I love it 🍌 | Not really...

Action Scheduler: 3 past-due actions found; something may be wrong. [Read documentation »](#)

Pods-managed PMF indicator register. Use this table to review the full indicator framework, baselines, targets, reporting values, and status.


[Add Indicator](#) [Import / Export Indicators](#)

Indicator Code	Result Level	Indicator Statement	Baseline	Target	Year 3 Value	Year 4 Value	Status
301		Gender-responsive resilience capacity improved			-	-	Pending
GSF-1000-01	Ultimate Outcome	Number of beneficiaries reporting an improved resilience index score from climate adaptation projects funded the GSF IGR Eba and CE grant pilot projects (SDG 13.1)	0 Males 0 Females	TBD	No data	-	Pending
GSF-1000-02	Ultimate Outcome	Area (hectares) brought under gender-responsive protection, conservation, and/or sustainable management to achieve mitigation, adaptation, and biodiversity benefits (GAC1400b)	0 Ha	TBD	No data	-	Pending
GSF-1100-	Intermediate Outcome	Number of NCTFs and EWROs with improved ecoequity index score	0.0	7 NCTFs 5 EO's 5 WRO	14	-	Reported

Figure 3. PMF Indicators screen.

- Dashboard summarizes indicator, result, project, evidence, and Ecoequity counts.
- Indicators define the PMF framework; change definitions only with MEAL approval.
- Indicator Results are the reported values. Check indicator, project, period, status, unit, and evidence.

Disaggregation



WordPress 7.0.2 is available! Please update now.

Disaggregation

Are you enjoying using Members?
[Yes, I love it](#) | [Not really...](#)

Action Scheduler: 3 [past-due actions](#) found; something may be wrong. [Read documentation >](#)

Edit the disaggregated rows that feed inclusion totals and homepage beneficiary metrics. Each row stores one category/value/count combination linked to an indicator result ID.

Inclusion Dashboard

CATEGORY	VALUE	TOTAL
organization	DCNTF	29
organization	GHFS	22
organization	GPAT	22
organization	GSDTF	33
organization	NCTFJ	20
organization	PACT	27

Figure 4. Disaggregation editor and inclusion dashboard.

- Use Result ID to connect each row to the correct indicator result.
- Choose the category, enter a clear value label, and enter the numeric value.
- Save edits and confirm that disaggregated values do not exceed or contradict the reported total.

Data integrity

Do not guess missing values. Use the approved zero, not applicable, or no-data treatment for the indicator and reporting period.

CSV import and export




Figure 5. CSV import templates and export reports.

1. Download the matching import template.
2. Keep the header names and required identifiers unchanged.
3. Validate dates, numeric fields, codes, and duplicates before upload.
4. Choose the correct Import type, select the CSV file, and import.
5. Review the result message and spot-check the affected records.
6. Export the related report and reconcile totals.

Before a large import

Ask an administrator to confirm a recent backup and run the import on localhost or staging first.

4. Learn

Learn staff manage SCORM packages, course records, learner reminders, progress, and certificate appearance.




Figure 6. Learner Reminders settings.

Upload and publish a course




Figure 7. Upload SCORM Package screen.

1. Open Learn > Upload SCORM Package.
2. Upload the approved SCORM ZIP package and wait for successful extraction.
3. Open Learn > Add Course or the course record created by the upload.
4. Enter the title, public description, duration, featured image, language, and SCORM package connection.

5. Keep Issue certificate after completion and feedback enabled when a certificate is required.
6. Save as Draft, preview, and test enrollment, launch, completion, feedback, and certificate.
7. Publish after the complete learner path passes.


Monitor learner progress

- Filter by course and status: Enrolled, In progress, Completed, or Failed.
- Investigate stalled records using the learner, course, last activity, and SCORM completion status.
- Do not manually mark completion unless an approved correction procedure exists.

Learner reminders

- Enable reminders only after outbound email is working.
- Set an inactivity period and a clear subject and message.
- Send a test reminder before enabling the schedule.
- Check Schedule status after saving.

Certificate settings



The screenshot shows the WordPress GSF Hub admin interface. The top navigation bar includes the WordPress logo, 'GSF Hub', a search icon, a language dropdown set to 'English', and a user profile 'Howdy, gsadmin'. The left sidebar contains a list of navigation links: Dashboard, Posts, Zoom Events, Media, Pages, Comments, Data Centre, Ultimate Member, Learn, Resources, Case Studies, Forum, Appearance, Directory, Plugins (9), Users, Tools, All-in-One WP Migration, and Settings. The main content area is titled 'Certificate Settings' and contains several sections:

- A yellow notification box at the top stating 'WordPress 7.0.2 is available! Please update now.'
- A section titled 'Are you enjoying using Members?' with a close button (X) and two radio buttons: 'Yes, I love it' (selected) and 'Not really'.
- A yellow action scheduler message: 'Action Scheduler: 3 past-due actions found; something may be wrong. Read documentation >'.
- A heading 'Configure the global certificate text and visual styling used when a learner completes a certificate-enabled course.'
- A series of text input fields for certificate configuration:
 - Title:** Certificate of Completion
 - Intro line:** This certifies that
 - Completion line:** has successfully completed
 - Issuer:** GSF Hub
 - Footer:** Caribbean Organizations for a Resilient Environment
 - Main GSF logo URL:** http://localhost:8090/wp-content/themes/gsf-hub-si

Figure 8. Certificate text, logos, and brand colors.

- Review title, introduction, completion line, issuer, and footer.
- Use approved GSF, Canada, and Caribbean Biodiversity Fund logo URLs.
- Confirm primary and accent colors and test Print or Save PDF.

Certificate gate

A learner's certificate is issued only after verified course completion and submitted feedback.

5. Resources




Figure 9. Resource Library list in WordPress.

Add a resource

Figure 10. Add New Resource editor and metadata fields.

1. Open Resources > Add Resource.
2. Enter the title and a concise description in the editor.
3. Set Resource Type, Topic, Country/Region, Publication Year, and Source Organization.
4. Attach the resource file and/or enter the approved external URL.
5. Set a featured image and the correct language.
6. Use Featured Resource only for approved homepage or promoted placement.
7. Save as Draft and preview.
8. Publish, then verify search, filters, file download, and external links on /resources/.

Files

Use descriptive filenames, an accessible document format, a reasonable file size, and the approved version. Replace superseded files rather than leaving users with ambiguous duplicates.

6. Case Studies




Figure 11. Case Studies list in WordPress.

Add a case study




Figure 12. Add Case Study editor.

1. Open Case Studies > Add Case Study.
2. Enter a specific outcome-focused title and the approved narrative.
3. Set Case Study Type, Focus Area, Country/Region, and Implementation Date.

4. Enter Lead Organization and Partners.
5. Set a featured image and meaningful image alternative text in the Media Library.
6. Use Featured Case Study only with editorial approval.
7. Select the correct language and connect translations.
8. Preview, publish, and verify the listing card, filters, and detail page.

Editorial checklist

- The title names the place, intervention, or outcome.
- Claims and numbers have an approved source.
- People are represented with consent and appropriate safeguarding.
- The story identifies reusable lessons, not only activities.
- Partner names, dates, and geography are consistent with Data Centre records.

7. Forums

Forum staff organize spaces and moderate topics and replies. Community members create discussions from the public site.

The screenshot displays the WordPress Forums administration interface. The left sidebar contains the WordPress dashboard menu, with 'Forums' selected. The main content area shows the 'Forums' management screen. At the top, there's a 'Create New Forum' button. Below it, a notification asks 'Are you enjoying using Members?' with 'Yes, I love it' and 'Not really...' options. An 'Action Scheduler' message indicates 3 past-due actions found. The forum list is shown with 5 items. The list has columns for Forum, Topics, Replies, Moderators, Creator, Created, Last Post, and language flags. Two forums are listed:

Forum	Topics	Replies	Moderators	Creator	Created	Last Post	Language
Events and Webinars Coordinate upcoming sessions, post event reminders, and continue webinar discussions.	0	0	—	gsfadmin	June 7, 2026 12:49 pm	No Topics	English, Spanish, French
Expert Roster and Partnerships Exchange	2	1	—	gsfadmin	June 7, 2026 12:49 pm	1 month, 1 week ago	English, Spanish, French

Figure 13. Forums list and bbPress administration.

Manage forum spaces

- Use Forums to edit the title, description, order, status, and visibility of each forum.
- Avoid renaming or deleting a live forum without checking links and moving its topics.

- Use closed or private status only when the access decision is approved.

Moderate topics

- Filter by forum and search by title or author.
- Open a topic to review content, author, tags, status, and forum assignment.
- Move misplaced topics, edit tags, close resolved threads, or mark spam according to policy.

Moderate replies

- Review the parent forum and topic before changing a reply.
- Use Trash or Spam only when the moderation policy supports it.
- Escalate threats, harassment, sensitive personal information, or safeguarding concerns immediately.

Forum authority

GSF Content Staff plus bbPress Participant can participate but cannot fully moderate. Moderation requires bbPress Moderator, Keymaster, or Administrator.

8. Quality assurance and escalation

Public verification checklist

- Correct title, language, date, owner, and featured image.
- No draft notes, localhost-only text, broken shortcodes, or placeholder content.
- Links and downloads open the intended destination.
- Search and filters return the new or updated item.
- Mobile layout is readable and controls remain usable.
- Images have meaningful alternative text; headings follow a logical order.
- Restricted data, private contact details, and internal files are not public.

Escalate to an administrator when

- A menu is missing or a permission blocks approved work.
- A plugin, theme, update, import, backup, restore, user-role, or site-setting change is required.
- Registration, login, email, SCORM launch, certificate generation, or public data is malfunctioning.
- A bulk change or large CSV import could affect many records.
- You suspect a security, privacy, or safeguarding incident.