

3.4 Exercise: Pull Request Scenario

I have posted my instructions used for the assignment. The screenshots are taken during the process. As you can see, they are normal and expected until the push to the repo. I had used the provided CS561 repo and needed to pull in the previously auto-created README file using the unrelated histories flag.

In the visual git it then shows an extra branch for the creation of the README file that was there before I started to populate it with this assignment. In the visual git, you will see it got messy after making xy.js. I had made some mistakes where it would not let me push and the GitHub website was taking a while to refresh, so I tried to restart but could not delete the history. This is why the initial commit also points to an ab.js.

The final result shows a complete Git workflow where two branches were successfully merged into one main branch. Starting from the professor's initial repository containing only a README, a local repo was created and connected to the remote. The ab.js file was added to main, then a new branch f-xy was created where xy.js was added. That branch was then merged back into main through a pull request and deleted afterward. The end result is a single main branch containing all three files, the README, ab.js, and xy.js, both locally and on GitHub.

Instuction Set:

```
mkdir test
cd test
git init
```

```
git checkout -b main
type nul > ab.js
echo let a = 24; > ab.js
echo let b = 20; >> ab.js
git add .
git commit -m "Added ab.js"
```



```
git remote add origin https://github.com/cs561-sp-26/lab-2-team-3.git
```

```
git pull origin main --allow-unrelated-histories
git push -u origin main
```

```
git checkout -b f-xy
type nul > xy.js
echo let x = 3; > xy.js
echo let y = 6; >> xy.js
git add .
git commit -m "Added xy.js"
git push -u origin f-xy
```

```
<open GitHub>
<open pull request: f-xy -> main>
<complete the merge on GitHub>
<delete the remote f-xy branch on GitHub>
```

```
git checkout main
git fetch --prune
git merge origin/main
git branch -d f-xy
```



Visual Studio interface showing a Git commit graph, a file explorer, and a command prompt window.

The command prompt shows the following commands and output:

```
C:\School\test>git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1009 bytes | 77.00 KiB/s, done.
From https://github.com/cs561-sp-26/lab-2-team-3
 * branch      main       -> FETCH_HEAD
 * [new branch] main       -> origin/main
Merge made by the 'ort' strategy.
 README.md | 1 +
 1 file changed, 1 insertion(+)
create mode 100644 README.md

C:\School\test>git push -u origin main
```

The file explorer shows the contents of the 'test' directory:

Name	Date modified	Type	Size
test	4/14/2026 8:40 PM	File folder	
Spring-2026-CS561-Software-Engineer...	4/14/2026 8:39 PM	File folder	
Spring-2026-CS540-Database-Managem...	4/11/2026 7:39 PM	File folder	
Fall-2025-AIS34-Machine-Learning	4/11/2026 7:38 PM	File folder	
Winter-2025-AIS31-Artificial-Intellig...	4/11/2026 7:33 PM	File folder	
Winter-2026-CS557-Computer-Graphics...	3/14/2026 10:30 AM	File folder	
Winter-2026-CS572-Computer-Architect...	1/2/2026 11:30 AM	File folder	
Fall-2025-CS550-Intro-to-Computer-Gra...	12/5/2025 8:13 PM	File folder	
Spring-2025-CS563-Human-Computer-L...	5/31/2025 6:34 PM	File folder	

Visual Studio interface showing a Git commit graph, a file explorer, and a command prompt window.

The command prompt shows the following commands and output:

```
C:\School\test>git add .
C:\School\test>git commit -m "Added xy.js"
[f-yx e9a6211] Added xy.js
 1 file changed, 2 insertions(+)
create mode 100644 xy.js

C:\School\test>git push -u origin f-xy
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 323 bytes | 323.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'f-xy' on GitHub by visiting:
https://github.com/cs561-sp-26/lab-2-team-3/pull/new/f-xy
remote:
To https://github.com/cs561-sp-26/lab-2-team-3.git
 * (new branch) f-xy -> f-xy
branch 'f-xy' set up to track 'origin/f-xy'.

C:\School\test>
```

The file explorer shows the contents of the 'test' directory:

Name	Date modified	Type	Size
.git	4/14/2026 8:54 PM	File folder	
xy.js	4/14/2026 8:54 PM	JavaScript Source ...	1 KB
README.md	4/14/2026 8:52 PM	MD File	1 KB



Commit message

Merge pull request #1 from cs561-sp-26/f-xy

Extended description


Added xy.js

This commit will be authored by 31741271+AJ-Protzel@users.noreply.github.com.

Confirm merge

Cancel

Still in progress? [Convert to draft](#)



```
C:\School\test>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

C:\School\test>git fetch --prune
From https://github.com/cs561-sp-26/lab-2-team-3
- [deleted]         (none) -> origin/f-xy
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 903 bytes | 301.00 KiB/s, done.
1c2ff8b..b421d15  main -> origin/main

C:\School\test>git merge origin/main
Updating 1c2ff8b..b421d15
Fast-forward
 xy.js | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 xy.js

C:\School\test>git branch -d f-xy
Deleted branch f-xy (was e9a6211).

C:\School\test>
```