

Module 5 Homework Assignment

<https://github.com/cs561-sp-26/Adrien-Mod5.4/pull/1>


PART 1:

Screenshot 1 — Empty onclick Bug (index.html)

Problem: The onclick attribute on the "Yes, Delete Round" button is empty and does nothing.

Rationale: This is a correctness bug. Per the acceptance criteria in Issue #1, clicking this button should delete the round from the table and from localStorage. An empty onclick directly violates this requirement. This falls under the logic errors and bugs category of Greiler's code review checklist.

Recommendation: Remove the empty onclick attribute and wire up the button in JavaScript using the existing `confirmDeleteBtn.addEventListener` call in the `confirmDelete()` function.




Screenshot 2 — Extra Whitespace in Button Text (index.html)

Problem: Both button elements contain unnecessary leading and trailing whitespace inside their tags.

Rationale: Google's JavaScript Style Guide emphasizes clean, consistent formatting. Extra whitespace inside HTML tags is a minor but unnecessary style issue that reduces code readability and cleanliness.

Recommendation: Remove the extra spaces so the button text reads "No, Cancel" and "Yes, Delete Round" with no padding inside the tags.




Screenshot 3 — Missing aria-labelledby on Modal (index.html)

Problem: The modal div is missing an aria-labelledby attribute.

Rationale: This is an accessibility issue covered under the usability and accessibility category of Greiler's code review checklist from Exploration 5.2. Without aria-labelledby, screen readers cannot identify the purpose of this modal dialog, making the feature inaccessible to users who rely on assistive technology.

Recommendation: Add aria-labelledby="confirmDeleteRoundModalLabel" to the modal div and add id="confirmDeleteRoundModalLabel" to the <h5> title element.




Screenshot 4 — @returns Documentation Mismatch in deleteRound() (roundsMode.js)

Problem: The @returns JSDoc comment says the function returns true or false, but the function has no return statement.

Rationale: Per Google's JavaScript Style Guide, JSDoc comments must accurately describe the function's behavior. Inaccurate documentation misleads other developers who may rely on a return value that never comes, which can cause bugs.

Recommendation: Update the `@returns` tag to `@returns {void}` or remove it entirely to accurately reflect that this function returns nothing.




Screenshot 5 — Indentation Issue in `deleteRound()` (`roundsMode.js`)

Problem: The function body uses 4-space indentation throughout.

Rationale: Google's JavaScript Style Guide requires 2-space indentation. Inconsistent indentation reduces readability and makes it harder for other developers to scan and understand the code quickly.

Recommendation: Update the indentation inside `deleteRound()` to use 2 spaces instead of 4.



Screenshot 6 — `var` Instead of `let` in `confirmDelete()` (`roundsMode.js`)

Problem: The for loop declares its counter variable using var instead of let.

Rationale: Google's JavaScript Style Guide explicitly prohibits the use of var and requires let or const. Unlike let, var is function-scoped rather than block-scoped, which can cause subtle and hard-to-find bugs in loops.

Recommendation: Change var i to let i in the for loop declaration.




Screenshot 7 — console.log Left in Production Code (roundsMode.js)

Problem: A console.log debug statement has been left in the confirmDelete() function.

Rationale: Per best practices in the Swarmia Complete Guide to Code Reviews, debug statements should be removed before code is submitted for review. Leaving console.log in production code exposes internal data — specifically the round ID — in the browser console and adds unnecessary clutter.

Recommendation: Remove the console.log("deleting round with id " + roundId) line entirely before merging.



Screenshot 8 — Event Listener Accumulation Bug (roundsMode.js)

Problem: Every call to `confirmDelete()` adds a new click listener to the confirm button without removing the previous one.

Rationale: This is a significant correctness bug. If a user deletes one round then tries to delete a second, the button will have two listeners attached and trigger two delete operations on a single click. This falls under the logic errors and bugs category of Greiler's code review checklist and directly violates the acceptance criteria.

Recommendation: Pass `{ once: true }` as a third argument to `addEventListener` so the listener automatically removes itself after firing once, or manually remove the listener inside the callback using `removeEventListener`.




Screenshot 9 — @returns Documentation Mismatch in `confirmDelete()` (roundsMode.js)

Problem: The `@returns` JSDoc comment says the function returns true or false, but the function has no return statement.

Rationale: As with `deleteRound()`, this is a documentation mismatch. Per Google's JavaScript Style Guide, JSDoc comments must accurately describe the function. This inaccuracy misleads developers who read the comment expecting a boolean return value.

Recommendation: Update the `@returns` tag to `@returns {void}` or remove it to accurately reflect the function's behavior.



Final Screenshot — Submitted Review Summary

After reviewing all changed files in this pull request, nine issues were identified spanning correctness, documentation, style, and accessibility. The most critical issues are the empty `onclick` attribute on the confirm button and the event listener accumulation bug, both of which would prevent the feature from working correctly. Changes have been requested before this PR can be approved.

Delete Round #1

Open AJ-Protzel wants to merge 4 commits into main from delete-round

Conversation 10 Commits 4 Checks 0 Files changed 3 +93

AJ-Protzel commented 18 minutes ago

No description provided.

AJ-Protzel added 4 commits 31 minutes ago

- Added user_story template 3684c61
- Add confirm delete modal #1 deb1748
- Add confirmDelete function #1 ef3ffd3
- Add deleteRound function #1 3317878

AJ-Protzel commented now

View reviewed changes

AJ-Protzel left a comment

Several issues were identified including a critical bug with the empty onclick handler, an event listener accumulation bug, use of var instead of let, a console.log left in production code, documentation mismatches in both functions, indentation inconsistencies, and an accessibility issue with the modal. Requesting changes before approval.

index.html

```

1570 + </div>
1571 + <div class="modal-footer">
1572 +   <button type="button" class="btn btn-secondary" data-bs-dismiss="modal"> No, I
1573 +   <button type="button" id="confirmDeleteBtn" class="btn btn-primary" onclick>

```

AJ-Protzel 13 minutes ago

The onclick attribute is empty and does nothing. This is a bug — the button will not trigger any action when clicked. It should either be removed and handled in JavaScript, or given a proper function call like onclick="confirmDelete()". Per the acceptance criteria, clicking this button should delete the round.

Reply...

Resolve conversation

index.html

```

1569 + <p>Do you really want to delete that round?</p>
1570 + </div>

```

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you authored the thread.

1 participant

Lock conversation

PART 2:

Comparing my individual review to my team's collective review revealed both overlap and meaningful differences in how we approached the pull request. Overall, the team's review was more focused on functional correctness, while my individual review cast a wider net across style, documentation, and accessibility concerns.

One issue that both my team and I identified was the @returns documentation mismatch in the confirmDelete() function, where the JSDoc comment claims the function returns a boolean but

no return statement exists. This was flagged in both reviews as a documentation defect that could mislead other developers.

One issue I identified individually that my team did not emphasize was the event listener accumulation bug in `confirmDelete()`. Each call to the function adds a new click listener to the confirm button without removing the previous one, which would cause multiple deletions to trigger on a single click. This is arguably the most critical correctness bug in the PR, and I was surprised it wasn't a focus of the team discussion.

One issue my team identified that I missed in my individual review was the missing `roundId` validation inside `confirmDelete()`. The team correctly flagged that the function uses the `roundId` on several lines without first checking whether it is null or empty, which could cause the application to crash with an invalid ID. This was a valuable catch that I overlooked by focusing more heavily on style and documentation issues.



savvtann reviewed [yesterday](#)

[View reviewed changes](#)

savvtann left a comment

Member ...

Below are the notes I made in my review. I would say the first is a minor defect and the second is major. On line 225 of, a comment states that the `confirmDelete` function returns true or false depending on the user. This is an issue because the `confirmDelete` function does not return anything. I suggest removing this comment or adding the proper return statement. The `confirmDelete` function, starting on line 227, does not validate the `roundId` before using it on line 236, 240, and 245. This is an issue because an invalid ID could lead to errors and the app crashing. I suggest adding an ID validation check at the start of the function. This could check if the `roundId` is empty or null.



AJ-Protzel commented [now](#)

Member Author ...

Below are the notes I made in my review. I would say the first is a minor defect and the second is major. On line 225 of, a comment states that the `confirmDelete` function returns true or false depending on the user. This is an issue because the `confirmDelete` function does not return anything. I suggest removing this comment or adding the proper return statement. The `confirmDelete` function, starting on line 227, does not validate the `roundId` before using it on line 236, 240, and 245. This is an issue because an invalid ID could lead to errors and the app crashing. I suggest adding an ID validation check at the start of the function. This could check if the `roundId` is empty or null.

Thank you for your thorough review. These findings have been noted and we will work collaboratively to address both the misleading comment on line 225 and the missing ID validation in the `confirmDelete` function.

