OREGO Work-Precision Diagrams

Chris Rackauckas

March 10, 2019

```
using OrdinaryDiffEq, DiffEqDevTools, ParameterizedFunctions, Plots, ODE,
    ODEInterfaceDiffEq, LSODA, Sundials
```

```
Error: InterruptException:
```

```
gr() #gr(fmt=:png)
```

```
Error: UndefVarError: gr not defined
```

```
f = @ode_def Orego begin
  dy1 = p1*(y2+y1*(1-p2*y1-y2))
  dy2 = (y3-(1+y1)*y2)/p1
  dy3 = p3*(y1-y3)
end p1 p2 p3
```

```
Error: LoadError: UndefVarError: @ode_def not defined
in expression starting at none:2
```

```
p = [77.27,8.375e-6,0.161]
prob = ODEProblem(f,[1.0,2.0,3.0],(0.0,30.0),p)
```

```
Error: UndefVarError: ODEProblem not defined
```

```
sol = solve(prob,Rodas5(),abstol=1/10^14,reltol=1/10^14)
```

```
Error: UndefVarError: Rodas5 not defined
```

```
test_sol = TestSolution(sol)
```

```
Error: UndefVarError: TestSolution not defined
```

```
abstols = 1.0 ./ 10.0 .^ (4:11)
reltols = 1.0 ./ 10.0 .^ (1:8);
```

```
plot_prob = ODEProblem(f,[1.0,2.0,3.0],(0.0,400.0))
```

```
Error: UndefVarError: ODEProblem not defined
```

```
sol = solve(plot_prob,CVODE_BDF())
```

```
Error: UndefVarError: CVODE_BDF not defined
```

```
plot(sol,yscale=:log10)
```

```
Error: UndefVarError: plot not defined
```

0.1 Omissions and Tweaking

The following were omitted from the tests due to convergence failures. ODE.jl's adaptivity is not able to stabilize its algorithms, while GeometricIntegratorsDiffEq has not upgraded to Julia 1.0. GeometricIntegrators.jl's methods used to be either fail to converge at comparable dts (or on some computers errors due to type conversions).

```
#sol = solve(prob,ode23s()); println("Total ODE.jl steps:  $(length(sol))")
#using GeometricIntegratorsDiffEq
#try
# sol = solve(prob,GIRadIIA3(),dt=1/10)
#catch e
# println(e)
#end

sol = solve(prob,ARKODE(),abstol=1e-5,reltol=1e-1);

Error: UndefVarError: ARKODE not defined

sol = solve(prob,ARKODE(nonlinear_convergence_coefficient =
    1e-3),abstol=1e-5,reltol=1e-1);

Error: UndefVarError: ARKODE not defined

sol = solve(prob,ARKODE(order=3),abstol=1e-5,reltol=1e-1);

Error: UndefVarError: ARKODE not defined

sol = solve(prob,ARKODE(order=3,nonlinear_convergence_coefficient =
    1e-5),abstol=1e-5,reltol=1e-1);

Error: UndefVarError: ARKODE not defined

sol = solve(prob,ARKODE(order=5),abstol=1e-5,reltol=1e-1);

Error: UndefVarError: ARKODE not defined
```

0.2 High Tolerances

This is the speed when you just want the answer.

```
solve(prob, ddebdf())

Error: UndefVarError: ddebdf not defined

solve(prob, rodas())

Error: UndefVarError: rodas not defined

solve(prob, radau())

Error: UndefVarError: radau not defined
```

```
abstols = 1.0 ./ 10.0 .^ (5:8)
reltols = 1.0 ./ 10.0 .^ (1:4);
setups = [Dict(:alg=>Rosenbrock23()),
          Dict(:alg=>Rodas3()),
          Dict(:alg=>TRBDF2()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>rodas()),
          Dict(:alg=>radau()),
          Dict(:alg=>lsoda())]
```

```
Error: UndefVarError: Rosenbrock23 not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;dense = false,verbose=false,
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:l2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:L2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
setups = [Dict(:alg=>Rosenbrock23()),
          Dict(:alg=>Kvaerno3()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>KenCarp4()),
          Dict(:alg=>TRBDF2()),
          Dict(:alg=>KenCarp3()),
    # Dict(:alg=>SDIRK2()), # Removed because it's bad
          Dict(:alg=>radau())]
```

```
Error: UndefVarError: Rosenbrock23 not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;dense = false,verbose = false,
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:l2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:L2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
setups = [Dict(:alg=>Rosenbrock23()),
          Dict(:alg=>KenCarp5()),
          Dict(:alg=>KenCarp4()),
          Dict(:alg=>KenCarp3()),
          Dict(:alg=>ARKODE(order=5)),
          Dict(:alg=>ARKODE(nonlinear_convergence_coefficient = 1e-6)),
          Dict(:alg=>ARKODE(nonlinear_convergence_coefficient = 1e-5,order=3))
          ]
```

```
Error: UndefVarError: Rosenbrock23 not defined
```

```
names = ["Rosenbrock23" "KenCarp5" "KenCarp4" "KenCarp3" "ARKODE5" "ARKODE4" "ARKODE3"]
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      names=names,
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

0.2.1 Low Tolerances

This is the speed at lower tolerances, measuring what's good when accuracy is needed.

```
abstols = 1.0 ./ 10.0 .^ (7:13)
reltols = 1.0 ./ 10.0 .^ (4:10)

setups = [Dict(:alg=>GRK4A()),
          Dict(:alg=>Rodas4P()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>ddebdf()),
          Dict(:alg=>Rodas4()),
          Dict(:alg=>rodas()),
          Dict(:alg=>radau()),
          Dict(:alg=>lsoda())
]
```

```
Error: UndefVarError: GRK4A not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;verbose=false,
    dense=false,appxsol=test_sol,maxiters=Int(1e5),error_estimate=:l2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:L2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
setups = [
          Dict(:alg=>Rodas5()),
          Dict(:alg=>Kvaerno5()),
          Dict(:alg=>CVODE_BDF()),
          Dict(:alg=>KenCarp4()),
          Dict(:alg=>KenCarp5()),
          Dict(:alg=>Rodas4()),
          Dict(:alg=>radau())]
```

```
Error: UndefVarError: Rodas5 not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;verbose=false,
    dense=false,appxsol=test_sol,maxiters=Int(1e5),error_estimate=:l2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

```
wp = WorkPrecisionSet(prob,abstols,reltols,setups;
                      appxsol=test_sol,maxiters=Int(1e5),error_estimate=:L2,numruns=10)
```

```
Error: UndefVarError: test_sol not defined
```

```
plot(wp)
```

```
Error: UndefVarError: plot not defined
```

The following algorithms were removed since they failed.

```
#setups = [Dict(:alg=>Hairer4()),
           #Dict(:alg=>Hairer42()),
           #Dict(:alg=>Rodas3()),
           #Dict(:alg=>Kvaerno4()),
           #Dict(:alg=>Cash4())
#]
#wp = WorkPrecisionSet(prob,abstols,reltols,setups;
# save_everystep=false,appxsol=test_sol,maxiters=Int(1e5),numruns=10)
#plot(wp)
```

0.2.2 Conclusion

At high tolerances, `Rosenbrock23` hits the the error estimates and is fast. At lower tolerances and normal user tolerances, `Rodas4` and `Rodas5` are extremely fast. When you get down to `reltol=1e-9` `radau` begins to become as efficient as `Rodas4`, and it continues to do well below that.

```
using DiffEqBenchmarks
DiffEqBenchmarks.bench_footer(WEAVE_ARGS[:folder],WEAVE_ARGS[:file])
```

0.3 Appendix

These benchmarks are a part of the DiffEqBenchmarks.jl repository, found at: https://github.com/JuliaDi

To locally run this tutorial, do the following commands:

```
using DiffEqBenchmarks
DiffEqBenchmarks.weave_file("StiffODE","Orego.jmd")
```

Computer Information:

```
Julia Version 1.1.0
Commit 80516ca202 (2019-01-21 21:24 UTC)
Platform Info:
  OS: Linux (x86_64-pc-linux-gnu)
  CPU: Intel(R) Xeon(R) CPU E5-2680 v4 @ 2.40GHz
  WORD_SIZE: 64
  LIBM: libopenlibm
  LLVM: libLLVM-6.0.1 (ORCJIT, haswell)
```

Package Information:

```
Status: `/home/yingboma/.julia/dev/DiffEqBenchmarks/Project.toml`
[f3b72e0c-5b89-59e1-b016-84e28bfd966d] DiffEqDevTools 2.7.2
[7073ff75-c697-5162-941a-fcdaad2a7d2a] IJulia 1.17.0
[7f56f5a3-f504-529b-bc02-0b1fe5e64312] LSODA 0.4.0
[c030b06c-0b6d-57c2-b091-7029874bd033] ODE 2.4.0
[54ca160b-1b9f-5127-a996-1867f4bc2a2c] ODEInterface 0.4.5
[09606e27-ecf5-54fc-bb29-004bd9f985bf] ODEInterfaceDiffEq 3.1.0
[1dea7af3-3e70-54e6-95c3-0bf5283fa5ed] OrdinaryDiffEq 5.3.0
[65888b18-ceab-5e60-b2b9-181511a3b968] ParameterizedFunctions 4.1.1
[91a5bcdd-55d7-5caf-9e0b-520d859cae80] Plots 0.23.1
[c3572dad-4567-51f8-b174-8c6c989267f4] Sundials 3.2.0
[44d3d7a6-8a23-5bf8-98c5-b353f8df5ec9] Weave 0.8.1
[b77e0a4c-d291-57a0-90e8-8db25a27a240] InteractiveUtils
[d6f4376e-aef5-505a-96c1-9c027394607a] Markdown
[44cfe95a-1eb2-52ea-b672-e2afdf69b78f] Pkg
[9a3f8284-a2c9-5f02-9a11-845980a1fd5c] Random
```