

# Rajalakshmi Engineering College

Name: Kiran Ajay S.N  
Email: 241801126@rajalakshmi.edu.in  
Roll no:  
Phone: null  
Branch: REC  
Department: AI & DS - Section 1  
Batch: 2028  
Degree: B.E - AI & DS

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : Coding

##### 1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotException  
AtTheRateException  
DomainException

A typical email address should have a "." character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

### ***Input Format***

The first line of input contains the email to be validated.

### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

### ***Sample Test Case***

Input: sample@gmail.com

Output: Valid email address

### ***Answer***

```
// You are using Java
import java.util.Scanner;
```

```
class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}
```

```
class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}
```

```
class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}
```

```
public class Main {
```

```
    public static void validateEmail(String email) throws DotException,
    AtTheRateException, DomainException {
        if (email.startsWith(".") || email.endsWith(".") || email.contains("..")) {
            throw new DotException("Invalid Dot usage");
        }
    }
```

```
    if (email.indexOf('@') == -1 || email.indexOf('@') != email.lastIndexOf('@')) {
        throw new AtTheRateException("Invalid @ usage");
    }
}
```

```

String[] validDomains = {"in", "com", "net", "biz"};
String domain = email.substring(email.lastIndexOf('.') + 1);
boolean isValidDomain = false;
for (String validDomain : validDomains) {
    if (domain.equals(validDomain)) {
        isValidDomain = true;
        break;
    }
}
if (!isValidDomain) {
    throw new DomainException("Invalid Domain");
}
}

public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
    String email = scanner.nextLine();

    try {
        validateEmail(email);
        System.out.println("Valid email address");
    } catch (DotException | AtTheRateException | DomainException e) {
        System.out.println(e.getClass().getSimpleName() + ": " + e.getMessage());
        System.out.println("Invalid email address");
    }
}
}

```

**Status :** Correct

**Marks :** 10/10