MediXO EduX
AI Academic Intelligence

EXAMINATION
INTELLIGENCE
REPORT

FULL EXAM ANALYSIS REPORT

DETAILED PERFORMANCE • QUESTION ANALYSIS • LEARNING INSIGHTS

NEET UG Full Syllabus Mock — 180 Questions (synthetic local integration)

Combined (Physics, Chemistry, Biology) | All Subjects



71.1%
Score

Marks Obtained
512 / 720

123 Correct | 41 Incorrect | 16 Skipped

Student	**NEET Long Report Fixture**
Roll Number	**NEET-180-001**
Exam Date	**03 Nov 2026**
Total Marks	**720**

Subject Analysis | Chapter Mastery | Question-wise Review | Error & Learning Insights | Revision Plan & Next Steps

DISCIPLINE
CREATIVITY
PROGRESS

ABRIGHTER
TOMORROW
TOGETHER

01 PERFORMANCE INTELLIGENCE

Performance intelligence

Response composition

180 questions in the paper



- Correct 123
- Incorrect 40
- Skipped 17

Difficulty analysis

Questions and published accuracy

Easy		60 Q · 86%
Medium		75 Q · 74%
Hard		45 Q · 58%

Accuracy values are reproduced from the payload.

Mistake distribution

Count by published classification

Concept Error		18
Calculation Error		13
Formula Error		6
Time Pressure		4

Source classifications; rows are measured independently.

Subject-wise performance

Subject-wise performance

Accuracy by subject



Physics 176/180 Chemistry 168/180 Biology 168/180

Important performance signals

GRADE B+	RANK 128	PERCENTILE 94.6
BATCH RANK 7	COHORT SIZE 120	OVERALL SPEED 2.4
CONFIDENCE INDEX 81	READINESS SCORE 78	HEALTH SCORE 83
NEGATIVE MARKS 41	GUESS ATTEMPTS 7	ATTEMPT RATIO 91.1%
TOTAL QUESTIONS 180	OVERALL ACCURACY 75.46%	BADGE Long-report validation

02 MASTERY MAP

Subject and chapter mastery

Subject marks, accuracy and classification

SUBJECT	MARKS	ACCURACY	RANK	LEVEL	STRONG AREAS	WEAK AREAS
Physics	176 / 180	78%	2	Medium	Kinematics	Rotational Motion
Chemistry	168 / 180	72%	3	Hard	Mole Concept	Chemical Kinetics
Biology	168 / 180	73%	4	Medium	Cell Biology	Plant Physiology

Strong, weak and critical chapters by subject

SUBJECT	STRONG CHAPTERS	WEAK CHAPTERS	CRITICAL CHAPTERS
Physics	Modern Physics	Mechanics · Electrodynamics	Mechanics
Chemistry	Inorganic Chemistry	Physical Chemistry · Biomolecules	Biomolecules
Biology	Zoology	Genetics · Human Physiology	Genetics

Chapter mastery · grouped by subject

CHAPTER	ACCURACY	MARKS	TIME	MASTERY
Physics				
Mechanics	45%	8	12m	Critical
Electrodynamics	52%	9	14m	Weak
Thermodynamics	59%	10	16m	Average
Modern Physics	66%	11	18m	Strong
Chemistry				
Physical Chemistry	73%	8	12m	Weak
Organic Chemistry	80%	9	14m	Average
Inorganic Chemistry	87%	10	16m	Strong
Biomolecules	94%	11	18m	Critical
Biology				
Botany	51%	8	12m	Average
Zoology	58%	9	14m	Strong
Genetics	65%	10	16m	Critical
Human Physiology	72%	11	18m	Weak

03 PACE INTELLIGENCE

Time intelligence

Chapter time consumption · measured rows

CHAPTER	SHARE OF TOTAL TIME	TIME CONSUMED	SHARE
Physics			
Mechanics	7%	12m	7%
Electrodynamics	8%	14m	8%
Thermodynamics	9%	16m	9%
Modern Physics	10%	18m	10%
Chemistry			
Physical Chemistry	7%	12m	7%
Organic Chemistry	8%	14m	8%
Inorganic Chemistry	9%	16m	9%
Biomolecules	10%	18m	10%
Biology			
Botany	7%	12m	7%
Zoology	8%	14m	8%
Genetics	9%	16m	9%
Human Physiology	10%	18m	10%

Time-management metrics

AVERAGE PER QUESTION
2.6

NAVIGATION COUNT
213

MANAGEMENT SCORE
79

FASTEST QUESTION
Q001

FASTEST TIME
0.8

SLOWEST QUESTION
Q180

SLOWEST TIME
5.1

Sectional allocation and efficiency

SECTION	ALLOCATED	USED	EFFICIENCY
Physics	60	58	108
Chemistry	60	56	111

Sectional allocation and efficiency · continued

SECTION	ALLOCATED	USED	EFFICIENCY
Biology	60	54	114

04 COMPARISON & TRAJECTORY

Comparison and projection

Comparative performance

Comparison register

BENCHMARK	SCORE	PERCENTILE	GRADE	REFERENCE
Previous NEET mock	486	91.2	B	
Previous month avg	171	88.1		
Batch average	442	84.4		
Institute average	149	80.4		
Top performer	254	99.6		Divya Krishnan

VS PREVIOUS TEST

+26

Projection and readiness

Score trajectory



Expected improvement +4.2% · Risk Low

Prediction signals

JEE PERCENTILE	EXPECTED AIR	TARGET PROBABILITY
94.6	8400	84

RISK LEVEL	EXPECTED IMPROVEMENT
Low	+4.2%

Trajectory values

EXAMINATION / PROJECTION	SCORE
ATS 1	148
ATS 2	158
ATS 3	168
ATS 4 (latest)	182
JEE Main (predicted)	198

READINESS SCORE	CONFIDENCE INDEX	HEALTH SCORE
78	81	83

OVERALL ACCURACY	BADGE
75.46%	Long-report validation

05 QUESTION INTELLIGENCE

Question-by-question analysis

180 questions reviewed · published explanations reproduced in full

01 Physics


60 questions

QUESTION 01 PHYSICS

SKIPPED


Mechanics · Kinematics · Easy · MCQ · 0 marks · 48s

NEET Physics question 1: evaluate the statement about Kinematics in Mechanics and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

Not attempted

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign

Physics · Q001 · explanation continued

convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

QUESTION 02 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Medium · MCQ · 4 marks · 1m 10s

NEET Physics question 2: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q003 · question continued

QUESTION 03 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Hard · MCQ · 4 marks · 1m 32s

NEET Physics question 3: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q004 · question continued

QUESTION 04 PHYSICS

CORRECT

Modern Physics · Semiconductors · Easy · MCQ · 4 marks · 1m 55s

NEET Physics question 4: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Physics · Q005 · question continued


QUESTION 05 PHYSICS


INCORRECT

Mechanics · Kinematics · Medium · MCQ · −1 mark · 2m 17s

NEET Physics question 5: evaluate the statement about Kinematics in Mechanics and select the correct option.







OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 5: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Physics · Q005 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 5: the chosen option reverses the boundary condition.

QUESTION 06 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Hard · MCQ · 4 marks · 2m 39s

NEET Physics question 6: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q007 · question continued

QUESTION 07 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Easy · MCQ · 4 marks · 3m 01s

NEET Physics question 7: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q008 · question continued

QUESTION 08 PHYSICS

CORRECT

Modern Physics · Semiconductors · Medium · MCQ · 4 marks · 3m 23s

NEET Physics question 8: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q009 · question continued


QUESTION 09 PHYSICS

INCORRECT


Mechanics · Kinematics · Hard · MCQ · −1 mark · 3m 46s

NEET Physics question 9: evaluate the statement about Kinematics in Mechanics and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 9: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Physics · Q009 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 9: the chosen option reverses the boundary condition.

QUESTION 10 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Easy · MCQ · 4 marks · 4m 08s

NEET Physics question 10: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q011 · question continued

QUESTION 11 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Medium · MCQ · 4 marks · 4m 30s

NEET Physics question 11: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q012 · question continued

QUESTION 12 PHYSICS

SKIPPED

Modern Physics · Semiconductors · Hard · MCQ · 0 marks · 4m 52s

NEET Physics question 12: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q013 · question continued


QUESTION 13 PHYSICS

INCORRECT

Mechanics · Kinematics · Easy · MCQ · −1 mark · 5m 14s

NEET Physics question 13: evaluate the statement about Kinematics in Mechanics and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 13: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 13: the chosen option reverses the boundary condition.

Physics · Q014 · question continued

QUESTION 14 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Medium · MCQ · 4 marks · 48s

NEET Physics question 14: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q015 · question continued

QUESTION 15 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Hard · MCQ · 4 marks · 1m 10s

NEET Physics question 15: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q016 · question continued

QUESTION 16 PHYSICS

CORRECT

Modern Physics · Semiconductors · Easy · MCQ · 4 marks · 1m 32s

NEET Physics question 16: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q017 · question continued

QUESTION 17 PHYSICS


INCORRECT

Mechanics · Kinematics · Medium · MCQ · −1 mark · 1m 55s


NEET Physics question 17: evaluate the statement about Kinematics in Mechanics and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 17: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 17: the chosen option reverses the boundary condition.

Physics · Q018 · question continued

QUESTION 18 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Hard · MCQ · 4 marks · 2m 17s

NEET Physics question 18: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q019 · question continued

QUESTION 19 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Easy · MCQ · 4 marks · 2m 39s

NEET Physics question 19: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q020 · question continued

QUESTION 20 PHYSICS

CORRECT

Modern Physics · Semiconductors · Medium · MCQ · 4 marks · 3m 01s

NEET Physics question 20: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q021 · question continued

QUESTION 21 PHYSICS

INCORRECT

Mechanics · Kinematics · Hard · MCQ · −1 mark · 3m 23s

NEET Physics question 21: evaluate the statement about Kinematics in Mechanics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 21: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Physics question 21: the chosen option reverses the boundary condition.

Physics · Q022 · question continued

QUESTION 22 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Easy · MCQ · 4 marks · 3m 46s

NEET Physics question 22: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q023 · question continued

QUESTION 23 PHYSICS

SKIPPED

Thermodynamics · Electrostatics · Medium · MCQ · 0 marks · 4m 08s

NEET Physics question 23: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q024 · question continued

QUESTION 24 PHYSICS

CORRECT

Modern Physics · Semiconductors · Hard · MCQ · 4 marks · 4m 30s

NEET Physics question 24: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$


Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 25 PHYSICS

INCORRECT


Mechanics · Kinematics · Easy · MCQ · −1 mark · 4m 52s

NEET Physics question 25: evaluate the statement about Kinematics in Mechanics and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 25: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 25: the chosen option reverses the boundary condition.

Physics · Q026 · question continued

QUESTION 26 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Medium · MCQ · 4 marks · 5m 14s

NEET Physics question 26: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q027 · question continued

QUESTION 27 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Hard · MCQ · 4 marks · 48s

NEET Physics question 27: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q028 · question continued

QUESTION 28 PHYSICS

CORRECT

Modern Physics · Semiconductors · Easy · MCQ · 4 marks · 1m 10s

NEET Physics question 28: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q029 · question continued

QUESTION 29 PHYSICS

INCORRECT

Mechanics · Kinematics · Medium · MCQ · −1 mark · 1m 32s

NEET Physics question 29: evaluate the statement about Kinematics in Mechanics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 29: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 29: the chosen option reverses the boundary condition.

Physics · Q030 · question continued

QUESTION 30 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Hard · MCQ · 4 marks · 1m 55s

NEET Physics question 30: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q031 · question continued

QUESTION 31 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Easy · MCQ · 4 marks · 2m 17s

NEET Physics question 31: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q032 · question continued

QUESTION 32 PHYSICS

CORRECT

Modern Physics · Semiconductors · Medium · MCQ · 4 marks · 2m 39s

NEET Physics question 32: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Physics · Q033 · question continued

QUESTION 33 PHYSICS

INCORRECT


Mechanics · Kinematics · Hard · MCQ · −1 mark · 3m 01s

NEET Physics question 33: evaluate the statement about Kinematics in Mechanics and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 33: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is

Physics · Q033 · explanation continued

intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 33: the chosen option reverses the boundary condition.

QUESTION 34 PHYSICS

SKIPPED

Electrodynamics · Rotational Motion · Easy · MCQ · 0 marks · 3m 23s

NEET Physics question 34: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

Not attempted

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q035 · question continued

QUESTION 35 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Medium · MCQ · 4 marks · 3m 46s

NEET Physics question 35: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q036 · question continued

QUESTION 36 PHYSICS

CORRECT

Modern Physics · Semiconductors · Hard · MCQ · 4 marks · 4m 08s

NEET Physics question 36: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

QUESTION 37 · PHYSICS

Mechanics · Kinematics · Easy · MCQ · −1 mark · 4m 30s

NEET calibration question 37: A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental

QUESTION 37 · PHYSICS · continued

boundary conditions. A multi-stage assertion requires careful comparison of the governing equation,

Physics · Q037 · question continued

QUESTION 37 · PHYSICS

dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires

QUESTION 37 · PHYSICS · continued

careful comparison of the governing equation, dimensional consistency, limiting behaviour and the

QUESTION 37 · PHYSICS · continued

experimental boundary conditions. Which conclusion is correct?

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.


QUESTION 37 · PHYSICS · continued

Student response: B

Correct answer: A

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 37: the chosen option reverses the boundary condition.

Q037 · figure continued



EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Physics · Q037 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 37: the chosen option reverses the boundary condition.

Physics · Q038 · question continued

QUESTION 38 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Medium · MCQ · 4 marks · 4m 52s

NEET Physics question 38: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q039 · question continued

QUESTION 39 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Hard · MCQ · 4 marks · 5m 14s

NEET Physics question 39: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q040 · question continued

QUESTION 40 PHYSICS

CORRECT

Modern Physics · Semiconductors · Easy · MCQ · 4 marks · 48s

NEET Physics question 40: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q041 · question continued


QUESTION 41 PHYSICS

INCORRECT


Mechanics · Kinematics · Medium · MCQ · −1 mark · 1m 10s

NEET Physics question 41: evaluate the statement about Kinematics in Mechanics and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 41: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Physics · Q041 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Physics question 41: the chosen option reverses the boundary condition.

QUESTION 42 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Hard · MCQ · 4 marks · 1m 32s

NEET Physics question 42: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q043 · question continued

QUESTION 43 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Easy · MCQ · 4 marks · 1m 55s

NEET Physics question 43: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q044 · question continued

QUESTION 44 PHYSICS

CORRECT

Modern Physics · Semiconductors · Medium · MCQ · 4 marks · 2m 17s

NEET Physics question 44: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q045 · question continued


QUESTION 45 PHYSICS

SKIPPED

Mechanics · Kinematics · Hard · MCQ · 0 marks · 2m 39s

NEET Physics question 45: evaluate the statement about Kinematics in Mechanics and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
A

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q046 · question continued

QUESTION 46 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Easy · MCQ · 4 marks · 3m 01s

NEET Physics question 46: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q047 · question continued

QUESTION 47 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Medium · MCQ · 4 marks · 3m 23s

NEET Physics question 47: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 48 PHYSICS

CORRECT

Modern Physics · Semiconductors · Hard · MCQ · 4 marks · 3m 46s

NEET Physics question 48: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q049 · question continued

QUESTION 49 PHYSICS


INCORRECT

Mechanics · Kinematics · Easy · MCQ · −1 mark · 4m 08s


NEET Physics question 49: evaluate the statement about Kinematics in Mechanics and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 49: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 49: the chosen option reverses the boundary condition.

Physics · Q050 · question continued

QUESTION 50 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Medium · MCQ · 4 marks · 4m 30s

NEET Physics question 50: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q051 · question continued

QUESTION 51 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Hard · MCQ · 4 marks · 4m 52s

NEET Physics question 51: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Physics · Q052 · question continued

QUESTION 52 PHYSICS

CORRECT

Modern Physics · Semiconductors · Easy · MCQ · 4 marks · 5m 14s

NEET Physics question 52: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q053 · question continued

QUESTION 53 PHYSICS

INCORRECT

Mechanics · Kinematics · Medium · MCQ · −1 mark · 48s

NEET Physics question 53: evaluate the statement about Kinematics in Mechanics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 53: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 53: the chosen option reverses the boundary condition.

Physics · Q054 · question continued

QUESTION 54 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Hard · MCQ · 4 marks · 1m 10s

NEET Physics question 54: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q055 · question continued

QUESTION 55 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Easy · MCQ · 4 marks · 1m 32s

NEET Physics question 55: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q056 · question continued

QUESTION 56 PHYSICS

SKIPPED

Modern Physics · Semiconductors · Medium · MCQ · 0 marks · 1m 55s

NEET Physics question 56: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT


Recheck the limiting case and the sign of the final term.

QUESTION 57 PHYSICS

INCORRECT


Mechanics · Kinematics · Hard · MCQ · −1 mark · 2m 17s

NEET Physics question 57: evaluate the statement about Kinematics in Mechanics and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Physics question 57: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Physics question 57: the chosen option reverses the boundary condition.

Physics · Q058 · question continued

QUESTION 58 PHYSICS

CORRECT

Electrodynamics · Rotational Motion · Easy · MCQ · 4 marks · 2m 39s

NEET Physics question 58: evaluate the statement about Rotational Motion in Electrodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q059 · question continued

QUESTION 59 PHYSICS

CORRECT

Thermodynamics · Electrostatics · Medium · MCQ · 4 marks · 3m 01s

NEET Physics question 59: evaluate the statement about Electrostatics in Thermodynamics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Physics · Q060 · question continued

QUESTION 60 PHYSICS

CORRECT

Modern Physics · Semiconductors · Hard · MCQ · 4 marks · 3m 23s

NEET Physics question 60: evaluate the statement about Semiconductors in Modern Physics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

02 Chemistry

60 questions

QUESTION 61 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Easy · MCQ · −1 mark · 3m 46s

NEET Chemistry question 61: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 61: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Chemistry question 61: the chosen option reverses the boundary condition.

Chemistry · Q062 · question continued

QUESTION 62 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Medium · MCQ · 4 marks · 4m 08s

NEET Chemistry question 62: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q063 · question continued

QUESTION 63 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Hard · MCQ · 4 marks · 4m 30s

NEET Chemistry question 63: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 64 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Easy · MCQ · 4 marks · 4m 52s

NEET Chemistry question 64: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Chemistry · Q065 · question continued

QUESTION 65 CHEMISTRY

INCORRECT


Physical Chemistry · Mole Concept · Medium · MCQ · −1 mark · 5m 14s

NEET Chemistry question 65: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 65: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is

Chemistry · Q065 · explanation continued

intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 65: the chosen option reverses the boundary condition.

QUESTION 66 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Hard · MCQ · 4 marks · 48s

NEET Chemistry question 66: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

QUESTION 67 CHEMISTRY

SKIPPED

Inorganic Chemistry · Coordination Compounds · Easy · MCQ · 0 marks · 1m 10s

NEET Chemistry question 67: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q068 · question continued

QUESTION 68 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Medium · MCQ · 4 marks · 1m 32s

NEET Chemistry question 68: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Chemistry · Q069 · question continued

QUESTION 69 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Hard · MCQ · −1 mark · 1m 55s

NEET Chemistry question 69: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 69: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Chemistry · Q069 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 69: the chosen option reverses the boundary condition.

QUESTION 70 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Easy · MCQ · 4 marks · 2m 17s

NEET Chemistry question 70: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q071 · question continued

QUESTION 71 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Medium · MCQ · 4 marks · 2m 39s

NEET Chemistry question 71: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

QUESTION 72 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Hard · MCQ · 4 marks · 3m 01s

NEET Chemistry question 72: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q073 · question continued


QUESTION 73 CHEMISTRY

INCORRECT


Physical Chemistry · Mole Concept · Easy · MCQ · −1 mark · 3m 23s

NEET Chemistry question 73: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 73: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Chemistry · Q073 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 73: the chosen option reverses the boundary condition.

QUESTION 74 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Medium · MCQ · 4 marks · 3m 46s

NEET Chemistry question 74: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q075 · question continued

QUESTION 75 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Hard · MCQ · 4 marks · 4m 08s

NEET Chemistry question 75: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q076 · question continued

QUESTION 76 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Easy · MCQ · 4 marks · 4m 30s

NEET Chemistry question 76: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q077 · question continued


QUESTION 77 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Medium · MCQ · −1 mark · 4m 52s

NEET Chemistry question 77: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 77: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 77: the chosen option reverses the boundary condition.

Chemistry · Q078 · question continued

QUESTION 78 CHEMISTRY

SKIPPED

Organic Chemistry · Chemical Kinetics · Hard · MCQ · 0 marks · 5m 14s

NEET Chemistry question 78: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

Not attempted

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q079 · question continued

QUESTION 79 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Easy · MCQ · 4 marks · 48s

NEET Chemistry question 79: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q080 · question continued

QUESTION 80 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Medium · MCQ · 4 marks · 1m 10s

NEET Chemistry question 80: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q081 · question continued

QUESTION 81 CHEMISTRY


INCORRECT

Physical Chemistry · Mole Concept · Hard · MCQ · −1 mark · 1m 32s


NEET Chemistry question 81: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 81: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Chemistry question 81: the chosen option reverses the

Chemistry · Q081 · explanation continued

boundary condition.

QUESTION 82 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Easy · MCQ · 4 marks · 1m 55s

NEET Chemistry question 82: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q083 · question continued

QUESTION 83 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Medium · MCQ · 4 marks · 2m 17s

NEET Chemistry question 83: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q084 · question continued

QUESTION 84 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Hard · MCQ · 4 marks · 2m 39s

NEET Chemistry question 84: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q085 · question continued

QUESTION 85 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Easy · MCQ · −1 mark · 3m 01s

NEET Chemistry question 85: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 85: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 85: the chosen option reverses the boundary condition.

Chemistry · Q086 · question continued

QUESTION 86 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Medium · MCQ · 4 marks · 3m 23s

NEET Chemistry question 86: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q087 · question continued

QUESTION 87 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Hard · MCQ · 4 marks · 3m 46s

NEET Chemistry question 87: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q088 · question continued

QUESTION 88 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Easy · MCQ · 4 marks · 4m 08s

NEET Chemistry question 88: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Chemistry · Q089 · question continued

QUESTION 89 CHEMISTRY

SKIPPED


Physical Chemistry · Mole Concept · Medium · MCQ · 0 marks · 4m 30s

NEET calibration question 89: A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. Which conclusion is correct?




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

Not attempted

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Not attempted — no marks awarded

Chemistry · Q089 · explanation continued

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Chemistry · Q089 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 90 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Hard · MCQ · 4 marks · 4m 52s

NEET Chemistry question 90: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign

Chemistry · Q090 · explanation continued

convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 91 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Easy · MCQ · 4 marks · 5m 14s

NEET Chemistry question 91: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q092 · question continued

QUESTION 92 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Medium · MCQ · 4 marks · 48s

NEET Chemistry question 92: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q093 · question continued

QUESTION 93 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Hard · MCQ · −1 mark · 1m 10s

NEET Chemistry question 93: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 93: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 93: the chosen option reverses the boundary condition.

Chemistry · Q094 · question continued

QUESTION 94 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Easy · MCQ · 4 marks · 1m 32s

NEET Chemistry question 94: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q095 · question continued

QUESTION 95 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Medium · MCQ · 4 marks · 1m 55s

NEET Chemistry question 95: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 96 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Hard · MCQ · 4 marks · 2m 17s

NEET Chemistry question 96: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.


Chemistry · Q097 · question continued

QUESTION 97 CHEMISTRY

INCORRECT


Physical Chemistry · Mole Concept · Easy · MCQ · −1 mark · 2m 39s

NEET Chemistry question 97: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 97: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is

Chemistry · Q097 · explanation continued

intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 97: the chosen option reverses the boundary condition.

QUESTION 98 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Medium · MCQ · 4 marks · 3m 01s

NEET Chemistry question 98: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q099 · question continued

QUESTION 99 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Hard · MCQ · 4 marks · 3m 23s

NEET Chemistry question 99: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q100 · question continued

QUESTION 100 CHEMISTRY

SKIPPED

Biomolecules · Aldehydes · Easy · MCQ · 0 marks · 3m 46s

NEET Chemistry question 100: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Chemistry · Q101 · question continued

QUESTION 101 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Medium · MCQ · −1 mark · 4m 08s

NEET Chemistry question 101: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 101: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Chemistry · Q101 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Chemistry question 101: the chosen option reverses the boundary condition.

QUESTION 102 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Hard · MCQ · 4 marks · 4m 30s

NEET Chemistry question 102: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q103 · question continued

QUESTION 103 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Easy · MCQ · 4 marks · 4m 52s

NEET Chemistry question 103: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q104 · question continued

QUESTION 104 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Medium · MCQ · 4 marks · 5m 14s

NEET Chemistry question 104: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q105 · question continued


QUESTION 105 CHEMISTRY

INCORRECT


Physical Chemistry · Mole Concept · Hard · MCQ · −1 mark · 48s

NEET Chemistry question 105: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 105: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Chemistry · Q105 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 105: the chosen option reverses the boundary condition.

QUESTION 106 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Easy · MCQ · 4 marks · 1m 10s

NEET Chemistry question 106: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q107 · question continued

QUESTION 107 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Medium · MCQ · 4 marks · 1m 32s

NEET Chemistry question 107: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q108 · question continued

QUESTION 108 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Hard · MCQ · 4 marks · 1m 55s

NEET Chemistry question 108: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q109 · question continued


QUESTION 109 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Easy · MCQ · −1 mark · 2m 17s

NEET Chemistry question 109: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 109: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 109: the chosen option reverses the boundary condition.

Chemistry · Q110 · question continued

QUESTION 110 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Medium · MCQ · 4 marks · 2m 39s

NEET Chemistry question 110: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 111 CHEMISTRY

SKIPPED

Inorganic Chemistry · Coordination Compounds · Hard · MCQ · 0 marks · 3m 01s

NEET Chemistry question 111: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q112 · question continued

QUESTION 112 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Easy · MCQ · 4 marks · 3m 23s

NEET Chemistry question 112: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q113 · question continued

QUESTION 113 CHEMISTRY


INCORRECT

Physical Chemistry · Mole Concept · Medium · MCQ · −1 mark · 3m 46s


NEET Chemistry question 113: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 113: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_{0}^{1} \frac{x^{2}}{\sqrt{1-x^{2}}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 113: the chosen option reverses the boundary condition.

Chemistry · Q114 · question continued

QUESTION 114 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Hard · MCQ · 4 marks · 4m 08s

NEET Chemistry question 114: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q115 · question continued

QUESTION 115 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Easy · MCQ · 4 marks · 4m 30s

NEET Chemistry question 115: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 116 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Medium · MCQ · 4 marks · 4m 52s

NEET Chemistry question 116: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Chemistry · Q117 · question continued

QUESTION 117 CHEMISTRY

INCORRECT

Physical Chemistry · Mole Concept · Hard · MCQ · −1 mark · 5m 14s

NEET Chemistry question 117: evaluate the statement about Mole Concept in Physical Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Chemistry question 117: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Chemistry question 117: the chosen option reverses the boundary condition.

Chemistry · Q118 · question continued

QUESTION 118 CHEMISTRY

CORRECT

Organic Chemistry · Chemical Kinetics · Easy · MCQ · 4 marks · 48s

NEET Chemistry question 118: evaluate the statement about Chemical Kinetics in Organic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q119 · question continued

QUESTION 119 CHEMISTRY

CORRECT

Inorganic Chemistry · Coordination Compounds · Medium · MCQ · 4 marks · 1m 10s

NEET Chemistry question 119: evaluate the statement about Coordination Compounds in Inorganic Chemistry and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Chemistry · Q120 · question continued

QUESTION 120 CHEMISTRY

CORRECT

Biomolecules · Aldehydes · Hard · MCQ · 4 marks · 1m 32s

NEET Chemistry question 120: evaluate the statement about Aldehydes in Biomolecules and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

03 Biology


60 questions

QUESTION 121 BIOLOGY

INCORRECT


Botany · Cell Biology · Easy · MCQ · −1 mark · 1m 55s

NEET Biology question 121: evaluate the statement about Cell Biology in Botany and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 121: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q121 · explanation continued

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Biology question 121: the chosen option reverses the boundary condition.

QUESTION 122 BIOLOGY

SKIPPED

Zoology · Plant Physiology · Medium · MCQ · 0 marks · 2m 17s

NEET Biology question 122: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

Not attempted

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q123 · question continued

QUESTION 123 BIOLOGY

CORRECT

Genetics · Hard · MCQ · 4 marks · 2m 39s

NEET Biology question 123: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q124 · question continued

QUESTION 124 BIOLOGY

CORRECT

Human Physiology · Circulation · Easy · MCQ · 4 marks · 3m 01s

NEET Biology question 124: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 125 BIOLOGY

INCORRECT

Botany · Cell Biology · Medium · MCQ · −1 mark · 3m 23s

NEET Biology question 125: evaluate the statement about Cell Biology in Botany and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 125: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 125: the chosen option reverses the boundary condition.

Biology · Q126 · question continued

QUESTION 126 BIOLOGY

CORRECT

Zoology · Plant Physiology · Hard · MCQ · 4 marks · 3m 46s

NEET Biology question 126: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q127 · question continued

QUESTION 127 BIOLOGY

CORRECT

Genetics · Easy · MCQ · 4 marks · 4m 08s

NEET Biology question 127: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q128 · question continued

QUESTION 128 BIOLOGY

CORRECT

Human Physiology · Circulation · Medium · MCQ · 4 marks · 4m 30s

NEET Biology question 128: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Biology · Q129 · question continued

QUESTION 129 BIOLOGY

INCORRECT


Botany · Cell Biology · Hard · MCQ · −1 mark · 4m 52s

NEET Biology question 129: evaluate the statement about Cell Biology in Botany and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 129: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is

Biology · Q129 · explanation continued

intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 129: the chosen option reverses the boundary condition.

QUESTION 130 BIOLOGY

CORRECT

Zoology · Plant Physiology · Easy · MCQ · 4 marks · 5m 14s

NEET Biology question 130: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 131 BIOLOGY

CORRECT

Genetics · Medium · MCQ · 4 marks · 48s

NEET Biology question 131: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q132 · question continued

QUESTION 132 BIOLOGY

CORRECT

Human Physiology · Circulation · Hard · MCQ · 4 marks · 1m 10s

NEET Biology question 132: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Biology · Q133 · question continued

QUESTION 133 BIOLOGY

SKIPPED

Botany · Cell Biology · Easy · MCQ · 0 marks · 1m 32s

NEET Biology question 133: evaluate the statement about Cell Biology in Botany and select the correct option.



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
A

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Biology · Q133 · explanation continued

Substitute $x = \sin\theta$, so $dx = \cos\theta\, d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 134 BIOLOGY

CORRECT

Zoology · Plant Physiology · Medium · MCQ · 4 marks · 1m 55s

NEET Biology question 134: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\, d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 135 BIOLOGY

CORRECT

Genetics · Hard · MCQ · 4 marks · 2m 17s

NEET Biology question 135: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q136 · question continued

QUESTION 136 BIOLOGY

CORRECT

Human Physiology · Circulation · Easy · MCQ · 4 marks · 2m 39s

NEET Biology question 136: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q137 · question continued


QUESTION 137 BIOLOGY

INCORRECT


Botany · Cell Biology · Medium · MCQ · −1 mark · 3m 01s

NEET Biology question 137: evaluate the statement about Cell Biology in Botany and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 137: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Biology · Q137 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 137: the chosen option reverses the boundary condition.

QUESTION 138 BIOLOGY

CORRECT

Zoology · Plant Physiology · Hard · MCQ · 4 marks · 3m 23s

NEET Biology question 138: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q139 · question continued

QUESTION 139 BIOLOGY

CORRECT

Genetics · Easy · MCQ · 4 marks · 3m 46s

NEET Biology question 139: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q140 · question continued

QUESTION 140 BIOLOGY

CORRECT

Human Physiology · Circulation · Medium · MCQ · 4 marks · 4m 08s

NEET Biology question 140: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q141 · question continued


QUESTION 141 BIOLOGY

INCORRECT

Botany · Cell Biology · Hard · MCQ · −1 mark · 4m 30s

NEET Biology question 141: evaluate the statement about Cell Biology in Botany and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 141: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Biology question 141: the chosen option reverses the boundary condition.

QUESTION 142 BIOLOGY

CORRECT

Zoology · Plant Physiology · Easy · MCQ · 4 marks · 4m 52s

NEET Biology question 142: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 143 BIOLOGY

CORRECT

Genetics · Medium · MCQ · 4 marks · 5m 14s

NEET calibration question 143: A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. Which conclusion is correct?

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

C

CORRECT ANSWER

C

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the

Biology · Q143 · explanation continued

conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign

Biology · Q143 · explanation continued

convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 144 BIOLOGY

SKIPPED

Human Physiology · Circulation · Hard · MCQ · 0 marks · 48s

NEET Biology question 144: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q145 · question continued

QUESTION 145 BIOLOGY


INCORRECT

Botany · Cell Biology · Easy · MCQ · −1 mark · 1m 10s


NEET Biology question 145: evaluate the statement about Cell Biology in Botany and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 145: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 145: the chosen option reverses the boundary condition.

Biology · Q146 · question continued

QUESTION 146 BIOLOGY

CORRECT

Zoology · Plant Physiology · Medium · MCQ · 4 marks · 1m 32s

NEET Biology question 146: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
B

CORRECT ANSWER
B

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

QUESTION 147 BIOLOGY

CORRECT

Genetics · Hard · MCQ · 4 marks · 1m 55s

NEET Biology question 147: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q148 · question continued

QUESTION 148 BIOLOGY

CORRECT

Human Physiology · Circulation · Easy · MCQ · 4 marks · 2m 17s

NEET Biology question 148: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q149 · question continued

QUESTION 149 BIOLOGY

INCORRECT

Botany · Cell Biology · Medium · MCQ · −1 mark · 2m 39s

NEET Biology question 149: evaluate the statement about Cell Biology in Botany and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 149: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 149: the chosen option reverses the boundary condition.

Biology · Q150 · question continued

QUESTION 150 BIOLOGY

CORRECT

Zoology · Plant Physiology · Hard · MCQ · 4 marks · 3m 01s

NEET Biology question 150: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q151 · question continued

QUESTION 151 BIOLOGY

CORRECT

Genetics · Easy · MCQ · 4 marks · 3m 23s

NEET Biology question 151: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q152 · question continued

QUESTION 152 BIOLOGY

CORRECT

Human Physiology · Circulation · Medium · MCQ · 4 marks · 3m 46s

NEET Biology question 152: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$


Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 153 BIOLOGY

INCORRECT


Botany · Cell Biology · Hard · MCQ · −1 mark · 4m 08s

NEET Biology question 153: evaluate the statement about Cell Biology in Botany and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 153: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 153: the chosen option reverses the boundary condition.

Biology · Q154 · question continued

QUESTION 154 BIOLOGY

CORRECT

Zoology · Plant Physiology · Easy · MCQ · 4 marks · 4m 30s

NEET Biology question 154: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q155 · question continued

QUESTION 155 BIOLOGY

SKIPPED

Genetics · Medium · MCQ · 0 marks · 4m 52s

NEET Biology question 155: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
Not attempted

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q156 · question continued

QUESTION 156 BIOLOGY

CORRECT

Human Physiology · Circulation · Hard · MCQ · 4 marks · 5m 14s

NEET Biology question 156: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q157 · question continued

QUESTION 157 BIOLOGY

INCORRECT

Botany · Cell Biology · Easy · MCQ · −1 mark · 48s

NEET Biology question 157: evaluate the statement about Cell Biology in Botany and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 157: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 157: the chosen option reverses the boundary condition.

QUESTION 158 BIOLOGY

CORRECT

Zoology · Plant Physiology · Medium · MCQ · 4 marks · 1m 10s

NEET Biology question 158: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q159 · question continued

QUESTION 159 BIOLOGY

CORRECT

Genetics · Hard · MCQ · 4 marks · 1m 32s

NEET Biology question 159: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q160 · question continued

QUESTION 160 BIOLOGY

CORRECT

Human Physiology · Circulation · Easy · MCQ · 4 marks · 1m 55s

NEET Biology question 160: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Biology · Q161 · question continued

QUESTION 161 BIOLOGY

INCORRECT


Botany · Cell Biology · Medium · MCQ · −1 mark · 2m 17s

NEET Biology question 161: evaluate the statement about Cell Biology in Botany and select the correct option.




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 161: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is

Biology · Q161 · explanation continued

intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

MISTAKE NOTE

Calibration mistake note for Biology question 161: the chosen option reverses the boundary condition.

QUESTION 162 BIOLOGY

CORRECT

Zoology · Plant Physiology · Hard · MCQ · 4 marks · 2m 39s

NEET Biology question 162: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 163 BIOLOGY

CORRECT

Genetics · Easy · MCQ · 4 marks · 3m 01s

NEET Biology question 163: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q164 · question continued

QUESTION 164 BIOLOGY

CORRECT

Human Physiology · Circulation · Medium · MCQ · 4 marks · 3m 23s

NEET Biology question 164: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.


Biology · Q165 · question continued


QUESTION 165 BIOLOGY


INCORRECT

Botany · Cell Biology · Hard · MCQ · −1 mark · 3m 46s

NEET Biology question 165: evaluate the statement about Cell Biology in Botany and select the correct option.







OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 165: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Biology · Q165 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 165: the chosen option reverses the boundary condition.

QUESTION 166 BIOLOGY

SKIPPED

Zoology · Plant Physiology · Easy · MCQ · 0 marks · 4m 08s

NEET Biology question 166: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

Not attempted

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q167 · question continued

QUESTION 167 BIOLOGY

CORRECT

Genetics · Medium · MCQ · 4 marks · 4m 30s

NEET Biology question 167: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q168 · question continued

QUESTION 168 BIOLOGY

CORRECT

Human Physiology · Circulation · Hard · MCQ · 4 marks · 4m 52s

NEET Biology question 168: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q169 · question continued


QUESTION 169 BIOLOGY

INCORRECT


Botany · Cell Biology · Easy · MCQ · −1 mark · 5m 14s

NEET Biology question 169: evaluate the statement about Cell Biology in Botany and select the correct option.


(a) (A)




(b) (B)



(c) (C)




(d) (D)




OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 169: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

Biology · Q169 · explanation continued

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 169: the chosen option reverses the boundary condition.

QUESTION 170 BIOLOGY

CORRECT

Zoology · Plant Physiology · Medium · MCQ · 4 marks · 48s

NEET Biology question 170: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 171 BIOLOGY

CORRECT

Genetics · Hard · MCQ · 4 marks · 1m 10s

NEET Biology question 171: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q172 · question continued

QUESTION 172 BIOLOGY

CORRECT

Human Physiology · Circulation · Easy · MCQ · 4 marks · 1m 32s

NEET Biology question 172: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q173 · question continued


QUESTION 173 BIOLOGY

INCORRECT

Botany · Cell Biology · Medium · MCQ · −1 mark · 1m 55s

NEET Biology question 173: evaluate the statement about Cell Biology in Botany and select the correct option.

represents:



OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Answered incorrectly — 1 mark deducted · Calculation Error · Calibration mistake note for Biology question 173: the chosen option reverses the boundary condition.

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

MISTAKE NOTE

Calibration mistake note for Biology question 173: the chosen option reverses the boundary condition.

QUESTION 174 BIOLOGY

CORRECT

Zoology · Plant Physiology · Hard · MCQ · 4 marks · 2m 17s

NEET Biology question 174: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

QUESTION 175 BIOLOGY

CORRECT

Genetics · Easy · MCQ · 4 marks · 2m 39s

NEET Biology question 175: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q176 · question continued

QUESTION 176 BIOLOGY

CORRECT

Human Physiology · Circulation · Medium · MCQ · 4 marks · 3m 01s

NEET Biology question 176: evaluate the statement about Circulation in Human Physiology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

SOLUTION HINT

Recheck the limiting case and the sign of the final term.

Biology · Q177 · question continued

QUESTION 177 BIOLOGY


SKIPPED

Botany · Cell Biology · Hard · MCQ · 0 marks · 3m 23s


NEET Biology question 177: evaluate the statement about Cell Biology in Botany and select the correct option.

OPTIONS


A. The potential difference across the resistor is 6 V.




B. The current through the branch is 2 A.



C. The power dissipated in the circuit is 24 W.



D. A very long alternative answer that must wrap cleanly without clipping the question block or the option column.



STUDENT RESPONSE

Not attempted

CORRECT ANSWER

A

PERFORMANCE INSIGHT

Not attempted — no marks awarded

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q178 · question continued

QUESTION 178 BIOLOGY

CORRECT

Zoology · Plant Physiology · Easy · MCQ · 4 marks · 3m 46s

NEET Biology question 178: evaluate the statement about Plant Physiology in Zoology and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE

B

CORRECT ANSWER

B

PERFORMANCE INSIGHT

Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q179 · question continued

QUESTION 179 BIOLOGY

CORRECT

Genetics · Medium · MCQ · 4 marks · 4m 08s

NEET Biology question 179: evaluate the statement about Genetics in Genetics and select the correct option.

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
C

CORRECT ANSWER
C

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

Biology · Q180 · question continued

QUESTION 180 BIOLOGY

CORRECT

Human Physiology · Circulation · Hard · MCQ · 4 marks · 4m 30s

NEET calibration question 180: A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. A multi-stage assertion requires careful comparison of the governing equation, dimensional consistency, limiting behaviour and the experimental boundary conditions. Which conclusion is correct?

OPTIONS

A. The first conclusion follows directly from the governing relation.

B. Only the second conclusion is consistent with the limiting case.

C. Both conclusions are valid after applying the boundary conditions.

D. A very long alternative answer that must wrap without clipping or truncating the option text.

STUDENT RESPONSE
D

CORRECT ANSWER
D

PERFORMANCE INSIGHT
Answered correctly — 4 marks

EXPLANATION

Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the

Biology · Q180 · explanation continued

conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim. Complete solution. The governing relation is derived from the conservation law and the boundary conditions.

$$\int_0^1 \frac{x^2}{\sqrt{1-x^2}}\,dx = \frac{\pi}{4}.$$

Substitute $x = \sin\theta$, so $dx = \cos\theta\,d\theta$. The limits remain 0 and $\pi/2$. Check every sign

Biology · Q180 · explanation continued

convention, unit and limiting case before selecting the final option. This explanation is intentionally long enough to exercise multi-page solution-line continuation while preserving the full source text verbatim.

06 LEARNING INTELLIGENCE

Learning intelligence

Published revision priorities

Priority revision register

PRIORITY TOPIC	CLASSIFICATION	TIMEFRAME
Physics Kinematics priority 1	Critical	48 hours
Chemistry Chemical Kinetics priority 2	High	5 days
Biology Genetics priority 3	Medium	7 days
Physics Semiconductors priority 4	Critical	10 days
Chemistry Mole Concept priority 5	High	48 hours
Biology Plant Physiology priority 6	Medium	5 days
Physics Electrostatics priority 7	Critical	7 days
Chemistry Aldehydes priority 8	High	10 days
Biology Cell Biology priority 9	Medium	48 hours
Physics Rotational Motion priority 10	Critical	5 days
Chemistry Coordination Compounds priority 11	High	7 days
Biology Circulation priority 12	Medium	10 days

Topic-level accuracy

TOPIC	SUBJECT	ACCURACY	LEVEL
Kinematics	Physics	38%	Critical
Rotational Motion	Physics	47%	Weak
Electrostatics	Physics	56%	Average
Semiconductors	Physics	65%	Strong
Mole Concept	Chemistry	74%	Weak
Chemical Kinetics	Chemistry	83%	Average
Coordination Compounds	Chemistry	92%	Strong

Topic-level accuracy · continued

TOPIC	SUBJECT	ACCURACY	LEVEL
Aldehydes	Chemistry	43%	Critical
Cell Biology	Biology	52%	Average
Plant Physiology	Biology	61%	Strong
Genetics	Biology	70%	Critical
Circulation	Biology	79%	Weak

Mistake evidence

QUESTION	SOURCE DETAIL
Q001	Complete mistake evidence 1: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q011	Complete mistake evidence 2: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q021	Complete mistake evidence 3: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q031	Complete mistake evidence 4: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q041	Complete mistake evidence 5: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q051	Complete mistake evidence 6: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q061	Complete mistake evidence 7: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q071	Complete mistake evidence 8: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q081	Complete mistake evidence 9: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q091	Complete mistake evidence 10: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q101	Complete mistake evidence 11: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q111	Complete mistake evidence 12: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q121	Complete mistake evidence 13: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q131	Complete mistake evidence 14: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q141	Complete mistake evidence 15: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q151	Complete mistake evidence 16: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.

Mistake evidence · continued

QUESTION	SOURCE DETAIL
Q161	Complete mistake evidence 17: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.
Q171	Complete mistake evidence 18: the response and the published explanation differ at the boundary-condition step; the full source detail is retained for validation.

Weak chapters

NO.	WEAK CHAPTER
1	**Organic Chemistry**
2	**Human Physiology**
3	**Electrodynamics**

Subject-wise revision sections

Priority topics grouped by subject

PRIORITY TOPIC	CHAPTER	ACCURACY	CLASSIFICATION
Physics			
Kinematics	Mechanics	38%	Critical
Rotational Motion	Electrodynamics	47%	Weak
Electrostatics	Thermodynamics	56%	Weak
Semiconductors	Modern Physics		Revise
Chemistry			
Aldehydes	Biomolecules	43%	Critical
Chemical Kinetics	Organic Chemistry		Revise
Biology			
Cell Biology	Botany	52%	Weak
Plant Physiology	Zoology	61%	Review
Circulation	Human Physiology		Revise
Genetics			Revise

Recommended next actions

Published action register

ACTION	RESOURCE	DETAIL
PYQ	JEE Main 2024 — Definite Integration (5 Qs)	PYQ Bank
PYQ	JEE Main 2023 — Ray Optics (4 Qs)	PYQ Bank
PYQ	JEE Advanced 2022 — Coordination Compounds	PYQ Bank
Practice	20-question drill — Integration by substitution	20 · Medium
Practice	10-question drill — Lens formula applications	10 · Medium
Mock test	Sectional mock — Mathematics (60 min)	Sectional
Mock test	Full syllabus mock — JEE Main pattern	Full
Lecture	Integral Calculus — Masterclass (45 min)	Video
Lecture	Ray Optics — Sign Convention Simplified	Video

Weak topics · published list

NO.	WEAK TOPIC
1	Chemical Kinetics
2	Circulation
3	Semiconductors
4	Genetics

MediXO EduX · Examination Intelligence

End of report · 03 Nov 2026