



Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 1/7




Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 2/7




Release v1.0.0 (Rev A) – fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 3/7



Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 4/7




Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 5/7



Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 6/7



Release v1.0.0 (Rev A) — fabrication-ready design, NOT physically tested
Architecture B: ESP32 DevKit on its own USB; board powers peripherals
2 layers FR-4 1.6 mm, 1 oz Cu, ENIG preferred, green mask, white silk
AI-PCB-Engineer

Sheet:
File: Sensor_Interface_Power_Board.kicad_pcb

Title: Sensor Interface & Power Management Board for ESP32

Size: A4	Date: 2026-11-09	**Rev: A**
KiCad E.D.A. 10.0.8		Id: 7/7