

Got the HTML! The CSS didn't come through, but I can fully explain the HTML. Let me break it all down section by section.

□ Overall Structure

```
html<!DOCTYPE html>
```

```
<html lang="en">
```

<!DOCTYPE html> → tells the browser "this is HTML5"

lang="en" → tells the browser the page language is English (good for accessibility)

 <head> — Page Setup (not visible on screen)

```
html<meta charset="UTF-8" />
```

Supports all characters (Urdu, symbols, emojis etc.)

```
html<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

Makes the site mobile responsive — adjusts width to the device screen.

```
html<title>Muhammad Ajmal Khan – Cybersecurity Portfolio</title>
```

Text shown in the browser tab.

```
html<link rel="stylesheet" href="style.css" />
```

Connects your external CSS file for all the styling.

```
html<link href="https://fonts.googleapis.com/..." />
```

Loads two Google Fonts: Space Grotesk and Inter — used for the modern look.

 <header> — Navigation Bar

```
html<nav class="navbar">
```

```
<div class="nav-logo">Muhammad Ajmal Khan<span class="dot"></span></div>
```

```
<button class="nav-toggle">&#9776;</button>
```

```
<ul class="nav-links" id="navLinks">
```

```
<li><a href="#home">Home Page</a></li>
```

...

</nav>

nav-logo → your name shown as the brand/logo

☰ → this is the ☰ hamburger icon for mobile menu

nav-links → list of links; each href="#home" is a smooth scroll anchor — it jumps to the section with that id

nav-toggle button → clicking this opens/closes the menu on mobile (controlled by JS at the bottom)

🏠 Section 1 — Home (#home)

html<section id="home" class="section-home">

Left side (text):

html<p class="home-eyebrow">Cybersecurity Student & Web Developer</p>

<h1 class="home-title">Muhammad
Ajmal Khan</h1>

<p class="home-sub">CyberSecurity Analyst...</p>

home-eyebrow → small label above the name

<h1> → main heading (most important heading on page, good for SEO)

 → line break inside heading

html<div class="home-actions">

Projects...

Feel Free To Contact

</div>

Two buttons — styled as links using <a> tags with CSS classes.

html<div class="home-badges">

CPPS Certified

ISO/IEC 27001:2022

SOC Analyst

</div>

Small badge chips showing your certifications.

Right side (Terminal animation):

```
html<div class="home-terminal">

  <div class="terminal-bar">

    <span class="t-dot red"></span> <!-- red close button -->

    <span class="t-dot yellow"></span>

    <span class="t-dot green"></span>

  </div>

  <div class="terminal-body">

    <p><span class="t-prompt">$</span> whoami</p>

    <p class="t-output">Muhammad Ajmal Khan</p>

    ...

    <span class="t-blink">_</span> <!-- blinking cursor -->

  </div>

</div>
```

A fake terminal window styled with CSS to look like a real Linux terminal. The t-blink class makes the cursor blink. aria-hidden="true" hides it from screen readers (it's decorative).

 Section 2 — About (#about)

```
html<section id="about" class="section-about">
```

About text → 3 paragraphs about you with for bold keywords

Stats cards → 4 cards showing 5+ Certifications, 2 Internships, etc.

Education block → 3 edu-item divs each with a year and school name

```
html<div class="edu-item">

  <div class="edu-year">2024 – 2028</div>

  <div class="edu-detail">

    <strong>BS Cyber Security</strong>

    <span>Pak-Austria Fachhochschule...</span>

  </div>

</div>
```

</div>

</div>

Timeline-style layout for education history.

💡 Section 3 — Skills (#skills)

html<section id="skills" class="section-skills">

Skill bars:

html<li class="skill-item">

SOC Analyst

<div class="skill-bar">

<div class="skill-fill" style="width:98%"></div>

</div>

Each skill has a bar. The style="width:98%" sets how filled the bar looks — hardcoded as inline style.

Skill tags (Soft Skills / Languages):

html<ul class="skill-tags">

Creative Thinking

Problem-Solving

Simple tag/chip style list — no bars, just labels.

📁 Section 4 — Projects (#projects)

html<section id="projects" class="section-projects">

Project cards:

html<article class="project-card">

<div class="project-tag">Current Role</div>

<h3 class="project-title">Deputy of Finance & Treasury</h3>

<p class="project-org">CyberSec Society | Apr 2026 – Present</p>

<ul class="project-points">

Assisted in financial planning...

<div class="project-tech">

Leadership

</div>

</article>

<article> is a semantic HTML tag — means "self-contained content". Each card has a tag label, title, org, bullet points, and tech/skill chips.

Certifications list:

html<ul class="certs-list">

Foundation of Cyber Security

...

A simple unordered list of all your certs.



Section 5 — Contact (#contact)

html<section id="contact" class="section-contact">

Contact info:

html<div class="contact-item">

<div class="contact-icon">📞</div>

<div class="contact-detail">

Phone

+92 319 5163091

</div>

</div>

Emoji icon + label + value layout for phone, email, location.

Contact form:

html<form class="contact-form" action="#" method="post">

<input type="text" id="name" name="name" placeholder="John Doe" required />

<input type="email" id="email" ... />

<textarea id="message" rows="5"></textarea>

```
<button type="submit">Send Message</button>
```

```
</form>
```

action="#" → form doesn't go anywhere yet (no backend)

required → HTML5 built-in validation — won't submit if empty

<textarea> → multiline text input for the message

□ Footer

```
html<footer class="site-footer">
```

```
<p>© 2025 ~Someone Random.</p>
```

```
<p class="footer-sub">CyberSecurity Analyst</p>
```

```
</footer>
```

Simple two-line footer.

⚙ JavaScript (at bottom of body)

```
javascriptconst toggle = document.querySelector('.nav-toggle');
```

```
const navLinks = document.getElementById('navLinks');
```

```
toggle.addEventListener('click', function () {
```

```
  navLinks.classList.toggle('open');
```

```
});
```

```
navLinks.querySelectorAll('a').forEach(link => {
```

```
  link.addEventListener('click', () => navLinks.classList.remove('open'));
```

```
});
```

querySelector → grabs the hamburger button

addEventListener('click') → listens for a click

classList.toggle('open') → adds/removes the open CSS class (which CSS uses to show/hide the mobile menu)

The `forEach` loop → closes the menu automatically when any nav link is clicked

How to Run on Localhost

Put both index.html and style.css in the same folder

Install VS Code → install the Live Server extension

Right-click index.html → click "Open with Live Server"

It opens at <http://127.0.0.1:5500> in your browser ☒

How to Upload on GitHub

Go to github.com → create a free account

Click "New Repository" → name it e.g. my-portfolio

Check "Add README" → click Create

Click "Add file" → "Upload files"

Upload your index.html and style.css

Click "Commit changes"

Go to Settings → Pages → Source → main branch → Save

Your live site will be at:

<https://yourusername.github.io/my-portfolio> 🚀

That's your full portfolio explained! If you also re-upload the style.css, I can explain that too. You said: deep explain plzzz ans section alag alag kr ke explain kro na yar plzzzzzzzzzzzzzz also yar meta kia h all stuff ye b detail explain kr do na plzzzzzzzzzzzzzzzzzz...deep explain plzzz ans section alag alag kr ke explain kro na yar plzzzzzzzzzzzzzz also yar meta kia h all stuff ye b detail explain kr do na

[illegible]

🌐 HTML Kya Hota Hai?

HTML = HyperText Markup Language

Ye browser ko batata hai ke page par kya dikhana hai. Jaise skeleton hota hai body ka, HTML website ka skeleton hai. CSS usse kapde pehnaata hai, JS usse chalaata hai.

📄 LINE 1 — <!DOCTYPE html>

```
html<!DOCTYPE html>
```

Ye pehli line hoti hai har HTML file mein

Browser ko bataata hai: "Bhai ye HTML5 hai"

HTML5 = sabse latest version of HTML

Agar ye na likho toh browser purane mode mein chala sakta hai jo galat dikhega

🌐 LINE 2 — <html lang="en">

```
html<html lang="en">
```

<html> = poori website is tag ke andar hoti hai

lang="en" = bataata hai ke page ki language English hai

Ye screen readers ke liye important hai (blind logon ke liye)

Search engines (Google) bhi isse padhte hain

📄 SECTION 1 — <head> Tag (Dikhta Nahi, Par Zaroori Hai)

```
html<head>
```

```
...
```

```
</head>
```

<head> ke andar jo bhi hota hai wo screen par nahi dikhta — ye browser ke liye instructions hain. Jaise:

Page ka naam kya hai

Konsa CSS file use karna hai

Konsi font load karni hai

Iske andar ek ek cheez samjhate hain 

 META TAGS — Ye Kya Hote Hain?

Meta matlab = "baare mein information"

Meta tags browser aur Google ko page ke baare mein batate hain — ye page par nahi dikhte.

META 1 — Charset

html<meta charset="UTF-8" />

charset = character set — matlab konse characters support kare

UTF-8 = duniya ki har language support karta hai

Urdu , Arabic , Emojis , Symbols 

Agar ye na ho toh Urdu ya special characters ????? ya boxes mein dikh sakte hain

META 2 — Viewport (Mobile Responsive)

html<meta name="viewport" content="width=device-width, initial-scale=1.0" />

Ye sabse important meta tag hai mobile ke liye!

width=device-width → page ki width phone ki screen jitni hogi

initial-scale=1.0 → page zoom nahi hoga — normal size mein khulega

Agar ye na ho toh mobile par website choti choti desktop jaisi dikhegi — zoom karni padegi

<title> Tag

```
html<title>Muhammad Ajmal Khan – Cybersecurity Portfolio</title>
```

Browser ke tab mein jo text dikhta hai wo yahi hai

Google search mein bhi page ka naam yahi dikhta hai

Har page ka alag title hona chahiye

CSS Link

```
html<link rel="stylesheet" href="style.css" />
```

link = bahar ki file ko HTML se jodna

rel="stylesheet" = bata raha hai ke ye CSS file hai

href="style.css" = file ka naam/path

Iska matlab: "style.css file se sara design lo aur yahan laga do"

Google Fonts

```
html<link href="https://fonts.googleapis.com/css2?family=Space+Grotesk...&display=swap" rel="stylesheet" />
```

Google se free fonts import kar raha hai

Space Grotesk = headings ke liye modern font

Inter = paragraph text ke liye clean font

display=swap = pehle system font dikhe, phir Google font load hone par swap ho jaye — page fast dikhta hai



<body> Tag — Jo Dikhta Hai Sab Yahan Hai

```
html<body>
```

...

</body>

Ye sara visible content yahan hota hai — header, sections, footer, sab kuch.



SECTION 2 — <header> & Navigation Bar

html<header>

<nav class="navbar">

<header> = page ka upar wala hissa (semantic tag)

<nav> = navigation ka semantic tag — links ka collection

class="navbar" = CSS mein is element ko style karne ke liye naam

Logo

html<div class="nav-logo">Muhammad Ajmal Khan</div>

<div> = ek container box (no meaning, just groups things)

Yahan tera naam logo ki jagah hai

 = ek chhota dot/period CSS se styled hoga — decorative

Hamburger Button (Mobile Menu)

html<button class="nav-toggle" aria-label="Toggle navigation menu">☰</button>

<button> = clickable button

☰ = ye ek HTML entity hai — ye render hota hai as ≡ (teen lines wala icon)

aria-label = screen readers ke liye — blind log jab sun ke browse karte hain toh unhe pata chale ye kya hai

Mobile par ye button menu ko open/close karta hai

Navigation Links

```
html<ul class="nav-links" id="navLinks">
  <li><a href="#home">Home Page</a></li>
  <li><a href="#about">My Profile</a></li>
  <li><a href="#skills">Skills</a></li>
  <li><a href="#projects">Projects and Certificates</a></li>
  <li><a href="#contact">My Contact</a></li>
</ul>
```

 = Unordered List (dots wali list, CSS se dots hata diye)

 = List Item — har link ek item hai

 = Anchor tag = clickable link

href="#home" = # matlab same page par id="home" wale section par jump karo — isko smooth scroll kehte hain

Ye sab links page reload nahi karte, bas scroll karte hain

SECTION 3 — Home Section (id="home")

```
html<section id="home" class="section-home">
```

<section> = page ka ek hissa (semantic tag)

id="home" = unique naam — nav links isko href="#home" se target karte hain

Eyebrow Text

```
html<p class="home-eyebrow">Cybersecurity Student & Web Developer</p>
```

<p> = paragraph tag

& = HTML entity for & symbol — directly & likhne se issues ho sakte hain HTML mein, isliye & likhte hain

"Eyebrow" = heading ke upar chhota label

Main Heading

```
html<h1 class="home-title">Muhammad<br />Ajmal Khan</h1>
```

<h1> = sabse bada heading — poore page mein sirf ek hona chahiye

Google is heading ko sabse zyada important maanta hai (SEO)

 = line break — yahan naam do lines mein split ho jata hai

Sub Description

```
html<p class="home-sub">
```

CyberSecurity Analyst mainly focus on bug bounty...

```
</p>
```

Tera short introduction paragraph.

Action Buttons

```
html<div class="home-actions">
```

```
<a href="#projects" class="btn btn-primary">Projects and Certificates</a>
```

```
<a href="#contact" class="btn btn-outline">Feel Free To Contact</a>
```

```
</div>
```

Ye <a> tags hain jo buttons ki tarah style kiye gaye hain CSS se

btn-primary = solid filled button

btn-outline = border wala hollow button

Click karne par same page ke sections par scroll karta hai

Badges

```
html<div class="home-badges">
```

```
<span class="badge">CPPS Certified</span>
```

ISO/IEC 27001:2022

SOC Analyst

</div>

 = inline container (no meaning, just for styling)

Ye chhote chip/tag style badges hain CSS se styled

Teri certifications quickly show karte hain

Fake Terminal

html<div class="home-terminal" aria-hidden="true">

<div class="terminal-bar">

ajmal@portfolio ~

</div>

<div class="terminal-body">

<p>\$ whoami</p>

<p class="t-output">Muhammad Ajmal Khan</p>

<p>\$ cat skills.txt</p>

<p class="t-output">Cybersecurity | Web Dev | ISO 27001</p>

<p>\$ cat status.txt</p>

<p class="t-output">Open to opportunities _</p>

</div>

</div>

Ye decoration hai — real terminal nahi hai

aria-hidden="true" = screen readers se hide karo (decorative hai, information nahi)

Teen colored dots (red/yellow/green) = macOS style window buttons

\$ = Linux/terminal prompt symbol

whoami, cat = real Linux commands copy kiye hain sirf dikhane ke liye

t-blink = CSS animation se cursor blink karta hai _

👤 SECTION 4 — About (id="about")

```
html<section id="about" class="section-about">
```

```
<div class="section-inner">
```

```
<div class="section-label">About Me</div>
```

```
<h2 class="section-heading">~WHOAMI</h2>
```

section-inner = content ko center rakhne ka wrapper div

section-label = chhota upar wala label ("About Me")

<h2> = second level heading — <h1> ke baad

~WHOAMI = Linux command style — hacker vibe 😎

About Text

```
html<p>
```

```
I'm a cybersecurity-oriented student...
```

```
<strong>Bachelor of Science in Cyber Security</strong>
```

```
</p>
```

 = bold text — important words highlight karta hai

Browsers default mein bold dikhate hain ko

Stats Cards

```
html<div class="stat-card">
```

```
<span class="stat-number">5+</span>
```

```
<span class="stat-label">Certifications</span>
```

```
</div>
```

4 cards hain — CSS grid se side by side dikhenge. Har card mein ek bada number aur ek label.

Education Timeline

```
html<div class="edu-item">
```

```
<div class="edu-year">2024 – 2028</div>
```

```
<div class="edu-detail">
```

```
<strong>BS Cyber Security ( 3.50 / 4.00 )</strong>
```

```
<span>Pak-Austria Fachhochschule-IAST, Haripur, KPK</span>
```

```
</div>
```

```
</div>
```

Har edu-item = ek education entry

edu-year = left side year

edu-detail = right side school + degree info

CSS se timeline style bana hoga

💡 SECTION 5 — Skills (id="skills")

```
html<section id="skills" class="section-skills">
```

Skill Bars

```
html<li class="skill-item">
```

```
<span class="skill-name">SOC Analyst</span>
```

```
<div class="skill-bar">
```

```
<div class="skill-fill" style="width:98%"></div>
```

```
</div>
```

```
</li>
```

skill-bar = grey background bar (container)

skill-fill = colored bar jo andar fill hoti hai

style="width:98%" = inline CSS — ye directly HTML mein style hai

98% matlab bar 98% bhari dikhegi

Har skill ki alag percentage hai

Skill Tags

```
html<ul class="skill-tags">  
  <li>Creative Thinking</li>  
  <li>Problem-Solving</li>  
</ul>
```

Soft skills aur languages ke liye bars nahi hain — sirf tags/chips hain CSS se styled.

SECTION 6 — Projects (id="projects")

```
html<article class="project-card">  
  <div class="project-tag">Current Role</div>  
  <h3 class="project-title">Deputy of Finance & Treasury</h3>  
  <p class="project-org">CyberSec Society | Apr 2026 – Present</p>  
  <ul class="project-points">  
    <li>Assisted in financial planning...</li>  
  </ul>  
  <div class="project-tech">  
    <span>Leadership</span>  
    <span>Financial Planning</span>  
  </div>  
</article>
```

<article> = semantic tag — self-contained content piece

project-tag = label chip (Current Role / Internship / Certification)

<h3> = third level heading

project-org = organization + date

project-points = bullet points

project-tech = skill tags at bottom of card

4 cards hain total:

Deputy of Finance (Current Role)

Web Dev Intern at Code Alpha

Phishing Security Research (CPPS)

Kangaroo Linguistic Contest

Certifications List

html<ul class="certs-list">

Foundation of Cyber Security

ISO/IEC 27001:2022...

...

Simple list — 10 certifications likhi hain.

 SECTION 7 — Contact (id="contact")

Contact Info

html<div class="contact-item">

<div class="contact-icon">

<div class="contact-detail">

Phone

+92 319 5163091

</div>

</div>

Emoji as icon (no image file needed!)

Label + value layout

Email wale mein `<a href="mailto:...">` hai — click karne par email app khulta hai

Contact Form

```
html<form class="contact-form" action="#" method="post">
  <input type="text" id="name" name="name" placeholder="John Doe" required />
  <input type="email" id="email" name="email" placeholder="john@example.com" required />
  <textarea id="message" name="message" rows="5"></textarea>
  <button type="submit">Send Message</button>
</form>
```

`<form>` = user se data lene ka container

`action="#"` = abhi koi backend nahi — form submit hoga par kahin nahi jayega

`method="post"` = data POST method se bhejne ki koshish karega

`type="text"` = normal text input

`type="email"` = email format validate karta hai automatically

`placeholder` = input ke andar dikh ne wala hint text (type karo toh gayab)

`required` = ye field khali nahi chhod sakte — HTML5 built-in validation

`<textarea>` = multiline text box — `rows="5"` matlab 5 lines dikhegi

`<button type="submit">` = form submit karne ka button

□ SECTION 8 — Footer

```
html<footer class="site-footer">
  <p>&copy; 2025 ~Someone Random.</p>
  <p class="footer-sub">CyberSecurity Analyst</p>
</footer>
```

<footer> = page ka neeche wala hissa (semantic)

© = HTML entity for © copyright symbol

Simple two lines — copyright + designation

⚙ SECTION 9 — JavaScript (Sabse Neeche)

html<script>

```
const toggle = document.querySelector('.nav-toggle');  
const navLinks = document.getElementById('navLinks');
```

```
toggle.addEventListener('click', function () {  
  navLinks.classList.toggle('open');  
});
```

```
navLinks.querySelectorAll('a').forEach(link => {  
  link.addEventListener('click', () => navLinks.classList.remove('open'));  
});
```

</script>

Line by line:

LineKya Karta Hai
document.querySelector('.nav-toggle')Page se hamburger button
dhundho
document.getElementById('navLinks')Page se nav links list dhundho
toggle.addEventListener('click', ...)Button click hone par kuch karo
navLinks.classList.toggle('open')open class add karo agar nahi hai, hatao
agar hai — ye CSS menu show/hide karta hai
querySelectorAll('a').forEach(...)Har nav link pe listener
lagao
navLinks.classList.remove('open')Link click hone par menu band karo

📄 Localhost Par Kaise Chalao

VS Code install karo → code.visualstudio.com

index.html aur style.css ek hi folder mein rakho

VS Code mein folder kholo

Extension install karo: Live Server (Ritwick Dey)

index.html par right click → "Open with Live Server"

Browser mein khulega: <http://127.0.0.1:5500> ✓

GitHub Par Kaise Upload Karo

Step 1: github.com par free account banao

Step 2: Green "New" button → Repository name: portfolio → Create

Step 3: "Add file" → "Upload files" → dono files drag karo

Step 4: "Commit changes" click karo

Step 5: Settings → Pages → Branch: main → Save

Step 6: 2-3 minute wait karo — tera live link ban jayega:

<https://tumhara-username.github.io/portfolio> 