

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sbs
from scipy.stats import zscore
from sklearn.preprocessing import StandardScaler
from sklearn.cluster import KMeans
from sklearn.linear_model import LinearRegression
```

```
file=pd.read_csv("Sales_Transactions_Dataset_Weekly.csv")
file.head()
```

	Product_Code	W0	W1	W2	W3	W4	W5	W6	W7	W8	...	Normalized 42	Normalized 43	N
0	P1	11	12	10	8	13	12	14	21	6	...	0.06	0.22	
1	P2	7	6	3	2	7	1	6	3	3	...	0.20	0.40	
2	P3	7	11	8	9	10	8	7	13	12	...	0.27	1.00	
3	P4	12	8	13	5	9	6	9	13	13	...	0.41	0.47	
4	P5	8	5	13	11	6	7	9	14	9	...	0.27	0.53	

5 rows × 107 columns



```
file.describe()
```

	W0	W1	W2	W3	W4	W5	
<b>count</b>	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	811.000
<b>mean</b>	8.902589	9.129470	9.389642	9.717633	9.574599	9.466091	9.720
<b>std</b>	12.067163	12.564766	13.045073	13.553294	13.095765	12.823195	13.347
<b>min</b>	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000
<b>25%</b>	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000
<b>50%</b>	3.000000	3.000000	3.000000	4.000000	4.000000	3.000000	4.000
<b>75%</b>	12.000000	12.000000	12.000000	13.000000	13.000000	12.500000	13.000
<b>max</b>	54.000000	53.000000	56.000000	59.000000	61.000000	52.000000	56.000

8 rows × 106 columns

```
file.columns
```

```
Index(['Product_Code', 'W0', 'W1', 'W2', 'W3', 'W4', 'W5', 'W6', 'W7', 'W8',
      ...,
      'Normalized 42', 'Normalized 43', 'Normalized 44', 'Normalized 45',
      'Normalized 46', 'Normalized 47', 'Normalized 48', 'Normalized 49',
      'Normalized 50', 'Normalized 51'],
      dtype='object', length=107)
```

```
file.dtypes
```

```
Product_Code    object
W0              int64
W1              int64
W2              int64
W3              int64
...
Normalized 47   float64
Normalized 48   float64
```

```
Normalized 49    float64
Normalized 50    float64
Normalized 51    float64
Length: 107, dtype: object
```

```
file.shape
```


```
(811, 107)
```

```
file.isnull().sum()
```


```
Product_Code    0
W0              0
W1              0
W2              0
W3              0
..
Normalized 47    0
Normalized 48    0
Normalized 49    0
Normalized 50    0
Normalized 51    0
Length: 107, dtype: int64
```


```
for i in file.select_dtypes(['int','float']).columns:
    plt.title("Box plot of "+str(i)+' column')
    sbs.boxplot(file[i])
    plt.show()
```

Box plot of W0 column




Box plot of W1 column







Box plot of W2 column






Box plot of W3 column







Box plot of W4 column








Box plot of W7 column




Box plot of W8 column








Box plot of W9 column






Box plot of W10 column




Box plot of W11 column







Box plot of W12 column




Box plot of W13 column




Box plot of W14 column







Box plot of W15 column




Box plot of W16 column







Box plot of W17 column




Box plot of W18 column




Box plot of W19 column







Box plot of W20 column




Box plot of W21 column









Box plot of W22 column




Box plot of W23 column




Box plot of W24 column







Box plot of W25 column




Box plot of W26 column







Box plot of W27 column




Box plot of W28 column




Box plot of W29 column







Box plot of W30 column






Box plot of W31 column






Box plot of W32 column











Box plot of W35 column





Box plot of W36 column






Box plot of W37 column







Box plot of W38 column




Box plot of W39 column






Box plot of W40 column





Box plot of W41 column






Box plot of W42 column







Box plot of W43 column




Box plot of W44 column







Box plot of W45 column




Box plot of W46 column




Box plot of W47 column









Box plot of W48 column




Box plot of W49 column







Box plot of W50 column




Box plot of W51 column




Box plot of MIN column






Box plot of MAX column




Box plot of Normalized 0 column






Box plot of Normalized 1 column




0


Box plot of Normalized 2 column




0

Box plot of Normalized 3 column






Box plot of Normalized 4 column




Box plot of Normalized 5 column








Box plot of Normalized 6 column











Box plot of Normalized 9 column





Box plot of Normalized 10 column






Box plot of Normalized 11 column







Box plot of Normalized 12 column




Box plot of Normalized 13 column







Box plot of Normalized 14 column




Box plot of Normalized 15 column




Box plot of Normalized 16 column







Box plot of Normalized 17 column




Box plot of Normalized 18 column






Box plot of Normalized 19 column





Box plot of Normalized 20 column






Box plot of Normalized 21 column







Box plot of Normalized 22 column




Box plot of Normalized 23 column







Box plot of Normalized 24 column




Box plot of Normalized 25 column




Box plot of Normalized 26 column






Box plot of Normalized 27 column




Box plot of Normalized 28 column






Box plot of Normalized 29 column




0


Box plot of Normalized 30 column




0

Box plot of Normalized 31 column






Box plot of Normalized 32 column




Box plot of Normalized 33 column








Box plot of Normalized 34 column







Box plot of Normalized 35 column




Box plot of Normalized 36 column







Box plot of Normalized 37 column





Box plot of Normalized 38 column






Box plot of Normalized 39 column







Box plot of Normalized 40 column




Box plot of Normalized 41 column







Box plot of Normalized 42 column




Box plot of Normalized 43 column




Box plot of Normalized 44 column







Box plot of Normalized 45 column




Box plot of Normalized 46 column








Box plot of Normalized 47 column





Box plot of Normalized 48 column

Box plot of Normalized 48 column




Box plot of Normalized 49 column







Box plot of Normalized 50 column






Box plot of Normalized 51 column








```
for i in file.select_dtypes(exclude=['object']).columns:  
    sbs.histplot(file[i])  
    plt.show()
```





































































































































































































































































## ▼ Removing Outliers:

```
def remove_outliers(data, threshold=3):  
    z_scores=zscore(data)  
    outlier= np.abs(z_scores) > threshold  
    cleaned_data = data[~outlier]  
    return cleaned_data
```

```
print("Columns after removing Outliers:")  
remove_outliers(file.select_dtypes(include=['int','float']))
```

Columns after removing Outliers:

	W0	W1	W2	W3	W4	W5	W6	W7	W8	W9	...	Normalized 42	Normalized 43	Normalized 44	Normalized 45	Normalized 46	Norm
<b>0</b>	11.0	12.0	10.0	8.0	13.0	12.0	14.0	21.0	6.0	14.0	...	0.06	0.22	0.28	0.39	0.50	
<b>1</b>	7.0	6.0	3.0	2.0	7.0	1.0	6.0	3.0	3.0	3.0	...	0.20	0.40	0.50	0.10	0.10	
<b>2</b>	7.0	11.0	8.0	9.0	10.0	8.0	7.0	13.0	12.0	6.0	...	0.27	1.00	0.18	0.18	0.36	
<b>3</b>	12.0	8.0	13.0	5.0	9.0	6.0	9.0	13.0	13.0	11.0	...	0.41	0.47	0.06	0.12	0.24	
<b>4</b>	8.0	5.0	13.0	11.0	6.0	7.0	9.0	14.0	9.0	9.0	...	0.27	0.53	0.27	0.60	0.20	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
<b>806</b>	0.0	0.0	1.0	0.0	0.0	2.0	1.0	0.0	0.0	1.0	...	0.00	0.33	0.33	0.00	0.00	
<b>807</b>	0.0	1.0	0.0	0.0	1.0	2.0	2.0	6.0	0.0	1.0	...	0.43	0.43	0.57	0.29	0.57	

```
file.describe()
```

	W0	W1	W2	W3	W4	W5	W6	W7	W8	W9	...	N
count	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	811.000000	...	8

## ▼ Scatter Plot:

I have choosen Week5 & Week 18 randomly:

```
plt.scatter(file['W5'],file['W18'],color='grey')
plt.xlabel('WEEK_5')
plt.ylabel('WEEK_18 ')
plt.title('SALES_TRANSACTION_DATA')
```

Text(0.5, 1.0, 'SALES\_TRANSACTION\_DATA')

SALES\_TRANSACTION\_DATA

## ▼ K-Means Clustering:

```
k = 3 # Number of clusters
kmeans = KMeans(n_clusters=k, random_state=42)
kmeans.fit(file.select_dtypes(exclude=['object']))

# Get the cluster labels
labels = kmeans.labels_

# Get the cluster centers
centers = kmeans.cluster_centers_

# Print the cluster labels and centers
for i in range(k):
    cluster_data = file[labels == i]
    cluster_center = centers[i]
    print(f"Cluster {i+1} - Center: {cluster_center}, Size: {len(cluster_data)}")
```

```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of KMeans and MiniBatchKMeans.
warnings.warn(
```

```
Cluster 1 - Center: [11.93401015 11.72588832 11.88324873 12.02030457 12.35532995 12.49746193
```

```
12.23350254 12.08629442 12.54822335 12.37055838 12.36548223 12.97461929
```

```
12.5177665 12.26395939 12.44670051 12.82233503 12.90862944 13.06598985
```

```
12.6751269 12.6142132 12.75126904 12.83756345 13.37055838 13.43654822
```

```
15.3857868 14.39086294 8.71573604 9.13705584 9.03045685 8.97461929
```

```
9.35532995 9.5177665 9.66497462 9.71573604 10.14213198 10.21319797
```

```
9.69543147 10.2284264 10.13705584 9.80203046 9.89847716 10.25380711
```

```
10.1928934 10.29441624 10.47715736 10.42639594 10.57360406 10.99492386
```

```
11.30964467 11.83756345 12.93908629 14.28426396 4.02030457 21.94416244
```

```
0.45126904 0.43862944 0.45654822 0.45670051 0.47573604 0.48771574
```

```
0.47756345 0.46725888 0.48532995 0.47538071 0.48385787 0.51451777
```

```
0.48756345 0.46700508 0.48446701 0.50177665 0.50411168 0.51172589
```

```

0.49040609 0.48020305 0.48700508 0.49279188 0.51649746 0.51791878
0.61324873 0.56548223 0.27817259 0.30263959 0.29989848 0.28472081
0.31142132 0.32005076 0.33187817 0.32649746 0.35441624 0.36238579
0.32563452 0.3571066 0.35299492 0.3335533 0.33604061 0.35279188
0.34812183 0.35807107 0.36335025 0.36304569 0.37213198 0.39598985
0.40416244 0.43548223 0.48604061 0.55568528], Size: 197
Cluster 2 - Center: [33.70967742 35.19354839 36.74193548 38.37096774 36.70967742 35.94354839
37.74193548 36.81451613 38.01612903 37.32258065 38.27419355 36.43548387
37.87096774 37.41935484 38.02419355 38.80645161 38.96774194 37.34677419
38.28225806 36.64516129 37.75806452 36.04032258 36.32258065 35.04032258
33. 25.80645161 26.43548387 27.36290323 28.78225806 28.50806452
29.66129032 28.95967742 30.17741935 30.44354839 30.44354839 30.29032258
30.79032258 30.58064516 31.80645161 30.46774194 31.36290323 31.41129032
32.09677419 31.73387097 31.78225806 32.5 33.00806452 32.35483871
31.50806452 30.87903226 28.44354839 24.18548387 17.91935484 51.41129032
0.47790323 0.52024194 0.56959677 0.61548387 0.56806452 0.54483871
0.6016129 0.56774194 0.60379032 0.58637097 0.61290323 0.56508065
0.59830645 0.58596774 0.605 0.62830645 0.63282258 0.58048387
0.61024194 0.56322581 0.59209677 0.5433871 0.55169355 0.51169355
0.44774194 0.23354839 0.25056452 0.28701613 0.32717742 0.31919355
0.35483871 0.33064516 0.36685484 0.3766129 0.37895161 0.37709677
0.38798387 0.38169355 0.41596774 0.37669355 0.40370968 0.40354839
0.42516129 0.41556452 0.41790323 0.43903226 0.4508871 0.43008065
0.40532258 0.38806452 0.31274194 0.18475806], Size: 124
Cluster 3 - Center: [1.40612245 1.48979592 1.46530612 1.54081633 1.58979592 1.54693878
1.61836735 1.68979592 1.52857143 1.60612245 1.54693878 1.58163265
1.64897959 1.63265306 1.77142857 1.65102041 1.55510204 1.68979592
1.77959184 1.61836735 1.62040816 1.78979592 1.82244898 2.05306122
2.28979592 2.40204082 1.31020408 1.30816327 1.30612245 1.3244898
1.3244898 1.44081633 1.32040816 1.4755102 1.44693878 1.46530612
1.5755102 1.5122449 1.53265306 1.53265306 1.62653061 1.56734694
1.67346939 1.59795918 1.70408163 1.74489796 1.82857143 1.74285714
1.83673469 2.14897959 2.26734694 2.84897959 0.10612245 5.15918367
0.17661224 0.18704082 0.17997959 0.19002041 0.20604082 0.19471429
0.20665306 0.20897959 0.18889796 0.20144898 0.19842857 0.19873469
0.21344898 0.21277551 0.24095918 0.20997959 0.19316327 0.21879592
0.23595918 0.21093878 0.21755102 0.24953061 0.25853061 0.27571429
0.33146939 0.35840816 0.16834694 0.17485714 0.17665306 0.17610204
0.18304082 0.20208163 0.18473469 0.20271429 0.19567347 0.20393878
0.21806122 0.21191837 0.21210204 0.20916327 0.23671429 0.21846939

```




```
0.24757143 0.22683673 0.25271429 0.26597959 0.29034694 0.25271429  
0.29461224 0.32073469 0.34281633 0.43812245], Size: 490
```


## ▼ Visualization of K-Mean:


```
K = [2,3,4,5,6,7,8,9,10,20] # Number of clusters  
for i in K:  
    kmeans = KMeans(n_clusters=i, random_state=42)  
    kmeans.fit(file.select_dtypes(exclude=['object']))  
    labels = kmeans.labels_  
    centers = kmeans.cluster_centers_  
    plt.scatter(file['W5'], file['W18'], c=labels, cmap='viridis')  
    plt.scatter(centers[:, 0], centers[:, 1], c='red', marker='x')  
    plt.xlabel('Week 5')  
    plt.ylabel('Week 18')  
    plt.title('K-means Clustering with '+ str(i)+ ' value of K')  
    plt.show()
```

```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```




```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```





```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the number of clusters you expect in the data. By default, the number of initial centroids will be the same as the number of clusters. You can use max_iter=100 to silence this warning.  
warnings.warn(
```


### K-means Clustering with 4 value of K



0 10 20 30 40 50  
Week 5


```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```


K-means Clustering with 5 value of K



```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```


K-means Clustering with 6 value of K






```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the number of iterations for which the algorithm does not stop. The default of 10 is only valid for sklearn version 0.22.1 and earlier.
warnings.warn(
```


K-means Clustering with 7 value of K





```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the new value to avoid this warning.
warnings.warn(
```


K-means Clustering with 8 value of K



```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the new value to avoid this warning.
warnings.warn(
```


K-means Clustering with 9 value of K






/usr/local/lib/python3.10/dist-packages/sklearn/cluster/\_kmeans.py:870: FutureWarning: The default value of `n\_init` will change from 10 to 1 in the future. You should set it to its new default value, `n\_init=1`, to avoid this warning.


K-means Clustering with 10 value of K





/usr/local/lib/python3.10/dist-packages/sklearn/cluster/\_kmeans.py:870: FutureWarning: The default value of `n\_init` will change from 10 to 100 in version 0.25. For now, use `n\_init=10` to silence this warning.

K-means Clustering with 20 value of K



Liner Regression:


```
xn= np.array(file.W5)
yn= np.array(file.W18)
n=len(xn)
xn_mean = xn.mean()
yn_mean = yn.mean()
sum_xn = (xn).sum()
sum_yn = (yn).sum()
sum_xnyn = ((xn*yn).sum())*n
print(sum_xnyn)
sum_xn_sum_yn = sum_xn*sum_yn
sum_xn_xn = ((xn*xn).sum())*n
print(sum_xn_xn)
sum_xn_Square = sum_xn*sum_xn
slp = (sum_xnyn- sum_xn_sum_yn) / (sum_xn_xn-sum_xn_Square)
print("Slope=" , slp)
```



```
Intcp = yn_mean - slp * xn_mean  
print("Intercept=" ,Intcp)
```

```
168155984  
166954893  
Slope= 0.97991908131643  
Intercept= 0.7313948369097005
```

```
plt.xlabel("W5 ---->")  
plt.scatter(file.W5,file.W18)  
plt.ylabel("W18---> ")  
plt.plot(xn,slp*xn+Intcp)  
plt.show()
```



Linear Regression General Form For Only One Independent Feature/Variable:

$Y=mx+c$ .

where  $x$ =independent feature, $Y$ =Predicted  $Y$

$m$ =slop ,  $c$ =intercept

## ▼ K-Means CLustering With Features Scaling:

```
scaler = StandardScaler()
scaled = pd.DataFrame(scaler.fit_transform(file.select_dtypes(exclude=['object'])))
scaled.columns=file.select_dtypes(exclude=['object']).columns
scaled.columns
```


```
Index(['W0', 'W1', 'W2', 'W3', 'W4', 'W5', 'W6', 'W7', 'W8', 'W9',
      ...,
      'Normalized 42', 'Normalized 43', 'Normalized 44', 'Normalized 45',
      'Normalized 46', 'Normalized 47', 'Normalized 48', 'Normalized 49',
      'Normalized 50', 'Normalized 51'],
      dtype='object', length=106)
```

```
K = [2,3,4,5,6,7,8,9,10,20] # Number of clusters
for i in K:
    kmeans = KMeans(n_clusters=i, random_state=42)
    kmeans.fit(scaled)
    labels = kmeans.labels_
    centers = kmeans.cluster_centers_
    plt.scatter(scaled['W5'], scaled['W18'], c=labels, cmap='viridis')
    plt.scatter(centers[:, 0], centers[:, 1], c='red', marker='x')
    plt.xlabel('Week 5')
    plt.ylabel('Week 18')
```

```
plt.title('K-means Clustering with '+ str(i)+ ' value of K')  
plt.show()
```


```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of the clustering algorithm. For now, you can avoid this warning by explicitly setting `n_init` to 1.
warnings.warn(
```


K-means Clustering with 2 value of K



```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of the clustering algorithm. For now, you can avoid this warning by explicitly setting `n_init` to 1.
warnings.warn(
```


K-means Clustering with 3 value of K





```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```


### K-means Clustering with 4 value of K



Week 5


/usr/local/lib/python3.10/dist-packages/sklearn/cluster/\_kmeans.py:870: FutureWarning: The default value of `n\_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering. For more information, see [https://scikit-learn.org/stable/whats\\_new/v1.3.html](https://scikit-learn.org/stable/whats_new/v1.3.html). warnings.warn(


K-means Clustering with 5 value of K



/usr/local/lib/python3.10/dist-packages/sklearn/cluster/\_kmeans.py:870: FutureWarning: The default value of `n\_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering. For more information, see [https://scikit-learn.org/stable/whats\\_new/v1.3.html](https://scikit-learn.org/stable/whats_new/v1.3.html). warnings.warn(


K-means Clustering with 6 value of K






```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. This will affect the results of K-means clustering.
warnings.warn(
```


K-means Clustering with 7 value of K





```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the number of clusters you expect in the data. By default, the number of clusters is estimated from the heuristic of Elbow method. warnings.warn(
```

K-means Clustering with 8 value of K




```
/usr/local/lib/python3.10/dist-packages/sklearn/cluster/_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 1 in the future. You should set `n_init` to the number of clusters you expect in the data. By default, the number of clusters is estimated from the heuristic of Elbow method. warnings.warn(
```

K-means Clustering with 9 value of K








/usr/local/lib/python3.10/dist-packages/sklearn/cluster/\_kmeans.py:870: FutureWarning: The default value of `n\_init` will change from 10 to 1 in the future. You should set `n\_init` to the number of clusters you expect in the data. If you want the old default behavior, use `n\_init=10`.

### K-means Clustering with 10 value of K



## ▼ Liner Regression With Feature Scaling:

```

-0.5    0.0    0.5    1.0    1.5    2.0    2.5    3.0    3.5
xn= np.array(scaled.W5)
yn= np.array(scaled.W18)
n=len(xn)
xn_mean = xn.mean()
yn_mean = yn.mean()
sum_xn = (xn).sum()
sum_yn = (yn).sum()
sum_xnyn = ((xn*yn).sum())*n
print(sum_xnyn)
sum_xn_sum_yn = sum_xn*sum_yn
sum_xn_xn = ((xn*xn).sum())*n
print(sum_xn_xn)
sum_xn_Square = sum_xn*sum_xn
slp = (sum_xnyn- sum_xn_sum_yn) / (sum_xn_xn-sum_xn_Square)
print("Slope=" , slp)
Intcp = yn_mean - slp * xn_mean
print("Intercept=" ,Intcp)

```

```


609491.9885452681
657721.0
Slope= 0.9266725382727146
Intercept= -3.504526440247103e-17

```

```

plt.xlabel("W5 ---->")
plt.scatter(scaled.W5,scaled.W18)
plt.ylabel("W18---> ")
plt.plot(xn,slp*xn+Intcp)
plt.show()

```



✓ 0s completed at 3:19 AM

