

Music playlist management system

```
#include <stdio.h>

#include <stdlib.h>

#include <string.h>

// Structure for a song node

struct Song{

char title[50

struct Song* next;

};

struct Song* head = NULL;

// Function to print line void printLine()
{ printf("=====\n"); }

// Function to add a song

void addSong() {

struct Song* newSong = (struct Song*)malloc(sizeof(struct Song));

printLine();
printf("      ADD NEW SONG\n");
printLine();

printf("Enter song title: ");
scanf(" %[\n]", newSong->title);

newSong->next = NULL;

if (head == NULL) {
    head = newSong;
} else {
    struct Song* temp = head;
    while (temp->next != NULL) {
        temp = temp->next;
    }
}
```

```

        temp->next = newSong;
    }

    printf("\n Song added successfully!\n");
    printLine();

}

// Function to display playlist void displayPlaylist() { printLine(); printf(" PLAYLIST\n");
printLine();

if (head == NULL) {
    printf(" Playlist is empty.\n");
    printLine();
    return;
}

struct Song* temp = head;
int i = 1;

while (temp != NULL) {
    printf("%d. %s\n", i, temp->title);
    temp = temp->next;
    i++;
}

printLine();

}

// Function to delete a song void deleteSong() { char name[50];

printLine();
printf("          DELETE SONG\n");
printLine();

printf("Enter song title: ");
scanf(" %[^\\n]", name);

struct Song *temp = head, *prev = NULL;

```

```

if (temp != NULL && strcmp(temp->title, name) == 0) {
    head = temp->next;
    free(temp);
    printf("\n Song deleted successfully!\n");
    printLine();
    return;
}

while (temp != NULL && strcmp(temp->title, name) != 0) {
    prev = temp;
    temp = temp->next;
}

if (temp == NULL) {
    printf("\n Song not found!\n");
    printLine();
    return;
}

prev->next = temp->next;
free(temp);
printf("\n Song deleted successfully!\n");
printLine();

}

// Function to search a song void searchSong() { char name[50];

printLine();
printf("          SEARCH SONG\n");
printLine();

printf("Enter song title: ");
scanf(" %[^\\n]", name);

struct Song* temp = head;
int pos = 1;

while (temp != NULL) {
    if (strcmp(temp->title, name) == 0) {
        printf("\n Found at position %d\n", pos);
        printLine();
    }
}

```

```

        return;
    }
    temp = temp->next;
    pos++;
}

printf("\n Song not found!\n");
printLine();

}

// Main menu
int main() { int choice;

while (1) {
    printLine();
    printf("          * MUSIC PLAYLIST MENU * \n");
    printLine();

    printf(" 1. Add Song\n");
    printf(" 2. Delete Song\n");
    printf(" 3. Display Playlist\n");
    printf(" 4. Search Song\n");
    printf(" 5. Exit\n");

    printLine();
    printf("Enter your choice: ");
    scanf("%d", &choice);

    switch (choice) {
        case 1: addSong(); break;
        case 2: deleteSong(); break;
        case 3: displayPlaylist(); break;
        case 4: searchSong(); break;
        case 5:
            printLine();
            printf("Exiting... Thank you!\n");
            printLine();
            exit(0);
        default:
            printf("\nX Invalid choice!\n");
    }
}

```

}

}