

```
1
2
3 Imports System
4 Imports System.IO.Ports
5
6 Public Class AttendanceMainForm
7     Dim receivedData As String = ""
8
9     Function ReceiveSerialData() As String
10         receivedData = ""
11         Dim Reader As String
12         Try
13
14             Reader = SerialPort2.ReadExisting()
15             If Reader Is Nothing Then
16                 Return "Nothing" & vbCrLf
17             Else
18                 Return Reader
19             End If
20         Catch ex As TimeoutException
21             Return "Error"
22         End Try
23
24     End Function
25     Function ArduinoConnect() As String
26
27
28         For Each sp As String In My.Computer.Ports.SerialPortNames
29             SerialPort2.Close()
30             SerialPort2.PortName = sp
31             SerialPort2.BaudRate = 9600
32             SerialPort2.DataBits = 8
33             SerialPort2.Parity = Parity.None
34             SerialPort2.StopBits = StopBits.One
35             SerialPort2.Handshake = Handshake.None
36             SerialPort2.Encoding = System.Text.Encoding.Default 'very important!
37             SerialPort2.ReadTimeout = 10000
38             SerialPort2.Open()
39             Timer2.Enabled = True
40         Next
41     End Function
42
43     Private Sub AttendanceMainForm_FormClosing(sender As Object, e As FormClosingEventArgs) Handles Me.FormClosing
44
45
46         LoginForm2.Show()
47         LoginForm2.UserNameTextBox2M.Focus()
48
49
50
51     End Sub
52
53
54
```

```
55 Private Sub AttendanceMainForm_Load(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles MyBase.Load
56     Call readData1()
57
58     MetroTextBox10.Focus()
59     ArduinoConnect()
60     Timer1.Enabled = True
61
62 End Sub
63
64
65
66
67
68
69
70 Private Sub Timer2_Tick(sender As Object, e As EventArgs) Handles Timer2.Tick
71     receivedData = ReceiveSerialData()
72     MetroTextBox10.Text &= receivedData
73
74
75
76
77
78 End Sub
79
80
81
82
83 Private Sub MetroButton2_Click(sender As Object, e As EventArgs) Handles MetroButton2.Click
84
85     'MainForm.Show()
86     'Me.Close()
87     LoginForm2.Show()
88     LoginForm2.UserNameTextBox2M.Focus()
89
90 End Sub
91
92 Private Sub MetroButton1_Click(sender As Object, e As EventArgs)
93
94
95     AttendanceMainForm2.Show()
96     Me.Hide()
97 End Sub
98
99 Private Sub MetroButton1_Click_1(sender As Object, e As EventArgs) Handles MetroButton1.Click
100     If MetroTextBox10.Text = "" Then
101         MsgBox("Please enter a Borrower ID", 0, "")
102     ElseIf MetroTextBox2.Text = "" Or MetroTextBox7.Text = "" Or MetroTextBox2.Text = "" Then
103         MsgBox("No Details", 0, "") ' Validation (Robert)
104
105
```

```
106
107     Else
108         Try
109             If objcon.State = ConnectionState.Closed Then objcon.Open()
110             com = New OleDb.OleDbCommand("INSERT INTO Attendance values
111                 ('','' & MetroTextBox1.Text & '','' & MetroTextBox7.Text &
112                 '','' & MetroTextBox2.Text & '','' & MetroDateTime1.Text &
113                 '','' & MetroTextBox3.Text & '','' & MetroDateTime2.Text &
114                 ''')", objcon)
115             If com.ExecuteNonQuery() Then MsgBox("Submitted!", 0, "")
116
117             objcon.Close()
118
119             MetroTextBox1.Clear()
120             MetroTextBox7.Clear()
121             MetroTextBox2.Clear()
122             MetroTextBox10.Clear()
123             MetroTextBox10.Focus()
124             PictureBox4.Image = Nothing
125         Catch ex As Exception
126             MsgBox(ex.Message, 0, "")
127         End Try
128         PictureBox4.ResetText()
129         'SerialPort2.Close()
130         AttendanceMainForm2.Show()
131         Me.Hide()
132     End If
133 End Sub
134
135
136
137
138
139 Public Sub adddatatolistview1(ByVal lvw1 As ListView,
140     ByVal B_ID As String,
141     ByVal B_Name As String,
142     ByVal B_Address As String,
143     ByVal B_Type As String,
144     ByVal B_ContactNumber As String,
145     ByVal B_Img As String)
146
147     Dim lv1 As New ListViewItem
148     lvw1.Items.Add(lv1)
149     lv1.Text = B_ID
150     lv1.SubItems.Add(B_Name)
151     lv1.SubItems.Add(B_Address)
152     lv1.SubItems.Add(B_Type)
153     lv1.SubItems.Add(B_ContactNumber)
154     lv1.SubItems.Add(B_Img)
155
156
157
```

```
158     End Sub
159
160
161
162     Sub readData1()
163         ListView1.Clear()
164         ListView1.Columns.Add("", 60, HorizontalAlignment.Center)
165         ListView1.Columns.Add("", 60, HorizontalAlignment.Center)
166         ListView1.Columns.Add("", 310, HorizontalAlignment.Center)
167         ListView1.Columns.Add("", 90, HorizontalAlignment.Center)
168         ListView1.Columns.Add("", 90, HorizontalAlignment.Center)
169         ListView1.View = View.Details
170         Try
171
172             If (objcon.State = ConnectionState.Closed) Then objcon.Open()
173             com = New OleDb.OleDbCommand("SELECT * FROM Borrowers ", objcon)
174             dr = com.ExecuteReader
175             While dr.Read()
176                 Call adddatatolistview1(ListView1, dr(0), dr(1), dr(2), dr(3), ↗
177                     dr(4), dr(5))
178             End While
179             dr.Close()
180             objcon.Close()
181         Catch
182             'MsgBox("Please Refresh", MsgBoxStyle.Information, "")
183         End Try
184
185     End Sub
186
187
188
189
190
191     Private Sub ListView1_SelectedIndexChanged_1(sender As Object, e As EventArgs) Handles ListView1.SelectedIndexChanged ↗
192
193         Dim i As Integer
194         For i = 0 To ListView1.Items.Count - 1
195             If ListView1.Items(i).Selected = True Then
196
197                 Exit For
198             End If
199         Next
200         ListView1.Focus()
201         ListView1.FullRowSelect = True
202     End Sub
203
204     Private Sub MetroTextBox10_KeyPress(sender As Object, e As KeyPressEventArgs) Handles MetroTextBox10.KeyPress ↗
205         If Asc(e.KeyChar) <> 13 AndAlso Asc(e.KeyChar) <> 8 AndAlso Not ↗
206             IsNumeric(e.KeyChar) Then
207                 MessageBox.Show("Error")
208                 e.Handled = True
209             End If
210         End Sub
```

```
210
211
212     Private Sub MetroTextBox10_TextChanged(sender As Object, e As EventArgs)  ↗
213         Handles MetroTextBox10.TextChanged
214             Dim i As Integer
215             ListView1.SelectedItems.Clear()
216             MetroTextBox10.Focus()
217
218             Try
219
220
221                 If Me.MetroTextBox10.Text = "" Then
222                     ' Call CellRestart()
223                     MetroTextBox1.Text = ""
224                     MetroTextBox7.Text = ""
225                     MetroTextBox2.Text = ""
226                     PictureBox4.Image = Nothing
227                 Else
228
229
230                     For i = 0 To ListView1.Items.Count - 1
231                         If MetroTextBox10.Text = ListView1.Items(i).SubItems  ↗
232                             (0).Text Then
233                             MetroTextBox1.Text = ListView1.Items(i).SubItems  ↗
234                             (1).Text
235                             MetroTextBox7.Text = ListView1.Items(i).SubItems  ↗
236                             (2).Text
237                             MetroTextBox2.Text = ListView1.Items(i).SubItems  ↗
238                             (4).Text
239                             PictureBox4.ImageLocation = ListView1.Items  ↗
240                             (i).SubItems(5).Text
241                             MetroTextBox10.Focus()
242                             'MetroLabel6.Hide()
243                             Exit For
244                         Else
245
246                             'MetroLabel6.Show()
247                         End If
248
249                     Next
250                     ' Call locateCell()
251                 Catch
252
253                 End Try
254
255     End Sub
256
257
258
259
```

```

260
261
262
263 Private Sub MetroTextBox2_TextChanged(sender As Object, e As EventArgs) ➤
    Handles MetroTextBox2.TextChanged
264
265
266 If MetroTextBox2.Text <> "" Then
267
268
269     If objcon.State = ConnectionState.Closed Then objcon.Open()
270     com2 = New OleDb.OleDbCommand("SELECT * FROM QAttendance WHERE ➤
        A_Name=''" & MetroTextBox1.Text & "' AND A_Date=''" & ➤
        MetroLabel17.Text & "'", objcon)
271     dr = com2.ExecuteReader
272
273     'If (dr("A_Action").ToString()) = "Login" Then
274     '    MsgBox("Detected Login")
275     'Else
276     '    MsgBox("Detected Logout")
277     'End If
278
279 If (dr.HasRows) Then
280     If objcon.State = ConnectionState.Closed Then objcon.Open()
281
282     com4 = New OleDb.OleDbCommand("DELETE * FROM QAttendance WHERE ➤
        A_Name=''" & MetroTextBox1.Text & "'", objcon)
283     com4.ExecuteNonQuery()
284     '////////////////////////////////////
285     Try
286         If objcon.State = ConnectionState.Closed Then objcon.Open ➤
            ()
287         com = New OleDb.OleDbCommand("INSERT INTO Attendance ➤
            values('','" & MetroTextBox1.Text & "',''" & ➤
            MetroTextBox7.Text & "',''" & MetroTextBox2.Text & "',''" & ➤
            MetroLabel16.Text & "','Logout','" & MetroLabel17.Text & ➤
            "'')", objcon)
288
289         If com.ExecuteNonQuery() Then
290             objcon.Close()
291             MetroTextBox1.Clear()
292             MetroTextBox7.Clear()
293             MetroTextBox2.Clear()
294
295             MetroTextBox10.Clear()
296             PictureBox4.Image = Nothing
297             'MsgBox("Logout")
298         End If
299
300
301     Catch ex As Exception
302         MsgBox(ex.Message, 0, "adaw")
303     End Try
304     PictureBox4.ResetText()
305     'SerialPort2.Close()
306     'AttendanceMainForm2.Show()

```

```

307         'Me.Hide()
308         '////////////////////////////////////
309     Else
310
311         com3 = New OleDb.OleDbCommand("INSERT INTO QAttendance values
312         ('','' & MetroTextBox1.Text & "',' & MetroTextBox7.Text &
313         "',' & MetroTextBox2.Text & "',' & MetroLabel16.Text &
314         "',' & MetroTextBox3.Text & "',' & MetroLabel17.Text &
315         "',')", objcon)
316     com3.ExecuteNonQuery()
317     '////////////////////////////////////
318     Try
319         If objcon.State = ConnectionState.Closed Then objcon.Open
320         ()
321         com = New OleDb.OleDbCommand("INSERT INTO Attendance
322         values('','' & MetroTextBox1.Text & "',' &
323         MetroTextBox7.Text & "',' & MetroTextBox2.Text & "',' &
324         MetroLabel16.Text & "','Login',' & MetroLabel17.Text &
325         "',')", objcon)
326         If com.ExecuteNonQuery() Then
327             objcon.Close()
328             MetroTextBox1.Clear()
329             MetroTextBox7.Clear()
330             MetroTextBox2.Clear()
331
332             MetroTextBox10.Clear()
333             PictureBox4.Image = Nothing
334             ' MsgBox("login")
335         End If
336     Catch ex As Exception
337         MsgBox(ex.Message, 0, "adaw")
338     End Try
339     PictureBox4.ResetText()
340     ' SerialPort2.Close()
341     'AttendanceMainForm2.Show()
342     'Me.Hide()
343     '////////////////////////////////////
344 End If
345
346 End Sub
347
348 Private Sub MetroButton3_Click(sender As Object, e As EventArgs) Handles
349     MetroButton3.Click
350     Try
351         If objcon.State = ConnectionState.Closed Then objcon.Open()
352         com = New OleDb.OleDbCommand("DELETE * FROM Attendance", objcon)
353         If com.ExecuteNonQuery() Then MsgBox("Submitted!", 0, "")

```

```
353         objcon.Close()
354
355         Catch ex As Exception
356             MsgBox(ex.Message, 0, "")
357         End Try
358     End Sub
359
360     Private Sub Timer1_Tick(sender As Object, e As EventArgs) Handles  Timer1.Tick
361
362         MetroLabel6.Text = Date.Now.ToString("hh:mm:ss tt")
363         MetroLabel7.Text = Date.Now.ToString("MM/dd/yyyy")
364     End Sub
365 End Class
```