

```
1 Imports System
2 Imports System.IO.Ports
3
4 Public Class ReturnBook
5
6
7
8
9
10 Sub ClearThem()
11
12
13     MetroTextBox8.Text = ""
14     MetroTextBox6.Text = ""
15     MetroTextBox2.Text = ""
16     MetroTextBox3.Text = ""
17     MetroTextBox4.Text = ""
18     MetroTextBox7.Text = ""
19     MetroTextBox5.Text = ""
20     'metrotextbox9.text = ""
21     MetroTextBox1.Text = ""
22     ComboBox1.Items.Clear()
23     MetroTextBox10.Text = ""
24     MetroTextBox11.Text = ""
25     MetroDateTime2.Text = ""
26     MetroTextBox13.Text = ""
27     MetroTextBox14.Text = ""
28
29     MetroDateTime1.MinDate = DateTime.Today
30 End Sub
31
32
33
34 Sub BookID_Combo()
35     Try
36         If objcon.State = ConnectionState.Closed Then objcon.Open()
37         com = New OleDb.OleDbCommand("Select BookID from Books", objcon)
38         dr = com.ExecuteReader
39         While dr.Read
40             ComboBox1.Items.Add(dr.Item(0))
41         End While
42         dr.Close()
43         objcon.Close()
44     Catch ex As Exception
45
46     End Try
47 End Sub
48
49
50 Private Sub ReturnBook_Load(ByVal sender As System.Object, ByVal e As 
51     System.EventArgs) Handles MyBase.Load
52     Call BookID_Combo()
53     Call readData()
54     Call readData2()
55     ' MetroDateTime1.MinDate = DateTime.Today
56     MetroDateTime1.Enabled = False
```

```
56
57
58
59     End Sub
60
61     Sub readData2()
62         ListView2.Clear()
63         ListView2.Columns.Add("Book Barcode", 160, HorizontalAlignment.Center)
64         ListView2.Columns.Add("Group ID", 60, HorizontalAlignment.Center)
65         ListView2.Columns.Add("Book Name", 310, HorizontalAlignment.Center)
66         ListView2.Columns.Add("Borrower ID", 90, HorizontalAlignment.Center)
67         ListView2.Columns.Add("Borrower Name", 190, ↗
            HorizontalAlignment.Center)
68         ListView2.Columns.Add("Issue Date", 90, HorizontalAlignment.Center)
69         ListView2.Columns.Add("Due Date", 90, HorizontalAlignment.Center)
70         ListView2.Columns.Add("Transaction", 130, HorizontalAlignment.Center)
71         ListView2.View = View.Details
72     Try
73
74         If (objcon.State = ConnectionState.Closed) Then objcon.Open()
75         com = New OleDb.OleDbCommand("SELECT * FROM Issue", objcon)
76         dr = com.ExecuteReader
77         While dr.Read()
78             Call adddatatolistview2(ListView2, dr(0), dr(1), dr(2), dr(3), ↗
                dr(4), dr(5), dr(6), dr(7))
79         End While
80         dr.Close()
81         objcon.Close()
82     Catch
83         'MsgBox("Please Refresh", MsgBoxStyle.Information, "")
84     End Try
85 End Sub
86
87 Public Sub adddatatolistview2(ByVal lvw As ListView,
88                               ByVal BookID As String,
89                               ByVal GroupID As String,
90                               ByVal BookName As String,
91                               ByVal B_ID As String,
92                               ByVal B_Name As String,
93                               ByVal Issue_Date As String,
94                               ByVal Due_Date As String,
95                               ByVal Trans As String)
96     Dim lv As New ListViewItem
97     lvw.Items.Add(lv)
98     lv.Text = BookID
99     lv.SubItems.Add(GroupID)
100    lv.SubItems.Add(BookName)
101    lv.SubItems.Add(B_ID)
102    lv.SubItems.Add(B_Name)
103    lv.SubItems.Add(Issue_Date)
104    lv.SubItems.Add(Due_Date)
105    lv.SubItems.Add(Trans)
106 End Sub
107
108
109
```

```
110 Private Sub MetroButton1_Click(ByVal sender As System.Object, ByVal e As System.EventArgs) Handles MetroButton1.Click
111     Me.MetroTextBox8.Text = ""
112     MetroTextBox6.Text = ""
113     MetroTextBox6.Text = ""
114     MetroTextBox2.Text = ""
115     MetroTextBox3.Text = ""
116     MetroTextBox4.Text = ""
117     MetroTextBox7.Text = ""
118     MetroTextBox5.Text = ""
119     MetroTextBox1.Text = ""
120     'metrotextbox9.text = ""
121     MetroTextBox10.Text = ""
122     MetroTextBox11.Text = ""
123     MetroDateTime2.Text = ""
124     MetroTextBox13.Text = ""
125 End Sub
126
127
128
129
130
131
132 Private Sub ListView2_SelectedIndexChanged(sender As Object, e As EventArgs) Handles ListView2.SelectedIndexChanged
133
134
135
136 Dim i As Integer
137 For i = 0 To ListView2.Items.Count - 1
138     If ListView2.Items(i).Selected = True Then
139         MetroTextBox8.Text = ListView2.Items(i).SubItems(0).Text
140         ComboBox1.Text = ListView2.Items(i).SubItems(0).Text
141         MetroTextBox11.Text = ListView2.Items(i).SubItems(3).Text
142         MetroTextBox10.Text = ListView2.Items(i).SubItems(4).Text
143         'metrotextbox9.text = ListView2.Items(i).SubItems(5).Text
144         MetroLabel9.Text = ListView2.Items(i).SubItems(6).Text
145
146         MetroTextBox14.Text = ListView2.Items(i).SubItems(7).Text
147
148         Exit For
149     End If
150 Next
151 ListView2.Focus()
152 ListView2.FullRowSelect = True
153 MetroTextBox12.Text = 0
154 MetroTextBox15.Text = 0
155 End Sub
156
157
158 Private Sub MetroButton2_Click(sender As Object, e As EventArgs) Handles MetroButton2.Click
159     Dim dt1 As DateTime = Convert.ToDateTime(MetroDateTime2.Text)
160     Dim dt2 As DateTime = Convert.ToDateTime(MetroDateTime1.Text)
161     Dim ts As TimeSpan = dt2.Subtract(dt1)
162
```

```

163     Dim Total As Double = 0.0
164     Dim Penalty As Integer = 15
165     Dim Damage As Integer = 150
166     If dt1 < dt2 Then
167         Total = Penalty * ts.Days
168
169         MetroTextBox12.Text = Total
170
171     End If
172
173     If ComboBox1.Text = "" Then
174         MsgBox("Please mention the Book ID", 0, "")
175     Else
176         Try
177
178
179             If MessageBox.Show("Damage book or not?", "",
                                MessageBoxButtons.YesNo) = Windows.Forms.DialogResult.Yes
                                Then
180
181
182                 MetroTextBox15.Text = 150
183                 If objcon.State = ConnectionState.Closed Then objcon.Open
184                 ()
185                 com = New OleDb.OleDbCommand("INSERT INTO DamageBooks
186                 VALUES('" & MetroTextBox8.Text & "','" &
187                 MetroTextBox2.Text & "','" & MetroTextBox11.Text & "','" &
188                 MetroTextBox10.Text & "','" & MetroLabel19.Text & "','" &
189                 MetroDateTime2.Text & "','" & MetroDateTime1.Text & "','"
190                 & MetroTextBox15.Text & "')", objcon)
191                 com.ExecuteNonQuery()
192                 objcon.Close()
193                 Call readData()
194
195
196                 If objcon.State = ConnectionState.Closed Then objcon.Open
197                 ()
198                 com = New OleDb.OleDbCommand("DELETE FROM Issue WHERE
199                 Trans=" & MetroTextBox14.Text & "", objcon)
200                 com.ExecuteNonQuery()
201                 objcon.Close()
202                 Call readData()
203                 Call readData2()
204
205                 If MetroTextBox8.Text = 2 Then
206                     If objcon.State = ConnectionState.Closed Then
207                         objcon.Open()
208                     com = New OleDb.OleDbCommand("UPDATE Books SET
209                     status='Available' WHERE BookID='" & MetroTextBox8.Text &
210                     "'", objcon)
211                     com.ExecuteNonQuery()
212                     objcon.Close()
213                     Call readData()

```

```

206         Call readData2()
207     Else
208         If objcon.State = ConnectionState.Closed Then
209             objcon.Open()
210             com = New OleDb.OleDbCommand("UPDATE Books SET
211             status='Borrowed' WHERE BookID='" & MetroTextBox8.Text &
212             "'", objcon)
213             com.ExecuteNonQuery()
214             objcon.Close()
215             Call readData()
216             Call readData2()
217         End If
218
219     If objcon.State = ConnectionState.Closed Then objcon.Open
220     ()
221     com = New OleDb.OleDbCommand("INSERT INTO Returns VALUES
222     ('" & MetroTextBox8.Text & "','" & MetroTextBox2.Text &
223     "','" & MetroTextBox11.Text & "','" & MetroTextBox10.Text
224     & "','" & MetroLabel19.Text & "','" & MetroDateTime2.Text &
225     "','" & MetroDateTime1.Text & "','" & MetroTextBox12.Text
226     & "')", objcon)
227     com.ExecuteNonQuery()
228     MsgBox("Book has been returned!", 0, "")
229     objcon.Close()
230     Call readData2()
231
232     Call ClearThem()
233     MsgBox(Damage, 0, "Damage Fine")
234     MsgBox(Total, 0, "Late Penalty")
235 Else
236
237     If objcon.State = ConnectionState.Closed Then objcon.Open
238     ()
239     com = New OleDb.OleDbCommand("DELETE FROM Issue WHERE
240     Trans=" & MetroTextBox14.Text & "'", objcon)
241     com.ExecuteNonQuery()
242     objcon.Close()
243     Call readData()
244     Call readData2()
245
246     If MetroTextBox8.Text > 2 Then
247         If objcon.State = ConnectionState.Closed Then
248             objcon.Open()
249             com = New OleDb.OleDbCommand("UPDATE Books SET
250             status='Available' WHERE BookID='" & MetroTextBox8.Text &
251             "'", objcon)
252             com.ExecuteNonQuery()
253             objcon.Close()
254             Call readData()
255             Call readData2()
256         Else
257             If objcon.State = ConnectionState.Closed Then
258                 objcon.Open()
259                 com = New OleDb.OleDbCommand("UPDATE Books SET
260                 status='Borrowed' WHERE BookID='" & MetroTextBox8.Text &

```

```

        """, objcon)
246         com.ExecuteNonQuery()
247         objcon.Close()
248         Call readData()
249         Call readData2()
250     End If
251
252
253     If objcon.State = ConnectionState.Closed Then objcon.Open ↗
        ()
254     com = New OleDb.OleDbCommand("UPDATE Books SET Quantity='" ↗
        & MetroTextBox13.Text + 1 & "' WHERE BookID='" & ↗
        MetroTextBox8.Text & "'", objcon)
255     com.ExecuteNonQuery()
256     objcon.Close()
257     Call readData()
258     Call readData2()
259
260     If objcon.State = ConnectionState.Closed Then objcon.Open ↗
        ()
261     com = New OleDb.OleDbCommand("INSERT INTO Returns VALUES ↗
        ('' & MetroTextBox8.Text & "',' & MetroTextBox2.Text & ↗
        "',' & MetroTextBox11.Text & "',' & MetroTextBox10.Text ↗
        & "',' & MetroLabel19.Text & "',' & MetroDateTime2.Text & ↗
        "',' & MetroDateTime1.Text & "',' & MetroTextBox12.Text ↗
        & "')", objcon)
262     com.ExecuteNonQuery()
263     MsgBox("Book has been returned!", 0, "")
264     objcon.Close()
265     Call readData2()
266
267     Call ClearThem()
268
269
270     MsgBox(Total, 0, "Late Penalty")
271 End If
272
273
274     MetroTextBox15.Text = ""
275     MetroTextBox12.Text = ""
276
277
278     Catch ex As Exception
279         MsgBox(ex.Message, 0, "")
280     End Try
281
282
283 End If
284 End Sub
285
286 Private Sub MetroButton4_Click(sender As Object, e As EventArgs) Handles ↗
    MetroButton4.Click
287     LibraryMainForm.Show()
288     Me.Close()
289
290 End Sub

```

```

291
292
293
294
295 Sub IssueDetail() '
296     Try
297         If objcon.State = ConnectionState.Closed Then objcon.Open()
298         com = New OleDb.OleDbCommand("Select IssueDate, Barcode_ID,      ↗
299             Borrower_Name, DueDate from Issue WHERE BookID='" &      ↗
300             MetroTextBox8.Text & "'", objcon)
301         dr = com.ExecuteReader
302         While dr.Read
303             MetroLabel19.Text = dr.Item(0)
304             MetroTextBox11.Text = dr.Item(1)
305             MetroTextBox10.Text = dr.Item(2)
306             MetroDateTime2.Text = dr.Item(3)
307             MetroTextBox14.Text = dr.Item(7)
308         End While
309         dr.Close()
310         objcon.Close()
311     Catch ex As Exception
312 End Try
313 End Sub
314
315
316 'Private Sub MetroListView2_SelectedIndexChanged(sender As Object, e As      ↗
317     EventArgs) Handles MetroListView2.SelectedIndexChanged
318     ' Dim i As Integer
319     ' For i = 0 To MetroListView2.Items.Count - 1
320     '     If MetroListView2.Items(i).Selected = True Then
321     '         MetroTextBox8.Text = MetroListView2.Items(i).SubItems(0).Text
322     '         Exit For
323     '     End If
324     ' Next
325     ' MetroListView2.Focus()
326     ' MetroListView2.FullRowSelect = True
327 End Sub
328
329 'Private Sub ComboBox1_SelectedIndexChanged(ByVal sender As System.Object, ↗
330     ByVal e As System.EventArgs)
331     ' Dim i As Integer
332     ' MetroListView2.SelectedItems.Clear()
333     ' MetroTextBox8.Focus()
334     ' Try
335     '     If Me.ComboBox1.Text = "" Then
336     '         Else
337     '             For i = 0 To MetroListView2.Items.Count - 1
338     '                 If MetroTextBox8.Text = MetroListView2.Items(i).SubItems      ↗
339     ' (0).Text Then
340     '                     MetroTextBox6.Text = MetroListView2.Items(i).SubItems      ↗
341     ' (1).Text
342     '                     MetroTextBox2.Text = MetroListView2.Items(i).SubItems      ↗

```

```

        (2).Text
341     '           MetroListView2.Items(i).Selected = True
342     '           Exit For
343     '       End If
344     '   Next
345     ' End If
346     ' Catch
347
348     ' End Try
349     ' Call IssueDetail()
350 'End Sub
351
352
353 Private Sub MetroTextBox8_TextChanged(sender As Object, e As EventArgs) ➤
    Handles MetroTextBox8.TextChanged
354
355
356     Dim i As Integer
357     MetroListView2.SelectedItems.Clear()
358     MetroTextBox8.Focus()
359     Try
360         If Me.MetroTextBox8.Text = "" Then
361             MetroTextBox6.Text = ""
362             MetroTextBox6.Text = ""
363             MetroTextBox2.Text = ""
364             MetroTextBox3.Text = ""
365             MetroTextBox4.Text = ""
366             MetroTextBox7.Text = ""
367             MetroTextBox5.Text = ""
368             MetroTextBox1.Text = ""
369
370             MetroTextBox13.Text = ""
371         Else
372             For i = 0 To MetroListView2.Items.Count - 1
373                 If MetroTextBox8.Text = MetroListView2.Items(i).SubItems ➤
374                     (0).Text Then
375                         ComboBox1.Text = MetroListView2.Items(i).SubItems ➤
376                         (0).Text
377                         MetroTextBox6.Text = MetroListView2.Items(i).SubItems ➤
378                         (1).Text
379                         MetroTextBox2.Text = MetroListView2.Items(i).SubItems ➤
380                         (2).Text
381                         MetroTextBox3.Text = MetroListView2.Items(i).SubItems ➤
382                         (3).Text
383                         MetroTextBox4.Text = MetroListView2.Items(i).SubItems ➤
384                         (4).Text
385                         MetroTextBox7.Text = MetroListView2.Items(i).SubItems ➤
386                         (5).Text
387                         MetroTextBox5.Text = MetroListView2.Items(i).SubItems ➤
388                         (6).Text
389                         MetroTextBox13.Text = MetroListView2.Items(i).SubItems ➤
390                         (7).Text
391                         MetroListView2.Items(i).Selected = True
392                         Exit For
393                     End If
394                 Next

```

```

386         End If
387     Catch
388
389     End Try
390     Call IssueDetail()
391 End Sub
392
393
394
395 'Private Sub MetroButton3_Click(sender As Object, e As EventArgs)
396 '    If ComboBox1.Text = "" Then
397 '        MsgBox("Please mention a Book ID", 0, "")
398 '    Else
399
400 '        Try
401 '            If objcon.State = ConnectionState.Closed Then objcon.Open()
402 '            com = New OleDb.OleDbCommand("DELETE FROM Returns WHERE
403 '            BookID='" & MetroTextBox8.Text & "'", objcon)
404 '            com.ExecuteNonQuery()
405 '            MsgBox("Deleted Success!", 0, "")
406 '            Call ClearThem()
407 '            objcon.Close()
408 '        Catch ex As Exception
409 '
410 '        End Try
411 '    End If
412 'End Sub
413
414
415
416
417 Sub readData()
418     MetroListView2.Clear()
419     MetroListView2.Columns.Add("Book Barcode", 160,
420         HorizontalAlignment.Center)
421     MetroListView2.Columns.Add("Group ID", 60, HorizontalAlignment.Center)
422     MetroListView2.Columns.Add("Book Name", 310,
423         HorizontalAlignment.Center)
424     MetroListView2.Columns.Add("Publisher", 90,
425         HorizontalAlignment.Center)
426     MetroListView2.Columns.Add("Author", 90, HorizontalAlignment.Center)
427     MetroListView2.Columns.Add("Publishing Year", 190,
428         HorizontalAlignment.Center)
429     MetroListView2.Columns.Add("Edition", 90, HorizontalAlignment.Center)
430     MetroListView2.Columns.Add("Quantity", 90, HorizontalAlignment.Center)
431     MetroListView2.View = View.Details
432     Try
433         If (objcon.State = ConnectionState.Closed) Then objcon.Open()
434         com = New OleDb.OleDbCommand("SELECT * FROM Books", objcon)
435         dr = com.ExecuteReader
436         While dr.Read()
437             Call adddatatolistview(MetroListView2, dr(0), dr(1), dr(2), dr
438                 (3), dr(4), dr(5), dr(6), dr(7))
439         End While

```

```
436         dr.Close()
437         objcon.Close()
438     Catch
439         'MsgBox("Please Refresh", MsgBoxStyle.Information, "")
440     End Try
441 End Sub
442
443 Public Sub adddatatolistview(ByVal lvw As ListView, ByVal BookID As String,
String, ByVal GroupID As String, ByVal BookName As String, ByVal
Publisher As String, ByVal Author As String, ByVal PubYear As String,
ByVal edi As String, ByVal qty As String)
444     Dim lv As New ListViewItem
445     lvw.Items.Add(lv)
446     lv.Text = BookID
447     lv.SubItems.Add(GroupID)
448     lv.SubItems.Add(BookName)
449     lv.SubItems.Add(Publisher)
450     lv.SubItems.Add(Author)
451     lv.SubItems.Add(PubYear)
452     lv.SubItems.Add(edi)
453     lv.SubItems.Add(qty)
454 End Sub
455
456
457
458
459 End Class
```