

# Database

## Introduction To SQL Programming

# Day1

- DB Life cycle
- File Based System & its Disadvantages and Limitations
- DBMS Advantages & Disadvantages
- ERD Notations
- Entities & Attributes & relations
- Keys & Constraints
- Case Study


# File Based System

- **Separation & Isolation Of data (each user has a copy)** cause **inconsistencies**
- **Incompatible File Formats**
- **Program-Data Dependence**
  - All programs maintain **metadata** for each file they use
  - **Each application** program needs to **include** code for the **metadata** of each file
  - **Non-standard** file formats
- **Lengthy Development Times**
  - Programmers must design their own file formats (**Metadata**)
- **Data Redundancy (Duplication of data)**
  - Different systems/programs have separate copies of the same data
  - When data changes in one file, could cause **inconsistencies**
  - **No Database integrity**
- **Limited Data Sharing**
  - **No centralized** control of data

# Basic Definitions

- **Database:** A collection of related data.
- **Database Management System (DBMS):** A software package/ system to facilitate the creation and maintenance of a computerized database.(model introduced in 1970 IBM but RDBMS appears in 1980)
- **Database System:** The DBMS software together with the data itself. Sometimes, the applications are also included. ( **Software + Database** )

# Database System





# DBMS Advantages

- **Standardization** and better Data accessibility and response (SQL)
- **Sharing data.**
  - Different users get different views of the data
- **Enforcing Integrity Constraints**
- **Improved Data Quality**
  - Constraints, data validation rules
- **Inconsistency can be avoided because of data sharing.**
- **Restricting Unauthorized Access.**
- **Providing Backup and Recovery.**
  - Disaster recovery is easier
- **Minimal Data Redundancy**
  - Leads to increased data integrity/consistency
- **Program-Data Independence**
  - **Metadata stored in DBMS**, so applications don't worry about data formats
  - Data queries/updates managed by DBMS

# DBMS Disadvantages

- It needs **expertise** to use
- DBMS itself is **expensive**
- The DBMS may be **incompatible** with any other available **DBMS**

# Database Users

- Database Administrator (DBA)
- System Analysts
- Database Designer
- Database Developer
- Application programmers
- BI & BigData Specialist (Data Scientist)
- End users



The background features a light gray, textured surface with a faint, large-scale image of a book. The book's cover has vertical Chinese calligraphy in a dark gray font. A horizontal bar at the top consists of a small olive green segment on the left and a larger dark purple segment on the right.

# Entity Relationship Diagram Concepts

# Entity Relationship Modeling

## **Entity-Relationship Diagram (ERD)**


identifies information required by the business by displaying the relevant entities and the relationships between them.

# The ER Model

## Basic constructs of the E-R model:

1. **Entities** - person, place, object, event, concept (often corresponds to a real time object that is **distinguishable** from any other object)
2. **Attributes** - property or **characteristic** of an entity type (often corresponds to a field in a table)
3. **Relationships** – **link** between entities (corresponds to primary **key-foreign key** equivalencies in related tables)


# ER Diagram: Starting Example



- Rectangles: entity sets
- Diamonds: relationship sets
- Ellipses: attributes

# Strong Entity Vs Weak Entity

- A **Strong Entity**- An Entity set that has a primary key.
- A **Weak Entity**- An entity set that do not have sufficient attributes to form a primary key.




**Partial key:** A set of attributes that can be associated with P.K of an owner entity set to distinguish a weak entity.




# Next: Types of Attributes

1. **Composite Attribute**
2. **Multi-valued Attribute**
3. **Derived Attribute**
4. **Complex Attribute**
5. **Simple Attribute**


# Simple Attribute



# Composite Attribute




# Derived Attribute



➤ derived (dashed ellipse)


# Multi-valued



➤ multi-valued (double ellipse)



# Complex Attribute



► multi-valued + Composite

# Relationship

- A Relationship is an association among several entities.
- A relationship may also have attributes

**For example**, consider the entity sets *customer* and *loan* and the relationship set *borrower*. We could associate the attribute **date-issued** to that relationship to specify the date when the loan was issued.




Figure: Descriptive attribute *date-issued*.

# Relation

## **Relation has three Properties:**

- Degree of Relationships
- Cardinality Constraint
- Participation Constraint

# Degree of Relationships


- Degree: number of entity types that participate in a relationship
- Three cases
  - **Unary:** between two instances of one entity type
  - **Binary:** between the instances of two entity types
  - **Ternary:** among the instances of three entity types



Unary




Binary



Ternary

# Recursive Relationship (Unary)


- **Recursive Relationships** - A relationship in which the same entity participates more than once.






# Binary Relationship

- ▶ A binary relationship set is of degree 2.



# Ternary Relationship

- ternary relationship set is of degree 3.




# Cardinality


- How many instances of one entity will or must be connected to a single instance from the other entities.
  - **One-One Relationship**
  - **One-Many Relationship**
  - **Many- Many Relationship**

# Mapping Cardinalities


➤ One-to-One



➤ One-to-Many



➤ Many-to-Many



# PARTICIPATION CONSTRAINT

- An employee MUST work for a department  
An employee entity can exist only if it participates in a WORKS\_FOR relationship instance


So this participation is TOTAL

Only some employees manage departments

The participation is PARTIAL



# PARTICIPATION CONSTRAINT



- An Employee **may** have a car.
- A Car **must** be assigned to particular employee

# PARTICIPATION CONSTRAINT



- A department **may** hire many employees ( **Zero or more**)
  - An employee **must** be employed by a department
- (Department membership is **Optional**, Employee membership is **Mandatory**)

# Keys

## ► Different Types of Keys:

1. Candidate Key
2. Primary Key
3. Foreign Key
4. Composite Key
5. Partial Key
6. Alternate key
7. Super Key

# Candidate Key

**Candidate key**: is a set of one or more attributes whose value can uniquely identify an entity in the entity set

- Any attribute in the candidate key cannot be omitted without destroying the uniqueness property of the candidate key.


Example:

- *(SSN, Name)* is NOT a candidate key .
- *“SSN”* is a candidate key of *customer*.
- Candidate key could have more than one attributes.

# Primary Key

- **Example:** Both “SSN” and “License #” are candidate keys of *Driver* entity set.
- **Primary Key:** is the candidate key that is chosen by the database designer as the unique identifier of an entity.  
**[Unique & Not Null]**
- **Primary key May be Composite**

# Primary Key

















# Summary of notation for ER diagrams

**Figure 3.14**


Summary of the notation for ER diagrams.


Symbol	Meaning
	Entity
	Weak Entity
	Relationship
	Identifying Relationship
	Attribute
	Key Attribute
	Multivalued Attribute
	Composite Attribute
	Derived Attribute
	Total Participation of $E_2$ in $R$
	Cardinality Ratio 1 : N for $E_1:E_2$ in $R$
	Structural Constraint (min, max) on Participation of $E$ in $R$

Identifying relationship is links strong entities to weak entities and is represented with double line diamond



# Case Study





# Thank You !!!